


Supplementary Figure 1






Supplementary Figure 1. Relationships of body lengths with measurements of reproductive organs, by maturity stage, for porbeagles (*Lamna nasus*) captured from Massachusetts to off the Grand Banks of Newfoundland, Canada, between 2004 and 2018 in this study and for those taken between 1989 and 1999 from Georges Bank to off the Grand Banks of Newfoundland by Jensen et al. (2002). The organ measurements are (**A**) upper oviduct width and (**B**) oviducal gland width.


Supplementary Figure 2





Supplementary Figure 2. Relationships of body lengths with measurements of reproductive organs, by maturity stage, for porbeagles (*Lamna nasus*) captured from Massachusetts to off the Grand Banks of Newfoundland, Canada, between 2004 and 2018 in this study and for those taken between 1989 and 1999 from Georges Bank to off the Grand Banks of Newfoundland by Jensen et al. (2002). The organ measurements are (**A**) ovary length and (**B**) total uterus length.

Supplementary Figure 3



Supplementary Figure 3. Relationship of body lengths with total uterus lengths, by maturity stage, for porbeagles (*Lamna nasus*) captured from Massachusetts to off the Grand Banks of Newfoundland, Canada, between 2004 and 2018 in this study and for those taken between 1989 and 1999 from Georges Bank to off the Grand Banks of Newfoundland by Jensen et al. (2002).