# FISHERY STATISTICS OF THE UNITED STATES

SH 11 A443X FISH

1949



STATISTICAL DIGEST NO. 25

FISH AND WILDLIFE SERVICE United States Department of the Interior



# UNITED STATES DEPARTMENT OF THE INTERIOR, OSCAR L. CHAPMAN, Secretary

# FISH AND WILDLIFE SERVICE, ALBERT M. DAY, Director DANIEL M. COHEN

# Statistical Digest 25

# FISHERY STATISTICS OF THE UNITED STATES 1949

BY

A. W. ANDERSON and C. E. PETERSON



UNITED STATES GOVERNMENT PRINTING OFFICE, WASHINGTON: 1952

Fishery Statistics of the United States and Alaska are compiled and published annually to make available information on both the economic and biological aspects of the domestic commercial fisheries.

Data on the economic aspects are necessary to persons engaged in the commercial fishery and to governmental agencies concerned with its regulation and protection. Those here given cover the total catch and value by species, the yield and value of manufactured products and byproducts, the employment of men, craft, and gear in the capture of fishery products; and related information.

From the biological standpoint these data are important to sound fishery management in providing detailed information on fluctuations in the commercial catch by species, locality and gear; and on the type of gear and boats operated. They assist conservation agencies in regulating the commercial fisheries so as to produce maximum yields without depletion.

Previous statistical reports on the fishery industries were issued under the Department of the Interior in the Administrative Report series for 1938 and in the Statistical Digest series for succeeding years. Reports for preceding years were issued in the Administrative Report series of the former Eureau of Fisheries.

The following is a listing of the various Statistical Digests issued since 1939:

No. 1 Fishery Statistics of the United States, 1939

2 Alaska Fishery and Fur Seal Industries, 1940

3 Propagation and Distribution of Food Fishes, Fiscal year, 1941

4 Fishery Statistics of the United States, 1940

5 Alaska Fishery and Fur Seal Industries, 1941 6 Propagation and Distribution of Food Fishes, 1941

From From Fishery Statistics of the United States, 1941

R Alaska Fishery and Fur Seal Industries, 1942

9 Propagation and Distribution of Food Fishes, 1942

10 Alaska Fishery and Fur Seal Industries, 1943 11 Fishery Statistics of the United States, 1942

11 Propagation and Distribution of Food Fishes, 1942

13 Alaska Fishery and Fur Seal Industries, 1944

14 Fishery Statistics of the United States, 1943

Alaska Fishery and Fur Seal Industries, 1945
 Fishery Statistics of the United States, 1944

17 Alaska Fishery and Fur Seal Industries, 1946

18 Fishery Statistics of the United States, 194519 Fishery Statistics of the United States, 1946

20 Alaska Fishery and Fur Seal Industries, 1947

21 Fishery Statistics of the United States, 1947
 22 Fishery Statistics of the United States, 1948

23 Alaska Fishery and Fur Seal Industries, 1948

24 Propagation and Distribution of Food Fishes, 1944-1948

25 Fishery Statistics of the United States, 1949

# FISHERY STATISTICS OF THE UNITED STATES: 1949

# By A. W. ANDERSON, Chief Branch of Commercial Fisheries

# and C. E. PETERSON, Chief, Statistical Section

# Fish and Wildlife Service

# CONTENTS

	Page
Introduction	2
Section 1 General Review	3
United States and Alaska Summaries	6
Manufactured Fishery Products	17
Canned Fishery Products and Byproducts	24
Packaged Fish	39
Frozen Fish Trade	42
Foreign Fishery Trade	51
Section 2 New England Fisheries	58
Sectional Summaries	61
Maine	69
New Hampshire	71
Massachusetts	72
Rhode Island	76
Connecticut	78
Supplementary Surveys	
Landings at Certain Massachusetts Ports	82
Landings at Maine Ports	111
Section 3 Middle Atlantic Fisheries	117
Sectional Summaries	120
New York	126
New Jersey	129
Delaware	133
Supplementary Surveys	
Hudson River Shad Fishery	135
Landings at New York City	136
Section 4 Chesapeake Fisheries	138
Sectional Summaries	141
Maryland	145
Virginia	149
Supplementary Survey	
Potomac River Shad and Alewife Fishery	154
Section 5 South Atlantic Fisheries	155
Sectional Summaries	156
Section 6 Gulf Fisheries	161
Sectional Summaries	164
Florida (West Coast)	170
Alabama	174
Mississippi	175
Louisiana	177
Texas	179
Supplementary Survey	
Tarpon Springs Sponge Fishery	182
Section 7 Pacific Coast States Fisheries	183
Sectional Summaries	186
Washington	194
Oregon	20 1
California	201
Supplementary Surveys	200
Landings by Halibut Fleet at Seattle, Washington	210
Receipts by Seattle Wholesale Dealers	210
Section 8 Lake Fisheries	212
United States and Canada Summaries	218
United States Summaries	220
	220

	, ago
Section 9 Mississippi River Fisheries	234
Section 10 Alaska Fisheries	236
Section 11 Hawaiian Fisheries	243
Section 12 Review of Certain Major Fisheries	247
l'nited States and Alaska Cod Fishery	247
Atlantic Coast Haddock Fishery	249
Pacific Coast Halibut Fishery	249
Atlantic Coast Mackerel Fishery	251
Pacific Coast Mackerel Fishery	252
Atlantic and Gulf Coast Menhaden Fishery	253
Ocean Perch Fishery	255
Pacific Coast Pilchard Fishery	255
Pacific Coast Salmon Fishery	256
Pacific Coast Tuna Fishery	259
Whaling	262
Section 13 Statistical Survey Procedure	263
Sectional Surveys	263
Local and Special Surveys	268
Practices and Terms	27 0
Conversion Factors	271
Section 14 Glossary of Names of Fishery Products	273
Section 15 Pictorial Section	279
Section 16 Statistical Publications	297

### INTRODUCTION

This report contains a review of the fishery statistics for the year 1949, collected by the Branch of Commercial Fisheries during 1950. These include data on the volume of the catch of fishery products and their value, employment in the fisheries, quantity of gear operated, the number of fishing craft employed in the capture of fishery products, and certain information on the volume and value of the production of manufactured fishery products and byproducts.

Statistical surveys for the 1949 data were conducted in all sections except the South Atlantic and the Mississippi River States. Statistics on the various fisheries were collected by the following field agents: R. Balkovic, B. F. Greer, H. Haberland, C. H. Lyles, D. A. McKown, R. H. Marchant, C. B. Tendick, J. P. Wharton, R. H. Wilson, and F. M. Wood. The surveys in Washington and Oregon were supervised by E. C. Hinsdale. Data for the Great Lakes were assembled by the staff of Dr. John Van Oosten of the Branch of Fishery Biology; and those for the fisheries of Alaska were collected by the Branch of Alaska Fisheries of the Service.

Information on landings at Massachusetts ports was collected in cooperation with the Market News Section and the Branch of Fishery Biology. Data on the Hawaiian Fisheries were furnished by the Division of Fish and Game, Board of Commissioners of Agriculture and Forestry of the Territory of Hawaii.

The statistical surveys conducted during 1950, for 1949 data, were under the general direction of F. A. Power, Chief, Statistical Section, assisted by C. E. Peterson, Statistician. The survey material was assembled, tabulated, and prepared for publication by the staff of the Statistical Section under the direction of B. E. Finley, Fishery Marketing Specialist. He was assisted by Mary Donahue, Elsie Fnglish, Evelyn Blecht, Alice Hnatiw, Delia Ridge, Dorothy Stein, and Melissa Tinkey. Operation of the tabulating unit was directed by Mabel Swart, assisted by Barbara Fair, Adele Marshall and Marie Voigt. G. I. Sundstrom prepared many of the illustrations contained in the report.

In assembling the data on the fisheries, all appropriate records collected by the various State fishery agencies were used. In the Great Lakes and the Pacific Coast States, these records were such that it was necessary for the Service personnel to conduct only partial surveys. Statistics on the imports and exports of fishery products were furnished by the Bureau of the Census.

Information on the means of collecting the data and an explanation of terms used may be found in Section 13 of this publication.

Grateful acknowledgment is extended to the State and Federal agencies and to the various individuals who cooperated in furnishing portions of the data contained in this volume.

Surveys covering the catch of fish and shellfish for the year 1949 were made in all areas of the United States and Alaska with the exception of the South Atlantic States and the Mississippi River and its tributaries. The South Atlantic States were last canvassed in 1945, and detailed data published in ''Fishery Statistics of the United States, 1945' (Statistical Digest No. 18). The most recent complete data for the Mississippi River and its tributaries are for 1931. However, catch statistics for the Upper Mississippi area for 1949 were made available by the Upper Mississippi River Conservation Commission and are shown in Section 9 of this publication. In the following tables, the most recent employment, operating unit, and catch statistics are shown for each section of the country.

It is estimated that the 1949 catch of fishery products in all sections of the United States and Alaska totaled 4,796,000,000 pounds, valued at \$339,000,000 to the fishermen. This was an increase of 5 percent in quantity compared with the previous year. The value of the 1949 catch declined 8 percent compared with the record high of 1948. The fisheries of the United States and Alaska experienced a general decrease in prices during 1949, and values for a number of items declined sharply. The price of fish oil, which reached a peak of 24 cents per pound in 1947, fell to as low as 5-1/2¢ per pound. Sharp declines also occurred in the amount received by canners for their production of canned Maine sardines, California pilchards, tuna, and most species of salmon. Despite general price declines in other products, the price of fish meal was maintained at a high level because of the recognized value of this product in animal feeding. Prices averaged somewhat over \$150 per ton --nearly four times the amount received in 1940.

Outstanding developments during the year were the record landings of tuna and tunalike fishes; the record landings of menhaden; the continued success of the ocean perch (rosefish) fishery; and the marked gains recorded by the Pacific salmon and pilchard fisheries. During 1949, the production of tuna and tunalike fishes on the Pacific Coast set a new record with landings totaling over 332,000,000 pounds. This catch exceeded the previous high established in 1948 by over 7 million pounds. The catch of menhaden off the Atlantic and Gulf States during 1949 broke all previous records with landings of 1,081,000,000 pounds, valued at over \$11,500,000 to the fishermen. The catch was far greater than that of any other species taken by United States and Alaska fishermen. The Atlantic Coast catch of ocean perch (rosefish) during 1949 totaled almost 237,000,000 pounds -- a decrease of less than 1 percent in quantity but an increase of 2 percent in value compared with the previous year. The United States and Alaska catch of salmon totaled over 484,000,000 pounds in 1949 -- an increase of over 80,000,000 pounds compared with 1948. Salmon landings in the Pacific Coast States increased over 30,000,000 pounds compared with the previous year while those in Alaska gained almost 50,000,000 pounds. The Pacific Coast pilchard catch during 1949 amounted to 633,500,000 pounds, valued at \$10,800,000 to the fishermen. This represented an increase of 70 percent in quantity but a decrease of 2 percent in value compared with 1948. The mackerel catch on the Atlantic Coast decreased 18 percent in volume compared with the previous year while the catch of Pacific mackerel gained 26 percent in poundage during the same period.

The per capita consumption of fishery products in the United States in 1949 totaled 11.4 pounds, edible weight basis. This was considerably above the wartime level of 9 pounds when a large portion of the canned pack was allocated to the armed forces and to lend-lease distribution.

The total catch of fishery products in the United States, as based on the most recent surveys for each section through 1949, amounted to 4,791,000,000 pounds, valued at \$329,700,000 to the fishermen. The difference between these figures and the estimated totals listed above are due to the inclusion of estimates on the 1949 landings for the South Atlantic area and the Mississippi River and its tributaries. The following table which contains recorded production for the areas in which surveys were made for the years shown and estimates for other regions, indicates the trend of the yield and value of the domestic catch during recent years.

Year	Pounds	Value to	Average price
		the fishermen	per pound
1939 1940 1941 1942 1943 1944	4,443,328,000 4,059,524,000 4,900,000,000 3,876,524,000 4,202,000,000 4,500,000,000	\$96,532,000 98,557,000 129,000,000 170,338,000 204,000,000 213,000,000 269,900,000	2. 17 ¢ 2. 44 2. 63 4. 39 4. 85 4. 73 5. 82
1946 1947 1948 1949	4,456,000,000 4,344,000,000 4,575,000,000 4,796,000,000	310,000,000 307,600,000 367,000,000 339,000,000	6.96 7.08 8.02 7.06

A total of 1,002 vessels of 5 net tons and over received their first documents as fishing craft in 1949. This was 8 percent less than the number entering the fleet the previous year, but between three and four times the number documented annually prior to 1943. In the five years ending with 1949, a total of 5,312 vessels had been documented as fishing craft. In 1940, the entire fleet in the United States and Alaska totaled only 5,562 vessels. Despite the large increase in the size of the fleet, the annual catch has not increased proportionately compared with the prewar production. This has been due largely to the low yields of salmon in Alaska and pilchards in California.

Vessels obtaining their first documents as fishing craft, 1936 - 1949:

Year	Number	Year	Number
1936	1/ 435	1943	358
1937	335	1944	635
1938	1/ 376	1945	741
1939	357	1946	1.085
1940	320	1947	1.300
1941	354	1948	1.184
1942	358	1949	1,002

1/ Data are partly estimated.

San Pedro, California, continued to be the nation's leading fishing port, with landings of over 553,000,000 pounds, valued at \$27,000,000 to the fishermen. Monterey, California, was in second place, with approximately 285,000,000 pounds followed by Gloucester, Massachusetts with 251,000,000 pounds. While San Diego, California -- with landings of almost 205,000,000 pounds -- occupied fourth place with respect to the volume of the landings, it was first in importance as far as value was concerned. Landings at that port had a value of \$32,500,000.

It is estimated that the 1949 catch was marketed as follows: 1,629 million pounds (round weight basis) as fresh and frozen products; 1,663 million pounds were used for canning; 1,404 million pounds for bait and byproducts; and 100 million pounds for cured products.

The 1949 production of canned fishery products in the United States and Alaska amounted to 855,000,000 pounds, valued at \$295,500,000 at the processors' level. The output of fishery byproducts was valued at \$78,500,000. Compared with 1948, the value of canned products decreased 12 percent while the value of the byproducts decreased only 2 percent.


Almost 286,000,000 pounds of fishery products were frozen during 1949. This was a decrease of over 6,000,000 pounds or 2 percent compared with the record figure established during 1949.

The value of foreign trade in fishery products (imports and exports combined) by the United States during 1949 amounted to over \$186,500,000. Of this amount, \$151,600,000 represented the value of products entered for consumption and \$34,900,000 the value of exports of domestic fishery products. Import items which were received in a considerable greater volume during 1949 were fresh and frozen tuna; shrimp; fillets, other than groundfish; and salted herring. Items showing large declines compared with the previous year were fresh sea herring, groundfish fillets, canned sardines and tuna, and sperm oil.

A review of the fisheries of each geographical area will be found at the beginning of each section in this volume. Summarizes of the more important specific fisheries will be found in Section 12. Summarized data of the operating units and catch for all areas have been previously published in Current Fishery Statistics No. 703.



# DISPOSITION OF CATCH, 1931 - 1949



# UNITED STATES AND ALASKA SUMMARIES

### SUMMARY OF CATCH

(EXPRESSED IN THOUSANDS OF POUNDS AND THOUSANDS OF DOLLARS)

PRODUCT	NEW ENGLAND, 1949 AREA XXII		194	MIDDLE ATLANTIC, 1949 AREA XXIII		CHESAPEAKE, 1949 AREA XXIII		SOUTH ATLANTIC, 1945 AREA XXIV		GULF, 1949 AREA XXV	
FISH	QUANT:TY 931,433 68,543	VALUE 38,577 19,960	QUANTITY 473,274 47,702	VALUE 10,830 16,288	QUANTITY 232,781 101,875	9,037 16,146	339,577 65,369	9,514 5,618	355,948 168,640	VALUE 13,686 36,019	
PRODUCT	999,976 PACIFIC	58,537	520,976 27,118 LAKES, 1949		MISSISSIPPI RIVER AND TRIBUTARIES.		404,946   15,132 ALASKA, 1949		524,588 49,705 TOTAL, VARIOUS YEARS		
FISH. SHELLFISH, ETC	QUANTITY 1,311,479 52,250 790	/ALUE 93,375 6,930 68	QUANTITY 85,691 2	VALUE 11,458 (1)	19 QUANTITY 44,062 38,321		QUANTITY 466,261 6,628	VALUE 38,759 540	QUANTITY 4,240,506 549,330 790	VALUE 227, 493 102, 141 68	
TOTAL	1,364,519	100.373	85,693	11,458	82,383	2,897	472,889	39,299	4,790,626	329,702	

NOTE: THE ROMAN NUMERALS APPEARING UNDER THE NAMES OF THE SECTIONS ARE THE NUMBERS GIVEN THE AREAS BY THE NORTH AMERICAN, COUNCIL ON FISHERY INVESTIGATIONS. IT SHOULD BE EXPLAINED THAT THERE ARE INCLUDED IN THE OPERATING UNIT TABLES FOR THE AREAS, CRAFT WHOSE PRINCIPAL PORTS ARE IN THE RESPECTIVE AREAS BUT WHICH MAY AT TIMES FISH ELSEWHERE.

### SUMMARY OF OPFRATING UNITS

ITEM	NEW ENGLAND, 1949	MIDDLE ATLANTIC, 1949	CHESAPEAKE, 1949	SOUTH ATLANTIC, 1945 AND 1940	GULF, 1949
FISHERMEN:	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
ON VESSELS	6,385 18,454	3,433 11,738	2, 150 16, 196	2,455 10,414	7,396 15,465
TOTAL	24,639	15,171	18,346	12,869	22,861
VESSLS: STEAM NET TONNAGE MOTOR NOTOR NET TONNAGE SAIL NET TONNAGE	5 513 943 31,607 -	- - 590 14,109 -	- 393 5,385 111 1,227	- 614 6,960 45 595	2,244 34,680
TOTAL VESSELS	948 32,120	590 14,109	504 6,612	659 7,555	2,244 34,680
BOATS: MOTOR OTHER ACCESSORY BOATS APPARATUS:	8,836 5,003 241	5,702 1,364 183	8,122 3,867 73	3,096 2,860 236	6,474 4,894 276
HAUL SEINES	15 187	217 55	590 18	514 45	295 53
STOP SEINES	136 900	272	- 64	1,119	5,483
BEAM TRAWLS	1,349 - 303	21 2,271 260	2,153 1,678	3,940 8 2,520	1,964 1,089
FLOATING TRAPS	86 11 35 40	- 16 863	- 6 2,202	353	- 4 1,065
OTHER NETS 2/	542 1,167,279 1,222	50 269,912 2,285	1,176 1,130,340 24,054	309 866,620 535	7,014 838,238
BRUSH TRAPS LOBSTER POIS AND TRAPS	601,786	9,786	-	5,900	88,500 11,840
CRAB, CRAWFISH, AND TURTLE POTS AND TRAPS	1,482 213	955 5	71,335	7,330 49	4,020 132
CLAM DREDGES. CRAB DREDGES. OYSTER DREDGES.	35 - 116	129 38 376	369 836	- - 349	393
SCALLOP DREDGES	5 <b>,</b> 734 - -	126 - -	7 517	:	36 - -
TONGS, RAKES, SHOVELS, HOES, FORKS, PICKS AND GRABS	6,019	8,661	7,754	647	2,193
OTHER APPARATUS 5/	300	17,470	2,418	10,857	267
SEE FOOTNOTES AT END OF TABLE	(	CONTINUED ON NE	XT PAGE }		

### SUMMARY OF OPERATING UNITS - Continued

ITEM	PACIFIC, 1949	LAKES, 1940	MISSISSIPPI RIVER AND TRIBUTARIES, 1931	ALASKA, 1949	TOTAL, VARIOUS YÉARS
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE	15,579 16,215	1,694 3,44B	15,884	<u>1</u> / 10 <b>,</b> 757	49,849 107,814
TOTAL	31,794	5,142	15,884	10,757	157,663
VESSELS: STEAM RET TONNAGE MOTOR MET TONNAGE SALL NET TONNAGE	3,232 84,178	30 646 469 5,427	- - - - -	1,597 19,861 -	35 1,159 10,082 202,207 156 1,822
TOTAL VESSELS	3,232 84,178	499 6,073		1,597 19,861	10,273 205,188
BOATS: MOTOR OTHER ACCESSORY BOATS	7,082 B24 1,193	1,186 599 -	4,426 10,120	1,790 1,683	46,714 31,214 2,202
APPARATUS: HAUL SEINES PURSE SEINES AND LAMPARA NETS STOP SEINES OTTER TRAWLS BEAM TRAWLS GILL NETS TRAMWEL AND BAR NETS POUND NETS, TRAP NETS, AND WEIRS FLOATING TRAPS STOP NETS FYKE NETS BAG NETS OTHER METS 2/ HOOKS, BAITS OR SNOODS ELL POIS AND TRAPS BRUSH TRAPS BRUSH TRAPS BRUSH TRAPS BRUSH TRAPS BRUSH TRAPS	187 884 -326 25 6,845 54 43 -1,600 2,636 1,186,930 -1 -1	169 - 106,031 75 8,336 - 1,787 - 615,839	1,013 - - - 101 518 374 - - 32,541 - 191 2,459,179	132 701 - 4 7 4,934 - 353 - - - - (3)	3, 132 1, 943 1, 943 8, 168 53 129, 588 1, 744 14, 068 39 40, 446 11, 98 8,534, 337 28, 296 68, 500 635, 660
CRAB, CRAWFISH, AND TURTLE POTS AND TRAPS HARPOONS AND SPEARS CLAM DREDGES CRAB DREDGES OYSTER DREDGES SCALLOP DREDGES MUSSEL AND OTHER DREDGES. SCRAPES	78,903 120 - (4) - -	700 - - - - - - -	456 - - - - 440	1,337 - - - - - - -	166,518 519 167 407 2,070 5,896 447 517
TOMOS, RAKES, SHOVELS, HOES, FORKS, PICKS AND GRABS DIVING OUTFITS. CROWFOOT BARS. OTHER APPARATUS 5/	4/ 4,194 - 625	13 - 22 -	3,994 4,480 3,781	289 - - -	33,764 40 4,502 35,718

INCLUDES PERSONS IN BOAT AND SHORE FISHERIES.

NOTE: -- DATA FOR THE SOUTH ATLANTIC STATES ARE FOR 1945 EXCEPT FOR THE EAST COAST OF FLORIDA WHICH ARE FOR 1940.



GREAT LAKES FISHING TUG

INCLUDES CAST, DIP, LIFT, REEF, AND BRAIL OR SCOOP NETS.

NUMBER NOT DETERMINED.

<sup>1/2/3/4/</sup> OYSTER DREDGES ARE INCLUDED WITH TONGS ON PACIFIC COAST.

INCLUDES FISH, PERIWINKLE AND COCKLE, AND CONCH POTS; BOX, SLAT, SHRIMP AND OCTOPUS TRAPS; LOBSTER AND SPONGE HOOKS; AND COQUINA SCOOPS.

# GENERAL REVIEW

# UNITED STATES AND ALASKA: CATCH BY REGION

SPECIES	NEW ENG	LAND,	MIDDLE AT	LANTIC,	CHESAPE	AKE,	SOUTH ATE			ILF,
	194						QUANTITY	VALUE	QUANTITY	VALUE
FISH	JUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE 504	8,450	186	GOANTITT	TALOE
ALEWIVES	5,067 (1)	(1) 57	144	- 4	26,969	- 504	108	180	103	- 6
ANGLERFISH	``' 7	{ 1}	58	3	-	-	-	-	- 43	- ,
BARRACUDA	- 61	12	1,369	168	392	50	41 1,912	2 304	578	77
BLUE RUNNER	0,	12	1,509	1	3,2	30	l .			
OR HAROTAIL	- 1	-	:	-	(1)	(1)	91	- 6	1,136	34
BUFFALOFISH			-	-	-	-	-	-	794	64
BUTTERFISH	2,704	216	3,089	323	1,097	73	57 32	3 2	- 28	- 2
ABIO OR CRAB EATER .	42	- 3	122	8	1,282	72	883	27	24	2
ATFISH AND BULLHEADS	8	1	153	10	2,018	136	10,890	1,141	3,836	(1)
ERO		-	_		]		-	-	4	{ i}
00	<b>5</b> 8 <b>,7</b> 95	3,377	3,743	365	37	1.1 2	933	205	-	-
RAPPIE	- 2	(1)	_	_	2	(1)	122	203	421	14
ROAKER	- 1	-	173	, 16	14,733	2,109	4,472	366	231	15
UNNER	3,620	(1) 133	3	(1)	- :	-		]		
OLPHIN	2	(11	(1)	(1)	(1)	(1)	80	8	(1)	(1)
RUM:			13	١,	69	3	679	49	1,231	104
REO OR REDFISH			, , ,	۱ - ۱	77	6	1,043	117	2,858	464
ELS:	119	21	415	74	1,318	159	181	9	(1)	(1)
CONGER	16	1	52	1	30	1	-	-	-	
LOUNDERS	66,847	6,355 2	10,644 91	1,485	3,144	422	2,086	243	821	160
ARFISH	- 44	, <sup>2</sup>	- 91	- "	-	-		-	182	10
SIZZARD SHAD			- 56		204	4	558	11	-	-
GRAYFISH	625	- 6	2	(1) 2	-	-	1,417	138	8,397	835
RUNTS		-	-	-	-	-	<b>7</b> 6	5	´ 84	7
AAKE:	133,765	9,170	1,206	80		-	-	-	-	-
RED	41,666	393	944	33	2	(1)	- ,		-	-
WHITE	14,213 4 <b>7</b> 3	531 106	116 3	5	(1)	(1)	4	1		
ARVESTFISH OR	7,3	,,,,		·						
STARFISH	168,413	2.677	2,181	32	601 86	33	812	49		-
ICKORY SHAD	(i)	2,677 (1)	3	(1)	247	, ,11	969	7:5	-	-
OGCHOKER	-	-	-	-	3	(1)	15	٠,	15	1
IEWFISH	-	-	-	-	-	-	216	30	187	10
ING MACKEREL	-	-	34	3	-	-	2,782	396	1,419	185
OR "KINGFISH"	87	7	34	5	194	18	3,286	145	636	44
AUNCE	15 016	1,276	20 053	704	3,201	329	-	-	-	-
IENHADEN	17,916	134	20,953 392,410	4,256	137,812	1,552	256,279	1,715	276,506	3,248
IINNOWS	100	7	-	-	-	-	-	-	514	- 31
OONFISH			-	-	1	-	- 1		32	2
NULLET	-	- 1	31	2	60	- 4	11,957 208	962 37	31,893 45	3,282
ÇEAN PERCH	·	-	- 1	_	-	-	200	37	45	,
(ROSEFISH)	236,987	9,820	-	-	-	-	-	-	-	-
A DLEFISH OR	٦		-	-	-		- 1	- 1	_	_
SPOONBILL CAT	-	: 1	-	-	-	-	- ,	(1)	48 20	8
IGFISH			-	-	12	1	522	117 36	50	4
IKE OR PICKEREL	-	-	- 17	- 1	22	5	-	-	-	-
ILOTFISH	-	-	- ''	- '		-	13	- 1	10	(1)
OLLOCK	28,789	806	42	2	(1)	{;}	- 356	137	646	338
ALMON:		-			- 17		330	137	040	336
ATLANTIC	1	- 1		-	-	-	-	-		
TOTAL SALMON	1	1	-	-	-	-		-		-
AND PERCH	- :	-	:	:	30	_ 1			35	- 1
CUP OR PORGY	4,644	181	16,805	1,113	7,509	477	113	9	-	- '
EA BASS,	302	37	5,061	685	4,680	466	454	66	_	
BLACK (ATLANTIC)										

# UNITED STATES AND ALASKA: CATCH BY REGION - Continued

(EXPRESSED IN THOUSANDS OF POUNDS AND THOUSANDS OF DOLLARS)

	NEW ENG		MIDDLE AT		CHESAPE		SOUTH ATL	ANTIC		ULF,
SPECIES	NEW ENG		194		194		194			949
FISH - CONTINUED	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE
SEA CATFISH			- 41	- 1	- 15	- ,	11	1	1,372	62
SEA ROBIN	128	2	41	1 '	15	'	_	_	_	-
WEAKFISH:				410	6 676	460	4.70	529		
GRAY	19	3	4,013	413	6,676 109	463 15	4,770 1,580	307	5,832	1,207
WHITE	-		-				-	-	<sup>2</sup> 657	51
SHAD	490 359	74 12	2,363 43	402	3,884 471	591 14	2,065 2,029	423 32	68	- 2
SHEEPSHEAD:			· ·				1		902	71
FRESH-WATER		_		-	-	-	162 13	13	466	45
SILVERSIDES	2	(1)	220	13		-	-	-	-	-
SKATES	154 162	41	- 60 -	- 3	- 1	(1)		-	- 1	-
SNAPPER:				l i			113	14	162	19
MANGROVE	-	-	_	-	-		250	55	7,888	1,864
WHITE	-	-	-	-	-	-	-	-	31	3
SERGEANTFISH	- 1	-	-	- :	-	-	205	27	, 682	, 88
SPADEFISH		- 1	-	1 : 1	- 15	- 2	5,979	721	(1) 3,876	(1) 419
SPOT	(1)	(1)	49	5	8,659	553	7,510	399	266	18
STRIPED BASS STURGEON, COMMON	162	31	902 25	229 9	4,542 16	774 4	609	122 15	- 5	- 1
SUCKERS	19	(1)	8	(., 1	13	1	7	(1)	- 1	-
SUNFISH	5 11	{;}	881	(1)	1 424	(1)	1,256 (1)	(1)	-	-
SWORDFISH	944	340	22 71	11	- 17	- 1	`='	-	-	-
TAUTOG	101	- 6	-	_ 3	- 1	'		-	701	- 22
TILEFISH	271	20	964	69	4	(1)	-	-	- 14	- 1
TRIPLETAIL							41	3	23	3
TUNA AND TUNALIKE FISHES:										
BLUEFIN	2,674	196	64	11					-	-
BONITO	(1)	(1)	17 705	2 51	61 25	7	- 60	- 5	(1)	(1)
TOTAL TUNA	2,679	197	786	64	86	8	60	5	(1)	(1)
WHITEBAIT	-	-	28	4						
WHITE PERCH	24	3	132	11	1,801	, 128	501	60	-	-
WHITING	90 <b>,03</b> 6 2 <b>,</b> 327	1,920	1,578 7	(1)74	- 6	(1)	-	_	-	-
YELLOW PERCH YELLOW PIKE	10	1	5	1	189	(1) <sup>28</sup>	10	1	-	-
YELLOWTAIL, ATLANTIC.	-	-		- 1	(1)		266	58	174	35
UNCLASSIFIED	35,610	437	1,085	68	2	(1)				
TOTAL	931,433	38,577	473,274	10,830	232,781	9,037	339,577	9,514	355,948	13,686
SHELLFISH, ETC.				l	i	1				
BLUE:										
HARD	_ 3	_ 1	4,227 70	393 23	62,785 4,841	3,133 817	17,018 187	588 56	26,595 455	982 192
ROCK	2,608	122	- 70	- 23		- 017	-	-	- 1	-
STONE					-	-	81	21	53	27
TOTAL CRABS	2,611	123	4,297	416	67,626	3,950	17,286	665	27, 103	1,201
CRAWFISH, FRESH-WATER HORSESHOE CRAS		=	630	3	= 1	-	-	-	- 40 -	_ 1
LOBSTERS: NORTHERN	23,994	8,594	660	309	2	(1)	_	_	_	_
SPINY SHRIMP.	- 1	2	- 90	-	- 1	- '	572	116	1,482 126,514	188
1	10	- 2	90	45	(1)	(1)	43,581	3,984	120,514	29,207
CLAMS: COQUINA	_	_	_	_	_	_	_	_	(1)	(1)
HARD	4,536	1,160	11,588	3,967	1,733	736	506	153	85	29
RAZOR	63 74	ä	-	-	-	<u> </u>	-	-	-	-
SOFT	10,195	1,950	1,012 5,311	192 510	1	(1)	- 1	-	-	-
TOTAL CLAMS	14,886	3,127	17,911	4,669	1,734	736	506	153	85	29
CONCHS	41	4	132	31	159	11	4	(1)	(1)	(1)
SEE FOOTNOTES AT END O	F TABLE 1	'			ON NEXT P		1	. , ,	` '	

### UNITED STATES AND ALASKA: CATCH BY REGION - Continued

(EXPRESSED IN THOUSANDS OF POUNDS AND THOUSANDS OF DOLLARS) GULF, NEW ENGLAND. MIDDLE ATLANTIC. CHESAPEAKE. SOUTH ATLANTIC, SPECIES 1949 1949 1040 1945 QUANTITY QUANTITY VALUE QUANTITY VALUE SHELLFISH, ETC. -QUANTITY VALUE VALUE QUANTITY VALUE MUSSELS, SEA. . OYSTERS. MARKET: 43 16,914 14,863 2,086 EASTERN, PUBLIC . EASTERN, PRIVATE. 488 232 336 6,343 1,822 423 6,557 3.515 1.241 16,872 8,736 5,031 999 222 6,564 2,753 9,072 645 13,121 4,839 31,777 2,821 TOTAL OYSTERS. 4,003 1,473 17,412 11,374 PERIWINKLES AND COCKLES. . . . . 140 20 SCALLOPS: 1,310 923 22 8 136 58 BAY . . 23 1,593 SEA . . . . . . . 5,168 4,307 q (1) (1) 9 SQUID 4,635 125 2,095 92 193 10 2 SEA URCHINS 80 2 TERRAPIN, (1) 253 51 16 OLAMONO-BACK TURTLES . . . 122 256 21 22 3 15 10 FROGS . . . . IRISH MOSS. 43 21 1.625 28 13 ROCKWEED. . 260 69 471 SPONGES 297 BLOODWORMS. 402 SANDWORMS . . 22 37 68,543 16,146 65,369 5,618 168,640 TOTAL. . . 19,960 47,702 16,28B 101,875 36,019 GRAND TOTAL. 999,976 58,537 520,976 27,118 334,656 25, 183 404,946 15, 132 524.588 49,705 PACIFIE, LAKES, ALASKA, TOTAL. MISSISSIPPI RIVER SPECIES & TRIBUTARIES, 193 1040 1949 1040 VARIOUS YEARS QUANTITY VALUE QUANTITY VALUE QUANTITY VALUE QUANTITY VALUE QUANTITY VALUE FISH ALEWIVES. 40,630 751 AMBERJACK . 211 8 62 **ANCHOVIES** 3,724 3,724 62 ANGLERFISH. . 65 BARRACUDA 2,458 366 2,542 370 BLACK BASS. 14 2 14 BLUEFISH. . . 4,312 611 14,085 BLUE PIKE 1,568 14,085 1,568 BLUE RUNNER OR HARDTAIL . . . 1,227 40 BOWFIN. 22 428 10 BUFFALOFISH 6 15,773 687 16,573 752 25 841 25 841 6,947 615 16 16 60 CAPRILLA. . . . . 210 28 28 210 CARP. . . 4,568 151 11,891 456 19,218 406 12 731 EATFISH AND 3,272 BULLHEADS. . 202 30 1,415 250 10,267 878 28,789 EERO. . . . . . . . 1,294 7,732 7,732 1,294 CHUR. ( IGARF ISH 15'.0 . . . 37 134 37 134 cor 6,251 231 2,186 55 030 71,012 CRAPPIE 41 3 976 208 CREVALLE. 545 20 CROAKER . 19,609 506 CUNNER. . 12 CUSK.
DOLLY VARDEN TROUT. 1์33 3,620 15 DOLPHIN . . . . . . 82 8 DRUM . 1,992 BI ACK 157 RED OR REDFISH. 587 EELS: COMMON. 20 2 6 (1)2,059 265 CONGER. 98 2,302 FLOUNDERS 42,165 125,707 10,967 FLYING FISH 74 FRIGATE MACKEREL. 135 5 GARFISH (1) (1) 72 254 11 GIZZARD SHAD. 32 794 16 GOLDFISH. . . 170 170 Ç Q 2/739 GRAYFISH. . . 2/14,068 14,749 747 -GROUPERS. . . . . .

(CONTINUED ON NEXT PAGE)

10 107

160

1,023

SEE FOOTNOTES AT END OF TABLE

GRUNTS. . . . . . .

291

50

### GENERAL REVIEW

### UNITED STATES AND ALASKA: CATCH BY REGION - Continued

(EXPRESSED IN THOUSANDS OF POUNDS AND THOUSANDS OF DOLLARS)

	(EXPR	ESSEO IN	THUUSANUS	DF POUN	DS AND THOU	SANUS OF	DOLLARS			
SPECIES	PACI	FIC, 49	LAK 10	ES,	MISSISSIPP & TRIBUTAR	I RIVER	ALA	SKA,	TOTAL VARIOUS	د د د د د د د د د د د د د د د د د د د
FISH - CONTINUED	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY		QUANTITY	VALUE
HADDOCK	-	-	-	-	-	] -	-	-	134,971	9,250
HAKE: PACIFIC	141	1	_	-	_	-	_	-	141	1 1
RED	-	-	-	<u> </u>	-	-	-	-	42,612	426
HALIBUT	14,243	2,556	-		I -	-	35,196	5,158	14,351 49,915	538 7,821
HARDHEADS	17	5	-	-	-	-	-	-	17	5
STARFISH	-	-	-	-	-	-	-	-	1,413	82
HERRING:	_	_ :	21,934	788	_	-	_	_	21,934	788
SEA	1,289	52	-		-	-	33,061	414	205,030	3,177
HOGCHOKER	-		-	] [	] -	-	-	] [	1,219	86 1
HDGF1SH	51,250	1,111	-	-	_	1 -	_	-	15 51,250	1,111
JEWFISH	- · <u>· · · · · · · · · · · · · · · · · ·</u>	- '-	-	-	-	-	-	-	403	40
(CALIFORNIA)	764	40	-	_	_	-	-	_	764	40
KING MACKEREL KING WHITING OR	-	-	-	-	-	-	-	-	4,235	584
"KINGFISH"	-	-	-	-	-	- ;	-	-	4,237	219
LAKE TROUT LAMPREY	370	- 9	3,309	1,355			-	-	3,309 370	1,355
LAUNCE	-	-	-	-	-	-			38	3
LINGCDD	8,009 49,771	737 1,285	-	-	_	-	179	10	8,188 91,841	747 3,594
MENHADEN	-	-	-	-	- 1	(1)	-	-	1,075,573	10,905
MDJARRA	Ξ	-	Ī [	J . Ē. II	-	-	_	-	101 514	31
MOONEYE	-	-	- 8	(1)	3	(1)		_	11 32	(1)
MULLET	72	5	-	-	-	-	-	-	44,013	4,255
DCEAN PERCH	-	-	-	-	-	-	-	-	253	44
(ROSEFISH)	- :	-		-	-	-	-	-	236,987	9,820 (1)
PADDLEFISH OR							-	_	- 1	
SPOONBILL CAT PERCH	485	67	-	-	951 -	- 44	-		999 485	52 67
PERMIT	-	-	-	- 1	-	-	-	-	21 584	1 41
PIKE OR PICKEREL . !			166	15	5	(1)	-	-	193	20
PILCHARD	633,540	10,760	-	-	_	-	-	-	633,540	10,760
PINFISH	-	-	-	-	-	-	- 1	~	23	1
PDMPAND	89	25	-	, <u>-</u> ,		-			28,832 1,091	808 500
QUILLBACK	1,472	- 13	_ 2	(1)	269	_ 11	-	-	271 1,472	11 13
RDCK BASS	192	26	41	3	-	- 1		-	233	29
SABLEFISH	23,958 6,076	1,097 553	-		-	-	13 5 <b>,7</b> 54	3 428	23,971 11,830	1,100 981
SALMON:										
ATLANTIC	25 <b>,</b> 512	5,286	-	-	- 1	- 1	14,076	2,219	39 588	7,505
CHUM DR KETA PINK	5,940	5,286 715	-	-	- 1	-	46.734	2,484 19,533	39,588 52,674	3 199
RED OR SOCKEYE .	5,940 44,215 7,058	4,421 1,503				-	228,950 70,929 27,657	5,007	273,165 77,987 40,791	23,954 7,110
SILVER DR COHO . TOTAL SALMON .	13,134 95,859	2,109		-				2,819		4,928
	93,039	14,054					388,346	32,662	484,206	46,697
SAND PERCH		-	507	- 60	- 3	(1)	- 1	- 1	30 510	1 60
SAWFISH	148	- 27	- 1	- 1	= 1	·-'	- ]	-	35 148	1 27
SCUP OR PDRGY	- "		-	-	-	-	-	-	29,071	1,780
BLACK (ATLANTIC) BLACK (PACIFIC).	-	-	-	-	-	- 1	_	-	10,497	1,254
BLACK (PACIFIC).	114 1,410	16 291	-	-	-	-	-	-	114	16
SEA CATFISH	-,410	-	-	-				-	1,410	291 63
SEA ROBIN SEA TROUT OR	-	-	-	-	-	- [	-	-	184	4
WEAKFISH: GRAY	_	_	_				İ		15 470	1 400
SPOTTED		-	-	- 1	- 1		-	-	15,478 7,521	1,408 1,529
SHAD	2,200	146	-	-	- 1	-	-	- 1	657 11,002	51 1,636
SEE FOOTNOTES AT END				(CONTI	NUED ON NEX	r PAGE)	'	'	,002	, , 000

SEE FOOTNOTES AT END OF TABLE (CONTINUED ON NEXT PAGE)

# UNITED STATES AND ALASKA: CATCH BY REGION - Continued

(EXPRESSED IN THOUSANDS OF POUNDS AND THOUSANDS OF DOLLARS)

				ES,	MISSISSIPPI RIVE		RIVER ALASKA.		TOTAL,	
SPECIES	PACII 19	49	19	949	& TRIBUTAR	ES, 1931	19	49	VARIOUS	YEARS
	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE
SHARKS SHEEPSHEAD:	2/ 2,719	2/1,444	-	-	-	-	1,307	23	6,996	1,529
FRESH-WATER	-	-	3,127	127	3,905	143	-	-	8,096 541	354 51
SALT-WATER SILVERSIDES	62	5	-	-	_	-	1	-	222	13
SKATES	1,128	18		-	-	-	200	1	1,543 6,361	24 508
SMELT	4,642	319	1,557	148	-	-	-	-	1	
MANGROVE	-	-	-	-	-	-		-	275 8,138	33 1,919
RED	-	-	_			-		-	31	3
SNOOK OR					_	_		_	887	, 115
SERGEANTFISH		I	-	-	-	_	-	-	[1]	(1)
SPANISH MACKEREL SPOT	4	(1)	-	-	-	-	-	-	9,874 16,484	975
STEELHEAO TROUT	1,051	147	-	- :	-	-	4	(1)	1,055	147 1,157
STRIPED BASS STURGEON:	25	1	-	-	-	-	-	-		
COMMON	. 452	81	- 22	- 22	- 87	- 8	-	-	550 109	111 30
SHOVELNOSE	Ī.		3,676	156	315	13	-	-	4,038	172
SUNFISH	-	-	8	1	22	_ 1	- 1	-	1,293 1,316	240 73
SWELLFISH	199	87		-	-	-		-	1,165	438
TAUTOG	-	- 1		_		-		-	169 701	10 22
TILEFISH	-		-	-	-	-	-	-	1,239	89
TRIGGERFISH TRIPLETAIL	-	-		-		_	] [	-	14	1 6
TULLISEE	-	-	810	47	-		-	-	810	47
TUNA AND										
TUNALIKE FISHES: ALBACORE	54,794	10,039	_	-	- :	-	-	-	54,794	10,039
OLUEFIN	4,390 1,830	713 178	-	-	-		-	-	7,128 1,973	920 193
BONITO	-	-	-	-		-	-	-	730	52
SKIPJACK YELLOWFIN	80,512 190,543	11,923 30,999	_		- I	-		-	80,512 190,543	11,923 30,999
TOTAL TUNA	332,069	53,852	-					-	335,680	54,126
WHITEBAIT	242	24	-	-	-		-	-	270	28
WHITE BASS	-	-	807	102	4	(1)	-	-	611	102
COMMON	-	-	8,837	3,040	-	-	-	-	8,837	3,040
MENOMINEE	- 31	- 3	144	26	_	1 :	-	-	31	26
WHITE PERCH	-	-	-	-	-	-	-	-	2,458	202
WHITING	_	-	_ :	Ξ.	-	-	-	-	91,620 2,334	1,994 1 <b>5</b> 5
YELLOW PERCH	-	-	4,595	675	- 5	- 1	- 1	-	4,809 7,121	706 1,555
YELLOW PIKE YELLOWTAIL:	-	-	7,116	1,554	,	'	_	_		
ATLANTIC	7,319	686	-	-	-	-	-	-	7,319	93 686
UNCLASSIFIED	242	19			-		-	4	36,939	528
TOTAL	1,311,479	93,375	85,691	11,458	44,062	2,257	466,261	38 <b>,7</b> 59	4,240,506	227,493
SHELLFISH, ETC.										
CRABS:										
BLUE: HARO	_	_		_	_	-	-	-	110,629	5,097
SOFT AND										1,088
PEELERS OUNGENESS	33,605	3,462	-	_	. (	:	1,429	81	5,553 35,034	3,543
KING	. <del>-</del> .	-	-	-	-	-	1,207	72	1,207	72 122
ROCK	(1)	(1)	-	-		-	-	-	2,608	48
TOTAL CRABS .	33,605	3,462		-	-	-	2,636	153	155, 164	9,970
CRAVE SH,				(.)		(4)				
FRESH-WATER HORSESHOE CRAB	46	10	_ 2	(1)	29	(1)		-	117 630	11
LOBSTERS:	_									
NORTHERN	834	284	-	-		-	-	-	24,656 2,888 173,384	8,903 588
SHRIMP	872	66	-	-	49	4	2,268	181	173,384	33,489 398
SEE FOOTNOTES AT FNO	714	398			UED ON NEXT				/14	390

SEE FOOTNOTES AT END OF TABLE

(CONTINUED ON NEXT PAGE)


# GENERAL REVIEW

### UNITED STATES AND ALASKA: CATCH BY REGION - Continued

(EXPRESSED IN THOUSANDS OF POUNDS AND THOUSANDS OF DOLLARS)

(EXPRESSED IN THOUSANDS OF POUNDS AND THOUSANDS OF DOLLARS)										
SPECIES	PACI 19	FIC, 49	LAF 19	KES, 949	MISSISSIPP & TRIBUTAR			SKA, 49	TOTA VARIOUS	YEARS
SHELLFISH, ETC.	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE
CONTINUED				l			i			
CLAMS: COQUINA	_	-	_	-	_	-	-	-	(1)	(1)
HARD	394	126	-	-	- 1	-	14	1	18,856 63	6,172
OCEAN QUAHOG	380	242	-	-	_	-	1,699	204	2,153	454
RAZOR	- 300		_	-	_	_		-	11,208	2,142
SURF			-	-	-	-	-	-	5,329 32	514
MIXED	32	8						- 205		
TOTAL CLAMS	806	376			-		1,713	205	37,641	9,295
CONCHS		-	-	-	- 1	-	-	-	336	46
MUSSELS, SEA	-		-	-	37,255	422	-	:	958 37 <b>,</b> 255	83 422
MUSSEL SHELLS OCTOPUS	122	8		_	37,233	-		-	122	8
OYSTERS, MARKET:									26,321	9,420
EASTERN, PUBLIC . EASTERN, PRIVATE.	- 7	- 5		] [	] [		[	1 -	42,820	17,9B8
PACIFIC	8,164 203	1,849	-	-	-	-	11	1	8, 175 203	1,850
WESTERN	203	278		-		-				278
TOTAL OYSTERS.	8,374	2,132					11	1	77,519	29,536
PERIWINKLES AND									140	20
COCKLES	-		-	-	-	-	-	-	140	20
BAY	17	10	-	-	-	-	-	-	1,508	1,027
SEA		- 184	-	-	- 1	-	-	-	18,296 13,794	6,765 411
SQUID	6,860	- 104			-		] [	-	80	2
TERRAPIN,										
DIAMOND-BACK	-	-	-	-	19 94 i	(1)	_	_	308 509	60 41
TURTLES FROGS					875	131	_	_	918	152
IRISH MOSS	-	-	-	-	-	-	-	-	1,625	28
ROCKWEED	-	-	_	-	[		_	-	260 69	13 471
PEARLS AND SLUGS	_	-		_	-	80	-	-	-	80
BLOODWORMS	-	-	-	- :	-	- 1	-	-	402 37	297 22
SANDWORMS						-5				
TOTAL	52,250	6,930	2	(1)	38,321	640	6,628	540	549,330	102,141
WHALE PRODUCTS:										_
LIVER	28	8	-	-	-	-	-	-	28 200	B 8
MEAL	200 562	8 52				- 1	-	-	562	52
	790	68							790	68
TOTAL							170,000	20, 200		
GRAND TOTAL	1,364,519	100,373	85,693	11,458	82,383	2,B97	472,889	39,299	4,790,626	329,702

<sup>1/</sup> LESS THAN 500 POUNDS OR 500 DOLLARS.
2/ THE CATCH OF GRAYFISH IN CALIFORNIA IS INCLUDED WITH STARKS.



SWORDFISH HARPOONER

# UNITED STATES AND ALASKA: CATCH BY STATES

STATES		RS & COASTAL 949 & 1945	MISSISSIP ANO TRIBUT			AKES, ND 1945 <u>1</u> /	VARIO	OTAL, US YEARS
	POUNOS	VALUE	POUNOS	VALUE	POUNOS	VALUE	POUNOS	VALUE
ALABAMA	10,155,100			\$32,754		111111	11,977,253	\$2,006,505
ARKANSAS	10,100,100	1 *1,575,751	15,732,507	411,451	1 -	1	15,732,507	411,451
CALIFORNIA	1,129,261,300	72,504,719	10, 102,001	1111,101	_	1 -	1,129,261,300	
CONNECTICUT	24,194,800			1 :	1 -	1 -	24,194,800	
DELAWARE	166,473,900	3,007,773	_	-		_	166,473,900	3,007,773
FLORIOA	263,845,300	16,440,160		-	4,098,800	\$526,628	267,944,100	
GEORGIA	21,397,700	1,349,536		-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	21,397,700	1,349,536
ILLINOIS	, , , , , , , ,	-,,	14,262,630	367,238	1,496,600	285,936		653,174
INDIANA	_	-	7,717,596	157,222	30,400	2,060	7,747,996	
10WA	-	-	7,777,967	302,395	1		7,777,967	302,395
KANSAS	-	-	455,421	16,673	-	-	455,421	16,673
KENTUCKY	-	-	1,621,751	60,882		-	1,621,751	60,882
LOUISIANA	288,587,200	27,403,637	19,213,368	994,374		-	307,800,568	28,398,011
MAINE	294,297,200	14,988,040	-	1 -	-	-	294, 297, 200	14,988,040
MARYLAND	58,981,700	8,583,832	-	-	-	-	58,981,700	8,583,832
MASSACHUSETTS	647,612,900	38,991,476	-	-	-	-	647,612,900	38,991,476
MICHIGAN	1 -	' -	-	-	25,533,900	4,116,398	25,533,900	4,116,398
MINNESOTA	-	-	3,498,280	137,656	6,603,100	455,490	10,101,380	593,146
MISSISSIPPI	52,895,000	1,625,272		122,961	1 ' -		55,544,723	
MISSOURI	-	-	927,636	76,981	-	-	927,636	76,981
NEBRASKA	-	-	145,310	16,253	-	-	145,310	16,253
NEW HAMPSHIRE	443,400		-	-	-	-	443,400	169,899
NEW JERSEY	208,997,500	9,744,560	-	-	-	-	208,997,500	9,744,560
NEW YORK	145,505,000	14,364,800	-	-	2,304,700	402,923	147,809,700	14,767,723
NORTH CAROLINA .	198,168,800	5, 495, 252		-	-	-	198,168,800	5,495,252
OHIO	-	-	185,481	7,072	26,682,100	3,464,034	26,867,581	3,471,106
OKLAHOMA			39,640	4,145	-	-	39,640	4,145
OREGON	61,096,400	7,065,447	-	-			61,096,400	7,065,447
PENNSYLVANIA	22 420 200		-	-	4,436,000	712,532	4,436,000	712,532
RHODE ISLAND SOUTH CAROLINA .	33,428,000		-	-	-	-	33,428,000	2,229,916
SOUTH DAKOTA	10,855,600	899,389				-	10,855,600	899,389
TENNESSEE		-	114,361	10,576	-	-	114,361	10,576
TEXAS	79,530,800	0 124 500	3,435,069	103,915	-	-	3,435,069	
VIRGINIA	275 674 900	9,124,500	138,500	6,368	-	-	79,669,300	9,130,868
WASHINGTON	275,674,800 174,160,800	16,598,481	-	-		-	275,674,800	16,598,481
WISCONSIN	174,100,800	20,802,948	2 645 120	60 441	10 605 000	2 010 015	174,160,800 21,250,930	20,802,948
ALASKA	472 000 201	39,299,005	2,645,130	08,441	18,605,800	2,019,045	21,250,930	2,087,486
	472,889,281					-	472,889,281	39,299,005
TOTAL	4,618,452,481	314,819,938	82,382,523	2,897,357	89,791,400	11,985,046	4,790,626,404	329,702,341

INCLUDES THE CATCH OF THE GREAT LAKES, RAINY LAKE, NAMAKAN LAKE, LAKE OF THE WOODS, AND LAKE OKEECHOBEE.

### SEED OYSTER FISHERY, 1949

ITEM	NEW E	NGLAND	MIDDL	E ATLANTIC	CHESA	PEAKE	TOT	ral .		
OPERATING UNITS	NUM	8ER	NUMBER NUMBER		NUM	18ER				
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	148		148			230		1,270		
REGULAR		5 13		222 30	1	,555 15	1	1,782 58		
TOTAL		166		1,144	1	,800	3	3,110		
VESSELS: STEAM NET TONNAGE MOTOR NET TONNAGE SAIL NET TONNAGE		3 437 23 616	- 154 3,241				- - - 45 249 29 462		4	3 437 222 4,106 29 462
TOTAL VESSELS TOTAL NET TONNAGE .	1	26 053		154 3,241		74 711	5	254 5,005		
BOATS: MOTOR OTHER APPARATUS:		12		203 30		881 271	1	,096 301		
DREOGES		57 85 15		208 208 222	58 77 1,325 26		1	323 370 ,562 26		
CATCH	BUSHELS	VALUE	BUSHELS	VALUE	BUSHELS	VALUE	BUSHELS	VALUE		
DYSTERS, SEEO: PUBLIC, SPRING. PUBLIC, FALL. PRIVATE, SPRING. PRIVATE, SPRING.	730 11,493 298,760 77,762	\$1,112 14,721 692,760 126,340	1,505,390 389 32,500	\$1,505,080 778 32,500	2,022,668 906,500 165,125 181,051	\$760,960 497,950 59,100 64,800	3,528,788 918,382 496,385 258,813	\$2,267,152 513,449 784,360 191,140		
TOTAL	388,745	834,933	1,538,279	1,538,358	3,275,344	1,382,810	5,202,368	3,756,10		

### GENERAL REVIEW

UNITED STATES AND ALASKA: CATCH BY GEAR

PURSE SEINES							
PURSE SEINES	GEAR	NEW ENGL	AND, 1949	MIDDLE ATL	ANTIC, 1949	CHES	SAPEAKE, 1949
PURSE SEINES		POUNDS	VALUE	POUNDS	VALUE	POUNDS	S VALUE
GILL NETS . 12,812,100	HAUL SEINES	40,270,200 1,958,200	\$888,555 73,457	397,553,600 1,801,000	\$4,393,344	126,430,30	00 \$1,466,592
FLOATING TRAPS.	GILL NETS	12,812,100 25,958,100	599,975 1,475,832	3,226,800 8,296,700	864,786	25,008,60	00   1,316,166
WEIRS . 66,349,500 1,083,586 690,000 8,713 7,000 3,580 FYKE AND HOOP NITS . 4,600 7,255 81,800 4,522 77,000 297,154 BACK BACK BACK BACK BACK BACK BACK BACK	FLOATING TRAPS	8,905,900	346,719	1 1 2	1,030,220	1 1	1 ' -
DIP NO LIFT NETS   9,841,500	WEIRS	66,349,500 4,600	1,083,586 725	690,000 81,800	4,522	71,00	3,580
GEAM TRAWLS         26,708,400         8,728,184         3,134,000         615,009         33,878,100         1,638,301           POTS         1,103,600         354,856         21,900         10,900         2,020         1,638,301           SCRAPES         10,800         2,020         2         2         2,932,200         478,245           DREDGES         19,622,900         7,435,945         28,218,600         11,189,971         21,671,200         5,719,465           TOMSS         2,038,300         505,545         9,910,600         3,504,113         16,908,000         62,48,266           RAKES         3,583,300         685,195         1,355,200         490,588         971,800         412,711           HOES         11,666,700         2,392,765         937,500         164,062         971,900         412,711           HOES         11,666,700         2,392,765         937,500         164,062         971,900         333,746           TOTAL         999,976,300         58,536,876         520,976,400         27,117,133         334,656,500         25,182,313           GEAR         SOUTH ATLANTIC, 1945         GULF, 1949         VALUE         PUNDS         VALUE         VALUE         NALUE         NALUE         N	DIP AND LIFT NETS	9,841,500 63,600	148,314 17,473	83,800	24,116	284,40	48,645
HARPOONS.	SEAM TRAWLS	1 ' -	' -	90,000	45,000	-	-
SCRAPES	HARPOONS	1,103,600	354,856	21,900	10,900	-	
FORKS	DREDGES	2,038,300	505,545	9,910,600	3,504,113	21,671,20	00   5,719,465 00   6.248.266
POUNDS   POUNDS   VALUE   VALUE   POUNDS   VALUE   POUNDS   VALUE   VALUE   VALUE   POUNDS   VALUE   VAL	FORKS	143,900 11,686,700	23,155 2,392,765	937,500	164,062	1 1	
PURSE SEINES. 255, 126,800 \$1,722,037 \$26,485,900 \$3,245,455 \$18,000 \$24,115,658 \$15,881,700 \$1,700,905 \$1,100,100 \$1,100	TOTAL	999,976,300	58,536,876	520,976,400	27,117,133	334,656,50	0 25,182,313
PURSE SEINES. 255, 126,800 \$1,722,037 276,486,900 \$3,246,455 AUJL SEINES. 26,561,500 2,415,659 15,881,700 1,709,906 GILL NEIS 26,372,100 2,736,395 22,796,200 3,517,906 TRAMMEL NEIS. 16,500 1,417,162 52,151,800 538,621 LINES. 20,147,500 1,417,162 52,151,800 52,76,145 POUND NEIS. 13,249,800 840,733 102,900 21,787 OTHER TRAPS 3/ 212,600 90,324 510 NEIS - 645,300 66,840 17,717 CAST NITS 1 10,029,400 104,076 1,117,700 93,500 PIF AND LIFT NEIS 290,300 73,557 820,600 125,171 CAST NITS 161,000 16,189 162,600 16,630 OTTER TRAMLS. 49,758,400 4,314,873 127,354,000 29,22,968 POTS. 7,955,700 558,313 127,559 00 29,224,968 POTS. 7,955,700 558,313 127,559 00 29,224,968 POTS. 7,955,700 558,313 127,559 00 29,224,968 POTS. 1,166,600 63,314 160,600 36,424 DREDGES 1,486,700 356,130 5,780,900 17,773,756 TOMGS 882,800 179,602 45,600 10,773,756 TOMGS 882,800 179,602 45,600 30,99,896 RAKES 820,800 179,602 45,600 30,99,896 RAKES 820,800 179,602 45,600 30,99,896 RAKES 820,800 179,602 45,600 17,774 HOOKS 523 TOM SPONGES 524 TOM SPONGES 524 TOM SPONGES 524 TOM SPONGES 525 TOM SPONGE	GEAR		SOUTH ATL	ANTIC, 1945		GULF,	1949
OTHER TRAPS 3/.  \$1,029,400	HAUL SEINES	255, 12 26, 56 26, 37 17 20, 14	6,800 1,500 2,100 8,500 7,500	\$1,7 <u>22,037</u> 2,415,658 2,736,395 34,333 1,417,162	15, 22, 11,	486,900 881,700 796,200 297,800 151,800	\$3,246,455 1,709,906 3,517,906 538,621 5,276,145
FYKE AND HOOP NETS. 1,029,400 104,076 1,117,700 93,500 10P AND LIFT NETS 290,300 73,557 820,600 125,171 CAST NETS 161,000 16,189 162,600 16,630 0TER TRAWLS. 49,758,400 4,314,873 127,354,000 29,229,596 POTS. 7,955,700 568,313 1,975,900 244,129 SPEARS. 451,800 63,314 160,600 36,424 DREDEES 1,486,700 356,130 5,780,900 1,773,756 TONGS 862,800 179,602 45,600 19,737,756 RAKES 820,800 179,602 45,600 19,152 GRABS 553,100 92,371 36,800 17,774 HOOKS 553,100 92,371 36,800 17,774 HOOKS 553,100 192,371 36,800 17,774 HOOKS 640,700 17,774 HOOKS 757,518 100 17,174 HOOKS 1 10,400 58,523 RAIL OR SCOOP NETS 1 10,400 58,523 FARIL OR SCOOP NETS 1 10,400 5	OTHER TRAPS 3/	13,24	9,800	840,733		212,600	90,324
POTS. 7,955,700 568,313 1,975,900 244,129 SPEARS. 451,800 63,314 160,600 36,424 DREDEES 1,486,700 356,130 5,780,900 1,773,756 TONGS 316,600 56,760 7,326,300 3,959,896 RAKES 820,800 179,602 45,600 19,152 GRABS 53,100 92,371 36,800 17,774 HOURS 20,000 56,523 BRAIL OR SCOOP NETS 200 70 DIVING OUTFITS, ABALONE AND SPONGES - 58,300 412,280 BY HAND 486,100 140,847 163,100 57,518	FYKE AND HOOP NETS DIP AND LIFT NETS CAST NETS	16	1,000	73,557 16,189		117,700 820,600 162,600	93,500 125,171 16,630
DREDEES . 1,486,700 356,130 5,780,900 1,773,756 TONGS . 316,600 56,760 7,326,300 3,059,896 RAKES . 820,800 179,602 45,600 19,152 GRABS . 553,100 92,371 36,800 17,774 HOURS 2,000 70,000 BRAIL OR SCOOP NETS 2,000 70,000 DIVING OUTFITS, ABALONE AND SPONGES 58,300 412,280 BY HAND . 486,100 140,847 163,100 57,518	POTS	7,95 45	5,700 1,800	568,313	1,	975,900	244,129 36,424
HOOKS - 10,400 58,523 BRAIL OR SCOOP NETS 200 70 DIVING OUTFITS, ABALONE AND SPONGES - 58,300 412,280 BY HAND - 163,100 140,847 163,100 57,518	DREDGES	31	6,600 0,800	56,760 179,602	5,	780,900 326,300 45,600	3,059,896 19,152
AND SPONGES	BRAIL OR SCOOP NETS	55:	3,100	92,371 - -		10,400	58,523
TOTAL	AND SPONGES	481	5,100	140,847		58,300 163,100	412,280 57,518
	TOTAL	404,94	5,100	15,132,350	524,	588,200	49,705,775

SEE FOOTNOTES AT END OF TABLE

(CONTINUED ON NEXT PAGE)



FISHING FOR TUNA

UNITED STATES AND ALASKA: CATCH BY GEAR - Continued

GEAR	PACI	PACIFIC, 1949 LAKES, 1949			MISSISSIPPI TRIBUTARI	
PURSE SEINES. HAUL SEINES GILL NETS GILL NETS TRAMMEL NETS. LINES. POUND NETS. TRAP NETS. TRAP NETS. OTHER TRAPS 3/ WEIRS. POTHER TRAPS 3/ WEIRS. OTHER TRAPS 1/ WEIRS. OTHER TRAPS 1/ METS. OTHER TRAPS 1/ DIP AND PUSN NETS REF METS. OTHER TRAMUS. BEAM TRAMUS. POTS. POTS. SPEARS. DEEDGES. CROWPOOT BARS TONGS. RAMES. SHOVELS. FORKS. BRAIL OR SCOOP NETS. DIVING OUTFITS, ABALONE AND PONGES. BRAIL OR SCOOP NETS. DIVING OUTFITS, ABALONE AND SPONGES.	POUNDS 1/806,212,100 2/36,982,200 34,3600,800 1,108,000 34,533,900 173,800 222,100 4,513,000 4,219,800 68,585,000 799,100 1,526,000 4/8,373,500 (4) 806,100 27,741,500 713,600 713,600 713,600	yALUE  y/\$24,423,869 39,375 2/6,104,428 5,638 3,758,554 8,688 37,366 37,366 37,366 37,366 37,366 37,366 37,366 37,366 37,366 37,366 37,366 37,366 37,366 37,366 37,366 37,366	POUNDS 5,772,600 41,026,700 590,800 8,320,300 26,200,500 1,780,600 1,100	\$325,003 5,738,172 227,083 1,239,262 3,733,159 	POUNDS  13,739,657 166,598 1,134,206 10,140,037 224,275 230,045 30,045 2,250 3,699,100 20,893,550 1,601,876 370,130 4,812,737 873,099	\$574,541 6,547 75,615 772,245 9,541 
TOTAL	1,364,518,500	100,373,114	85,692,600	11,458,418	82,382,523	2,897,357

GEAR	ALAS	KA, 1949	TOTAL, V	ARIOUS YEARS
	POUNDS	VALUE	POUNDS	VALUE
PURSE SEINES	160,421,101	\$10,515,250	2,062,501,001	\$46,656,102
HAUL SEINES	100,421,101	\$10,515,250	91,781,257	7,816,899
STOP SEINES	_	_	65,592,100	1,041,089
GILL NETS	67,784,759	5,656,605	218,507,957	25,770,229
TRAMMEL NETS	07,704,739	3,030,003	12,610,506	648,569
	69,791,010	8,608,127	554,885,347	76,263,158
LINES	169,264,154	13,979,076	282,297,229	20,655,479
POUND NETS	109,204,134	13,979,070	28,200,500	3,733,159
TRAP NETS	- 1		8,905,900	
FLOATING TRAPS	-	-		346,719
OTHER TRAPS 3/	- 1	-	34,799,700	3,857,272
WEIRS	- 1	-	67,213,300	1,100,987
STOP NETS	- 1	-	802,700	105,667
FYKE AND HOOP NETS	-	-	26, 155, 304	1,566,124
DIP AND LIFT NETS	-	-	15,898,045	798,177
CAST NETS	- 1	-	323,600	32,819
BAG, DRAG AND +USH NETS .	-	-	104,900	19,928
REEF NETS	-	-	4,219,800	485,238
OTTER TRAWLS	1,206,945	72,417	1,017,892,445	75,606,748
BEAM TRAWLS	2,267,934	181,434	3,157,034	267,377
POTS	1,428,401	80,716	75,390,956	11,900,929
HARPOONS	1 4	-	2,651,500	525,082
SPEARS	-	-	625,450	102,028
SCRAPES	-	-	2,932,200	478,245
DREDGES	-	-	88,852,900	28,648,178
CROWFOOT BARS	-	-	20,893,550	265,443
TDNGS	-	-	38, 101, 676	13,395,671
RAKES	-	-	7,156,830	1,791,277
SHOVELS	1,713,663	204,531	2,519,763	580,351
FORKS	1,112,000		4,956,637	99,369
HDES.	-	_	12,624,200	2,556,827
GRABS	_	_	1,462,999	240,766
		_	10,400	58,523
HOOKS		_	27.741.700	713,738
BRAIL OR SCOOP NETS	- 1	_	27,741,700	/13,736
DIVING OUTFITS, ABALONE	_	_	771,900	810,539
AND SPONGES	11,314	849	8,085,118	
BY HAND	11,314	849	0,085,118	743,635
TOTAL	472,889,281	39,299,005	4,790,626,404	329,702,341

<sup>1/</sup> THE CATCH OF RING AND LAMPARA NETS IN CALIFORNIA HAS BEEN INCLUDED WITH PURSE SEINES.
2/ THE CALIFORNIA CATCH IN TRAMMEL NETS HAS BEEN INCLUDED WITH GILL NETS.
3/ INCLUDES CATCH BY BOX, BRUSH, SLAT, CRAB, OCTOPUS, LOBSTER, CRAWFISH, AND SHRIMP TRAPS.
4/ THE CATCH BY TONGS AND BY HAND HAS BEEN INCLUDED WITH DREDGES.

### MANUFACTURED FISHERY PRODUCTS

The output of manufactured products (canned, cured, packaged, and byproducts) in the United States and Alaska during 1949 had an estimated value of 550 million dollars. Canned products are estimated to have accounted for 54 percent of the total; packaged shellfish, 18 percent; byproducts, 14 percent; packaged fish, 9 percent; and cured fish, 5 percent.

The value of manufactured products as published in the following tables, which totals \$453,754,857 represents the most recent figures collected by the Service, on the various segments of the manufactured fishery products industry. The variation between this figure and the estimated value mentioned in the first paragraph is due to the use of estimated 1949 values for cured fishery products and packaged shell fish in that paragraph.


The data listed in the following table are for 1949 for canned fish, fishery byproducts, and packaged fish in the United States and for all products in Alaska; for 1940 for packaged shellfish and cured products in the United States except in the Mississippi River area; and for 1931 for cured products in the Mississippi River area. Data on manufactured fishery products processed by fishermen have been omitted. No data on this production are available for any year since 1940, when the total value of these products amounted to \$2,343,798. Information on the production by fishermen in 1940 can be found in Manufactured Fishery Products, 1948, (C.F.S. No. 578) or in 'Fishery Statistics of the United States, 1948' (Statistical Digest No. 22).

The pack of canned fishery products in 1949 amounted to 855,014,842 pounds, valued at \$295,503,905 to the packers. This was an increase of 9 percent in volume, but a decline of 12 percent in value. The increase in volume resulted principally from larger packs of salmon, tuna, California sardines (pilchards) and fish for animal food. The 1949 pack of canned salmon amounted to 265,196,448 pounds, valued at \$103,439,983 to the canners. Compared with 1948 this was an increase of 15 percent in volume, but a decline of 14 percent in value. Despite this decline of the price of canned salmon, the pack was the third most valuable in history. The tuna and tunalike fishes pack of 141,700,593 pounds, valued at \$97,710,325 was the fifth consecutive record pack, and second largest value ever received by the processors. California sardines with a pack of 169,569,540 pounds, valued at \$21,334,825 showed an increase of 42 percent in volume, but a decline of 3 percent in value when compared with the previous year.

The value of fishery byproducts processed was \$78,472,495, a 2 percent decrease in comparison with the previous year. The principal byproducts were marine-animal oils, 17,695,833 gallons, valued at \$17,364,977; marine-animal scrap and meal, 237,180 tons, valued at \$35,652,142; marine and fresh-water shell buttons, valued at \$10,478,733; and fish solubles valued at \$5,144,111. A record production of menhaden scrap and meal continued while the production of menhaden oil decreased in volume and value.

The production of fresh and frozen packaged fish increased from 189,499,843 pounds, valued at \$47,708,883, in 1948 to 194,215,265 pounds, valued at \$48,389,905, in 1949.

### FISH MEAL PLANT



# MANUFACTURED FISHERY PRODUCTS - VARIOUS YFARS $\underline{1}/$

1 T EM	YEAR	UNIT	QUANTITY	VALUE
ALEWIVES: CANNED	1949 1949	STANDARD CASES	111,994 44,106	\$469,398 749,993
SALTED: ROUND. CORNED PICKLED 2/ SPICED TIGHT-PACK, CUT. WITH ROE ANOKED, WHOLE AND FILLETS. ANCHOVIES, CANNED.	1940 1940 1940 1940 1940 1940 1940 1949	POUNDS DO DO DO DO DO DO DO STANDARD CASES	899,400 5,429,450 4,851,500 3,778,499 280,100 62,700 23,800 3,757	15,939 123,287 176,819 379,110 12,698 3,874 1,052 34,184
BARRACUDA: SALTED, DRY. SMOKED.	1940 1940	POUNDS DO	19,465 1,000	2,433 200
BLUE PIKE: FRESH FILLETS. FROZEN FILLETS BLUE RUNNERS, SALTED	1949	DO	2,287,450	970,684
	1949	DO	628,223	249,225
	1940	DO	250,000	10,000
BUFFALOFISH: SMOKED (U.S. EXCEPT MISSISSIPPI RIVER) SMOKED (MISSISSIPPI RIVER) SMOKED (MISSISSIPPI RIVER)	1940	DO	325,000	71,200
	1931	DO	25,700	3,245
SMOKED (U.S. EXCEPT MISSISSIPPI RIVER)	1940	DO	478,300	111,750
	1931	DO	2,400	600
SMOKED (U.S. EXCEPT MISSISSIPPI RIVER)	1940	DO	168,550	49,575
	1931	DO	<b>7</b> 00	245
CHUB, CISCO, AND TULLIBEE: SMOKED (U.S. EXCEPT MISSISSIPPI RIVER) SMOKED (MISSISSIPPI RIVER) COD:	1940	DO	5,008,672	1,549,519
	1931	DO	215,200	48,010
FRESH FILLETS. FROZEN FILLETS LIVER OIL. SALTED:	1949	DO	7,895,548	1,949,494
	1949	DO	5,766,217	1,282,127
	1949	GALLONS	283,028	483,845
GREEN 2/ DRY (ALASKA) DRY (UNITED STATES) BONELESS AND ABSOLUTELY BONELESS TONGUES (ALASKA) SMOKED, WHOLE, FILLETS, AND BONELESS CUSK:	1940	POUNDS	374,802	15,685
	1949	DO	655,664	72,680
	1940	DO	2,644,732	225,800
	1940	DO	8,574,007	1,387,954
	1949	DO	5,000	2,000
	1940	DO	639,680	74,416
FRESH FILLETS. FROZEN FILLETS SALTED SMOKED WHOLE AND FILLETS	1949 1949 1940 1940	DO DO DO	488,988 125,280 32,215 403,099	115,674 24,960 4,355 32,157
EELS, COMMON: SMOKED (U.S. EXCEPT MISSISSIPPI RIVER) SMOKED (MISSISSIPPI RIVER)	194D	DO	179,055	48,901
	1931	DO	31,300	8,138
FLOUNDERS: FRESH FILLETS. FROZEN FILLETS SMOKED GROUPER:	1949	DO	16,718,255	5,598,252
	1949	DO	12,205,321	3,497,904
	1940	DO	1,800	290
FRESH FILLETS. FROZEN FILLETS FRESH STEAKS FROZEN STEAKS. FROZEN STEAKS.	1949 1949 1949 1949	DO DO DO	375,767 54,991 190,161 20,500	160,687 24,206 57,268 8,200
FRESH FILLETS. FROZEN FILLETS SALTED SMOKEG:	1949	00	19,936,991	5,940,340
	1949	D0	22,202,805	5,904,431
	1940	D0	76,115	7,143
MHOLE. FILLETS. FINNAN HADDIE.	1940	DO	29,200	5,808
	1940	DO	293,165	48,968
	1940	DO	577,611	66,837
FRESH FILLETS	1949	DO	810,573	160,411
	1949	00	559,655	74,443
GREEN 2/ OTHER SHALLBUT HALIBUT:	1940	DO	902,015	30,271
	1940	DO	1,464,010	96,150
	1940	DO	39,400	1,227
FRESH FILLETS. FROZEN FILLETS. FROZEN STEAKS. FROZEN STEAKS. FROZEN CHEEKS. SMOKED.  SEE FDOTNOTES AT END OF TABLE (CONTINUED ON N	1949 1949 1949 1949 1940 EXT PAGE	POUNDS DO DO DO DO	11,865 376,148 3,445,773 1,070 1,500	4,709 122,097 1,295,656 246 468

MANUFACTURED FISHERY PRODUCTS - VARIOUS YEARS  $\underline{1}/$  - Continued

ITEM	YEAR	UNIT	QUANTITY	VALUE
HERRING, LAKE: FRESH FILLETS. FROZEN FILLETS SALTED SMOKED.	1949	POUNDS	257,600	\$13,522
	1949	DO	127,768	19,503
	1940	DO	2,998,574	94,588
	1940	DO	1,078,397	134,462
HERRING, SEA: SARDINES, CANNED MEAL OIL SALTED:	1949	STANDARD CASES	3,074,523	21,051,675
	1949	TONS	5,298	973,445
	1949	GALLONS	723,350	394,297
SALTED: BRINE SALTED PICKLED IN VINEGAR SPICED SMOKED:	1940 1940 1940	POUNDS DO DO	421,700 1,895,425 1,637,869	15,424 90,799 173,251
BLDATERS: HARD SOFT UNCLASSIFIED BONELESS LENGTHWISE MEDIUM SCALE KIPPERED UNCLASSIFIED JUNCLASSIFIED JUNCLASSIFIED LINGERED LING	1940 1940 1940 1940 1940 1940 1940 1940	DO D	623,642 8,066 70,406 2,018,330 68,517 171,320 489,500 138,900 8,857 3,500	78,582 403 6,019 210,540 3,862 9,909 52,113 22,645 1,107 525
FRESH FILLETS. FROZEN FILLETS SMOKED (U.S. EXCEPT MISSISSIPPI RIVER) SMOKED (MISSISSIPPI RIVER)	1949	D0	100,700	57,065
	1949	D0	1,600	935
	1940	D0	789,771	243,842
	1931	D0	2,100	315
LINGOD: FRESH FILLETS, FROZEN FILLETS FROZEN STEAKS, SMOKED.	1949	D0	564,427	96,100
	1949	D0	559,715	110,555
	1949	D0	263,614	45,647
	1940	D0	800	100
MACKEREL: FRESH FILLETS. FROZEN FILLETS CANNED. SAI TED:	1949	DO	283,931	62,294
	1949	DO	553,057	142,456
	1949	STANDARD CASES	1,049,927	6,848,930
SALIEU: SPLIT AND BRINE SALTED DRY, WHOLE AND FILLETS SMOKED, WHOLE AND FILLETS. MENHADEN:	1940	POUNDS	1,904,900	160,370
	1940	DO	1,668,548	108,898
	1940	DO	90,300	17,010
ROE, SALTED. MEAL AND DRY AND ACID SCRAP. OIL. MOONEYE, SMOKED.	1940	DO	1,000	250
	1949	TONS	113,393	17,813,339
	1949	GALLONS	8,293,911	3,407,510
	1940	POUNDS	5,000	600
MULLET: SALTED ROE, SALTED. OCEAN PERCH (ROSEFISH):	1940	DO	1,254,300	81,200
	1940	DO	60,000	14,825
FRESH FILLETS.  FROZEN FILLETS  PADDLEFISH OR SPOONBILL CAT: SMOKED (U.S. EXCEPT MISSISSIPPI RIVER)	1949	DD	639,061	138,956
	1949	DO	72,553,477	15,195,718
SMOKED (MISSISSIPPI RIVER)	1940	DO	127,500	55,850
	1931	DO	20,000	5,000
CANNED DRY, SALTED. MEAL OIL. POLLOCK:	1949 1940 1949 1949	STANDARD CASES POUNDS TONS GALLONS	3,768,212 9,683 39,278 6,123,140	21,334,825 968 6,219,717 2,872,532
FRESH FILLETS. FROZEN FILLETS SALTED:	1949	POUNDS	2,718,923	424,978
	1949	DO	6,390,673	844,317
GREEN 2/	1940	DO	184,772	5,665
DRY, WHOLE	1940	DO	262,335	12,069
SMOKED	1940	DO	40,000	960
ROCKFISHES: FRESH FILLETS FROZEN FILLETS	1949	DD	3,148,194	443,895
	1949	DO	2,163,665	356,981
SAGLEFISH: FROZEN FILLETS FROZEN STEAKS SALTED (JALSKA) SALTED (JUNITED STATES) SMOKED (JALSKA) KIPPERED OR SMOKED (U.S. EXCEPT MISSISSIPPI RIVER) KIPPERED OR SMOKED (MISSISSIPPI RIVER)	1949	POUNDS	36,821	6,878
	1949	DO	26,965	9,223
	1949	DO	65,867	9,130
	1940	DO	59,090	3,281
	1949	DO	5,458	1,364
	1940	DO	1,145,864	265,885
	1931	DO	30,000	10,500
SEE FOOTNOTES AT END OF TABLE (CONTINUED ON NE	I EXT PAG	E)		

MANUFACTURED FISHERY PRODUCTS - VARIOUS YEARS  $\underline{1}/$  - Continued

		T	I	T
1TEM	YEAR	UNIT	QUANTITY	VALUE
SALMON: FROZEN STEAKS	1949	POUNDS	1,667,678	\$703,725
CANNED: CHI NOOK OR KING. CHUM OR KETA PINK RED OR SOCKEYE SILVER OR COHO STEELHEAD. TOTAL CANNED SALMON	1949 1949 1949 1949 1949 1949	STANDARD CASES DO DO DO DO DO	207,868 718,878 3,236,317 1,075,437 277,495 8,931 5,524,926	5,796,265 10,763,832 51,753,924 28,924,268 5,948,419 244,275 103,430,983
SMOKED, CANNED	1949 1949	00 00	275 10,719	11,243 275,744
SALTED: HARD (ALASKA). HARD (UNITED STATES) MILD-CURED (ALASKA). MILD-CURED (UNITED STATES) EGGS FOR CAVIAR. BELLIES. SMOKED:	1949 1940 1949 1940 1940 1940	POUNDS DO DO DO DO DO	278,725 28,000 3,675,294 4,290,510 291,518 7,600	88,582 4,200 1,469,451 886,341 26,856 520
WHOLE AND FILLETS (ALASKA) WHOLE (U.S. EXCEPT MISSISSIPPI RIVER). WHOLE (MISSISSIPPI RIVER). KIPPERED (ALASKA). KIPPERED (UNITED STATES) MEAL OIL:	1949 1940 1931 1949 1940 1949	DO DO DO DO DO TONS	16,396 8,113,086 312,400 11,511 2,543,104 1,760	9,091 2,770,902 71,730 9,108 721,048 245,847
EDIBLE INDUSTRIAL SAUGER:	1949 1949	GALLONS DO	14,652 152,324	25,716 73,712
FRESH FILLETSFROZEN FILLETSFROZEN FILLETS	1949 1949	POUNDS DO	743,738 196,106	326,703 78,252
FRESH FILLETS FROZEN FILLETS FRESH STEAMS FRESH SPILT "BUTTERFLY" FROZEN SPLIT "BUTTERFLY" DOY SALTET	1949 1949 1949 1949 1949	DO DO DO DO DO	53,100 34,000 28,000 21,000 4,500 11,531	14,220 9,320 8,320 5,665 1,290 1,441
SEA TROUT, GRAY: FRESH FILLETS. FROZEN FILLETS FRESH SPLIT "BUTTERFLY" FROZEN SPLIT "BUTTERFLY" SALTED SHADE	1949 1949 1949 1949 1940	DO DO DO DO	83,000 39,258 37,000 11,000 3,000	26,510 11,852 10,480 3,180 649
CANNED ROE, CANNED SHOKED SHOKED SHARK LIVER OIL SHEEPSHEAD, SHOKED SHAPPER, RED: SHORED SHORED SHORED SHORED SHORED SHORED	1949 1949 1940 1949 1940	STANDARD CASES DO POUNDS GALLONS POUNDS	13,835 4,434 1 <i>2</i> 7,400 444,647 8,000	106,194 273,323 25,344 4,707,231 1,000
FMESH FILLETS FROZEN FILLETS FRESH STEAKS FROZEN STEAKS SNOOK, FRESH FILLETS SNOOK, FRESH FILLETS	1949 1949 1949 1949 1949	DO DO DO DO	13,400 7,300 29,500 20,500 9,000	8,510 4,645 14,445 10,525 5,280
FRESH FILLETS, FROZEN FILLETS SPOT, SALTED	1949 1949 1940	POUNDS DO DO	89,000 6,500 159,400	34,280 660 9,580
STURGEON: CANNED, SMOKED AND KIPPERED. SMOKED AND KIPPERED (U.S. EXCEPT MISSISSIPPI RIVER). SMOKED AND KIPPERED (MISSISSIPPI RIVER). ROE, SALTED. HIMBLE-EYED MACKEREL, SMOKEO.	1949 1940 1931 1940 1940	STANDARD EASES POUNDS DO OO DO	363 530,588 183,300 60 100	20,319 410,599 46,595 120 20
IUNA AND TUNALIKE FISHES: CANNED: ALBACORE YELLOWFIN BLUEFIN, SKIPJACK (INCLUDES SCME LITTLE TUNA) BONITO YELLOWTAIL MISCELLANEOUS SPECIES OF TUNA TONNO. TOTAL CANNED TUNA AND TUNALIKE FISHES	1949 1949 1949 1949 1949 1949 1949	STANDARD CASES DO DO DO DO DO DO DO DO DO	1,466,849 3,902,763 76,877 1,438,988 33,734 126,133 76,334 168,642 7,290,320	21,750,314 51,412,937 999,642 18,492,672 3355,444 1,305,084 804,289 2,579,943

# MANUFACTURED FISHERY PRODUCTS - VARIOUS YEARS $\underline{1}$ - Continued

LTCV	YEAR	UNIT	QUANTITY	VALUE
(TEM	TEAR	UNII	QUANTITI	VALUE
TUNA AND TUNALIKE FISHES - CONTINUED: OIL, LIVER	1949	GALLONS	12,384	\$645,515
	1940	PDUNDS	140,828	17,513
	1940	DO	1,518	339
	1949	POUNDS	11,100	3,795
FRESH FILLETS. FROZEN FILLETS CANNED CAVIAR. SMOKED (U.S. EXCEPT MISSISSIPPI RIVER) SMOKED (MISSISSIPPI RIVER) WHITEFISH, MENOMINEE, SMOKED	1949	DO	167,755	80,526
	1949	DO	16,300	7,410
	1949	STANDARD CASES	2,558	113,160
	1940	POUNDS	2,347,669	817,368
	1931	DO	275,000	52,200
	1940	DO	10,000	2,500
WHITINGS: FRESH FILLETS. FROZEN FILLETS FROSEN SPLIT "BUTTERFLY" FROZEN SPLIT "BUTTERFLY"	1949	DD	51,500	7,710
	1949	DO	1,119,513	198,727
	1949	DO	22,500	3,375
	1949	DO	3,006,002	475,792
TOTAL PACKAGED WHITING			4,199,515	685,604
SMOKED	1940	DO	131,500	19,725
FRESH FILLETS	1949	D0	52,266	16,006
	1949	D0	258,968	76,166
FROZEN FILLETS	1949	DO	361,582	177,929
	1949	DO	56,534	27,639
FRESH FILLETS. FROZEN FILLETS CRABS:	1949	DO	631,005	314,738
	1949	DO	61,619	31,135
BLUE, HARD: CANNED (INCLUDES ROCK CRABS) FRESH CODKED MEAT. MEAL AND SCRAP DUNGENESS:	1949	STANDARD CASES	46,975	943,120
	1940	POUNDS	7,197,691	2,456,818
	1949	TONS	6,906	431,106
CANNED FRESH-COOKED MEAT (ALASKA) FRESH-COOKED MEAT (UNITED STATES) FROZEN-COOKED MEAT (ALASKA). MEAL AND SCRAP	1949 1949 1940 1949 1949	STANDARD CASES POUNDS DO DO TONS	114,854 53,943 1,380,318 39,510 907	2,547,765 47,337 412,437 19,755 47,668
KING: FRESH-COOKED MEAT (ALASKA). FROZEN-CDOKED MEAT (ALASKA). ROCK, FRESH-COOKED MEAT CANNED SPECIALTIES (BLUE AND DUNGENESS).	1949	POUNDS	34,500	37,950
	1949	DO	129,708	117,520
	1940	DO	295,694	107,881
	1949	STANDARD CASES	4,469	92,974
LOBSTERS: NORTHERN, FRESH-COOKED MEAT. SPINY, FRESH-COOKED MEAT CANNED SPECIALTIES (NORTHERN AND SPINY).	1940	POUNDS	277,500	315,182
	1940	DO	49,000	16,400
	1949	STANDARD CASES	4,277	113,042
CANNED: REGULAR WET PACK SPECIALTIES. PACKAGED, FRESH AND FROZEN (ALASKA), PACKAGED, FRESH AND FROZEN (UNITED STATES) SUNDRIED. MEAL OF BRAN ABALONE STEAKS CLAMS: HARD: HARD:	1949 1949 1949 1940 1940 1949	STANDARD CASES DO POUNDS DO DO TONS DO	664,721 4,066 517,585 15,620,399 1,930,400 1,283 333,991	11,203,325 121,105 470,468 2,302,921 326,416 115,292 126,716
CANNED: WHOLE. MINCED. CHOWDER. JUICE, BROTH AND NECTAR. FRESH-SHUCKED (UNITED STATES). FROZEN-SHUCKED (ALASKA). RAZOR:	1949	STANDARD CASES	13,245	157,544
	1949	DO	87,946	831,122
	1949	DD	704,583	4,542,070
	1949	DO	14,111	40,154
	1940	GALLONS	138,691	170,226
	1940	POUNDS	2,016	504
CANNED: WHOLE. MINCED FROZEN-SHUCKED (ALASKA). SOFT:	1949	STANDARD CASES	539	10,263
	1949	DO	41,118	734,685
	1949	POUNDS	300	150
CANNED: WHOLE AND MINCED. CHOMDER, JUICE, BROTH AND NECTAR FRESH-SHUCKED. MUSSELS, STEAMED, SHUCKED. MUSSELSHELL PRODUCTS:	1949	STANDARD CASES	155,129 .	1,469,711
	1949	DO	169,389	993,469
	1940	GALLONS	402,742	611,114
	1940	DO	9,080	11,132
	1940	POUNDS	901,978	187,354
BUTTONS	1949	GROSS	4,720,239	3,696,452
	1949	TONS	4,155	71,251

SEE FOOTNOTES AT END OF TABLE (CONTINUED ON NEXT PAGE)

# MANUFACTURED FISHERY PRODUCTS - VARIOUS YEARS 1/ - Continued

ITEM	YEAR	UNIT	QUANTITY	VALUE
YSTERS:	-		†	
EASTERN:				
CANNED:	1		220 020	44 750 304
NATURAL	1949 1949	STANDARO CASES	338,929 577	\$4,758,394
SOUP, STEW AND SMOKED	1940	GALLONS	6,506,292	19,050 8,722,971
SHELL PRODUCTS:	1 1		1	
CRUSHED SHELL FOR POULTRY FEED	1949	TONS	298,792	2,126,802 244,979
LIME, BURNED AND UNBURNED	1949	00	35,270	244,979
PACIFIC:	1 1			
CANNED:	1			. =====================================
NATURAL	1949 1949	STANDARD CASES	113,989 1,977	1,766,813 176,396
SMOKEO	1949	00	2,649	47 486
FRESH-SHUCKED (ALASKA)	1949	GALLONS	181	47,486 934
FRESH-SHUCKED (UNITED STATES)	1940	DO	478,402	599,661
SHELL PRODUCTS (INCLUDES SMALL AMOUNTS OF CLAM SHELL).	1949	T0110	24 070	255 002
CRUSHED SHELL FOR POULTRY FEED LINE UNBURNED WESTERN OR NATIVE, FRESH-SHUCKED ALLOPS, BAY, FRESH-SHUCKED DUID, CANNED, ERRAPIN AND TURILE PRODUCTS;	1949	TONS DO	24,870 3,096	266,992
WESTERN OR NATIVE, FRESH-SHUCKED	1940	GALLONS	28,167	23,479 215,786
ALLOPS, BAY, FRESH-SHUCKED	1940	DO	23.088 85,999	65,369
DUID, CANNED	1949	STANDARO CASES	85,999	341,232
CANNED:	l i			
MEAT	1949	STANDARŌ CASES	946	25, 164
SOUP AND STEW	1949	DO	17,585	202,473
SCELLANEOUS:			·	•
PACKAGED FISH, FRESH OR FROZEN 3/	1949	POUNDS	823,269	281,058
CANNED:	1949	STANDARD CASES	1 021 757	0 662 443
ANIMAL FOOD	1949	DO CASES	1,931,757	8,663,442 1,690,494
FISH FLAKES, GROUNDFISH	1949	DO	144,080 32,365	506,224
ROE AND CAVÍAR 4/ ,	1949	DO	24,642	557,778
FISH FLAKES, GROUNDFISH. ROE AND CAVIAR AD PASTES AND SPREAD SOURS AND STREAM 6-7 MISCELLAMEOUS HERS 77	1949	00	594	22,520
MISCELLAMEOUS ITEMS 7/	1949 1949	DO DO	13,790 14,872	173,435 322,359
PICKLED TONGUES AND SOUNDS	1940	POUNDS	17,900	1,613
PICKLED TONGUES AND SOUNDS	1949	GROSS	17,900 4,089,712 103,342,712	1,613 6,782,281
FISH SOLUBLES	1949	POUNDS	103,342,712	5,144,111
GLUE	1949	GALLONS	198,031	401,983
MEAL: GROUNDFISH ("WHITEFISH") INC. OCEAN PERCH (ROSEFISH) .	1949	TONS	31,425	5,221,652
TUNA AND MACKEREL	1949	00	19,139	3,073,742
FUR SEAL	1949	TONS	347	55,627
WHALE	1949	TONS	117	16,088
MISCELLANEOUS MEAL AND SCRAP BY	1949	00	17,327	1,438,619
OIL: BODY:				
TUNA AND MACKEREL	1949	GALLONS	597,935	265,736
FUR SEAL	1949	GALLONS	49,253	265,736 20,592
WHALE:	1 1			
SPERM	1949 1949	GALLONS	47,000	38,500 13,975
OTHER. MISCELLANEOUS 9/	1949	DO DO	27,950 831,961	406,952
LIVER AND VISCERA 10/.	1949	00	94,298	4,008,864
MISCELLANEOUS 9/ LIVER AND VISCERA 10/ OTHER BYPRODUCTS 11/	1949	-	1 -	6,697,046
TOTAL			-	453,754,857
SUMMARY, 1949				
CKAGED PRODUCTS:				
FISH, FRESH OR FROZEN (FILLETS, STEAKS, ETC.)	1949	POUNDS	194,215,265	48,389,905 694,618
SHELLFISH (ALASKA PRODUCTION)	1949	00	779,146	
NNED FISH AND SHELLFISH PRODUCTS	1949	DO	855,014,842	295,503,905
SALTED DRIED OR PICKLED (ALASKA PRODUCTION)	1949	00	4 680 550	1 641 943
SALTED, ORIED, OR PICKLED (ALASKA PRODUCTION)	1949	00	4,680,550 33,365	1,641,843 19,563
PRODUCTS:	1 1		l .	
MEAL AND CCDAD	1949	DO	474,360,000	35,652,142
MEAL AND SCRAP		DO	134,966,420	17,364,977
011	1949			
OIL		00	732 366 000	2 733 502
SHELL PRODUCTS: LIME, POULTRY GRIT, AND CUT SHELLS	1949 1949 1949	00 GROSS	732,366,000 8.809.951	2,733,503 10,478,733
OIL. SHELL PRODUCTS: LIME, POULTRY GRIT, AND CUT SHELLS	1949 1949 1949		732,366,000 6,809,951 103,342,712	2,733,503 10,478,733 5,144,111
SHELL PRODUCTS: LIME, POULTRY GRIT, AND CUT SHELLS GUTTONS.	1949 1949	GROSS	732,366,000 6,809,951 103,342,712	2,733,503 10,478,733 5,144,111 7,099,029
OIL. SHELL PRODUCTS: LIME, POULTRY GRIT, AND CUT SHELLS	1949 1949 1949	GROSS	732,366,000 6,809,951 103,342,712	2,733,503 10,478,733 5,144,111 7,099,029 424,722,329


MANUFACTURED FISHERY PRODUCTS - VARIOUS YEARS 1/ - Continued

ITEM	YEAR	TINU	QUANTITY	VALUE
SUMMARY, 1940				
PACKAGED SHELLFISH, FRESH OR FROZEN	1940	POUNDS	94,349,263	\$16,648,384
CURED PRODUCTS: SALTED, DRIED AND PICKLED. SMOKED AND KIPPERED.	1940 1940	DO DO	46,955,410 28,868,886	4,203,046 7,934,520
TOTAL	1940		-	28,785,950
SUMMARY, 1931 SMOKED PRODUCTS	1931	<u></u>	1,098,100	246,578
GRAND TOTAL			-	453,754,857

- 1/ DATA ON THE PRODUCTION OF THE DIFFERENT PRODUCTS ARE FOR THE YEARS INDICATED.
- 2/ THIS ITEM IS USUALLY AN INTERMEDIATE PRODUCT, AND ALTHOUGH INCLUDED IN THE TOTAL, MAY BE SHOWN IN ITS FINAL STAGE OF PROCESSING IN THIS OR ANOTHER SECTION.
- / INCLUDES FRESH OR FROZEN FILLETS, STEAKS,OR "BUTTERFLY" OF BLUEFISH, CROAKER, DRUM, OCEAN POUT, PICKEREL, PORGY, SEA ROBIN, SHEEPSHEAD, SMELT, STRIPEO BASS, STURGEON, SWORDFISH, TRIGGERFISH, AND UNCLASSIFIED SPECIES. 4/ INCLUDES CANNED ROE OF HERRING, MACKEREL, MENHADEN AND DEEP SEA FISH, AND CAVIAR FROM SALMON AND STURGEON
- ROE. INCLUDES CANNED PASTES AND SPREADS FROM ANCHOVIES, HERRING, HALIBUT AND SALMON.
- INCLUDES CANNED BOUILLABAISSE, CRAWFISH BISQUE, CREOLE GUMBO, FISH CHOWDER, FROG LEGS NEWBURG, AND 6/ SHELLFISH NEWBURG.
- INCLUDES CANNED RED DRUM, HADDOCK, FINNAN HADDIE, MENHADEN, MULLET, BARBECUED SALMON, SALMON IN CHEESE SAUCE, SWOKED SHAD, KIPFERTD SHAD, SWELLFISH, TUNAFISH FRANKFURTERS, CLAM CAKES AND LOAF, CONCHS, MUSSELS, AND SCALLOPS.
- INCLUDES THE PRODUCTION OF SCRAP AND MEAL FROM ANCHOVIES, HORSESHOE CRABS, SHARKS, SQUIDS, UNCLASSIFIED
- 9/ INCLUDES THE PRODUCTION OF BODY OIL FROM ANCHOVIES, OCEAN PERCH (ROSEFISH), AND UNCLASSIFIED SPECIES.
  10/ INCLUDES LIVER AND VISCERA OIL OF HALIBUT. LINGSOD BOOKELSUES STORES. INCLUDES LIVER AND VISCERA OIL OF HALIBUT, LINGCOD, ROCKFISHES, SABLEFISH, SOLE, SWORDFISH, WHALE, AND UNCLASSIFIED SPECIES.
- 11/ INCLUDES THE PRODUCTION OF AGAR-AGAR, GLUE, KELP PRODUCTS, PEARL ESSENCE, ISINGLASS, IRISH MOSS, AND CRAB SHELLS.

NOTE:--SOME OF THE ABOVE PRODUCTS MAY HAVE BEEN MANUFACTURED FROM RAW PRODUCTS IMPORTED FROM ANOTHER COUNTRY; THEREFORE THEY CANNOT BE CORRELATED DIRECTLY WITH THE CATCH WITHIN THE UNITED STATES AND ALASKA. THE LIME AND POLUTRY FEED MANUFACTURED FROM SYSTER AND CLAM SHELLS WHICH ARE NOT INCLUDED IN THE CATCH STATISTICS FOR THESE SHELLFISH.

### PRODUCTION OF CERTAIN MANUFACTURED FISHERY PRODUCTS. 1941 - 1949



### CANNED FISHERY PRODUCTS AND BYPRODUCTS

Canned fishery products and byproducts valued at \$373,976,400 at the processor's level were produced in the United States and Alaska during 1949. This represented a decrease of 10 percent compared with the record year of 1948. The value of canned products decreased 12 percent while the value of the byproducts decreased only 2 percent.

The 1949 pack of canned salmon amounted to 5,524,916 standard cases (265,195,968 pounds), valued at \$103,430,980 to the canners. Compared with 1948, this was an increase of 15 percent in volume, but a decline of 14 percent in value. Although the pack was the second largest in the past six years, it was far less than the 1935-39 average of 7,163,985 cases. Despite the sharp decline in the price of canned salmon in 1949, the pack was the third most valuable in history. There were two outstanding reasons for the comparatively successful 1949 season. The first was the exceptionally good run of pink salmon in southeastern Alaska; and second, the good run of pinks in Puget Sound. If these two areas had not been so productive, 1949 would have been an unusually poor year for the salmon industry.

The pack of tuna and tunalike fishes, which amounted to 7,290,320 cases (141,700,593 pounds), valued at \$97,710,325, was 252,562 cases greater than the 1948 production. Although the 1949 pack of tuna established a new record for the fifth consecutive year, the canners received nearly 15 million dollars less for the pack than in the previous year. Two developments were responsible for this; first, there was a general decline in values of canned fish and this decline was accentuated in tuna by a record production; second, increased imports of canned tuna brought about increased competition. Production of tuna on the east coast, while minor compared with that of the west coast, was nearly 3 times that of the previous year. Although yellowfin continued to make up the bulk of the pack, the production of skipjack recorded a noticeable gain compared with the previous year.

The 1949 pack of California sardines (pilchards) amounted to 3,768,212 standard cases (169,569,540 pounds), valued at \$21,334,825. Compared with the previous year, this was an increase of 42 percent in volume, but a decline of 3 percent in value. While the 1949 pack was the second largest in history, it was 1,238,942 cases less than the record 1941 production, but with canning being the most profitable method of processing during 1949, a much greater portion of the catch was canned during 1949 than in previous years. Export markets furnished a good outlet for part of the 1949 pack of California sardines.

California led in the production of canned fishery products with a pack of 385,583,894 pounds, valued at \$119,497,465. Alaska was second with 211,646,994 pounds, valued at \$22,2667. These areas accounted for 70 percent of the volume of the 1949 pack and 68 percent of its value.

The 1949 production of fishery byproducts in the United States and Alaska was valued at \$78,472,495 -- 2 percent less than in the previous year. The principal byproducts were marine-animal oils, 17,694,887 gallons, valued at \$17,364,977; marine-animal scrap and meal, 237,180 tons, valued at \$35,652,142; marine and fresh-water shell buttons, valued at \$10,478,733; and fish solubles, valued at \$5,144,111. Byproducts were produced in 314 plants in 24 states and Alaska in 1949.



SUMMARY OF PRODUCTION: BY COMMODITIES, 1949

PRODUCT	NUMBER DF PLANTS	STANDARD CASES	POUNDS PER CASE	POUNOS	VALUE
CANNED PRODUCTS:					
SALMON: UNITED STATES	48	1,133,325	48	54,399,600	\$22,167,812
ALASKA	117	4,391,601	48	210,796,848	81,263,171
TOTAL SALMON	165	5,524,926		265,196,448	103,430,983
SARDINES:					
MAINE	5 <b>1</b> 49	3,074,523 3,768,212	20.3 45	62,412,817 169,569,540	21,051,675 21,334,825
TUNA AND TUNALIKE FISHES:					
TUNA: SDLID		3,432,195	21	72,076,095	51,505,272
FLAKES AND GRATED		3,698,258	18	66,568,644	44,534,525
TOTAL TUNA	56	7,130,453		138,644,739	96,039,797
TUNALIKE FISHES: SOLID		59,416	21	1,247,736	642,491
FLAKES AND GRATED	21	100,451	18	1,808,118 3,055,854	1,028,037
TOTAL TUNALIKE FISHES	56	159,867 7,290,320		141,700,593	97,710,325
ALEWIYES	16	111,994	45		469,398
ANCHOVIES	6	3,757	48	5,039,730 <b>1</b> 80,336	34,184
MACKEREL (INCLUDING JACK MACKEREL) SALMON, SMOKED	58 7	1,049,927 275	45 48	47,246,7 <b>1</b> 5 13,200	6,848,930 11,243
SHAD	9	13,835	45	622,575	106,194
STURGEON, SMOKED	6 17	363 1,931,757	48 48	17,424 92,724,336	20,319 8,663,442
FISH CAKES	9	144,080	48	6,915,840	1,690,494
FISH FLAKES, GROUNDFISH	4 3	32,365 586	42 48	1,359,330 28,128	506,224 22,088
FISH MISCELLANEOUS	8	18,854	48	904,992	259,644
ROE AND CAVIAR	53	86,459	48	4,150,032	1,969,998
TOTAL FISH		23,052,233		798,082,036	264,129,966
CLAM PRODUCTS: WHOLE AND HINGED	38	297,977	15	1/ 4,469,655	3,203,325
CHDWDER	11	863,166	30 30	7/ 25,894,980 7/ 747,510	5,498,974
JUICE, BROTH, AND NECTAR	13 46	24,917	30	31,112,145	76,719
TOTAL CLAM PRODUCTS		1,186,060	10.5		8,779,018 3,490,885
CRAB MEAT, NATURAL	52 14	161,829 4,469	19.5 48	3,155,666 214,512	92,974
LOBSTER SOUP, STEW, AND OTHER SPECIALTIES	3	4,277	48	205,296	113,042
OYSTERS:	62	452,918	14	2/ 6,340,852	6,525,207
SMOKED	9 7	2,026 3,177	48 48	97,248 152,496	180,336 62,596
SHR IMP:	1		-		
WET PACK	57 16	664,721 4,066	15 48	2/ 9,970,815 195,168	11,203,325 121,105
SQUID	10	85,999	48	4,127,952	341,232
TERRAPIN AND TURTLE:	3	946	48	45,408	25,164
SOUP AND STEW	8	17,585	48	844,080	202,473
MISCELLANEOUS SHELLFISH SPECIALTIES	10	9,816	48	471,168 56,932,806	236,582
TOTAL SHELLFISH	492	25,650,122		855,014,842	295,503,905
IDIAL CANNED FISH AND SHELLFISH	432		<u> </u>		
		UN		QUANTITY	VALUE
BYPRDDUCTS: MARINE-ANIMAL SCRAP AND MEAL	222	то	NS	237,180	\$35,652,142
MARINE-ANIMAL OILS: BODY OIL	144	GAL	LONS	16,861,476 834,357	7,519,522
LIVER AND VISCERA OIL	23 23	D		834,357 362,028	9,845,455 2,662,252
OYSTER AND MARINE CLAM-SHELL PRODUCTS FRESH-WATER MUSSEL-SHELL PRODUCTS	16	10	113	-	3,767,703 6,782,281
MARINE PEARL-SHELL BUTTONS	25		DSS	4,089,712 198,031	6,782,281
LIQUID GLUE	5 29	POU	LONS NDS	103,342,712	401,983 5,144,111
MISCELLANEOUS BYPRODUCTS	16	-			6,697,046
TOTAL BYPRODUCTS	319	-		-	78,472,495
GRAND TOTAL	3/ 739	-		-	373,976,400
	NACHAE TOE O	LVEN FOR MUDI	C OR WINCER	CLAMS AND THE C	DODG CAN

<sup>1/ &</sup>quot;CUT OUT" DR "DRAINED" WEIGHTS OF CAN CONTENTS ARE GIVEN FOR WHOLE OR MINCED CLAMS, AND THE GROSS CAN CONTENTS FOR OTHER CLAM PRODUCTS.

PARINED MEIGHT.

EXCLUSIVE OF DUPLICATION.

NOTE:--LISTS OF CANNERS AND MANUFACTURERS OF FISHERY BYPRODUCTS BY INDIVIDUAL COMMODITIES MAY BE OBTAINED FROM THE FISH AND WILDLIFE SERVICE, WASHINGTON 25, D. C.

### SUMMARY OF PRODUCTION: BY STATES, 1949

STATE	CAN	NED	BYPRODUCTS	TOTAL
	POUNDS	VALUE	VALUE	VALUE
HAINE.  HASSACHUSETTS.  CONNECTICUT, RHODE ISLAND, NEW HAMPSHIRE  NEW YORK.  NEW JERSEY  DELAWARE AND PENNSYLVANIA.  HARYLAND.  JIRGINIA.  ORTH CAROLINA.  SOUTH CAROLINA.  ECPRGIA.  LORIDA.  LABAMA.  ISSISSIPPI.  OUISIANA.	95,109,192 35,607,848 2,253,480 5,055,159 2 2 5,700,884 3,763,662 47,336 1,460,720 {2} 2,849,024 10,465,646	\$26,680,616 4,905,276 4,905,276 1,573,139 2 2 1,109,487 706,578 397,912 1,407,211 (2) (2) (2) (2) 3,101,511 11,270,778	\$3,488,917 7,976,235 11,786,712 4,081,491 2,8,989,989 2/4,990,136 3,300,586 3,806,130 2/46,633 2/401,400 2/1,890,805 2/702,571 1,076,832 4,853,704	\$30, 169, 533 12, 941, 511 2, 224, 391 5, 554, 633 8, 958, 968 4, 990, 133 3, 005, 907 4, 007, 164 4, 294, 042 1, 547, 864 401, 400 1, 890, 800 702, 571 4, 178, 343 16, 124, 483 1, 370, 673
IINNESOTA. OMA ARKANSAS, OHIO, WISCONSIN, MISSOURI. ASAHINGTON DREGON ALIFORNIA ULASKA	(2) 53,895,059 20,001,025 385,583,894 211,646,994	(2) 23,009,231 13,683,517 119,497,465 82,225,067	7,402 3,376,985 2/ 173,030 6,218,436 356,321 21,713,110 1,253,193	7,40 3,376,98 173,03 29,227,66 14,039,83 141,210,57 83,478,26
ACTUAL POUNDS AND VALUES	855,014,842	295,503,905	78,472,495	373,976,400

1/ VALUE OF BYPRODUCTS IS FOR CONNECTICUT. 2/ CANNED AND BYPRODUCTS COMBINED WHEN LESS THAN THREE FIRMS IN A STATE REPORT.

### FACTORS USED TO CONVERT STANDARD CASES TO POUNDS

PRODUCT	PRIOR TO 1938	1939 AND 1940	1941	1942	1943	1944 TO 1947	1948 AND 1949
	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
	PER CASE	PER CASE	PER CASE	PER CASE	PER CASE	PER CASE	PER CASE
SARDINES:  MAINE	25	25	<b>2</b> 5	20.3	20.3	20.3	20.3
	48	48	48	45	45	45	45
SOLID	24	24	21	22.5	22.5	21	21
	24	24	21	18	18	18	18
	48	48	48	45	45	45	45
MACKEREL	48 48	48 48 48 48	48 48 48 48	48 48	45 40	45 45	45 45
FISH FLAKES	40 15 17.25	15 17.25	15 17.25	48 15 21	48 22.5 21	42 22.5 21	42 14 15
CLAM PRODUCTS: WHOLE AND MINCED JUICE, CHOWDER,	15	15	15	15	15	15	15
BROTH, ETC	30	30	30	30	30	30	30
	48	39	39	39	39	39	19.5
	48	48	48	48	48	48	48

NOTE: -- THE FACTORS LISTED ABOVE WERE USED IN CONVERTING THE STANDARD CASES REPORTED IN THE CANNED FISHERY PRODUCTS BULLETINS FOR THE YEARS INDICATED. THE CASES SHOWN FOR ALL YEARS LISTED IN THE HISTORICAL SECTION ON PAGE 17 REPRESENT THE SAME SIZED CASES REPORTED FOR 1949.

### PLANTS ENGAGED IN THE PRODUCTION OF CANNED FISHERY PRODUCTS AND BYPRODUCTS, 1949

STATE	CANNED PRODUCTS	BYPRODUCTS	TOTAL PLANTS, EXCLUSIVE OF OUPLICATION	STATE	CANNED PRODUCTS	BYPRODUCTS	TOTAL PLANTS, EXCLUSIVE OF DUPLICATION
NEW ENGLAND:	NUMBE R	NUMBER	NUMBER	S. ATLANTIC AND	NUMBER	NUNBER	NUMBER
MAINE	61	19	73	GULF - CONT D. :	1		
HASSACHUSETTS	14	14	27	ALABAMA	3	1	3
CONNECTICUT	1	3	4	MISSISSIPPI	20	4	24
RHODE ISLAND	1	-	1	LOUISIANA	43	46	87
NEW HAMPSHIRE	1	-	1	TEXAS		5	5
TOTAL	78	36	106	TOTAL	87	81	162
HIDDLE ATLANTIC:				GREAT LAKES AND			
NEW YORK	10	9	18	MISS. RIVER:			
NEW JERSEY	1	20	21	ARKANSAS		1	1
DELAWARE		2	2	онто	!	-	!
PENNSYLVANIA	1	6	7	WISCONSIN	1	-,	
TOTAL	.12	36	40	MINNESOTA	~	4	- 1
CHESAPEAKE BAY:	42		••	MISSOURI	_	11	11
MARYLAND	12 14	15	19 27	TOTAL		17	19
VIRGINIA	26	24	46	PACIFIC COAST:			17
TOTAL	20	5.4	**0	WASHINGTON	69	12	80
NORTH CAROLINA	12	15	25	OREGON	24	8	28
SOUTH CAROLINA	6	13	9	CALIFORNIA	65	94	112
GEORGIA	2	1	3	TOTAL		114	220
FLORIDA	ī	6	7	ALASKA	129	. 11.	138
				GRAND TOTAL.		319	739

PACK OF CANNED SALMON: STANDARD CASFS, 1949

				ALASKA				
SPECIES AND CAN SIZE	SOUTHEASTERN	ASTERN	CENTRAL	RAL	WESTERN	ERN	TOTAL	AL
	CASES	VALUE	CASES	VALUE	CASES	VALUE	CASES	VALUE
CHINDOK OR KING: 1-POUND TALL	541	\$11,776	24,859	\$556,858	2,610	\$57,438	28,010	\$626,072
1/2-POUND FLAT	474	11,964	9,776	283,609	10,920	318,302	21,170	013,873
T0TAL	1,015	23,740	35,018	849,659	13,974	385,064	50,007	1,258,463
CHUM OR KETA: 1-POUND TALL	239,998	3,528,758	200,614	2,990,972	35,473	549,518	476,085	7,069,248
1-POUND FLAT	3,168	56,165	270 18,743 117	5,705 415,964 1,755	826	23,311	22,737 134	1,993
TOTAL	243,183	3,585,161	219,744	3,414,396	36,299	572,829	499,226	7,572,386
PINK: 1-POUND TALL	2,061,010	32,631,944	561,333	9,081,172	-	•	2,622,343	41,713,116
1-POUND FLAT	42,926	861,080	181 15,347 487	336,269 7,792			59,273	1,197,349
TOTAL	2,103,982	33,493,760	578,348	9,427,948	-		2,682,330	42,921,708
RED OR SOCKEYE:	15,294	381,058	274,544	6,821,956	494,606	12,623,947	784,444	19,826,961
1/2-POUND FLAT	23,538	681,872	109,143	3,536,661	17,497	565,066	150, 178 726	4,783,599
TOTAL	39,552	1,080,210	392,709	10,603,953	535,375	13,820,804	967,636	25,504,967
SILVER OR COHO: 1-POUND TALL	105,121	2,148,678	55,654	1,123,719	4,429	89,373	165,204	3,361,770
1-POUND FLAT	19,782	478,798	1,087	94,363 21,740	136	2,936	23,993	576,097 21,980
TOTAL	124,919	2,627,716	62,868	1,284,922	4,565	92,309	192,352	4,004,947
STEELHEAD: 1-POUND TALL	50	700	'	ı	•	1	50	700
TOTAL	50	700		1	-	J	50	700
GRAND TOTAL	2,512,701	40,811,287	1,288,687	25,580,878	590,213	14,871,006	4,391,601	81,263,171

PACK OF CANNFD SALMON: STANDARD CASES, 1949 - Continued

				-	UP.ITED STATES	S			CKAND	GRAND TOTAL,
2010 1000 0000									ONLIED	- T
SPECIES AND CAN SIZE	WASHINGTON	VGTON	OREGON	SON	CALIFORNIA	RNIA	101	TOTAL	AND ALASKA	LASKA
	CASES	VALUE	CASES	VALUE	CASES	VALUE	CASES	VALUE	CASES	VALUE
1-POUND TALL	15,496	\$282,783	13,536	₩.	1/ 1,113	1/ \$21,240	30,145	\$541,661	58,155	\$1,167,733
1/2-POUND FLAT	18,366	469,246	3/98,322	3/ 3,145,798			116,588	3,615,044	137,858	4,228,919
1/4-POUND FLAT	- 28	- 26	6,489				6,489	253,513	6,489 28	253,513
TOTAL	33,890	752,595	122,858	3,763,967	1,113	21,240	157,861	4,537,802	207,868	5,796,265
CHUM OR KETA: 1-POUND TALL	198,642	2,845,116	8,540	136,099		,	207,182	2,981,215	683,267	10,050,463
1-POUND FLAT	- 0	158 320	2 257	31 672			11 167	210 001	33.904	5,705
4-POUND.	200	20,000			,	, ,	- 1	20 210	134	1,993
TOTAL	208,855	3,023,655	10,797	167,791			219,652	3,191,446	718,878	10,763,832
PINK: 1-POUND TALL	447,995	6,838,088		•			447,995	6,838,083	3,070,338	48,551,204
1/2-POUND FLAT	100,189	1,905,228			, ,		100,188	1,905,228	159,461	3,102,577
OTNER	5,804	88,900	. ,				5,804	68,900	5,804	88,900
TOTAL	553,987	8,832,216			,	,	553,987	8,832,216	3,236,317	51,753,924
RED OR SOCKEYE: 1-POUND TALL	12,383	315,618	•	•			12,388	315,618	796,832	20, 142, 579
1/2-POUND FLAT	92,347	2,973,326	235	7,473	, ,		92,582	2,980,799	242,760	7,764.398
1/4-POUND FLAT	2,723	118,141	8	4,693	1 1		67967	164,834	726	17,436
ОТИЕЯ	2	20	-	- 3	'	-	2	50	2 220 .	20 034 260
TOTAL	107,460	3,407,135	341	. 12,166			10,901	3,419,301	1,0/5,43/	20,924,000
1-POUND TALL	43,035	836,256	740	14,627	11		43,775	850,883	2,052	4,212,653
1/2-POUND FLAT	23,024	541,151	5,936	147,596	'	1	28,960	688,747	52,953	1,264,844
1/4-POUND FLAT	1,690	54,587	6,919	BOC,CLE			90,0	50,000	1,103	21,980
этнея.	1,599	33,687	1			-	1,599	33,687	1,599	33,687
TOTAL	69,548	1,465,681	15,595	477,791	-		85,143	1,943,472	277,495	5,948,419
STEELHEAD:					,		1.624	26.533	1.674	27,233
1/2-POUND FLAT		•	3/ 5,671	3/ 156,981	ı		5,671	156,981	5,671	156,981
1/4-POUND FLAT	'		086,1	100,00	'	•	000.	00,00	, 300	100,00
TOTAL			8,881	243,575		,	8,881	243,575	8,931	244,275
GRAND TOTAL	074 570	17 4R1 292	5CA 93P	000 339 1	6 1 1 1 2	OVC 10	3CC CC+ + 1	C10 C21 CC	3C0 KC3 3	200 001 000

JUNICUES A SHALL PACK OF T-FOUND OAAS.

JUNICUES A SHALL PACK OF T-FOUND OAAS.

SECOND OAAS.

NOTE:--STANDARG CASES REPEREENT THE VARIOUS SIZED CASES CONVERED TO THE EQUIVALENT OF FORTY-FIGHT T-FOUND CANS, EACH CONTAINING 16 OUNCES OF SALHOW WERE CANNED IN 34 ELANTS IN MASHINGTON, 71 IN OREDOW, 5 ALMOW WERE CANNED IN 34 ELANTS IN MASHINGTON, 71 IN OREDOW, 5 ALMOW WERE CANNED IN 34 ELANTS IN MASHINGTON, 71 IN OREDOW, 5 ALMOW WERE CANNED IN 34 ELANTS IN WASHINGTON, 71 IN OREDOW, 5 ALMOW WERE CANNED IN 34 ELANTS IN WASHINGTON, 71 IN OREDOW, 5 ALMOW WERE CANNED IN 34 ELANTS IN WASHINGTON, 71 IN OREDOW, 5 ALMOW WERE CANNED IN 35 ELANTS IN WASHINGTON, 71 IN OREDOW, 5 ALMOW WERE CANNED IN 35 ELANTS IN WASHINGTON, 71 IN OREDOW, 5 ALMOW WERE CANNED IN 35 ELANTS IN WASHINGTON TO SALMOW.

### SUPPLEMENTARY REVIEW OF THE PACIFIC COAST STATES SALMON PACK, 1949

### BY DISTRICTS - STANDARD CASES

SPECIES	PUGE T	SOUND	COLUMBI	A RIVER	COA	STAL	TO1	AL
	CASES	VALUE	CASES	VALUE	CASES	VALUE	CASES	VALUE
CHINOOK OR KING CHUM OR KETA	21,622 199,225 553,987 93,520 63,516	\$417,972 2,887,121 8,832,216 2,915,749 1,342,829	133,073 10,797 - 6,592 16,466 8,83]	\$4,055,146 167,791 - 237,187 496,562 243,575	9,630 7,689 5,161	\$64,684 136,534 266,365 104,081	157,851 219,652 553,987 107,801 85,143 8,881	\$4,537,802 3,191,446 8,832,216 3,419,301 1,943,472 243,575
TOTAL	931,870	16,395,887	175,809	5,200,261	25,646.	571,664	1,133,325	22,167,812

# PACK OF MAINE SARDINES (INCLUDING SEA HERBING), 1949

STYLE OF PACK	STANDARD CASES	VALUE	CAN AND CASE SIZES	ACTUAL CASES	VALUE
NATURAL	48,738 2,760,926 174,777 52,346 22,072 15,664	\$105,000 19,199,855 1,237,962 175,225 209,423 124,210	10 OUNCES NET (48 CANS)	2,941,454 20,164 40,628 13,281 3,015,527	\$20,624,895 139,211 223,933 63,636 21,051,675
TOTAL	3,074,523	21,051,675			

<sup>1/</sup> INCLUDES SPECIAL PACKS OF SARDINES (INCLUDING SEA HERRING) SMOKED AND KIPPEREO; SMOKED IN SOY OIL; SMOKED

### PACK OF CALIFORNIA SARDINES (PILCHARDS), 1949

STYLE OF PACK	STANDARD CASES	VALUE	CAN AND CASE SIZES	ACTUAL CASES	VALUE
NATURAL, WITHOUT SAUCE OR OIL IN TOMATO SAUCE IN MUSTARD SAUCE OTHER 1/ TOTÁL	38,573	\$7,003,531 12,743,787 1,156,589 430,918 21,334,825	15 OUNCES NET, OVAL (48 CANS). 1/2-POUND CANS: 8 OUNCES NET, TALL (48 CANS). 8 OUNCES NET, OBLONG (48 CANS).	1,517,609 1,653,346 294,866 267,105 420,258 24,426	\$6,263,540 9,908,371 1,089,997 1,361,152 2,477,216 235,549
			TOTAL	4,177,610	21,334,825

<sup>1/</sup> INCLUDES SPECIAL PACKS OF SARDINES (PILCHARDS) IN SOYBEAN OIL; IN OLIVE OIL, AND IN OLIVE OIL AND TOMATO SAUCE; FILLETS WITHOUT SAUCE OR OIL AND FILLETS IN SOYBEAN OIL.

### PACK OF CANNED ALEWIVES: STANDARD CASES, 1949

STATE	CASES	VALUE
MARYLAND	67,828 44,166	\$295,021 174,377
TOTAL	111,994	469,398

NOTE: -- "STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE EQUIVALENT OF FORTY-EIGHT CANS OF 15 OUNCES CACH. PRACTICALLY THE ENTIRE PACK WAS CANNED IN 15 OUNCE CANS. ALEWIVES WERE CANNED IN 7 PLANTS IN MARYLAND AND 9 PLANTS IN VIRGINIA.

NOTE:--"STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE UNIFORM BASIS OF ONE HUMORED 1/4 OIL CANS (3-7/4 OUNCES NET) TO THE CASE. SARDINES (INCLUDING SEA HERRING) WERE CANNED IN 47 PLANTS IN MAINE; 3 IN MASSACHUSETTS; AND 1 IN NEW HAMPSHIRE.

NOTE: -- "STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE UNIFORM BASIS OF FORTY-EIGHT 1-POUND OVAL CANS (15 OUNCES NET). SARDINES (PILCHARDS) WERE CANNED IN 49 PLANTS IN CLAIFORNIA.

PACK OF CANNED TUNA AND TUNALIKE FISHES: STANDARD CASES; 1949

SPECIES	CALIF	ORNIA	WASHI AND O			SACHUSETTS, RYLAND	то	TAL
TUNA:	CASES	VALUE	CASES	VALUE	CASES	VALUE	CASES	VALUE
ALBACORE: SOLID	749,418 273,539	\$12,162,794 3,308,618		\$5,198,781 1,080,121	-	-	1,073,369 393,480	\$17,361,575 4,388,739
TOTAL	1,022,957	15,471,412	443,892	6,278,902	-		1,466,849	21,750,314
YELLOWFIN: SOLIO FLAKES	1,510,543 2,243,363	21,932,854 27,341,076		1,554,829 584,178	Ξ	:	1,613,577 2,289,186	23,487,683 27,925,254
TOTAL	3,753,906	49,273,930	148,857	2,139,007	-	-	3,902,763	51,412,937
BLUEFIN: SOLID FLAKES	36,331 40,546	497,934 501,708	=	=	=	-	36,331 40,546	497,934 501,708
TOTAL	76,877	999,642	-	-	-	-	76,877	999,642
SKIPJACK: SOLID FLAKES	1/ 481,159 1/ 902,860	1/ 6,841,594 1/10,856,470	26,814 28,155	416,083 368,525	=	-	1/ 507,973 1/ 931,015	1/ 7,257,677 1/11,234,995
TOTAL	1/1,384,019	1/17,708,064	54,969	784,608	-	-	1/1,438,989	1/18,492,672
TONNO, SOLID	168,642	2,579,943	-		-	-	169,642	2,579,943
MISCELLANEOUS: SOLID FLAKES	=	-	-	-	2/32,303 2/44,031	2/\$320,460 2/ 483,829	2/ 32,303 2/ 44,031	2/ 320,460 2/ 483,829
TOTAL	-	-	-	-	2/76,334	2/ 804,289	2/ 76,334	2/ 804,289
TOTAL TUNA .	6,406,401	86,032,991	647,718	9,202,517	76,334	804,289	7,130,453	96,039,797
TUNALIKE FISHES: BONITO: SOLID FLAKES	21,698 12,036	235,107 130,337	-	-	=	:	21,698 12,036	235,107 130,337
TOTAL	33,734	365,444	-	-10		-	33,734	365,444
YELLOWTAIL: SOLID FLAKES	37, <b>71</b> 8 83,415	407,384 897,700	-	-	:	:	37,718 88,415	407,384 897,700
TOTAL	101,133	1,305,084	-	-	-	-	126,133	1,305,084
TOTAL TUNA- LIKE FISHES	159,867	1,670,528	- 1		-		159,867	1,670,528
GRAND TOTAL TUNA AND TUNALIKE FISHES	6,566,268	87,703,519	647,718	9,202,517	76,334	804,289	7,290,320	97,710,325

### SUPPLEMENTARY REVIEW OF THE PACK OF TUNA AND TUNALIKE FISHES BY CAN SIZES, 1949

CAN AND CASE SIZES	_	ACTUAL CASES	VALUE
4 POUNDS	(6 CANS) (48 CANS) (48 CANS) (48 CANS) (48 CANS)	10,190 88,891 6,863,959 316,743 63,906	\$221,588 2,293,795 91,651,983 2,617,369 925,590
TOTAL		7,343,689	97,710,325

<sup>1/</sup> INCLUDES A SMALL PRODUCTION OF LITTLE TUNA.
2/ INCLUDES PACKS OF LITTLE, BLUEFIN, AND YELLOWFIN TUNA.

NOTE: -- "STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE EQUIVALENT OF FORTY-EIGHT NO. 1/2
TUNA CANS TO THE CASE, EACH CONTAINING 7 OUNCES NET WEIGHT OF SOLID MEAT OR 60 OUNCES NET WEIGHT OF FLAKES
OR GRATED. THE TOTAL PACK IN WASHINGTON AMOUNTED TO 71,422 CASES OF SOLID PACK, VALUED AT \$1,082,053 AND
36,332 CASES OF FLAKES, VALUED AT \$332,225; WHILE THAT IN OREGON TOTALED 382,377 CASES OF SOLID PACK, VALUED
AT \$6,087,630 AND 157,587 CASES OF FLAKES, VALUED AT \$1,700,599. TUNA AND TUNALIKE FISHES WERE CANNED IN
31 PLANTS IN CALIFORNIA, 9 IN WASHINGTON, 10 IN OREGON, IN 2 PLANTS EACH IN MAINE, MASSACHUSETTS, AND MARYLAND.

### GENERAL REVIEW

# PACK OF CANNED MACKEREL, 1949 $\frac{1}{2}$

STATE	STANDARD CASES	VALUE	CAN AND CASE SIZES	ACTUAL CASES	VALUE
MAINE	19,021 95,142 18,954	815,625	15 DUNCES NET, TALL (48 CANS) 15 DUNCES NET, DVAL (48 CANS) 15 DUNCES NET (24 CANS)	962,688 17,971 45,455	105,251 161,085
TOTAL	133,117	1,082,515	other sizes (converted to	73,831	282,241
CALIFORNIA	916,810	5,766,415	STANDARD CASES)	12,087	112,265
GRAND TOTAL	1,049,927	6,848,930	TOTAL	1,112,032	6,848,930

<sup>1/</sup> INCLUDES THE PACK OF JACK MACKEREL IN CALIFORNIA.

NOTE:--"STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE EQUIVALENT OF FORTY-EIGHT 1-PDUND CANS TO THE CASE, EACH CAN CONTAINING 15 OUNCES OF FISH. MACKEREL WERE CANNED IN 41 PLANTS IN CALIFORNIA, 7 IN MAINE, 6 IN MASSACHUSETTS, AND 4 IN MARYLAND.

### PACK OF CANNED SHAD, 1949

STATE	STANDARD CASES	VALUE	CAN AND CASE SIZE	ACTUAL CASES	VALUE
MARYLAND 1/	851		15 DUNCES NET (48 CANS)	13,331	\$98,090
WASHINGTON, DREGON, AND CALIFORNIA	12,984	96 <b>,1</b> 94	OTHER SIZES CONVERTED TD 15 OUNCES NET (48 CANS)	504	8,104
TOTAL	13,835	106,194	TOTAL	13,835	105,194

<sup>1/</sup> THE PRODUCTION IN MARYLAND WAS PRINCIPALLY FILLETS.

NOTE: -- "STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE UNIFORM BASIS OF FORTY-EIGHT NO. 1
TALL CANS TO THE CASE, BACH CAN CONTAINING 15 DUNCES OF FISH. SHAD WERE CANNED IN 5 PLANTS IN OREGON, 2 IN
MARYLAND, AND 1 PLANT EACH IN WASHINGTON AND CALIFORNIA.

### PACK OF CANNED GROUNDFISH FLAKES, 1949

STATES	STANDARD CASES	VALUE
MAINE AND MASSACHUSETTS	32,365	\$506,224

NDTE:--"STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE EQUIVALENT OF FORTY-EIGHT CANS TO THE CASE, EACH CAN CONTAINING 14 DUNCES OF FISH. GROUNDFISH FLAKES WERE CANNED IN 2 PLANTS EACH IN MAINE AND MASSACHUSETTS.

### PACK OF CANNED ANIMAL FOOD FROM FISHERY PRODUCTS, 1949

STATE	STANDARD CASES	VALUE	CAN AND CASE SIZE	ACTUAL CASES	VALUE
MAINE AND NEW YORK MASSACHUSETTS	537,188 464,931	\$2,673,800 1,660,883	8 DUNCES NET (48 CANS)	1,824,580 1,000,662	\$4,760,483 3,816,495
VIRGINIA, MARYLAND, AND WASHINGTON CALIFORNIA	33,074 896,489 75	106,009 4,222,300 450	DTHER SIZES CONVERTED TD 16 DUNCES NET ( 48 CANS)	18,805	86,464
TOTAL	1,931,757	8,663,442	TDTAL	2,844,047	8,663,442

NDTE:--"STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE EQUIVALENT OF FORTY-EIGHT CANS, EACH CONTAINING 16 DUNCES. ANIMAL FOOD WAS CANNED IN 6 PLANTS IN MASSACHUSETTS, 4 IN CALIFORNIA, 2 IN MAINE, AND 1 PLANT EACH IN NEW YORK, MARYLAND, VIRGINIA, MASHINGTON, AND ALASKA.

993093 O - 52 - 3

# GENERAL REVIEW PACK OF CANNED FISH ROE AND CAVIAH, 1949

PRODUCT AND NUMBER OF PLANTS	STANDARD CASES	VALUE	STATES OF PRODUCTION AND NUMBER OF PLANTS
ROE:  ALEMIFE (30)	44,106 19,896 4,434 2,311	207,780 273,323	MARYLAND 7, VIRGINIA 14, NORTH CAROLINA 9. MASSACHUSETTS 3. MASYLAND 1, NORTH CAROLINA 1, WASHINGTON 2, OREGON 5, CALIFORNIA 2. CONECTICUT 1, MASSACHUSETTS 1, MARYLAND 1, NORTH CAROLINA 1.
	75,740	1,694,254	NEW YORK 3, WISCONSIN 1.
GRAND TOTAL (53)		275,744 1,969,998	WASHINGTON 5.

NOTE: -- "STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE EQUIVALENT OF FORTY-EIGHT CANS, EACH CAN CONTAINING 16 OUNCES OF ROE.

### SUPPLEMENTARY REVIEW OF PACK OF CANNED FISH ROE AND CAVIAR: BY STATES, 1949

STATE	NUMBER OF PLANTS (EXCLUSIVE OF DUPLICATION)	STANDARD CASES	VALUE	STATE - CONTINUED	NUMBER OF PLANTS (EXCLUSIVE OF DUPLICATION)	STANDARD CASES	VALUE
MASSACHUSETTS	1 <b>)</b> 3 7	21,066 3,973 10,673 28,759	371,967 172,707	N. CAROLINA. WISCONSIN. WASHINGTON OREGON CALIFORNIA TOTAL	1] 7 5] 2]	7,696 10,847 3,445 86,459	283,544

### PACK OF MISCELLANEOUS CANNED FISHERY PRODUCTS, 1949

PRODUCT	STANDARD CASES	VALUE	LOCATION AND NUMBER OF PLANTS
FISH:			
ANCHOVIES (NATURAL, SDYBEAN OIL, OLIVE			
OIL, AND TOMATO SAUCE)	3,757	\$34,184	WASHINGTON 1, CALIFORNIA 5.
FISH CAKES	144,080	1,690,494	MAINE 4, MASSACHUSETTS 2, NEW YORK 1, VIRGINIA 1, CALIFORNIA 1.
FISH, SMOKED OR KIPPERED:	1		CALL CARTA 10
SALMON	275	11,243	MASSACHUSETTS 1, WASHINGTON-1, OREGON 3, ALASKA 2
STURGEON	363	20,319	WASHINGTON 3, OREGON 3.
MISCELLANEOUS (HADDOCK, HALIBUT PASTE			
AND SHAD)	327	10,193	MASSACHUSETTS 1, WASHINGTON 1, OREGON 1.
FISH PASTE AND SPREAD (ANCHOVY, HERRING, AND SALMON)	586	22,088	MARCACHURCTTO 1 MARVALAND 1 MEN MARVA
FISH SPECIALTIES (FISH CHOWDER,	500	22,000	MASSACHUSETTS 1, MARYLAND 1, NEW YORK 1.
BARBECUED SALMON, SALMON AND CHEESE			
AND TUNA FRANKFURTERS)	14,441	201.037	MAINE 1, MASSACHUSETTS 3, ALASKA 1.
MISCELLANEOUS (HADDOCK, MENHADEN,	1	==,,==	The transfer of the same of th
MULLET, REO ĎRUM, ANĎ SWELLFÍSH)	4,086	48,414	MASSACHUSETTS 1, MARYLAND 2, NORTH CAROLINA 1, CALIFORNIA 1.
SHELLFISH:			
CRAB SPECIALTIES:			
COCKTAILS	544	16,317	OREGON 3, WASHINGTON 4.
DEVILED, SOFT-SHELL, SMOKED, IN SAUCE	3,925	76,657	NEW YORK 1 N CAROLINA 1 C CAROLINA 1
SOUPS, AND STEWS	3,923	70,037	NEW YURK 1, N. CAROLINA 1, S. CAROLINA 1, ALABAMA 1, LOUISIANA 2, WASHINGTON 1.
THERMIDOR	4,277	113,042	MAINE 1, NEW YORK 1, LOUISIANA 1.
OYSTER SPECIALTIES:	,,,,,,	1,5,000	PARTE I, NEW YORK I, COUISTARK II
SMOKED OYSTERS	2,026	180,336	LOUISIANA 1, WASHINGTON 8.
SOUP AND STEW	3,061	55,514	
MISCELLANEOUS (COCKTAILS, DEVILED,			
PASTE, AND SPREAD)	116	6,082	LOUISIANA 1, WASHINGTON 6.
SHRIMP SPECIALTIES:			
CAKES, SMOKED, CDCKTAILS, DEVILED, AND PASTE	1,521	41,371	S. CAROLINA 1, MISSISSIPPI 1, LOUISIANA 3.
AND PASIEL	1,521	41,3/1	WASHINGTON 3, OREGON 3.
SHRIMP IN SAUCES, SOUPS, AND STEWS .	2,545	79,734	
and the state of section with the state of	_,5.5	1 .,,,,,,	LOUISIANA 4.
SQUID	85,999	341,232	
TERRAPIN AND TURTLE PRODUCTS:	1	,	
MEAT	946		
SOUP AND STEW	17,585	202,473	NEW YORK 1, OHIO 1, GEORGIA 1, FLORIDA 1, LOUISIANA 4.
MISCELLANEOUS SHELLFISH (CONCHS AND			
MUSSELS)	3,230	47,098	MAINE 2, NEW YORK 1.
MISCELLANEOUS SHELLFISH SPECIALTIES	}	l	
(CLAM CAKES AND CLAM LOAF, FROG LEGS	1	1	
NEWBERG, SCALLOPS NATURAL AND IN SAUCE, CRAYFISH BISQUE, AND MISCEL-	1	1	
LANEOUS SHELLFISH STEWS)	6,586	189,484	MAINE 1, MASSACHUSETTS 2, NEW YORK 1, LOUISIANA 3.
concess and constant states			THE TY THE TOTAL TOTAL TOTAL ST
TOTAL	1 300.275	3,413,476	

NOTE: -- "STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE EQUIVALENT OF 48 CANS, EACH CONTAINING 16 OUNCES NET WEIGHT.

#### PACK OF CANNED CLAMS AND CLAM PRODUCTS, 1949

	STANDARD CASES							
SPECIES, STATE, AND NUMBER OF PLANTS	WHOLE A	ND MINCED	CHOWDER BROTH A	CHOWDER, JUICE, BROTH AND NECTAR		AL		
	CASES	VALUE	CASES	VALUE	CASES	VALUE		
SOFT CLAMS, MAINE (12)	155,129	\$1,469,711	169,389	\$993,469	324,518	\$2,463,180		
RAZOR CLAMS: WASHINGTON (4) AND OREGON (1) ALASKA (13)	3,847 37,810	75,619 669,329	-	-	3,847 37,810	75,619 669,329		
TOTAL RAZDR CLAMS	41,657	744,948	-	-	41,657	744,948		
HARD CLAMS: 1/ RHODE ISLAND (1), NEW JERSEY (1), PENNSYLVANIA (1), AND MARYLAND (2). NEW YORK (5). WASHINGTON (4) AND CALIFORNIA (1) ALASKA (3).	- 74,027 26,943 221	684,798 300,883 2,985	699,7 <b>1</b> 9 14,775 4,088 112	4,520,981 45,190 15,753 300	699,719 88,802 31,031 333	4,520,981 729,988 316,636 3,285		
TOTAL HARD CLAMS	101,191	988,666	718,694	4,582,224	819,885	5,570,890		
GRAND TOTAL (46)	297,977	3,203,325	889,083	5,575,693	1,186,060	8,779,018		
	ACTUAL CASES							
CAN CONTENTS AND NUMBER OF CANS TO CASE	WHOLE AND MINCED			, JUICE, NO NECTAR	тот	TAL		
	CASES	VALUE	CASES	VALUE	CASES	VALUE		
TIN: 3-1/2 OUNCES (48 CANS). 4 OUNCES (48 CANS). 5 OUNCES (48 CANS). 8 OUNCES (48 CANS). 10 OUNCES (48 CANS). 10 OUNCES (24 CANS). 15 OUNCES (24 CANS). 20 OUNCES (24 CANS). 51 OUNCES (24 CANS). 51 OUNCES (25 CANS). 96 OUNCES (26 CANS). OTHER SIZES (STANDARD CASES).	25,507 53,461 103,668 31,275 8,772 - 40,857 - 21,856	\$260,953 718,623 1,115,245 352,356 95,612 - 490,408 - 157,588	104,727 111,820 432,483 239,683 6,114 3,146 65,036 65,036 33,779	\$435,467 422,041 2,922,965 1,073,946 20,690 9,200 510,754 10,485 141,912	25,507 53,461 103,668 136,002 120,592 432,483 239,683 6,114 44,003 65,096 2,286 55,635	\$260,958 718,623 1,115,245 787,823 517,653 2,922,965 1,073,946 20,690 499,608 510,754 10,485 299,500		
GLASS,	02-	42.50	0.500	20, 200	2.422	40 ====		
MISCELLANEOUS SIZES (STANDARD CASES).	925	12,535	8,508	28,233	9,433	40,768		
GRAND TOTAL	286,321	3,203,325	1,007,642	5,575,693	1,293,963	8,779,018		

<sup>1/</sup> INCLUDES THE PACK OF SURF CLAMS IN NEW YORK; PISMO CLAMS IN CALIFORNIA; AND CDCKLES IN ALASKA.

#### SUPPLEMENTARY REVIEW OF CLAM PACK, 1949

PRODUCT	STANDARD CASES	POUNDS	VALUE
WHOLE CLAMS	66,754 231,223 863,166 24,917	1,001,310 3,468,345 25,894,980 747,510	\$827,496 2,375,829 5,498,974 76,719
TOTAL	1,186,060	31,112,145	8,779,018

NOTE: -- "STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE EQUIVALENT OF 48 NO. 1 PICNIC CANS, EACH CAN OF WHOLE AND MINCED CLAMS CONTAINING 5 OUNCES OF MEAT, DRAINED WEIGHT; AND EACH CAN OF CHOWDER, JUICE, BROTH AND NECTAR, 10 JUNCES GROSS CONTENT.

#### PACK OF CANNED CRABS, 1949

STAND	STANDARD CASES					
STATES	SPECIES	CASES	VALUE	CAN AND CASE SIZES	CASES	VALUE
EAST COAST: MAINE, MARYLAND, AND GEORGIA	ROCK AND BLUE	3,586	\$76,773	6-1/2 OUNCES NET (48 CANS)	109,322	\$2,435,575
NORTH AND SOUTH CAROLINA, ALABAMA,				6-1/2 OUNCES NET (24 CANS)	90,336	904,822
LOUISIANA	BLUE	32,532 10,857	649,106 217,241	13 OUNCE NET (24 CANS)	3,186	72,365
TOTAL		46,975	943,120	13 DUNCE NET (24 CANS)	3,100	72,303
WEST COAST:	OUNGENESS	65,004	1,434,938	16 OUNCE NET (24 CANS)	1,490	34,038
OREGON AND CALIFORNIA.	OUNGENESS OUNGENESS	36,652 13,198	834,677 278,150	OTHER SIZES CONVERTED TO 6-1/2 OUNCES NET (48 CANS)	2,320	44.085
TOTAL		114,854	2,547,765	DUNCES NET (40 CANS)	2,320	44,003
GRAND TOTAL		161,829	3,490,885	TOTAL	206,654	3,490,885

NOTE: -- "STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE EQUIVALENT OF FORTY-EIGHT CANS TO THE CASE, EACH CAN CONTAINING 6-1/2 OUNCES OF CRAB MEAT. CRABS WERE CANNED IN 2 PLANTS IN MISSISSIPPI, 5 IN LOUISIANA, 18 IN WASHINGTON, 10 PLANTS EACH IN OREGON AND ALASKA, AND 1 PLANT EACH IN MAINE, MARYLAND, NORTH CAROLINA, SOUTH CAROLINA, GEORGIA, ALABAMA, AND CALIFORNIA.

#### PACK OF CANNED OYSTERS, 1949

STANDARD CASES	ACTUAL CASES				
STATE	CASES	VALUE	CAN AND CASE SIZES	CASES	VALUE
NORTH CAROLINA, GEORGIA, AND ALABAMA		\$361,339	4-2/3 OUNCES NET (48 CANS)	283,981	\$4,175,746
SOUTH CAROLINA	72,142	1.042,959	5 OUNCES NET (48 CANS)	43,840	788,140
LOUISIANA	177,357	2,491,455	6-1/2 OUNCES NET (48 CANS)	61.410	996.829
WASHINGTON AND OREGON	113,909	1,700,013	OTHER SIZES (STANOARD CASES)	36,430	564,492
TOTAL	452,918	6,525,207	TOTAL	425,661	6,525,207

NOTE:--"STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE EQUIVALENT OF FORTY-EIGHT CANS TO THE CASE, EACH CAN CONTAINING 4-2/3 DUNCES ORAINED WEIGHT OF DYSTER HEATS. DYSTERS WERE CANNED IN 24 PLANTS IN LOUISIANA, 79 IN HISSISSIPPI, 8 IN WASHINGTON, 4 IN SOUTH CAROLINA, 2 PLANTS EACH IN NORTH CAROLINA, ALABAMA, AND OREGON, AND IN 1 PLANT IN GEORGIA.

#### PACK OF CANNED SHRIMP, 1949

STANDARD CASES	ACTUAL CASES				
STATE	CASES	VALUE	CAN AND CASE SIZES	CASES	VALUE
MISSISSIPPI	116,314 495,800 52,607	\$1,967,274 8,371,199 864,852	5 OUNCES NET (48 CANS) 7 OUNCES NET (48 CANS) OTHER SIZES (STANOARD CASES)	645,116 4,373 13,483	\$10,886,777 90,505 225,043
TOTAL	664,721	11,203,325	TOTAL	662,972	11,203,325

NOTE:--"STANDARD CASES" REPRESENT THE VARIOUS SIZED CASES CONVERTED TO THE EQUIVALENT OF FORTY-EIGHT CANS OF 5 OUNCES EACH. SHRIMP WERE CANNED IN 17 PLANTS IN MISSISSIPPI, 35 IN LOUISIANA, 2 EACH IN ALABAMA AND SOUTH CAROLINA, AND 1 PLANT IN GEORGIA.

#### PRODUCTION OF MARINE-ANIMAL SCRAP AND MEAL, 1949

PRODUCT		TIC AND COAST 1/		CDAST G ALASKA)	TOTAL	
	TONS	VALUE	TONS	VALUE	TONS	VALUE
MEAL AND DRIED SCRAP: CRAB:						
BLUE	6,906	\$431,106	-		5,906	\$431,106
DUNGENESS	-	<u> </u>	907	\$47,668	907	47,668
GROUNDFISH ("WHITE FISH")	-		347	55,627	347	55,627
INCLUDING ROSEFISH	31,425	5,221,652	-	-	31,425	5,221,652
HERRING	3,049	463,737	2,249	509,708	5,298	973,445
MENHADEN	2/ 113,393	2/ 17,813,339	-	-	113,393	17,813,33
PILCHARD,	-	-	39,278	6,219,717	39,278	6,219,71
SALMON	-	-	1,760	245,847	1,760	245,84
SHRIMP	1,283	115,292	-	-	1,283	115,29
TUNA AND MACKEREL	-	-	19,139	3,073,742	19,139	3,073,74
WHALE			. 117	16,088	117	16,08
MISCELLANEOUS	<u>3</u> / 12,522	<u>3</u> / 795,964	<u>4</u> / 4,805	4/ 642,655	17,327	1,438,61
TOTAL	168,578	24,841,090	68,602	10,811,052	237,180	35,652,14

INCLUDES THE PRODUCTION OF ANCHOVY, SHARK, SQUID, AND MISCELLANEOUS SCRAP AND MEAL.

PRODUCTION CF MARINE-ANIMAL OIL, 1949

PRODUCT		TIC AND COAST	PACIFIC (INCLUDIN	COAST G ALASKA)	TOTAL	
	GALLONS	VALUE	GALLONS	VALUE	GALLONS	VALUE
BODY OIL: FUR-SEAL. HERRING. HENHADEN. PILCHARD. SALMON:	122,448 8,293,911	\$61,574 3,407,510	49,253 600,902 6,123,140	\$20,592 332,723 - 2,872,532	49,253 723,350 8,293,911 6,123,140	\$20,592 394,297 3,407,510 2,872,532
EDIBLE	=	-	14,652 152,324 597,935	25,716 73,712 265,736	14,652 152,324 597,935	25,716 73,712 265,736
SPERM	- 573,069	- 306,511	47,000 27,950 258,892	38,500 13,975 100,441	47,000 27,950 831,961	38,500 13,975 406,952
TOTAL	8,989,428	3,775,595	7,872,048	3,743,927	16,861,476	7,519,522
LIVER AND VISCERA OIL: COD	283,028 97,657 (2) 3,356	483,845 709,764 (2) 190,823	346,990 2/ 12,384 90,942	3,997,467 2/645,515 3,818,041	283,028 444,647 12,384 94,298	483,845 4,707,231 645,515 4,008,864
TOTAL	384,041	1,384,432	450,316	8,461,023	834,357	9,845,455
GRAND TDTAL	9,373,469	5,160,027	8,322,364	12,204,950	17,695,833	17,364,977

<sup>1/</sup> INCLUDES A SMALL PRODUCTION OF MISCELLANEOUS MEAL IN MINNESOTA.
3/ ASMALL PRODUCTION OF ACTIOULATED SCRAP HAS BEEN INCLUDED WITH DRY SCRAP AND MEAL.
3/ INCLUDES THE PRODUCTION OF COO LIVER PRESS CAKE, FISH POMACE, HORSESHOE CRAB AND MISCELLANEOUS SCRAP AND MEAL.

<sup>1/</sup> INCLUDES THE PRODUCTION OF ROSEFISH AND UNCLASSIFIED BODY OILS ON THE EAST COAST, AND ANCHOVY AND UNCLASSIFIED BODY OILS ON THE WEST COAST.
2/ EAST AND WEST COAST PRODUCTION COMBINED.
3/ INCLUDES THE PRODUCTION OF HALIBUT, ROCKFISH, SWORDFISH, WHALE, AND MIXED LIVER OILS ON THE EAST COAST, AND HALIBUT, LINGCOD, SABLEFISH, SOLE, ROCKFISH, AND WHALE LIVER OILS, VISCERA DILS AND HIXED LIVER OILS ON THE WEST COAST.

## SUPPLEMENTARY REVIEW OF THE MENHADEN FISHERY, 1949 $^{1/2}$

STATE	MENHADEN UTILIZED	DRY SCR	AP AND MEAL	0	IL	TOTAL
	POUNDS	TONS	VALUE	GALLONS	VALUE	VALUE
NEW JERSEY NEW YORK AND DELAWARE //RGINIA NORTH CAROLINA	157,582,459 249,664,210 126,430,336 227,679,400 54,919,900	2/25,303 15,100 2/23,016	\$2,549,391 2/3,763,875 2,417,735 2/3,421,841 1,006,765	2,428,176 739,442 751,687	\$714,605 1,100,000 292,971 259,901 93,262	\$3,263,996 4,863,875 2,710,706 3,681,742 1,100,027
AISSISSIPPI, SOUTH CAROLINA, LOUISIANA, AND TEXAS	256,333,960	27,284	4,653,732	2,544,707	946,771	5,600,500
TOTAL	3/1,072,630,265	113,393	17,813,339	8,293,911	3,407,510	21,220,849

1/ DOES NOT INCLUDE THE PRODUCTION OF MENHADEN SOLUBLES.

A SMALL PRODUCTION OF ACIDULATED SCRAP WAS BEEN INCLUDED WITH THAT DE DRY SCRAP AND MEAL.

3/ 1,600,940,694 FISH.

NOTE:--MENHADEN PRODUCTS WERE MANUFACTURED IN 9 PLANTS IN NORTH CAROLINA, 6 IN VIRGINIA, 4 IN FLORIDA, 3 IN NEW JERSEY, 2 EACH IN DELAWARE, PASSISSIPPI, AND LOUISIANA, AND IN 1 PLANT EACH IN NEW YORK, SOUTH CAROLINA, AND TEXAS.

#### PRODUCTION OF OYSTER AND MARINE CLAM-SHELL PRODUCTS. 1949 1/

STATE	CRUSHED SHELL FOR POULTRY FEED		SHELL LIME, UNBURNED		TOTAL	
	TONS	VALUE	TONS	VALUE	TONS	VALUE
NEW JERSEY	3,701 28,151 266,940 24,870	\$55,177 285,405 1,786,220 266,992	1,011 14,578 2/19,681 3,096	\$4,685 54,101 186,193 23,479	4,712 42,729 286,621 27,966	\$59,862 339,506 1,972,413 290,471
TOTAL	323,662	2,393,794	38,366	268,458	362,028	2,662,252

1/ MARINE CLAM-SHELL GRIT WAS PREPARED IN 1 PLANT IN WASHINGTON. 2/ INCLUDES A QUANTITY OF BURNED LIME PREPARED IN VIRGINIA.

NOTE: -- CRUSHEO SHELL PRODUCTS WERE PREPARED IN 4 PLANTS IN NEW JERSEY, 3 PLANTS EACH IN PENNSYLVANIA, MARYLAND, VIRGINIA, AND WASHINGTON, 2 PLANTS EACH IN TEXAS AND CALIFORNIA, AND 1 PLANT EACH IN FLORIDA, LOUISIANA, AND OREGON.

#### PRODUCTION OF FRESH-WATER MUSSEL-SHELL PRODUCTS, 1949

STATE	вит	TONS	LIME,	TOTAL	
	GROSS	VALUE	TONS	VALUE	VALUE
10WA	4,293,600	\$3,204,115	4,155	\$71,251	\$3,275,366
NEW YORK, PENNSYLVANIA, ARKANSAS, AND MISSOURI	426,639	492,337	-	-	492,337
TOTAL	4,720,239	3,696,452	4 <b>,1</b> 55	71,251	3,767,703

NOTE: --MUSSEL SHELL PRODUCTS WERE MANUFACTURED IN 11 PLANTS IN IOWA, 2 IN NEW YORK, AND IN 1 PLANT EACH IN PENNSYLVANIA, ARKANSAS, AND MISSOURI. MUSSEL SHELLS PURCHASED DURING THE YEAR AMOUNTED TO 5,628 TONS, YALUED AT \$204,222. SHELLS WERE TAKEN IN 10 STATES IN THE MISSISSIPPI RIVER AND GREAT LAKES REGION. THE PRODUCING STATES IN THE ORDER OF THEIR IMPORTANCE WERE: TENNESSEE, WHICH CONTRIBUTED 31 PERCENT OF THE TOTAL QUANTITY; KENTUCKY, 30 PERCENT: HALBAMA, 17 PERCENT; INDIANA, 12 PERCET; ILLINOIS, 6 PERCENT; ARKANSAS. 3 PERCENT; AND WISCONSIN, 1 PERCENT.

#### PRODUCTION OF MARINE PEARL-SHELL BUTTONS, 1949


STATE	GROSS	VALUE
CONNECTICUT.  NEW YORK NEW JERSEY PENNSYLVANIA AND MARYLAND. 10WA	1,118,060 559,339 1,290,305 972,076 149,932	\$1,786,712 1,272,226 1,898,461 1,723,263 101,619
TOTAL	4,089,712	6,782,281

<sup>1/</sup> PRODUCED PRINCIPALLY FROM IMPORTED SHELLS.

#### PRODUCTION OF MISCELLANEOUS BYPRODUCTS, 1949

PRODUCT	UNIT	QUANTITY	VALUE	LOCATION AND NUMBER OF PLANTS
GLUE FISH SOLUBLES.	POUNDS	198,031 103,342,712	5,144,111	MAINE 1, MASSACHUSETTS 3, CALIFORNIA 1.  MAINE 2, MASSACHUSETTS 5, NEW YORK 1, NEW JERSEY 2, DELAWARE 1, VIRGINIA 2, NORTH CARDLINA 1, SOUTH CAROLINA 1, MISSISIPPI 2, FLORIDA 1, LOUISIANA 1, CALIFORNIA 10.  MAINE 5, MASSACHUSETTS 2, VIRGINIA 2, NORTH CARDLINA 2, SOUTH CAROLINA 1, CALIFORNIA 4.
TOTAL	-	-	12,243,140	,

1/ INCLUDES THE PRODUCTION OF AGAR-AGAR, KELP PRODUCTS, PEARL ESSENCE, ISINGLASS, IRISH MOSS, AND CRAB SHELLS.



NOTE: -- MARINE PEARL-SHELL BUTTONS WERE MANUFACTURED IN 12 PLANTS IN NEW JERSEY, 4 IN NEW YORK, 3 PLANTS EACH IN CONNECTICUT AND 10MA, 2 IN PENNSYLVANIA, AND 1 IN MARYLAND.

NUMBER OF PLANTS PRODUCING FISHERY BYPRODUCTS, 1949

PRODUCT	ATLANTIC AND GULF COASTS 1//	PACIFIC COAST AND ALASKA	TOTAL
	NUMBER	NUMBER	NUMBER
DYSTER AND MARINE CLAM-SHELL PRODUCTS:			
CRUSHED SHELL FOR POULTRY FEED	15	6	21
SHELL LIME:	2	_	2
BURNED	13	4	17
FRESH-WATER MUSSEL SHELL PRODUCTS:	, ,		
BUTTONS	13	-	13
CRUSHED SHELL FOR POULTRY FEED	1	-	1
LIME, DUST AND SHELLS	6 <b>2</b> 5	-	6 25
MARINE PEARL-SHELL BUTTONS	2		2
DRIED SCRAP AND MEAL:	-		
ANCHOVY	-	2	2
CRAB:			
BLUE	11	-4	11
DUNGENESS	-	4	1
HORSESHDE	_1	1	
GROUNDFISH (INCLUDING RDSEFISH).	10	- '	10
HERRING	6	4	10
MENHADEN	3 <b>1</b>	-	31
PILCHARD	-	76 7	76 7
SALMON		2	2
SHARK	46		46
SHRIMP	-	1	1
TUNA AND MACKEREL	_	36	36
WHALE	-	1	1
MISCELLANEOUS DRIED SCRAP AND MEAL	20	17	37
BODY OIL:	_	2	2
ANCHOVY	_	1	1 1
FUR-SEAL	7	4	1 11
MENHADEN	29	-	29
PILCHARD	-	75	75
ROSEFISH	3	-	3
SALMON:		3	3
EDIBLE	-	6	6
TUNA AND MACKEREL	-	36	36
WHALE:			
SPERM	-	1	1
OTHER WHALE		1	1 16
MISCELLANEOUS BODY OIL	6	10	16
LIVER AND VISCERA OIL:	В	-	8
HALIBUT	3	3	6
LINGCOD.	-	1	1
ROCKFISH	1	1	2
SABLEFISH	3	1 13	1
SHARK	_3	1 1	1
SULE	2		2
TUNA	2	4	6
WHALE	1	1	2
VISCERA		3	3
MISCELLANEOUS LIVER OIL	1	5 2	6 3
AGAR-AGAR	19	10	29
ALUE	174	l i	5
PEARL ESSENCE	6		6
KELP PRODUCTS	2	2	4
IRISH MOSS	1 1		1 1
CRAB SHELLS (FOR TABLE USE)	1 2		1 2
	-	1	_
Chino dilecto (/ th index day)			

<sup>1/</sup> INCLUDES FIRMS IN THE GREAT LAKES AND MISSISSIPPI RIVER STATES WHICH ENGAGED IN THE PRODUCTION OF FRESH-WATER MUSSEL-SHELL PRODUCTS, MISCELLANEOUS FISH MEAL AND CANNED TURTLE SOUP AND WHITEFISH CAVIAR.

NOTE:--LISTS OF CANNERS AND MANUFACTURERS OF FISHERY BYPRODUCTS BY INDIVIDUAL COMMODITIES MAY BE OBTAINED FROM THE FISH AND WILDLIFE SERVICE, WASHINGTON 25, D. C.

#### PACKAGED FISH


The production of fresh and frozen packaged fish (fillets, steaks, and split "butter-fly") in continental United States during 1949 totaled 194,011,159 pounds, valued at \$48,338,569 to the processor. This represented an increase of 2 percent in volume and 1 percent in value compared with the previous year.

Ocean perch (rosefish) fillets, with a production of 73,192,538 pounds, was again the largest single item of packaged fish produced. Haddock fillets, with 42,139,796 pounds, and flounder fillets with 28,923,576 pounds, were second and third in importance. Ocean perch (rosefish) was also the most valuable species packaged during 1949 with a value of \$15,334,674, followed by haddock (\$11,844,771) and flounders (\$9,096,156). Of the total packaged fish reported, 95 percent was filleted, 3 percent steaked, and the remaining 2 percent split "butterflied".

Because of the importance of the groundfish fishery in New England, that area continued to lead all others in the production of packaged fish and accounted for 80 percent (155,310,011 pounds) of the 1949 domestic production. The Pacific Coast States accounted for 11 percent; the Middle Atlantic States, 5 percent; the Great Lakes, 3 percent; and the Chesapeake, South Atlantic and Gulf States, the remaining 1 percent.

Data in this section cannot be correlated directly with that information published in the section on Manufactured Fishery Products, as that section included a small production in Alaska which is not included in the following tables. Data on the production of packaged fish during 1949 were previously published in "Current Fishery Statistics No. 579".

#### PRODUCTION OF PACKAGED FISH, 1949



#### SUMMARY OF PRODUCTION OF PACKAGED FISH, 1949

ITEM	FILLETS		STEA	STEAKS SPLIT "BUTTERFLY		UTTERFLY"	TO	TAL
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNOS	VALUE
FRESH FROZEN	59,732,595 126,013,128	\$17,203,495 28,282,524	697,661 5,463,773	\$269,033 2,083,285		\$19,970 480,262	59,512,756 134,498,403	\$17,492,498 30,846,071
TOTAL	184,745,723	45,496,019	6,161,434	2,352,318	3,104,002	500,232	194,011,159	48,338,569

#### PRODUCTION OF PACKAGED FISH: BY METHOD OF PREPARATION, 1949

SPECIES		FILL	ETS	
	F	RESH	FRC	ZEN
	POUNDS	VALUE	POUNDS	VALUE
LJE PIKE	2,287,450	\$970,684	628,223	\$249,225
00	7,885,540	1,943,494	5,766,217	1,282,127
JSK	488,988	115,674	125,280	24,960
OUNDERS	16,718,255	5,598,252	12,205,321	3,497,904
ROUPERS	375,767	160,687	54,991	24,206
ADDOCK	19,935,991	5,940,340	22,202,805	5,904,431
KE	810,573	160,411	559,655	74,443
LIBUT	11,865	4,709	173,112	71,007
RRING, LAKE	257,600	13,522	127,768	19,503
KE TROUT	100,700	57,065	1,600	9 <b>3</b> 5
INGCOD	564,427	96,100	559,715	110,555
ACKEREL	283,931	62,294	553,057	142,456
DLLOCK	2,718,923	424,978	6,390,673	844,317
ICKF I SHES	3,148,194	443,895	2,163,665	356,981
EAN PERCH (ROSEFISH)	639,061	138,956	72,553,477	15,195,718
SLEFISH		<u>-</u>	36,821	6,878
UGER	743,738	326, 703	196,106	78,252
A BASS	53,100	14,220	34,000	9,320
A TROUT, GRAY	83,000	26,510	39,258	11,852
APPER. REO	13,400	8,510	7,300	4,645
юок	9,000	5,280	2 - 1	<u> -</u>
PANISH MACKEREL	89,000	34,280	6,500	660
HITE BASS	11,100	3,795	1 -3	
HITEFISH	167,755	80,526	16,300	7,410
HITING	51,500	7, 10	1,119,513	198,727
OLFFISH	52,266	16,006	258,968	76,166
LLOW PERCH	361,582	177,929	56,534	27,639
ELLOW PIKE	631,005	314,738	61,619	31,135
SCELLANEOUS 1/	237,876	50,227	114,650	31,072
TOTAL	58,732,595	17,203,495	126,013,128	28,282,524
SPECIES	STEA	KS	SPEIT "BUTT	ERFLY"

	STEAKS				SPEIT "BUTTERFLY"			
SPECIES	FRE	SH	FROZEN		FRESH		FROZEN	
	POUNDS	VALUE	POUNOS	VALUE	POUNOS	VALUE	POUNOS	VALUE
GROUPERS	190,161	\$57,268	20,500	\$8,200		~		-
HALIBUT	1 -	-	3,445,773	1,295,656	-	- 1	-	-
LINGCOD	-	-	263,614	45,647	-	- 1	-	-
SABLEFISH	-		26,965	9,223	-	-	-	
SALMON	-	-	1,667,678	703,725	-	-	-	-
SEA BASS	28,000	8,320	1 -	-	21,000	\$5,665	4,500	\$1,290
SEA TROUT, GRAY	-	<u> </u>			37,000	10,480	11,000	3,180
BNAPPER, RED	29,500	14,445	20,500	10,525	-	-	-	-
WHITING	-	1 -		-	22,500	3,375	3,006,002	475,792
MISCELLANEOUS 1/	450,000	189,000	18,743	10,309	2,000	450	<u> </u>	-
TOTAL	697,661	269,033	5,463,773	2,083,285	82,500	19,970	3,021,502	480,262

<sup>1/</sup> INCLUDES BLUEFISH, CROAKER, DRUH, OCEAN FOUT PICKEREL, PORGY, SEA ROBIN, SHEEPSHEAD, SMELT, STRIPED BASS, "STURGEON, SWORDFISH, TRIGGERFISH, AND UNCLASSIFIED SPECIES."

#### PRODUCTION OF PACKAGED FISH: BY SECTIONS, 1949

SPECIES	NEW NEW	/ ENGLAND	MIDO	LE ATLANTIC
	POUNOS	VALUE	POUNDS	VALUE
coo	9,120,249	\$2,142,737	2,796,105	\$820,755
CUSK	614,268 16,697,600	140,634 5,341,330	3,946,650	1,587,278
HADDOCK	39,931,382	11,149,573	2,209,414	695,198
MAKE	1,271,543	214,914	98,685	19,940
POLLOCK.	830,088 9,092,896	202,168 1,265,595	5,900 16,700	2,582 3,700
OCEAN PERCH (ROSEFISH)	73,192,538	15,334,674	10,100	3,700
WMITING	73,192,538 4,199,515	685,604	-	-
WOLFFISH	311,234 48,698	92,172 18,723	39,803	15 764
	155,310,011	36,588,124	9,113,257	15,764
TOTAL	155,310,011	30,386,124	3,113,237	3,145,217
SPECIES	CHESAPEAKE,	SOUTH ATLANTIC,	GRE	AT LAKES
	POUNOS	VALUE	POUNDS	VALJE
BLUE PIKE		-	2,915,673	\$1,219,909
GROUPERS	96,200 641,419	\$30,198	-	-
HERRING, LAKE	041,419	250,361	385,368	33,025
LAKE TROUT	-	-	102,300	58,000
SALMON	-	-	102,300	90,182
SEA BASS	140,600	38,815	939,844	404,955
SEA TROUT, GRAY	170,258	52,022	-	_
SNAPPER, RED	70,700	38,125	-	-
SPANISH MACKEREL	9,000 95,500	5,280 34,940	-	_
WHITE BASS	-	1	11,100	3,795
WHITEFISH	-	-	184,055	87,936
YELLOW PERCH	-	[	418,116 692, <b>6</b> 24	205,568 345,873
MISCELLANEOUS 1/	130,225	34,130	588,788	209,106
TOTAL	1,353,902	483,871	6,438,168	2,658,349
SPECIES	Р	ACIFIC	Т	OTAL
	POUNDS	VALUE	POUNDS	YALUĘ
BLUE PIKE			2,915,673	\$1,219,909
COD	1,735,411	\$268,129	13,651,765 614,268	3,231,621 140,634
FLOUNDERS	8,183,126	2,137,350	28,923,576	9,096,156
GROUPERS	· · ·	1 2	641,419	250,361
HADDOCK		_	42,139,796	11,844,771
HALIBUT	3,630,750	1,371,372	1,370,228 3,630,750	234,854 1,371,372
HERRING, LAKE	-,,	-,,	3,630,750 385,368	33,025
LINGCOO	1 307 754	252 202	102,300	58,000
MACKEREL	1,387,756 -	252,302	1,387,756 836,988	252,302 204,750
POLLOCK	-	-	9,109,596	1,269,295
ROCKFISHES	5,311,859	800,876	5,311,859	800,876
SABLEFISH	63,786	16,101	73,192,538 63,786	15,334,674 16,101
SALMON	1,467,378	613,543	1,667,678	703,725
SAUGER	-	<u>-</u>	939,844	404,955
SEA BASS	-	-	140,600 170,258	38,815 52,022
SNAPPER, RED	-	-	70,700	38,125
SNODK	-	-	9,000	5,280
SPANISH MACKEREL	-		95,500	34,940
WHITEFISH	-		11,100 184,055	3,795 87,936
WHITING	-	-	4,199,515	685,604
WOLFFISH			311,234	92,172
	-		4.0	
YELLOW PERCH	-	-	418,116	205,568
YELLOW PERCH	- - - 15,755	- - 3,335	418,116 692,624 823,269	205,568 345,873 281,058
YELLOW PIKE	15,755 21,795,821	3,335 5,463,008	418,116 692,624	205,568 345,873

<sup>1/</sup> INCLUDES BLJEFISH, CROAKER, DRUM, OCEAN POUT, PICKEREL, PORGY, SEA ROBIN, SHEEPSHEAD, SMELT, STRIPED BASS, STURGEON, SWORDFISH, TRIGGERFISH, AND UNCLASSIFIED SPECIES.

NOTE:--PACKAGED FISH WERE PRODUCED IN THE FOLLOWING STATES IN THE SECTIONS INDICATED.

NEW ENGLAND--MAINE, MASSACHUSETTS, RHODE ISLAND AND CONNECTICUT.

NEW ENGLAND--MAINE, MASSACHUSETTS, RHODE ISLAND AND CONNECTICUT.

CHESAPEAKE, SOUTH ATLANTIC AND GULF--MARYLAND, VIRGINIA, NORTH CAROLINA, ALABAMA AND FLORIDA.

GREAT LAKES--NEW YORK, PENNSYLVANIA, OHIO, MICHIGAN, WISCONSIN AND ILLINOIS.

PACIFIC--WASHINGTON, OREGON AND CALIFORNIA.

#### FROZEN FISH TRADE

#### FISH FROZEN


A total of 285,822,000 pounds of fishery products were frozen during 1949 by domestic freezing plants that reported their activities to the Fish and Wildlife Service. This was a decrease of over 6 million pounds or 2 percent compared with the record figure established during the previous year. However, the 1949 production of frozen fish was the third largest ever recorded. It is estimated that a catch of approximately 555 million pounds of fish and shellfish was required to yield the nearly 286 million pounds of round, dressed, and drawn fish, fish fillets, and shellfish frozen in 1949.

During the year, 82 percent of the freezings consisted of salt-water fish; 16 percent shellfish; and 2 percent, fresh-water fish. Compared with 1948, production of shellfish was relatively more important, while that of salt-water fish was less important. Five items accounted for 62 percent of the total poundage frozen. These were ocean perch (rosefish) fillets, which comprised 22 percent of the total; whiting in all its methods of preparation, 13 percent; halibut and shrimp, 11 percent each; and haddock, 5 percent. Substantial increases in the quantities of headed and gutted whiting, silver salmon, and shrimp frozen during 1949, were more than offset by declines in cod, flounder, haddock, pollock, and whiting fillets; mackerel; round whiting at tuna.

According to geographical sections, the New Fingland States led all other sections in the quantity of fishery products frozen, accounting for 51 percent of the total. Alaska ranked second with 15 percent, followed by the Pacific Coast States with 12 percent.

The increased development of cold storage space, coupled with the increased acceptance of frozen products by the public is believed to have been mainly responsible for the continued large freezings of fishery products during 1949.

#### COLD STOHAGE HOLDINGS OF FISHERY PRODUCTS, 1942 - 1949



SUMMARY OF FREEZINGS: BY MONTHS, 1949

SPECIES	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE
SALT-WATER FISH:	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
BAIT AND ANIMAL FOOD	558,146	180,414	2,677,252 2,738 8,532	2,376,389 10,896	627,087 23,471 20,554	587,287 7,601
BLUEFISH	- 1	925	2,738	7,431	23,4/1	14,122
BUTTERFISH	23,576	35,005				
(EXCEPT FILLETS)	48,796	52,113	40,026 213,354	130,440 5,909	137,208	69,712 60,097
CROAKERS	56,067	-	213,354	5,909 2,181	5,605 21,281	20,768
FILLETS:		_				
	217,142	237,410 207,499 980,544 22,207 26,328 175,998	368,450 463,541 970,096	503,015 227,637	482,663	396,256
FLOUNDER (INC. SOLE)	194,857	207,499	463,541		2 128 966	256,655 2,436,254
HADDOCK	20,909	22,207	19,210	6,335	353,394 2,128,966 67,271 8,773	2,436,254 27,560 72,699
MACKEREL	2,969	26,328	19,210 8,460 99,813	6,335 71,199 538,800	8,773	72,699
POLLOCK	217,142 194,857 263,511 20,909 2,969 411,079 2,470,864	2,896,816	3,146,957	4.705.123	219,021 7.627.316	164,871 7,916,944
POLLOCK OCEAN PERCH (ROSEFISH) WHITING (INC. SPLIT BUTTERFLY)		390		4,705,123 33,440 345,692	7,627,316 132,433 319,835	148,842 356,512
OTHER FILLETS	254,157	88,713	179,630	345,692	319,835	356,512
CALLEGRALA HALLBUT	72,155	56,210	328,614	86,613	85,937	133,829 10,372,839
HALIBUT	-	-	-	i -	85,937 12,799,855	10,372,839
HALIBUT	187,710	86,276	230,029	359,455	334,933	130,312
AND KING!	95,215	7,534 56,688 9,200	8,453	25,634 11,775 111,548	121,019 12,269 232,976	418,339 9,106 381,203
MULLET (BLACK COD)	95,215 157,120 19,010	56,688	7,166 512	111,775	12,269	9,106
SABLEFISH (BLACK COD)	19,010	9,200		111,546	!	
KING OR CHINOOK	-	-	1,003	660	573,155 3,145	856,912
SILVER OR COHO	_	_	_	-	3,145	856,912 229,862 2,472
STEELHEAD TROUT	_	-	i -	4,601	I 6.743	2,506
UNCLASSIFIED	-	-	-	2 /87	6,743 59,097	2,506 62,205
SCUP (PORGIES) SEA TROUT (WEAKFISH, GRAY AND SPOTTEO) SHAD (INC. ROE SMAD)	16,313	22,652	26,945	1,365	112,340	96,419
SPOTTEO)	23,687	26 <u>,</u> 194	58,941	5,049	32,330	84,136
SHAD (INC. ROE SMAD)	-	<u>-</u>	1,846	4,344 14,396 204,470	53,827 39,885	38.345
SHAD ROE	40,153	23,618	461,373	204.470	8,094	6,694 35,308
SWUKUFISH		-	2	-		2,912
TUNA	-	141,997	-	900	-	11,670
ROUND	36,716	-	6.075	36,415 42,172 1,062,655	790,315 1,975,244 1,595,592	57,329 6,681,745 1,217,915
HEADED AND GUTTED (EX. FILLETS)	15,640 505,389	45,974	1 29.460	42,172	1,975,244	6,681,745
UNCLASSIFIED SALT-WATER FISH	·	616,671	824,783			
TOTAL SALT-WATER FISH FRESH-WATER FISH:	5,692,123	5,997,376	10,183,259	13,676,629	31,011,672	33,368,238
BAIT AND ANIMAL FOOD	18,802	-	257,000	747	-	
BLUE PIKE AND SAUGER (EX. FILLETS) .	335	11,996	12,535	18,861	43,136 94,575	7,635 43,023
CATFISH AND BULLHEADS	68,781 9,470	5,296	2,469	4,295	12,469	93,618
FILLETS:		,	,		1	
BLUE PIKE AND SAUGER	_	_		22,082	15,500	3,575
LAKE HERRING	-	_	1 -	19,600	15,500 7,620 805	700
YELLOW PIKE	-	-	- 114	1,000	150	-
YELLOW PIKE	110,310	] [	114 1,802	8 053	1 23 174	6,989
LAKE TROUT	-	1,120	3,424 2,072	26,109	30,785	6,989 13,598 30,038
PICKEREL (JACKS DR YELLOW JACK) STURGEON AND SPOONBILL CAT	976 1,321		2,072 4,641	26,109 43,738 10,346	30,785 1,200 33,082	30,038 64,744
CHCKEDO	,52	1,474	6,850	5,043		37,,44
TULLIBEE YELLOW PERCH (EX.FILLETS) YELLOW PIKE (EX. FILLETS) WHITEFISH	255	5,010	-	-	1 145	-
YELLOW PIKE (EX. FILLETS)	3,682	753	275	15,879 61,461	1,145 32,084	8,723
WHITEFISH	22,698	7,519	2,034	0,421	8.144	29,157
UNCLASSIFIED FRESH-WATER FISH	75,290	58,236	80,738	151,986	205,924	173,848
TOTAL FRESH-WATER FISH	311,920	91,810	373,954	395,621	509,793	475,648
SHELLFISH: CLAMS	9.734	24.589	10.360	91.197	64.936	39.077
CRABS (INC. CRAB MEAT)	9,734 37,183 69,358	24,589 20,690	28,740	91,197 86,535	64,936 303,234	39,077 89,201
LOBSTER TAILS (SPINY LOBSTER) OYSTERS	27.617	85,153 24,423	55.066	34,911 46.040	51.755	39,266 14,929
OYSTERS	27,617 113,324 1,085,720	24,423 60,454 563,162	82,385	46,040 274,696 1,521,013	1,685 51,755 426,562 3,185,429	14,929 467,913
SHRIMP (INC. SHRIMP MEAT)	1,085,720	563,162	895,882	1,521,013	3,185,429	3,411,045 940,600
UNCLASSIFIED SHELLFISH	40,445 47,139	20,437 25,426	10,360 28,740 61,619 55,066 82,385 895,882 159,260 22,642	336,432 20,950	2,115,843 103,979	64,054
TOTAL SHELLFISH	1,430,520	824,334	1,315,954	2,411,774	6,253,423	5,066,085
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	02-7,004	.,0.0,504	-,,,/4	2,200,720	2,000,000
TOTAL FISH AND SHELLFISH	7,434,563	6,913,520	11,873,167	16 484 024	37,774,888	38,909,971

## SUMMARY OF FREEZINGS: BY MONTHS, 1949 - Continued

SPECIES	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
SALT-WATER FISH:	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
BAIT AND ANIMAL FOOD	648,486	703.125	442,905	385.717	698,269 32,783 209,413	861,190 19,815 33,955	10,746,267 437,331 904,917
BLUEFISH	12,909 101,686	175,932 77,013	52,141 217,064	98,120 156,566	209,413	33,955	904,917
COD HADDOCK HAKE AND POLLOG	CK			1			
(ÉXCEPT FÍLLETS)	132,409 192,327	81,684 216,277 11,624	108,745 76,390 45,536	47,528 39,953 26,739	73,499	104,850	1,027,010 827,990 204,203
tttb	6,351	11,624	45,536	26,739	3,085	18,078 10,571	204,203
FILLETS:	507,231 442,244 1,251,255 31,036	237,883	325,796	345,430	575,002	200,974	4,397,252
FLOUNDER (INC. SOLE) HADDOCK	1 251 255	237,883 1,267,559	325,796 982,355 1,278,359 50,456	345,430 657,255 791,509 73,990	575,002 774,305	200,974 292,185 424,935	4,397,252 6,119,486 15,766,267 378,793
LINGCOD	31,036	58,617	50,456	73,990	530,011 1,202		378,793
MACKERÉL	10,354 162,143	55,938	13,918	7,516	114,188	1 000 343	411,665
OCEAN PERCH (ROSEFISH) .	7,262,340	1,207,339 1,973,224 58,617 55,938 157,667 7,615,104	13,918 74,011 6,159,408	7,516 358,562 4,935,674	114,188 695,783 4,387,594	19,323 1,009,343 2,935,791	62,059,931
WHITING (INC. SPLIT BUTTERFLY)	952,985						4.633.106
OTHER FILLETS	416,258	811,573 359,619	1,188,915 466,304	1,052,441 164,318	306,078 316,322	5,067 105,896	4,633,106 3,373,256
OTHER FILLETS	41,100	90.472	52.558	110,448	249,330	80,013	1,387,279
HALIBUT	6,799,058	90,472 477,506 71,677	52,558 174,336 75,515	11 0,448 74,625	3,610 137,357	80,013 3,110 1,095,455	1,387,279 30,704,939 2,868,266
HERRING, SEA	74,558			84,967	1		
SPANISH AND KING)	437,993	166,311	138,897	137,830	810,689	170,223	2,538,137 1,198,393
SABLEFISH (BLACK COD)	437,993 2,808 899,992	166,311 49,535 1,935,120	138,897 111,533 1,323,138	137,830 125,302 622,418	810,689 395,841 149,595	170,223 259,250 14,281	5,698,993
SALMON: KING OR CHINOOK	955,450	953,086	913,942	217,854	48,017	763	
SILVER OR COHO	1,953,499	3,351,185 330,539	2,140,171 220,178	521,369 521,494	129,174 531,522	2,241	4,520,842 8,330,646 1,620,296
FALL OR CHUM	13,252 114,505	330,539 1.373.282	220,178 497,224		531,522	823	1,620,296
STEELHEAD TROUT	10,158	24,140	10,786	1,702	5,799 86	925 215	1,985,011 67,360 1,502,265
UNCLASSIFIED	137,356 12,625	1,373,282 24,140 894,502 16,365	497,224 10,786 342,748 164,913	1,702 3,569 58,230	14,254	5,952	548,373
SEA TROUT (WEAKFISH, GRAY	l	54,061	ł	1		1	
SHAD (INC. ROE SHAD)	34,975	34,001	136,344	108,806	86,761	122,077	773,361 98,362 60,975 1,007,377
SHAD ROE	95 213	75,324	21 805	13,445	23,885	4,689	60,975
SWORDFISH	95,213 42,651 268,995	78,689 787,939	21,805 19,531 98,960	25,413 91,857	890	-	170,086
TUNA	268,995	787,939	90,960	91,857	8,019	2,350	1,412,687
ROUND	392,019	146,674	271,184	121,321	105,278	21,613	1,984,939
(EX. FILLETS)	5,161,890	8,755,126	7,527,001	3,857,477	621,321	14,100	34,727,150
UNCLÄSSIFIED SALT-WATER	1,087,281	1,653,361	2,092,055	1,790,594	1,666,415	1,091,088	15,203,799
TOTAL SALT-WATER FISH .	30,665,392	35,087,733	27,815,122	17,630,039	13,705,377	8,931,141	233,764,101
FRESH-WATER FISH:	30,003,392	33,007,733	27,013,122	17,030,039	13,703,377	0,331,141	235,704,101
BAIT AND ANIMAL FDOD BLUE PIKE AND SAUGER	-	-	-	-	-	750,000	1,025,802
(EX. FILLETS)	325	3,485 17,413 200,323		8,682 31,692 211,833	145,560 136,295 24,875	13,228 108,107 101,978	223,133
CATFISH AND BULLHEADS CHUBS	21,732 187,643	17,413	11,008 169,046	31,692	136,295	108,107	576,018 1,023,315
FILLETS:	,				1		
BLUE PIKE AND SAUGER LAKE HERRING	Ξ	390	3,215	13,800	161,204	5,080 29,510	224,846 37,299
YELLOW PERCH	620 182	34,694	20,405	9,705	920 945	6,939	94,388 18,383
YELLOW PIKE OTHER FILLETS	- 102	8 <u>,</u> 569	1,310	6,377 3,536	2,608	41	6,449
LAKE HERRING AND CISCO (EX. FILLETS)	16,793	2,593	8.365	44.778	526,590	659,175	1,408,622
LAKE TROUT	45,482	57,890	8,365 19,536	44,778 48,326	9,842	3,650	259,762
PICKEREL (JACKS OR YELLOW JACK)	541	-	8,073			299	162,695
STURGEON AND SPOONBILL CAT	28,657	44,732	30,674	47,788 24,299 1,205 1,100	2,610	2,368	162,695 248,948
T.U. 1 . DEE	1,000 2,000 3,719	2,000	3 000	1,100	35,000	- "	15,638 48,110
YELLOW PERCH (EX. FILLETS)	3,719	200 645	11,746 9,135 64,001	25,431 47,249 80,949	27,564 2,610 1,050 35,000 32,033 20,181	32,157	48,110 122,565 186,768 424,702
WHITEFISH	1,316 133,546	41,420	64,001	80,949	3,035	1,264 25,778	424,702
UNCLASSIFIED FRESH-WATER	57,043	80,911	64,746	175,492	165,923	51,003	1,341,140
TOTAL FRESH-WATER FISH.	500,599	495,265	424,260	782,411	1,296,235	1,791,067	7,448,583
SHELLFISH:		22 549					
CRABS (INC. CRAB HEAT)	13,955 227,166	22,548 214,353	58,255 187,089	13,734 123,094	10,232 42,206	7,296 46,961	365,913 1,406,452
LOBSTER TAILS (SPINY LOBSTER)	6,129		22,533	84,530	264 032	209,889	
OYSTERS	1,074 487,008	25,643 4,894	9,437 265,776	33,880	50,239	B7 820	407,874
SCALLOPS	2,311,670	3,441,340	4,159,392	4,929,112	5,203,800	326,018 1,745,895 5,289	32,453,460
SOUID	2,311,670 197,552 58,662	559,001 3,441,340 65,572 129,969	4,159,392 26,400 126,955	84,530 33,880 527,700 4,929,112 98,139 85,663	50,739 607,767 5,203,800 122,516 32,312	5,289 25,127	905,648 407,874 4,198,624 32,453,460 4,128,485 742,878
TOTAL SHELLFISH	3,303,216	4,463,320	4,855,837	5,895,852	6,334,724	2,454,295	44,609,334
	3,303,210	-,400,020	-,050,037	0,090,032	0,554,724	-,454,295	,00,004
FISH	34,469,207	40,046,318	33,095,219	24,308,302	21,336,336	13,176,503	285,822,018

#### SUMMARY OF FREEZINGS: BY SECTIONS, 1949

			<del></del>		
SPECIES	NEW , ENGLAND	MIDDLE ATLANTIC	SOUTH ATLANTIC	NORTH CENTRAL, EAST	NORTH CENTRAL, WEST
	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
SALT-WATER FISH: BAIT AND ANIMAL FOOD	586,411	2,571,007	353,368	-	
BLUEFISH	17,862	398,270	15,004	2,562	-
BUTTERFISH	258,359	626,108	20,156	294	-
COD, HADDOCK, HAKE AND POLLOCK					
(EXCEPT FILLETS)	495,478	329,244 132,388	6,080 674,980	_	_
CROAKERS	1,290 36,905	149,150	15,163	2,985	_
FILLETS:	30,303	143,730	10,100	2,500	
COD	4,022,209	118,711	350	-	-
FLOUNDER (INC. SOLE)	3,315,572	60,269	9,267	-	-
HADDOCK	15,676,219	90,048			_
MACKEREL	303,507 4,064,619	2,472	-		_
POLLOCK	62,059,531	2,-72	400	-	-
WHITING (INC. SPLIT BUTTERFLY)	4,621,504	11,602		-	-
OTHER FILLETS	1,278,456	5,204	31,447	1,770	15,915
FLOUNDERS (INC. SOLE, FLUKE AND					
CALIFORNIA HALIBUT)	410,832	521,438	139,793	537	_
HALIBUT	217,789 1,040,366	29,464 1,705,796	_	· -	_
MACKEREL (EX. FILLETS, SPANISH	1,040,300	1,705,750			
AND KING)	1,782,599	599,559	400	-	-
MULLET	-	141,444	786,407	4,592	-
UNCLASSIFIED	100	11,421		-	-
SCUP (PORGIES)	124,415	211,320	212,638		
SEA TROUT (WEAKFISH, GRAY AND SPOTTED) SHAD (INC. ROE SHAD)	1,840	130,111 6,953	506,411 25,672	_	_
SHAD ROE	357	19,236	23,894	7,994	345
SMELT	28,538	72,236	_	145,830	-
SWORDFISH	161,956	1,795	-	-	-
TUNA	124,028	11,996	-	-	-
WHITING (SILVER HAKE): ROUND	1 400 416	482,323	_	_	_
HEADED AND GUTTED (EX. FILLETS)	1,499,416 34,712,151	14,999	-	-	-
UNCLASSIFIED SALT-WATER FISH	2,188,995	14,999 1,820,569	2,479,258	868,125	108,476
TOTAL SALT-WATER FISH	120 021 204	10,276,033	E 200 500	1 004 600	404 704
				1 1.034.089	124./36
	139,031,304	10,270,033	5,300,688	1,034,689	124,736
FRESH-WATER FISH:	139,031,304	10,270,033	-		
FRESH-WATER FISH: BAIT AND ANIMAL FOOD	=	19,392	-	18,802 201,373	1,007,000 2,368
FRESH-WATER FISH: BAIT AND ANIMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS)	50,136	19,392 1,845	339,035	18,802 201,373 22,758	1,007,000
FRESH-WATER FISH: BAIT AND ANIMAL FOOD	=	19,392	-	18,802 201,373	1,007,000 2,368
FRESH-WATER FISH: BAIT AND ANIMAL FOOD	50,136	19,392 1,845 161,293	339,035	18,802 201,373 22,758 817,221	1,007,000 2,368 60,699
FRESH-WATER FISH: BAIT AND AN IMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER.	50,136 43,861	19,392 1,845	339,035	18,802 201,373 22,758 817,221	1,007,000 2,368
FRESH-WATER FISH: BAIT AND ANIMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING.	50,136 43,861 - 169	19,392 1,845 161,293	339,035	18,802 201,373 22,758 817,221	1,007,000 2,368 60,699
FRESH-WATER FISH: BAIT AND ANIMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING YELLOW PERCH YELLOW PIKE.	50,136 43,861	19,392 1,845 161,293 51,866 - 818	339,035	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,791	1,007,000 2,368 60,699
FRESH-WATER FISH: BAIT AND AN IMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING YELLOW PERCH YELLOW PIKE. OTHER FILLETS.	50,136 43,861 - 169	19,392 1,845 161,293 51,866 - 818 770	339,035	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,791 5,679	1,007,000 2,368 60,699 510 1,774
FRESH-WATER FISH: BAIT AND ANIMAL FOOD . BLUE PIKE AND SAUGER (EX. FILLETS) . CATFISH AND BULLHEADS. CHUBS FILLETS: BLUE PIKE AND SAUGER . LAKE HERRING . YELLOW PERCH . YELLOW PIKE . OTHER FILLETS . LAKE HERRING AND CISCO (EX. FILLETS)	- 50,136 43,861 - 169 4,640	19,392 1,845 161,293 51,866 - - 818 770 37,606	339,035 940 - - - - -	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,791 5,679 1,139,016	1,007,000 2,368 60,699 510 - 1,774 232,000
FRESH-WATER FISH: BAIT AND AN IMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING YELLOW PERCH YELLOW PIKE. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT.	50,136 43,861 - 169	19,392 1,845 161,293 51,866 - 818 770 37,606 101,731	339,035	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,791 5,679 1,139,016 109,107	1,007,000 2,368 60,699 510 - 1,774 232,000 42,337
FRESH-WATER FISH: BAIT AND ANIMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING YELLOW PERCH YELLOW PIKE. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT PICKEREL (JACKS OR YELLOW JACK).	- 50,136 43,861 - 169 4,640	19,392 1,845 161,293 51,866 - - 818 770 37,606 101,731 46,104	339,035 940 - - - - - - -	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,791 5,679 1,139,016 109,107 82,091	1,007,000 2,368 60,699 510 - 1,774 232,000
FRESH-WATER FISH: BAIT AND ANIHAL TOOD BLUE PIKE AND SAUGER (EX. FILLETS). CATFISH AND BULLHEADS. CHUBSH: FILETS: FILETS: LAKE HERRING YELLOW PIKE. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS). LAKE HERRING AND CISCO (EX. FILLETS). LAKE TROUJ PICKEREL (JACKS OR YELLOW JACK). STURGEDM AND SPOONBILL CAT. SUCKERS.	- 50,136 43,861 - 169 4,640	19,392 1,845 161,293 51,866 - 818 770 37,606 101,731	339,035 940 - - - - -	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,791 5,679 1,139,016 109,107 82,091 7,681	1,007,000 2,368 60,699 510 - 1,774 232,000 42,337
FRESH-WATER FISH: BAIT AND ANIHAL TOOD BLUE PIKE AND SAUGER (EX. FILLETS). CATFISH AND BULLHEADS. CHUBSH: FILETS: FILETS: LAKE HERRING YELLOW PIKE. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS). LAKE HERRING AND CISCO (EX. FILLETS). LAKE TROUJ PICKEREL (JACKS OR YELLOW JACK). STURGEDM AND SPOONBILL CAT. SUCKERS.	50, 136 43, 861 - 169 4,640 - - 5,962	19,392 1,845 161,293 51,866 - - - 818 770 37,606 101,731 46,104 227,148 2,160	339,035 940 - - - - - - -	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,791 5,679 1,139,016 109,107 82,091 7,681 15,638	1,007,000 2,368 60,699 510 1,774 232,000 42,337 34,500
FRESH-WATER FISH: BAIT AND AN HAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS). CATFEH AND BULLHEADS. CHUSS: FILETS: BLUE PIKE AND SAUGER LAKE HERRING YELLOW PERCH YELLOW PIKE. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONBILL CAT SUCKERS. TULLIBEE YELLOW PERCH (EX. FILLETS)	50, 136 43,861 - 169 4,640 5,962 491	19,392 1,845 161,293 51,866 	339,035 940 - - - - - 14,119 3,950	18, 802 201, 373 22, 758 817, 221 172, 470 37, 130 89, 748 15, 791 1, 139, 016 109, 107 7, 681 15, 568 119, 945	1,007,000 2,368 60,699 510 - 1,774 232,000 42,337 34,500
FRESH-WATER FISH: BAIT AND AN IMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING YELLOW PERCH YELLOW PIKE. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT! PICKEREL (JACKS OR YELLOW JACK). STURGEDN AND SPOONBILL CAT SUCKERS. TULL IBEE YELLOW PERCH (EX. FILLETS) YELLOW PIKE (EX. FILLETS)	50, 136 43, 861 - 169 4,640 - - 5,962 - - - - - 197	19, 392 1, 645 161,293 51,866 	339,035 940 	18,802 201,373 22,758 617,221 172,470 37,130 89,748 15,791 5,679 1,139,016 109,107 82,091 7,681 15,638 119,945 55,649	1,007,000 2,368 60,699 510 1,774 232,000 42,337 34,500 42,003
FRESH-WATER FISH: BAIT AND ANIHAL TOOD BLUE PIKE AND SAUGER (EX. FILLETS). CATFISH AND BULLHEADS. CHUBSH: FILLETS. FILLETS. ANK BULLHEADS. CHUB PIKE AND SAUGER ANK HERRING. YELLOW PIKE. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS). LAKE TROUJ. PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONBILL CAT. SUCKERS. TULLIBEE. YELLOW PERCH (EX. FILLETS). YELLOW PERCH (EX. FILLETS). YELLOW PERCH (EX. FILLETS).	50, 136 43,861 - 169 4,640 5,962 491 197 16,282	19,392 19,392 1,845 161,293 51,866 	339,035 940 - - - - 14,119 3,950 - 280 6,225	18, 802 201, 373 22, 758 817, 221 172, 470 37, 130 89, 748 15, 791 5, 679 1, 139, 016 109, 107 7, 681 15, 638 119, 945 55, 649 102, 068	1,007,000 2,368 60,699 510 1,774 232,000 42,337 34,500 42,0CJ
FRESH-WATER FISH: BAIT AND AN HAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS BLUE PIKE AND SAUGER LAKE HERRING YELLOW PERCH YELLOW PERCH OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT. PICKEREL (JACKS OR YELLOW JACK). STUREGON AND SPOONBILL CAT SUCKERS. TULLIBEE YELLOW PERCH (EX. FILLETS) YELLOW PIKE (EX. FILLETS) WHITEFISH. WHITEFISH.	50, 136 43, 861 - 169 4, 640 	19,392 1,845 161,293 51,866 - 37,00 37,006 101,731 46,104 227,148 - 2,150 2,129 126,667 293,910	339,035 940 	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,799 1,139,016 109,107 82,091 17,681 15,638 15,638 15,638 15,638 15,649 102,068	1,007,000 2,368 60,699 510 1,774 232,000 42,337 34,500 42,003
FRESH-WATER FISH: BAIT AND AN IMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING. YELLOW PERCH. YELLOW PIKE. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT! PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONBILL CAT SUCKERS. TULLIBEE YELLOW PERCH (EX. FILLETS) YELLOW PIKE (EX. FILLETS) WHITEFISH. UNCLASSIFIED FRESH-WATER FISH. TOTAL FRESH-WATER FISH.	50, 136 43,861 - 169 4,640 5,962 491 197 16,282	19,392 19,392 1,845 161,293 51,866 	339,035 940 - - - - 14,119 3,950 - 280 6,225	18, 802 201, 373 22, 758 817, 221 172, 470 37, 130 89, 748 15, 791 5, 679 1, 139, 016 109, 107 7, 681 15, 638 119, 945 55, 649 102, 068	1,007,000 2,368 60,699 510 
FRESH-WATER FISH: BAIT AND ANIHAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS). CATFESH AND BULLHEADS. CHUBSS. FILETS: FILETS: LAKE HERRING HERRING YELLOW PERCH. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS). LAKE HERRING AND CISCO (EX. FILLETS). LAKE TROUT PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONBILL CAT SUCKERS. TULLIBEE YELLOW PERCH (EX. FILLETS) YELLOW PERCH (EX. FILLETS) WHITEFISH. UNCLASSIFIED FRESH-WATER FISH. TOTAL FRESH-WATER FISH. SHELLFISH:	50, 136 43,861 -169 4,640 	19,392 1,845 161,293 51,866 	339,035 940 	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,799 1,139,016 109,107 82,091 17,681 15,638 15,638 15,638 15,638 15,649 102,068	1,007,000 2,368 60,699 510 
FRESH-WATER FISH: BAIT AND ANIMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING YELLOW PERCH YELLOW PIKE. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT. PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONBILL CAT SUCKERS. TULLIBEE YELLOW PERCH (EX. FILLETS) WHITEFISH. UNCLASSIFIED FRESH-WATER FISH. TOTAL FRESH-WATER FISH. SHELLFISH: CLAMS.	50, 136 43, 861 - 169 4, 640 	19,392 1,645 161,293 51,866 	339,035 940 	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,799 1,139,016 109,107 82,091 17,681 15,638 15,638 15,638 15,638 15,649 102,068	1,007,000 2,368 60,699 510 
FRESH-WATER FISH: BAIT AND ANIMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING. YELLOW PERCH. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT. PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONBILL CAT SUCKERS. TULLIBEE. YELLOW PERCH (EX. FILLETS) WHITEFISH. UNCLASSIFIED FRESH-WATER FISH. TOTAL FRESH-WATER FISH. SHELLFISH: CLAMS. CHABS (INC. CRAB MEAT) LOBSTER TAILS (SPINY LOBSTER).	50, 136 43, 861 	19,392 1,945 161,293 51,866 	339,035 940 	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,791 15,679 1,139,016 109,107 82,091 7,681 15,638 15,638 15,638 33,658 3,385,825	1,007,000 2,368 60,699 510 1,774 232,000 42,337 34,500 42,003 6,217 101,025 1,530,430
FRESH-WATER FISH: BAIT AND ANIMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING. YELLOW PERCH. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT. PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONBILL CAT SUCKERS. TULLIBEE. YELLOW PERCH (EX. FILLETS) WHITEFISH. UNCLASSIFIED FRESH-WATER FISH. TOTAL FRESH-WATER FISH. SHELLFISH: CLAMS. CHABS (INC. CRAB MEAT) LOBSTER TAILS (SPINY LOBSTER).	50, 136 43,861 -169 4,640 	19,392 19,392 1,845 161,293 51,866 	339,035 940 	18, 802 201, 373 22, 758 817, 7221 172, 470 37, 130 89, 748 15, 791 5, 679 1, 139, 016 109, 107 7, 681 15, 638 119, 945 55, 649 102, 068 373, 658 3, 385, 825	1,007,000 2,368 60,699 510 - 1,774 232,000 42,337 34,507 - 42,0CJ - 6,217 101,025 1,530,430
FRESH-WATER FISH: BAIT AND ANIMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING. YELLOW PERCH. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT. PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONBILL CAT SUCKERS. TULLIBEE YELLOW PERCH (EX. FILLETS) WHITEFISH. UNCLASSIFIED FRESH-WATER FISH. TOTAL FRESH-WATER FISH. SHELLFISH: CLAMS. CRABS (INC. CRAB MEAT) LOBSTER TAILS (SPINY LOBSTER). OYSTERS.	50, 136 43, 861 169 4, 640 - - 5, 962 - - - 197 16, 282 2, 051 123, 789 45, 114 45 33, 809 3, 647, 684	19,392 1,645 161,293 51,866 - 818 770 37,006 101,731 46,104 227,148 - 2,129 126,667 293,910 10,696 198,840 10,696 198,840 400,521	339,035 940 	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,791 1,139,016 109,107 82,091 7,681 15,638 119,945 55,649 102,008 373,658 3,385,825	1,007,000 2,368 60,699 510 - 1,774 232,000 42,337 34,537 34,500 - 42,003 - 101,025 1,530,430
FRESH-WATER FISH: BAIT AND ANILAT FOOD BLUE PIKE AND SAUGER (EX. FILLETS). CATFISH AND BULLHEADS. CHUBSTS. FILLETS. BUE PIKE AND SAUGER ANCH BERRING ANCH PERRING AND CLISCO (EX. FILLETS). LAKE HERRING AND CLISCO (EX. FILLETS). LAKE HERRING AND CLISCO (EX. FILLETS). LAKE TROUT PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONBILL CAT SUCKERS. TULLIBEE YELLOW PERCH (EX. FILLETS). WHITEFISH. UNCLASSIFIED FRESH-WATER FISH. TOTAL FRESH-WATER FISH. SHELLFISH: CLAMS. CRABS (INC. CRAB MEAT). LOBSTER TAILS (SPINY LOBSTER). OYSTERS. SCALLOPS.	50, 136 43,861 -169 4,640 	19,392 19,393 161,293 51,866 	339,035 940 	18, 802 201, 373 22, 758 817, 7221 172, 470 37, 130 89, 748 15, 791 5, 679 1, 139, 016 109, 107 7, 681 15, 638 119, 945 55, 649 102, 068 373, 658 3, 385, 825	1,007,000 2,368 60,699 510 - 1,774 232,000 42,337 34,537 34,500 - 42,003 - 101,025 1,530,430
FRESH-WATER FISH: BAIT AND ANIMAL FOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFISH AND BULLHEADS. CHUBS. FILLETS: BLUE PIKE AND SAUGER LAKE HERRING. YELLOW PERCH. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT. PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONDILL CAT SUCKERS. TULLIBEE YELLOW PERCH (EX. FILLETS) YELLOW PIKE (EX. FILLETS) WHITEFISH. UNCLASSIFIED FRESH-WATER FISH. TOTAL FRESH-WATER FISH. SHELLFISH: CLAMS. CRABS (INC. CRAB MEAT) LOBSTER TAILS (SPINY LOBSTER). OYSTERS. SCALLOPS SHRIMP (INC. SHRIMP MEAT). SQUID.	50, 136 43, 861 	19, 392 1, 392 1, 345 161, 293 51, 866 	339,035 940 	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,791 1,139,016 109,107 82,091 7,681 15,638 119,945 55,649 102,008 373,658 3,385,825	1,007,000 2,368 60,699 510 - 1,774 232,000 42,337 34,537 34,500 - 42,003 - 101,025 1,530,430
FRESH-WATER FISH: BAIT AND ANILAT FOOD BLUE PIKE AND SAUGER (EX. FILLETS). CATFISH AND BULLHEADS. CHUBSTS. FILLETS. BUE PIKE AND SAUGER ANCH BERRING ANCH PERRING AND CLISCO (EX. FILLETS). LAKE HERRING AND CLISCO (EX. FILLETS). LAKE HERRING AND CLISCO (EX. FILLETS). LAKE TROUT PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONBILL CAT SUCKERS. TULLIBEE YELLOW PERCH (EX. FILLETS). WHITEFISH. UNCLASSIFIED FRESH-WATER FISH. TOTAL FRESH-WATER FISH. SHELLFISH: CLAMS. CRABS (INC. CRAB MEAT). LOBSTER TAILS (SPINY LOBSTER). OYSTERS. SCALLOPS.	50, 136 43,861 -169 4,640 	19,392 19,393 161,293 51,866 	339,035 940 	18,802 201,373 22,758 817,221 172,470 37,130 89,748 15,791 15,679 1,139,016 109,107 82,091 17,681 15,638 119,945 55,649 102,068 373,658 3,385,825	1,007,000 2,368 60,699 510 1,774 232,000 42,337 34,500 42,003 6,217 101,025 1,530,430
FRESH-WATER FISH: BAIT AND AN HAL TOOD BLUE PIKE AND SAUGER (EX. FILLETS) CATFEH AND BULLHEADS. CHUES: FILLETS: BLUE PIKE AND SAUGER LAKE HERRING YELLOW PERCH YELLOW PIKE. OTHER FILLETS. LAKE HERRING AND CISCO (EX. FILLETS) LAKE HERRING AND CISCO (EX. FILLETS) LAKE TROUT PICKEREL (JACKS OR YELLOW JACK). STURGEON AND SPOONBILL CAT SUCKERS. TULLIBEE YELLOW PERCH (EX. FILLETS) YELLOW PERCH (EX. FILLETS) WHITEFISH. UNCLASSIFIED FRESH-WATER FISH. TOTAL FRESH-WATER FISH. SHELLFISH: CRABS (INC. CRAB MEAT) LOBSTER TAILS (SPINY LOBSTER). OYSTERS. SCALLOPS SHEIMP (INC. SHRIMP MEAT). SQUID. UNCLASSIFIED SHELLFISH	50, 136 43,861 -169 4,640 	19,392 1,845 161,293 51,866 	339,035 940 	18, 802 201, 373 22, 758 817, 221 172, 470 37, 130 89, 748 15, 791 5, 679 1, 139, 016 109, 107 7, 681 15, 638 119, 945 55, 649 102, 068 373, 658 3, 385, 825	1,007,000 2,368 60,699 510 - 1,774 232,000 42,337 34,500 - 42,0C3 - 101,025 1,530,430

NOTE: THE SECTIONS INDICATED INCLUDE THE FOLLOWING STATES:

NEW ENGLAND—MAINE, HASSACHUSETTS, RHODE ISLAND AND CONNECTICUT.

NIDDLE ATLANTIC—NEW YORK, NEW JERSEY, AND PENNSYLVANIA.

SOUTH ATLANTIC—MARYLAND, DISTRICT OF COLUMBIA, VIRGINIA, SOUTH CAROLINA, GEORGIA, AND FLORIDA.

NORTH CENTRAL, EAST—ONIO, INDIANA, ILLINDIS, NICHIGAN, AND WISCONSIN.

NORTH CENTRAL, WEST—MINNESOTA, IOWA, MISSOURI, NORTH DAKOTA, NEBRASKA, AND KANSAS.

SUNMARY OF FREEZINGS: BY SECTIONS, 1949 - Continued

	SOUTH			
SPECIES	CENTRAL	PACIFIC	ALASKA	TOTAL
ALT-WATER FISH: BAIT AND ANIMAL FOOD	POUNDS 119,418	3,560,539	POUNDS 3,555,524	P <u>OUN</u> OS 10,746,26
BLUEFISH	3,633	3,300,333		437.33
	<u>-</u>	-	- 1	904,91
COD, HADDOCK, HAKE AND POLLOCK (EXCEPT FILLETS)	900	135,862	59,446	1,027,01
CROAKERS	19,332		-	827,999 204,20
EELS	-	-	-	204,20
FILLETS:	17,800	238,182	-	4,397,25
FLOUNDER (INC. SOLE)	1 -	238,182 2,732,129	2,250	6,119,48 15,766,26 378,79
HADOOCK	-	-	839	15,766,26
LINGCOO	]	377,954 107,258		411,66
POLLOCK,	-		-	411,66 4,067,09 62,059,93 4,633,10
DCEAN PERCH (ROSEFISH)	1 :			4 633 10
OTHER FILLETS	6,786	1,992,843	40,835	3,373,25
OTHER FILLETS FLOUNDER (INC. SOLE, FLUKE AND CALIFORNIA HALIBUT)			· · · · · ·	
CALIFORNIA HALIBUT)	202,305 500	112,374 7,201,206	23,255,980	1,387,27
HALIBUT	- 300	32,104	90,000	30,704,93 2,868,26
HERRING, SEA				
AND KING)	265,950	155,579		2,538,13
MULLET	203,930	1,992,572	3,706,421	1,198,39 5,698,99
SALMON:				
KING OR CHINOOK	1 :	2,483,396	2,037,446	4,520,84 8 330.64
SILVER DR COHO	1 -	785,066	835,230	1,620,29
	-	2,548,118 785,066 51,081 52,074	5,782,528 835,230 1,933,930 15,286	8,330,64 1,620,29 1,985,01
STEELHEAD TROUT	_	52,074 233,756	1,256,988	67,36 1,502,26
SCUP (PORGIES)	:	233,730	1,230,900	548,37
SEA TROUT (WEAKFISH, GRAY AND SPOTTED) . SHAD (INC. ROE SHAD)	136,839	1	-	548,37 773,36
SHAD (INC. ROE SHAD)	-	63,897	-	98,36
SHAD ROE	]	9,149 760,773 6,335	1	60,97 1,007,37
SWORDFISH	-	6,335	-	170,08
TUNA	-	1,276,663	-	1,412,68
WHITING (SILVER HAKE):	3,200			1,984,93
HEADED AND GUTTED (EX. FILLETS)	<u> -</u>			1,984,93 34,727,15 15,203,79
UNCLASSIFIED SALT-WATER FISH	1,841,591	4,842,120	1,054,665	15,203,79
TOTAL SALT-WATER FISH	2,618,254	31,751,029	43,627,368	233,764,10
BAIT AND ANIHAL FOOD	-	-	-	1,025,80 223,13 576,01
BLUE PIKE AND SAUGER		- 1	-	223,13
CATFISH AND BULLHEADS	101,545	1 : 1	: 1	1,023,31
CHUBS	_			
BLUE PIKE AND SAUGER	-		-	224,84
LAKE HERRING	1 :			37,29 94,38 18,30 6,44
YELLOW PIKE	-	_	_	18,3
YELLOW PIKE OTHER FILLETS LAKE HERRING AND CISCO (EX. FILLETS)	-	-	-	6,44
	625	[	<u> </u>	1,408,62 259,76 162,69
PICKEREL (JACKS OR YELLOW JACK)	- 023	- 1	-	162,69
STURGEON AND SPOONBILL CAT	-	-	-	248.94
SUCKERS		:	: !	15,63 48,11
TULLIBEE	_	- 1	- 1	122,56
YELLOW FIKE (EX. FILLETS)	1,955	-	-	186,76 424,70
WHITEFISH	107,789	3,147		1,341,14
				7,448,58
UNCLASSIFIED FRESH WATER FISH	211 914	3.147		
UNCLASSIFIED FRESH WATER FISH	211,914	3,147		
UNCLASSIFIED FRESH WATER FISH  TOTAL FRESH-WATER FISH	•	267,029	27,723	265 01
UNCLASSIFIED FRESH WATER FISH  TOTAL FRESH-WATER FISH  HELLFISH: CLAMS  CRABS (INC. CRAB MEAT)	54,731	267,029	27,723 116,770	265.01
UNCLASSIFIED FRESH WATER FISH  TOTAL FRESH-WATER FISH. HELLFISH: CLAMS (NC. CRAB MEAT) LOBSTER TAILS (SPINY LOBSTER) OYSTERS.	54,731 20,969 26,496	267,029 416,144 597,443	27,723 116,770	365,91 1,406,45 905,64
UNCLASSIFIED FRESH WATER FISH  TOTAL FRESH-WATER FISH. HELLFISH: CLAMS CRABS (INC. CRAB MEAT) LOBSTER TAILS (SPINY LOBSTER) OYSTERS.	54,731 20,969 26,496 1,000	267,029 416,144 597,443 237,620	27,723 116,770	365,9 1,406,4 905,6 407,8
UNCLASSIFIED FRESH WATER FISH  TOTAL FRESH-WATER FISH. HELLFISH: CLAMS CRABS (INC. CRAB MEAT) LOBSTER TAILS (SPINY LOBSTER) OYSTERS. SCALLOPS SCALLOPS SHRIMP (INC. SHRIMP MEAT)	54,731 20,969 26,496 1,000 25,983,598	267,029 416,144 597,443 237,620	27,723 116,770	365,91 1,406,45 905,64 407,87
UNCLASSIFIED FRESH WATER FISH  TOTAL FRESH-WATER FISH. HELLFISH: CLAMS CRABS (INC. CRAB MEAT) LOBSTER TAILS (SPINY LOBSTER). O'STERS.	54,731 20,969 26,496 1,000 25,983,598	267,029 416,144 597,443 237,620	27,723 116,770 - - - - 5,000	365,91 1,406,45 905,64 407,87 4,198,62 32,453,46
UNCLASSIFIED FRESH WATER FISH  TOTAL FRESH-WATER FISH.  CLAMS CRABS (INC. CRAB MEAT) . LOBISTER TAILS (SPINY LOBSTER) . OYSTERS. SCALLOPS . SHRIMP (INC. SHRIMP MEAT) . SOUIO	54,731 20,969 26,496 1,000	267,029 416,144 597,443 237,620	-	365,91 1,406,45 905,64 407,87 4,198,52 32,453,46 4,128,46 742,87

NOTE: --THE SECTIONS INDICATED INCLUDE THE FOLLOWING STATES:
SOUTH CENTRAL--KENTUCKY, TENNESSEE, ALABAMA, MISSISSIPPI, LOUISIANA, TEXAS, AND ARKANSAS.
PACIFIC--WASHINGTON, OREGON, CALIFORNIA, COLORADO, UTAH, AND MONTANA.
ALASKA

SUMMARY OF FREEZINGS: BY SECTIONS AND WONTHS, 1949

MONTH	NEW ENGLAND	MIDDLE ATLANTIC	SOUTH ATLANTIC	NORTH CENTRAL, EAST
	POUNDS	POUNOS	POUNDS	POUNDS
JANUARY FERRUARY MARCH APRIL MAY JUNE JULY AUGUST SEPTEMBER OCTOBER MOVEMBER DECEMBER.	3,613,971 4,587,246 5,369,048 9,478,375 16,424,558 19,785,998 17,363,973 21,908,001 18,514,098 12,950,128 9,779,860 5,593,190	705,409 271,444 775,668 1,574,594 1,579,400 1,302,247 1,349,344 1,650,606 1,462,738 1,839,592 1,534,816 1,869,891	378,648 182,054 447,225 294,960 583,138 609,626 777,195 1,150,948 1,868,053 1,482,996 1,573,365 1,267,696	166,342 126,090 23,745 424,630 380,990 205,888 208,158 286,847 313,777 417,217 1,110,530 775,752
TOTAL	145,368,444	15,915,769	10,615,704	4,440,966
NORTH CENTRAL, WEST	SOUTH CENTRAL	PACIFIC	ALASKA	TOTAL
POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
JANUARY 4,970 FEBRUARY 9,911 MARCH 259,921 APR IL 12,404 MAY 102,070 JUNE 25,057 JULY 24,406 AUGUST 15,288 SEPTEMBER 19,987 OCTOBER 136,905 NOVEMBER 179,236	952,19: 554,184 676,24 1,661,755 3,320,52 3,213,955 1,969,651 2,933,475 3,187,155 4,131,175 4,621,844 1,761,298	1,182,591 2,420,393 1,669,551 4,020,574 5,320,249 4,805,251 4,254,986 2,758,918 6,2,443,345	1,901,600 1,347,860 11,363,631 9,846,217 7,456,231 7,335,998 3,474,512 591,283 93,341 366,188	7,434,563 6,913,520 11,873,167 16,484,024 37,774,888 38,909,971 34,469,207 40,046,318 33,095,219 24,308,302 21,336,336 13,176,503
TOTAL 1,659,523	28,963,460	35,081,291	43,776,861	285,822,018

NOTE:--NEW ENGLAND INCLUDES MAINE, MASSACHUSETTS, RHODE ISLAND AND CONNECTICUT: MIDDLE ATLANTIC--NEW YORK, NEW JERSEY, AND PENNSYLVANIA; SOUTH CAROLINA, GEORGIA, AND FLORIDA: NORTH CENTRAL, EAST--OHIO, ILLINOIS, INDIANA, MICHIGAN, AND ICORIOSONIN; NORTH CAROLINA, WEST--MINNESOTA, IOWA, MISSOURI, NORTH DAKOTA, NEBRASKA, AND KANSAS; SOUTH CENTRAL--KENTUCKY, TENNESSEE, ALABAYA, MISSISSIPPI, LOUISIANNA, TEXAS, ARKANSAS; AND PACIFIC--WASHINGTON, OREGON, AND CALIFORNIA, COLORADO, J'AH, AND MONTANA. ALASKA.

#### HOLDINGS

Holdings of frozen fishery products in domestic cold storage plants reporting to the Fish and Wildlife Service on the first of each month during 1949 averaged a record 123,738,000 pounds. This monthly average is approximately 9 million pounds above the figure of the previous year, and nearly 4.5 million pounds above the average figure for the former high year of 1946. Ten years earlier in 1939, these holdings averaged 63,681,000 pounds. Holdings on January 1, which were a carry-over from the 1948 stocks, were 150,973,526 pounds. The peak, reached on December 1, amounted to almost 158 million pounds. The low point for holdings during the year was reached on May 1, when nearly 75 million pounds were in storage. According to the geographical distribution of average monthly holdings, the New England States ranked first, followed by the Middle Atlantic and Pacific Coast States.

#### SUMMARY OF COLD STORAGE HOLDINGS: BY MONTHS, 1949

SPECIES	JANUARY 1	FEBRUARY 1	HARCH 1	APRIL 1	HAY 1	JUNE 1
SALT-WATER FISH:	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
BAIT AND ANIMAL FOOD	1,817,251 336,925 395,561	2,085,208 333,964 288,066	2,126,323 187,930 250,521	3,976,775 141,360	4,977,578 144,050	3,490,658 158,095
BLUEFISH	336,925	288 066	250 521	141,360	98,498	80,294
BUTTERFISH						
(EXCEPT FILLETS)	1,667,729 313,842 195,242	1,529,549 174,101 238,398	1,449,674 94,533 181,145	1,348,502 241,037	1,099,530 123,231 79,370	982,760 106,389 115,962
CROAKERS	313,842	174,101	94,533	114,273	123,231	115 962
EELS						
	8,635,925 4,698,786 7,157,472	7,607,365 4,081,606 5,658,303	6,349,863 3,129,865 5,030,328	6,777,888 2,368,373 4,070,721 121,205 316,137 2,528,413	7,072,158 2,240,068 6,132,812	7,021,438 1,834,697 6,969,741
FLOUNDER (INC. SOLE)	4,698,786	4,081,606	3,129,865	2,368,373	2,240,068	1,834,697
HADDOCK	131 178	150,437	143 992	121,205	110.230	159,296
MACKEREL	574,156	454,477	143,992 448,068 3,380,155	316,137	110,230 260,875 2,614,537	159,296 240,991
POLLOCK ,	3,972,769	454,477 3,999,220	3,380,155	2,528,413	2,614,537	1 2 447 431
POLLOCK OEEAN PERCH (ROSEFISH) WHITING (INC. SPLIT BUTTERFLY)	7,157,472 131,178 574,156 3,972,769 12,883,234 1,810,558 1,389,874	9,828,418 1,723,927 1,368,958	7,030,772 1,191,963 1,126,280	3,676,962 884,209	3,377,656 688,123 816,790	6,089,603 596,172 1,295,085
OTHER FILLETS	1,389,874	1,368,958	1,126,280	819,942	816,790	1,295,085
OTHER FILLETS  FLOUNDERS (INC. SOLE, FLUKE AND CALIFORNIA HALIBUT).				L		
EALIFORNIA HALIBUT)	1,033,672 13,516,355 1,231,265	1,015,765	938,724 6,293,082 825,866	1,045,320 3,192,124 841,820	714,816 1,553,994 1,115,374	839,850 12,579,823 1,138,736
HERRING SEA	1.231.265	8,766,243 1,120,658	825,866	841,820	1,115,374	1,138,736
MACKEREL (EX. FILLETS, SPANISH		1	ı		1	
HALIBUT. HERRING, SEA HACKEREL (EX. FILLETS, SPANISH AND KING)	4,017,300	3,329,860 744,536 5,539,581	2,447,423 624,539 3,684,309	1,261,818 601,841 3,033,990	774,329 426,275	659,427 318,507 2,325,167
MULLET	723,666 4,674,840	5 539 581	3 684 309	3.033.990	2,669,066	2,325,167
SALMON:					1	
KING OR CHILOOK	4,167,289 3,743,984 1,899,568 159,014 73,083	3,206,030 2,738,982 1,672,105 144,021 40,656	2,531,395 2,206,414 1,363,252 126,409	1,901,337 1,432,897 1,073,055 118,880	1,529,864 924,042 1,023,992 112,583	1,768,957 817,693 844,355 10,615
SILVER OR COHO	1,743,984	2,738,982	1 363 252	1,432,897	1 023 002	844 355
FALL OR CHUM	159,014	144,021	126,409	118,880	112,583	10,615
PINK	73,083	40,656		91,317 925,099 467,283 282,194	1 69.221	
UNITASSIFIED	1,479,270 800,632 471,711 229,402	40,050 1,246,374 697,718 453,544 184,564 59,542 1,353,363 1,896,711 467,117	1,288,721 671,462 378,841	925,099	487,345 300,889	563,219 382,968
SCUP (PORGIES)	471.711	453.544	378,841	282,194	197,227	236.846
SHAD (INC. ROE SHAD)	229,402	184,564	151,740 47,891 1,956,704 1,807,408 193,431		60 155	156 514
SHAD ROE		59,542	47,891	28,481 2,215,950 1,554,532 345,215	39,216 1,830,198 1,025,050	76,039 1,474,208 806,907 44,248
SMELT	1,690,924	1.896.711	1,807,408	1.554.532	1.025.050	806,907
TUNA	1,430,634 1,690,924 906,200	467,117	193,431	345,215	111,051	44,248
TUNA		4 150 643	1		1 247 744	
ROUND HEADED AND GUTTED (EX. FILLETS)	8.506.880	7.154.236	1,862,421 6,098,855	4.239.150	1,862,127	2,633,143
UNCLASSIFIED SALT-WATER FISH	5,164,531 8,506,880 12,389,989	4,189,643 7,154,236 10,609,213	10,229,354	1,058,630 4,239,150 8,156,273	1,247,744 1,862,127 7,913,703	1,221,020 2,633,143 8,974,179
TOTAL 041 T 111 TED 51511			77 016 026	61,490,207	55,843,767	69,553,671
TOTAL SALT-WATER FISH FRESH-WATER FISH:	114,349,829	96,152,459	77,916,836			
BAIT AND ANIMAL FOOD	2,732,795 955,039 346,343 1,028,571	2,433,171	2,073,906	2,312,205 285,866 264,881 402,842	2,270,655	2,152,880 523,376 376,049
CATFISH AND BULLHEADS	346.343	689,463 334,567 798,003	503,600 347,456 633,067	264,881	303,700 258,436 287,986	376,049
EHUBS	1,028,571	798,003	633,067	402,842	287,986	246,088
FILLETS:			1			156 691
BLUE PIKE AND SAUGER	123.342	110.067	131.021	99,019	56,057	76,946
	502,725 123,342 229,591	243,458 110,067 186,614	292,074 131,021 123,034	380,297 99,019 115,756	157,655	156,681 76,946 134,213
YELLOW PIKE OTHER FILLETS LAKE HERRING AND CISCO (EX. FILLETS)	84,742		121,190 91,458 965,650	132,740 91,810 656,514	50,554	1 31.313
LAKE HERRING AND CISCO (EX. FILLETS)	1.806.814	1.067.190	965,650	656,514	544,350	116,947 550,890
LAKE TROUT	84,742 119,657 1,806,814 532,310	96,352 1,067,190 452,938			369,810 56,057 157,655 50,554 69,891 544,350 304,827	289,454
PIEKEREL (JACKS OR YELLOW JACK)	146,929	317,559	108,383	93,011		122,472
STURGEON AND SPOONBILL EAT	146,929 490,230 20,694 218,148	15.624	108,383 383,904 12,534 167,419	93,011 313,210 19,999	281,002 23,924	304,821 23,774
TULLIBEE	218,148	182,111	167,419	1 42.444		כחס ווכ
YELLOW PERCH (EX. FILLETS)		452,936 317,559 420,066 15,624 182,111 535,625		326 270	258,932	301,429 290,906 570,231
YELLOW PIKE (EX. FILLETS)	1.677.397	1.372.222	1.346.241	1.091.691	746,970	570,231
UNCLASSIFIED FRESH-WATER FISH	191,387 1,677,397 1,096,012	196,811 1,372,222 1,244,066	211,198 1,346,241 1,012,930	260,867 1,091,691 735,751	258,932 263,920 746,970 891,512	1,011,225
TOTAL FRESH-WATER FISH	12,911,485	10,771,828	9,340,411	7,969,186	7,307,030	7,331,797
SHELLFISH:						
CLAMS	330,461	243,549	165,088	142,764	258,815	275,573
ERABS (INC. CRAB HEAT)	780.738	723.746	455,405 613,816	754.923	529.007	599,625 740,137
OYSTERS	563,350 780,738 270,299 3,098,578	472,685 723,746 246,142 2,843,008	613,816 231,590	337,740 754,923 293,976	293,659	740,137 370,276
OYSTERS	3,098,578	2,843,008			1,312,792	1,342,320
SHRIMP (INC. SHRIMP MEAT)	1 149,703	14.410.0/1	768,995	652,059	904, 467	3,052,871
UNCLASSIFIED SHELLFISH	16,725,598 1,149,703 793,485	898,174 866,993	11,464,434 768,995 771,759	8,890,841 652,059 725,565	258,815 339,526 529,007 293,659 1,312,792 7,444,899 904,467 706,106	1,342,320 7,250,578 3,052,871 936,199
TOTAL SHELLFISH	23,712,212	20,711,168	16,881,202	13,262,991	11,789,271	14,567,579
TOTAL FISH AND SHELLFISH		127,635,455		82,722,384		91,453,047
TOTAL FISH MIND SHEELFISH	.50,5,5,520	,000,000	,,	,, 50-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,

SUMMAPY OF COLD STORAGE HOLDINGS: BY MONTHS, 1949 - Continued

			-				
SPECIES ,	JULY 1	AUGUST 1	SEPTEMBER 1	OCTOBER 1	NOVEMBER 1	DECEMBER 1	DECEMBER 31
	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
SALT-WATER FISH:							
BAIT AND ANIMAL FOOD BLUEFISH	3,567,400 146,703 74,252	3,466,412 124,568 157,839	2,895,573 271,359 223,921	2,436,020 311,367 415,037	2,067,767 390,261 558,008	2,089,844 388,366 768,666	2,140,915 370,890 752,465
POLLOCK, (ÉX.FILLETS) CROAKERS	1,069,200 185,246 135,441	941,866 363,340 123,985	903,391 738,297 112,343	911,526 759,762 173,715	1,116,151 686,179 212,712	1,075,082 432,799 253,146	1,349,381 390,075 209,561
FILETS: COO	6,563,496 1,856,476 7,615,363 153,681 284,571 1,980,177 8,626,015	7,685,418 2,003,926 7,773,241 147,985 224,473 1,663,177 11,515,766	8,039,267 2,734,728 7,921,560 159,493 221,738 1,523,177 14,025,581	7,058,124 2,870,195 6,561,990 191,558 183,806 1,213,368 14,075,356	6,657,698 3,046,912 5,265,924 191,743 204,218 1,154,962 13,853,533	6,836,302 3,191,762 4,563,437 72,585 213,011 1,483,582 14,475,792	6,351,265 2,866,105 3,696,058 54,530 201,196 2,004,817 14,141,844
WHITING(INC. SPLIT BUTTERFLY) OTHER FILLETS	598,378 1,500,082	2,264,961 1,585,100	3,096,199 1,999,241	4,022,166 2,614,553	3,987,135 2,578,532	3,747,649 2,715,862	3,573,433 2,371,905
FLOUNDERS (INC. SOLE, FLUKE, AND CAL.HALIBUT) HALIBUT HERRING, SEA MACKEREL (EX. FILLETS,	791,413 22,366,095 1,025,780	863,243 25,047,999 934,404	870,813 22,328,120 710,591	855,478 19,198,688 755,532	1,125,605 16,764,408 961,524	1,411,939 13,531,062 891,268	1,265,979 10,231,148 1,826,231
SPANISH, AND KING)	1,160,232 245,998 2,481,503	1,398,918 207,885 3,021,141	1,121,223 220,153 4,985,997	1,168,726 361,422 5,903,190	1,064,026 387,538 6,021,423	1,979,718 831,880 5,270,546	2,110,263 1,027,152 5,015,637
KING OR CHINOOK SILVER OR COHO FALL OR CHUM. PINK. STEELHEAD TROUT UNCLASSIFIEO. SCUP (PORGIES).	2,286,137 888,911 757,540 14,141 79,740 890,854 698,706	3,111,717 2,436,096 692,072 144,600 115,561 826,097 677,308	4,331,757 5,589,839 984,993 1,407,347 98,020 1,717,384 639,557	5,265,574 5,610,508 808,544 125,980 99,475 1,299,649 664,667	5,344,355 5,446,952 1,120,079 110,090 109,523 1,469,993 530,550	4,540,978 4,474,443 1,702,018 73,227 68,488 1,308,530 439,400	69,796 46,301 1,272,200
SEA TROUT (WEAKFISH, GRAY AND SPOTTED). SHAD (INC. ROE SHAD). SHAD ROE SWELT SWOROFISH TUNA	259,763 235,195 86,978 1,374,348 1,005,629 679,961	244,952 246,597 89,348 1,336,716 1,036,182 241,537	282,981 214,170 72,637 1,557,558 1,093,140 1,015,553	526,012 185,189 79,135 1,311,797 1,183,985 2,429,107	515,717 181,769 74,715 1,077,576 1,124,180 2,529,181	620,680 169,919 63,033 935,557 1,376,865 1,262,262	755,936
WHITING (SILVER HAKE):	1,108,995	2,477,496	1,320,218	1,866,850	1,727,126	1,626,955	1
HEADED AND GUTTED	7,766,491	8,717,659	16,359,297	19,947,903	21,961,130	20,403,361	18,271,261
UNCLÄSSIFIED SALT-WATER	9,138,435	10,024,586	11,339,276	11,490,600		15,285,241	14,565,092
TOTAL SALT-WATER FISH	89,699,326	103,934,171	123,126,482	124,936,454			110,274,695
FRESH-WATER FISH	03,033,040	100,301,111	,,	1 1,520,151	120,201,211	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
BAIT AND ANIMAL FOOD BLUE PIKE AND SAUGER CATFISH AND BULLHEADS . CHUBS	2,058,375 618,396 627,466 340,887	1,865,030 564,413 659,965 545,706	1,539,964 453,931 599,473 665,560	1,042,774 415,742 722,371 774,178	720,320 481,965 710,298 796,682	729,495 529,616 787,933 638,292	1,631,043 498,073 1,001,348 670,599
FILLETS: BLUE PIKE ANO SAUGER- LAKE HERRING. YELLOW PERCH. YELLOW PIKE OTHER FILLETS	222,693 101,871 154,813 54,113 151,692	172,119 111,160 191,684 55,359 129,453	77,497 43,515 294,527 50,198 186,697	114,829 53,156 450,158 58,154 161,477	18,502 322,279	376,369 25,405 302,755 81,314 190,983	560,899 144,880 266,367 70,662 168,729
LAKE HERRING AND CISCO (EX. FILLETS)	420,427 317,158	362,266 348,956	330,208 510,917	30 <sup>-7</sup> ,273 61 <sup>-7</sup> ,759	365,371 795,080	906,070 714,092	1,358,239 646,133
PICKEREL (JACKS OR YELLOW JACK)	140,422	123,690	109,354	108,476	172,795	219,338	127,783
STURGEON AND SPOONBILL CAT. SUCKERS TULLIBEE. YELLOW PERCH (EX. FIL.) YELLOW PIKE (EX. FIL.) WHITEFISH	356,783 25,574 17,845 331,201 281,845 571,736	372,431 26,574 103,569 417,650 229,291 836,522	391,251 25,769 174,828 332,981 208,896 1,326,899	422,576 25,769 176,335 325,750 195,404 2,026,242	489,505 279,686	392,991 25,771 240,901 412,385 292,043 2,171,871	294,889 19,709 226,903 437,908 273,351 1,707,413
UNCLASSIFIED FRESH- WATER FISH	1,289,056	1,082,543	869,484	779,912	930,732	1,020,120	913,793
TOTAL FRESH-WATER FISH	8,082,353	8,198,381	8,191,949	8,778,335	9,646,237	10,057,744	11,018,721

SEMMARY OF COLL STOPAGE HOLDINGS: BY MONTHS, 1949 - Continued

SPECIES	JULY 1	AUGUST 1	SEPTEMBER 1	OCTOBER 1	NOVEMBER 1	DECEMBER 1	DECEMBER 31
	POUNDS	POUNDS	POLINOS	POLINDS	POUNDS	POUNDS	POUNDS
SHELLFISH:							
CLAMS	187,775	193,284	195,376	211,613		192,538	189,970
CRASS (INC. CRAS MEAT)	594,170	'05,846	7 7,531	807,358	809,632	814,567	803,009
LOBSTER TAILS (SPINY	•	· ·				·	
LOBSTER)	937,283	806,000	774,723	1,067,128	951,150	1,299,488	1,676,415
OYSTERS	353,958	314,123	291,130	352,084	254,816	347,392	305,199
SCALLOPS	1,474,654	1,763,785	2,133,229	1,811,414	2,198,582	2,312,700	2,315,412
SHRIMP (INC. SHRIMP							
MEAT)	7,809,525	6.794.735	6.474.077	8,742, '08	12,258,586	18,770,583	16,469,483
SQUID	3,912,188	3,813,788	3,709,501			3,402,932	2,862,986
UNCLASSIFIED SHELLFISH	779,797	687,445	669,626	860,015	957,456	355,678	896,642
TOTAL SHELLFISH .	16,243,350	15,084,006	15,025,249	16,892,941	21,173,255	28,085,878	25,519,116
TOTAL FISH AND SMELLFISH	114,031,029	127,216,559	146,343,680	150,607,730	156,077,303	158,718,877	145,812,532

#### SUMMARY OF HOLDINGS: BY SECTIONS AND MONTHS, 1949

DATE	NEW ENGLAND	MIDDLE	SOUTH	NORTH CENTRAL, EAST	NORTH CENTRAL, WEST	SOUTH CENTRAL	PACIFIC	ALASKA	TOTAL
	POUNDS	POUNDS	POUNOS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNI S
JANUARY 1	39,093,937		5,667,342	25,207,691	10,564,768	12,804,359	20,202,404	7,517,564	150,973,526
FEBRUARY 1	31,364,945	25,376,845	6,078,185	22,530,233	9,108,035	10,783,368		3,563,438	127,635,455
MARCH 1	23,6)7,352	22,413,988	5,061,010	19,635,929	7,226,417	9,358,285	15,401,693	2,338,775	104,138,449
APRIL 1		20,319,801			6,269,017		13,040,054		82,722,384
MAY 1	14,370,4"4	18,719,563	3,5"2,295	12,259,215	6,004,881		11,321,179		
JUNE 1		16,906,950			6,215,812		12,954,641		
JULY 1		19,495,825			6,745,450				114,031,029
AUGUST 1		20,423,577			7,801,278				127,216,558
SEPTEMBER 1		22,659,809			8,010,705			23,656,418	
OCTOBER 1		24,751,416			6,802,624				150,607,730
NOVEMBER 1				19,676,568	8,371,962		26,268,559		156,077,303
DECEMBER 1	44,530,512	25,683,588	9,531,486	21,344,356	9,341,537	14,046,087	23,880,798	10,360,513	158,713,877
AVERAGE	31,908,086	22,561,068	5,639,072	17,445,442	7,705,207	8,709,213	18,510,103	11,259,980	123,738,176

NOTE: NEW ENGLAND INCLIDES MAINE, MASSACHUSETTS, RHODE ISLAND, AND CONNECTICUT: MIDDLE ATLANTIC--NEW YORK, NEW
JERSEY, AND PENNSYLVANIA; SOUTH ATLANTIC--MARYLAND, DISTRICT OF COLUMBIA, VIRGINIA, SOUTH CAROLINA, SEORGIA,
AND FLORIDA; NORTH CENTRAL, EAST--OHIO, ILLINDIS, INDIANA, MICHIGAN, AND ECONSIN; NORTH CENTRAL, WEST-HINNESDTA, IDWA, MISSOURI, NORTH DAKOTA, NEBRASKA, AND KANSAS; SOUTH CENTRAL--KENTUCKY, TENNESSEE, ALABAMA,
MISSISSIPPI, LOUISIANA, TEXAS, ARKANSAS; AND PACIFIC--WASHINGTON, OREGON, AND CALIFORNIA, COLORADO, UTAM,
AND MONTANA.

#### COLD-STORAGE HOLDINGS OF CURED FISH

During 1949, monthly cold storage holdings of cured herring averaged 11,63P,011 pounds, while those of mild-cured salmon averaged 3,765,995 pounds. Compared with 1948, this represents an increase of 1,20P,294 pounds or 12 percent in the average monthly holdings of cured herring, but a decrease of 978,621 pounds or 21 percent in average mild-cured salmon stocks. Cold storage stocks of cured herring were largest on July 1 when they reached slightly above 17 million pounds. The peak period for mild-cured salmon during 1949 was on October 1, when the stocks reached over 6 million pounds.

#### SUMMARY OF HOLDINGS OF CURFD FISH: BY MONTHS, 1949

		SALTED			
DATE	HERRING, CURED	SALMON, MILD-CURED	OTHER	SMOKED	TOTAL
	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
JANUARY 1	5,542,111	4,335,688	3,893,568	1,528,304	15,299,871
FEBRUARY 1	5,725,445	3,694,973	2,345,142	1,650,931	13,416,491
MARCH 1	7,879,345	2,715,606	3,783,893	1,421,886	15,801,730
APRIL 1	7,457,850	1,966,686	2,816,798	1,349,303	13,600,637
MAY 1	7.8/7.424	1,522,405	2,910,524	1,364,202	13,674,556
JUNE 1	12,061,277	888,271	4,697,539	1,510,648	19,757,735
JULY 1	17.259.332	2,475,434	5,424,108	1,369,465	26,529,339
AUGUST 1	10.661.443	4,150,863	5,929,991	1,312,959	28,275,256
SEPTEMBER 1	17,006,934	5,878,789	4,096,716	1,393,680	28,436,119
OCTOBER 1	16,529,491	6,420,325	5,347,255	1,398,886	29,695,957
NOVEMBER 1	13,337,355	5,892,960	4.767.059	1,567,414	25,564,"88
DECEMBER 1	11,428,127	5,248, 38	4,014,771	1,530,724	22,222,360
DECEMBER 31	10,909,658	4,598,049	3,395,061	1,564,290	20,467,047

#### FOREIGN FISHERY TRADE

During 1949, the value of United States foreign trade in fishery products amounted to \$186,484,162, of which \$151,609,793 represented the value of products imported for consumption and \$34,874,369 the value of exports of domestic fishery products. The value of imports for consumption was 3 percent below the figure of the previous year, while the value of exports of domestic fishery products increased 43 percent.

Fishery imports during 1949 consisted of 470,517,127 pounds of edible products, valued at \$113,752,823, and non-edible products valued at \$37,856,970. Import items which were received in a considerable greater volume during 1949 were fresh and frozen tuna, shrimp, fillets other than groundfish, and salted herring. Items showing large declines compared with the previous year were fresh sea herring, groundfish fillets, canned sardines and tuna and tunalike fishes, and sperm oil.

Fishery exports during 1949 were made up of 146,660,030 pounds of edible products valued at \$29,212,013, and non-edible products valued at \$5,662,356. Exports of canned salmon increased from 2.6 million pounds in 1948 to 12.8 million pounds in 1949, while those of canned sardines increased from 29.3 million pounds to 106.8 million pounds. Exports of fish oils amounted to 38.6 million pounds--an increase of 228 percent compared with the previous year.

The data presented in the following tables are preliminary and are subject to minor revisions as they have been prepared for publication prior to the issuing of ''Foreign Commerce and Navigation of the United States, 1949'' by the Bureau of the Census.

These statistics have been furnished by the Bureau of Census, Department of Commerce.

#### EXPORTS OF DOMESTIC FISHFRY PRODUCTS, 1949 $\frac{1}{2}$

ITEM	POUNDS	VALUE
EDIBLE FISHERY PRODUCTS		
RESH OR FROZEN:		
FISH:		
COD, HADDDCK, HAKE, POLLOCK AND CUSK	344,058	\$66,075
SALHON	2,172,095	339,780
OTHER	2,138,694	279,082
TOTAL FISH, FRESH OR FROZEN	4,654,857	684,937
SHELLFISH:		
CLAMS	405,996	17,569
LOBSTERS	164,950	78,732
OYSTERS, IN SHELL	75,203	16,138
OYSTERS, SHUCKED	875,743	438,585
SHRIMP	555,470	364,339
OTHER	110,829	48,018
TOTAL SHELLFISH, FRESH OR FROZEN	2,188,191	963,381
TOTAL FRESH AND FROZEN FISH AND SHELLFISH	6,843,048	1,648,318
		1,010,010
ANNED:		
FISH:		
COD, HADDOCK, HAKE, POLLOCK AND CUSK	38,330	14,243
HERRING	780,921	106,806
MACKEREL	2,235,503	429,541
SALMON	12,831,631	6,041,257
SARDINES	106,840,819	16,213,020
TUNA	478,505	364,016
OTHER	3,414,586	656,843
TOTAL FISH CANNED	126,620,295	23,625,726
SHELLFISH: 1/		1
CLAMS	19,651	8,472
CRABS AND CRAB MEAT	112,583	116,952
OYSTERS	88,030	75,912
SHRIMP.	1,645,013	1,342,837
OTHER	8,755,163	1,212,826
TOTAL SHELLFISH CANNED	10,620,440	2,756,999
	137,240,735	26,582,725

## EXPORTS OF DOMESTIC FISHERY PRODUCTS, 1949 1/

ITEM	POUNDS	VALUE
EDIBLE FISHERY PRODUCTS - CONTINUED		
CURED: SATED, PICKLED OR DRY-CURED: COD, MADDOCK, MAKE, POLLOCK AND CUSK. MERRING SALVON. OTHER FISH. SHRIMP.	1,024,726 206,807 157,738 65,544 767,332 9,800	\$225,277 42,402 57,927 22,411 459,273 4,083
TOTAL FISH AND SHELLFISH, SALTED, PICKLED DR DRY-CURED	2,231,947	811,373
SMOKED OR KIPPERED, MISCELLANEOUS FISH	212,250	96,487
TOTAL CURED FISH AND SHELLFISH	2,444,197	907,860
OTHER FISH AND SHELLFISH NOT ESPECIALLY PROVIDED FOR	132,050	73,110
TOTAL EDIBLE PRODUCTS	146,660,030	29,212,013
NON-EDIBLE FISHERY PRODUCTS  FISH AND MARINE ANIMAL OILS:  FISH OILS.  FISH OILS, ETC., AND CONCENTRATES.  DO WHALE AND SPERM OIL  DD	38,616,853 (2) 255,892	\$4,153,504 (2) 27,113
TOTAL OIL	38,872,745	4,180,617
FUP, FUR SEAL, DRESSED OR DYED. NUMBER REPTILIAN AND AQUATIC LEATHER POUNDS DYSTER SHELLS FOR FEED. TONS SHELLS UNMANUFACTURED POUNDS BUTTONS OF PEARL OR SHELL GROSS	10,302 42,518 26,581 2,907,797 (2)	581,556 288,466 377,851 233,866 (2)
TOTAL	-	1,481,739
TOTAL NONEDIBLE PRODUCTS	-	5,662,356
GRAND TOTAL	-	34,874,369

<sup>1/</sup> CANNED LOBSTERS WHICH WERE FORMERLY SHOWN HAVE BEEN DELETED AS IT HAS BEEN FOUND THAT THIS ITEM IS NOT A TU. S. EXPORT.

#### IMPORTS OF FISHERY PRODUCTS ENTERED FOR CONSUMPTION, 1949

ITEM											POUNDS	VALUE
EDIBLE FISHERY PRODUCTS												
RESH OR FROZEN:											1.	
FISH:												
WHETHER OR NOT WHOLE (EXCEPT F)	LLETS	, s	TEA	κs,	ΕT	c.)	:					
FRESH-WATER:		•										
BLUE PIKE											1,284,434	\$154,997
CHUBS											484,750	103,622
EELS											729,290	96,032
LAKE HERRING AND CISCOES											727,942	243,089
LAKE TROUT											3,495,048	1,035,409
MULLET (CATASTOMUS)											876,869	71,451
PIKE OR PICKEREL											2,452,637	277,330
SAUGER											2,723,211	337,061
TULLIBEES											1,726,670	165,682
WHITEFISH											13,738,000	3,991,601
YELLOW PERCH											808,759	118,348
YELLOW PIKE											7,976,677	. 1,779,609
OTHER						٠.	•	٠	•	•	15,265,791	2,947,785
TOTAL FRESH-WATER FISH.											52,290,078	11,322,016

<sup>2/</sup> DATA NOT AVAILABLE.

## IMPORTS OF FISHERY PRODUCTS ENTERED FOR CONSUMPTION, 1949 - Continued

ITEM	POUNDS	VALUE
EDIBLE FISHERY PRODUCTS - CONTINUED		
FRESH OR FROZEN - CONTINUED:		
FISH - CONTINUED: WHETHER OR NOT WHOLE (EXCEPT FILLETS, STEAKS, ETC.) CONT*D.:		
SALT-WATER: CDD, HADDOCK, HAKE, PDLLOCK, AND CUSK	4,175,856	\$389,195
HALIBUT	12,773,290	3,317,127
MACKEREL: FRESH	752,293	64,601
FROZEN	1,757,161	188,328 5,658,217
SALMON	24,746,701	5,050,21/
FRESH	36,885,107 1,383,287	727,789 95,6 <b>3</b> 2
FROZEN	244,897	26,163
SMELT	6,229,653	1,089,522
STURGEON: FRESH	354,084	261,895
FROZEN	47,487	40,227
SWDRDFISM: FRESH	1,936,933	785,668
FROZEN	4,369,567	827,860
TOTUAVA (MEXICAN WHITE SEA BASS)	1,771,685 20,606,381	216,607 2,921,551
TUNA	6,082,921	906,187
TOTAL SALT-WATER FISH	124,117,303	17,516,649
FILLETS, STEAKS, ETC: COD, HADDOCK, HAKE, POLLOCK, CUSK AND ROSEFISH	47,322,265	0,728,272
OTHÉR	16,496,757	5,085,033
TOTAL FILLETS, STEAKS, ETC	65,819,022	13,813,305
TOTAL FISH FRESH OR FROZEN	242,226,403	42,651,970
SHELLFISH, ETC.:		
CLAMS (IN SHELL DR SHUCKED, MAY INCLUDE SOME PRESERVEO OR PREPARED)	4,957,806	\$853,198
CRABS: FRESH OR FROZEN	83,922	12,364
CRAB MEAT (FRESH-COOKED)	5,637	5,009
COMMON (INCLUDES FRESH-COOKED HEAT)	21,322,795	9,804,335
SPINY	9,356,052	5,109,015
EXCEPT SEED OYSTERS	39,208	14,539
OTHER (PRINCIPALLY SEED OYSTERS)	3,092,243	270,789
FRESH	29,778	11,360
OTHER (PRINCIPALLY FROZEN)	369,908 29,673,205	192,472 13,606,057
FROGS LEGS	1/ 1,462,760	1/1,306,029
TURTLES (LIVE ONLY)	1,047,521	54,119
TOTAL SHELLFISH, ETC. FRESH OR FROZEN	71,440,835	31,239,294
TOTAL FRESH AND FROZEN FISH, SHELLFISH, ETC	313,667,238	73,891,264
CANNED:		
FISH: ANCHOVIES:		
IN OIL	5,440,595	2,856,034
NOT IN OIL	823,387 917,786	219,227 254,863
SALMON, NOT IN DIL	1	
IN OIL.	16,207,305 6,815,614	6,033,018 1,465,904
IN OIL (INCLUDES MERRING)	4,504,907	2,199,214
BONITO AND YELLOWTAIL 2/	8,053,940	3,106,523
OTHER:	405,769	245,359
NOT IN OIL	1,076,849	412,749
TOTAL CANNED FISH	44,246,152	16,792,891

SEE FOOTNOTES AT END OF TABLE

## IMPORTS OF FISHERY PRODUCTS ENTERED FOR CONSUMPTION, 1949 - Continued

ITEM	POUNDS	VALUE
EDIBLE FISHERY PRODUCTS - CONT 'D.		
CANNED - CONTINUED:		
SHELLFISH, ETC.:		
ABALONE ( MAY INCLUDE FRESH AND DRIED AND CANNED PASTE	E 224 211	\$1,768,764
AND SAUCE)	5,224,211	\$1,700,704
CLAMS:	28,081	13,375
RAZOR.	278,344	124,289
OTHER,	16,510	3,540
CRAB MEAT (INCLUDES PASTE AND SAUCE)	2,306,794	1,959,604
LOBSTER MEAT:		2 200 505
COMMON	1,409,585	2,088,586
SPINY	696,073	520,955 303,012
OYSTERS AND OYSTER JUICE	336,282 1,223,088	484,953
OTHER	1,223,000	401,750
TOTAL CANNED SHELLFISH	11,518,968	7,267,078
TOTAL CAMED BILLET TOTAL		
HISCELLANEOUS:	206,837	101,623
ANTIPASTO	965,506	183,577
FISH CAKES, BALLS AND PUDDING	417,129	558,252
PASTES AND SAUCES:	,	
FISH	75,079	51,259
LOBSTER.	44,078	25,594
SHELLFISH (EXCEPT LOBSTER AND CRABS)	141,610	69,096
TOTAL MISCELLANEOUS CANNED	1,850,239	989,401
TOTAL CANNED FISH AND SHELLFISH	57,615,359	25,049,370
TOTAL CANNED FISH AND SHELLFISH	37,010,000	
CUREO:		
DRIED (UNSALTED):	688,589	204,266
COO, HADDOCK, HAKE, POLLOCK AND CUSK	221,081	103,309
SHARK FINS	429,646	161,958
DIMER	,	
TOTAL DRIED (UNSALTED)	1,339,316	469,533
PICKLED OR SALTED:		
ALEWIVES	849,366	87,405
COD, HADDOCK, HAKE, POLLOCK AND CUSK:		1 407 304
SKINNED OR BONED	5,937,743	1,407,304
OTHER	43,398,498	6,591,835 3,604,052
HERRING	34,681,695	543,970
MACKEREL	3,886,611 683,137	266,218
SALMON	1,101,702	319,651
OTHER	1,101,702	317,031
TOTAL PICKLED OR SALTED	90,538,752	12,820,435
SMOKED OR KIPPERED:		
COD. HADDOCK, HAKE, POLLOCK AND CUSK:		
WHOLE, OR BEHEADED, OR EVISCERATED, OR BOTH	253,425	53,821
FILLETS, STEAKS, ETC	2,834,188	668,570
HERRING:		
WHOLE OR BEHEADED:	1,041,768	100,564
HARD DRY-SMOKED	181,901	23,362
OTHER	356,512	76,726
BONED	1,149,838	196,953
NOT BONED (EVISCERATED, SPLIT)	84,163	35,286
OTNER	30,154	8,349
TOTAL SMOKED OR KIPPERED	5,931,949	1,163,631
TOTAL CURED	97,810,017	14,453,599
OTHER FISH AND SHELLFISH, NOT ESPECIALLY PROVIDED FOR	1,424,513	358,590
UIDER FIAN AND SHEEFFISH, NOT CONCENTRACE THORISED TON TOTAL		
TOTAL EDIBLE FISHERY PRODICTS	470,517,127	113,752,823

SEE FOOTNOTES AT END OF TABLE

IMPORTS OF FISHERY PRODUCTS ENTERED FOR CONSUMPTION, 1949 - Continued

ITEM	UNIT	QUANTITY	VALUE
NON-EDIBLE FISHERY PRODUCTS			
FISH AND MARINE ANIMAL OILS:			
COD: INDUSTRIAL. MEDICINAL. HALIBUT LIVER HERRING.	GALLONS DO DO DO	663,512 1,496,101 1,978 2,119,650	\$478,555 2,843,279 105,885 1,290,708
SHARK, INCLUDING GRAYFISH: BODY. LIVER. SOO.	00 00	2,830 576,131 13,869	29,634 3,543,103 10,396
WHALE: SPERM, REFINED. SPERM, CRUDE. OTHER SEAL.	00 00 00	49,912 1,104,411 758 3,136	115,906 1,275,608 1,542 1,883
OTHER: BODY	DO .	21,762 72,469	77,619 2,803,826
TOTAL FISH AND MARINE ANIMAL OILS	DO	6,126,519	12,577,944
PEARLS: CULTIVATED	-	<del>-</del>	1,733,698 532,310
TOTAL PEARLS		-	2,266,008
SHELLS AND BUTTONS:			
SHELLS, UNMANUFACTURED: MOTHER-OF-PEARL TORTOISE SHELL OTHER SHELL AND MOTHER-OF-PEARL ORNAMENTED. OCEAN PEARL OR SHELL BUTTONS AND BLANKS	POUNOS DO DO - GROSS	5,775,607 2,784 2,989,813 - 844,197	2,727,160 3,998 439,820 29,483 580,683
TOTAL SHELL AND BUTTONS	-	-	3,781,144
SPONGES: HARDHEAD OR REEF. SHEEPSWOOL. VELVET. YELLOW AND GRASS. OTHER	POUNDS DO DO DO DO	778 26,709 179 8,838 231,551	5,287 139,772 1,436 25,041 1,765,538
TOTAL SPONGES	DO	268,055	1,937,074
OTHER:  AGAR-AGAR  AMBERGRIS  AQUARIUM FISH (INCLUDING GOLOFISH).	00 00 -	313,098 157 -	471,036 10,148 25,599
FISH: SHARK. OTHER. REPTILE SKINS, (RAW). REPTILIAN AND SHARK SKINS AND PRODUCTS	DO DO DO	122,777 2,973,820 4,545,943	19,989 83,574 2,074,389 3,422,552
SEAL SKINS: RAW (NOT FUR SKINS)	00	1,302,575	411,052
FUR: NOT DRESSED NOT DYED. DYEO-DRESSEO. WALRUS.	NUMBER DO DO DO	1,079 50 1,940 8,988	11,305 1,012 35,411 15,668
BONES: CUTILEFISH.  WHALE AND MANUFACTURES OF COD LIVER OIL CAKE AND MEAL FISH (OTHER THAN FOR HUMAN CONSUMPTION) FISH SOUNDS GLUE. ISINGLASS KELP.	POUNDS - POUNDS - POUNDS DO DO DO	159,668 2,118,810 147,133 375,817 16,520 2,190,257	20,505 7,383 115,700 906,950 53,774 67,834 10,906 65,895

SEE FOOTNOTES AT END OF TABLE (CONTINUED ON NEXT PAGE)

#### IMPORTS OF FISHERY PRODUCTS FNTERED FOR CONSUMPTION, 1949 - Continued

I TEM		UNIT	QUANTITY	VALUE
NON-EDIBLE FISHERY PRODUCTS - CONTINUED OTHER - CONTINUED:				
LIVERS (EXCLUDING VISCERA, GLANDS, ETC.) MOSS AND SEAWEEDS, DYED OR MANUFACTURED. SCRAP AND MEAL:	::	POUNDS DO	3,061,954	\$1,794,460 195,370
ANIMAL FEED	::	TONS DO PDUNDS DO	46,985 5,198 9,270 19,380	6,954,997 506,710 8,092 4,489
TOTAL OTHER	-	-	-	17,294,800
TOTAL NON-EDIBLE FISHERY PRODUCTS		-	-	37,856,970
GPAND TDTAL			<del>                                     </del>	151,609,793

#### IMPORTS OF FRESH AND FROZEN TUNA BY COUNTRY, 1949

COUNTRY	POUNDS	VALUE
COSTA RICA JAPAN PERU MEXICO ANADA ECUADOR ALL OTHERS	. 10,077,771 2,839,298 2,326,642 1,990,098 1,234,246 1,026,000 1,112,326	\$1,527,297 442,272 130,702 323,342 217,319 130,780 149,839
TOTAL	20,606,381	2,921,551

#### IMPORTS OF FILLETS, STEAKS, ETC. BY COUNTRY, 1949

COUNTRY	POUNDS *	VALUE
GROUNDFISH (INCLUDING OCEAN PERCH) CANADA (INCLUDING NEWFOUNDLAND)	41,685,312 5,130,528 506,425	\$7,823,982 801,442 102,848
	47,322,265	8,728,272
OTHER THAN GROUNDFISH CANADA (INCLUDING NEWFOUNDLAND) JAPAN NORWAY ICELAND ALL OTHERS	14,680,697 1,727,917 1,030,358 390,665 667,120	4,329,449 495,550 158,121 49,372 52,541
TOTAL	18,496,757	5,085,033

<sup>1/</sup> INCLUDES A SMALL QUANTITY PRESERVED.
2/ PRIOR TO 1948 IMPORTS OF BONITO AND VELLOWFIN WERE INCLUDED WITH THOSE OF TUNA. IN 1948 PART OF THE BONITO AND VELLOWFAIL RECEIVED WAS INCLUDED WITH TUNA.

NOTE: - THE DATA ARE PRELIMINARY AS THEY WERE COMPILED PRIOR TO THE ISSUING OF "FOREIGN COMMERCE AND NAVIGATION OF THE UNITED STATES, 1949". THE DATA INCLUDE IMPORTS TO UNITED STATES TERRITORIES AND POSSESSIONS. DATA ON THE FISHERIES OF THE UNITED STATES TERRITORIES AND SESSESSIONS, DATA ON THE THAN ALASKA, ARE NOT INCLUDED IN THE OPERATING UNIT, CATCH, AND MANUFACTURED PRODUCTS TABLES.

## IMPORTS OF SHRIMP BY COUNTRY, 1949 $\frac{1}{2}$

COUNTRY	POUNDS	VALUE
MEXICO	29,382,193 291,012	\$13,450,481 155,576
TOTAL		13,606,057

<sup>1/</sup> PRIMARILY FRESH AND FROZEN.

## IMPORTS OF CANNED SARDINES IN OIL BY COUNTRY, 1949

COUNTRY	POUNOS	VALUE
NORWAY	1,496,338	\$3,625,762 1,717,206 267,543 422,507
TOTAL	16,207,305	6,033,018

## IMPORTS OF CANNED TUNA IN OIL BY COUNTRY, 1949

COUNTRY	POUNDS	VALUE
JAPAN PERU. ANGOLA. PORTUGAL. ALL: OTHERS.	1,648,456	\$883,742 800,396 254,627 140,288 120,161
TOTAL	4,504,907	2,199,214

## IMPORTS OF CANNED BONITO AND YELLOWTAIL BY COUNTRY, 1949

COUNTRY	POUNDS	VALUE
PERU	/0,803	\$3,077,001 25,056 4,466
TOTAL	8,053,940	3,106,523



#### SECTION 2.- NEW ENGLAND FISHERIES

(Area XXII)2

During 1949, the demand for fresh fish at the docks in the New England Area was considerably lighter than in 1948 and the market was weaker. Keener competition from other protein foods, being offered at their lowest post war prices, brought about this weaker market condition. Demand was light at the start of the year and the market weak. There was a good recovery during the Lenten season although not as great as in the previous few years. During the late spring months, the demand slackened and the market weakened again. Fxcessively hot summer weather adversely affected the demand even more. Fall brought about a recovery and a stronger market, however the demand slowed down again during the last few months of the year with only brief rallies on occasions when supplies were very short.

The frozen fish market in New Fngland started the year off slowly with some overstocked items on hand. It was not until the late winter that any appreciable improvement was noticed and, in the meantime, some inventories were moved at a sacrifice. The demand for frozen fish continued from fair to good until the late fall, with the poorest period during midsummer. At the end of the year, mostly due to the holiday season, the demand tapered off again. As the year closed, supplies of haddock and flounder fillets were light, but there were good supplies of cod and ocean perch (rosefish) fillets. Headed and gutted whiting was the only item in apparently heavy supply.

The offshore vessels out of Eoston continued to fish on their usual grounds, varying little from their practice in recent years, and doing the greater part of their fishing on Georges Eank. However, when haddock became scarcer toward the end of the year, the number of trips to more distant grounds (Brown, la Have, Fmerald, Western, and Middle Cround) were more numerous. Haddock was more plentiful on these more distant grounds and trips were more successful. The Gloucester ocean perch (rosefish) fleet operated on the grounds off Nova Scotia with increasing frequency during 1949. Generally, fishing conditions were good during most of the year, with the best catches during the early part of the year. However, fishing was spotty during some of the late fall and winter months, with the worst weather of the year coming in October, when high winds prevailed for several weeks hampering fishing operations considerably.

During 1949, the mackerel seiners had one of their poorest years in New England waters. Very few mackerel were located by the purse seiners during the year, apparently due to the scattering of the schools. By the end of August, all the vessels which had fitted out for purse seining in the spring, had ceased searching for mackerel. Most boats returned to otter trawling while a few turned to seining for menhaden, which was sold to reduction plants in Gloucester. The menhaden returned to this area in large quantities during 1949 after an absence of many years. Some vessels reoutfitted for mackerel purse seining in November and made a few successful trips off Cape Cod and Long Island. However, foul weather set in shortly thereafter and they put away their gear for the winter.

Swordfish harpooners had an average season. After a few good trips early in the season the remainder was no better than fair. These vessels were hampered a great deal by foggy weather which prevailed for lengthy periods during the middle of the summer.

The large otter trawl fleet, the backbone of the Boston fish-producing industry, was reduced in the spring of 1949 when twelve vessels were sold to the U. S. Army for use in Bizonal, Germany. These vessels represented about 25 percent of the large trawlers, and a conservative estimate places the loss in production at close to 20 million pounds in 1949. There were no adequate replacements for these vessels, and none were contemplated for the immediate future. Producers were reluctant to risk further investments, blaming high cost of production and reduced income due to lowered prices.

This number was assigned to this area by the North American Council on Fishery Investigations. It should be explained that there are included in this area craft whose principal fishing ports are in the area but at times fish elsewhere. A notable example is the southern trawl fishery which extends into Area XXIV.

The New England Fisheries were handicapped during 1949 by several labor disputes. On May 2, 1949, lack of an agreement on terms for a new contract between the shore workers and the operators brought forth a period of about 4 months of confusion and uncertainty on the Boston Fish Pier. This resulted in a reduction in vessel landings there.

There was one minor controversy over the grading of fish while unloading, and the rules for the grading and reselling of fish were under heated debate but no definite action was taken to alter them. The major concern in the transportation field was the increased shipping costs. Movement of fish by truck continued to increase as it had in recent years.


Fishery leaders in New England continued their efforts to limit the increasing importation of groundfish fillets. Their request that the Government establish an absolute quota did not receive favorable action. A higher tariff rate was sought to offset the lower cost of producing foreign fillets, but this measure was also without success.

In the following tables, landings by certain types of gear may be shown in one state although the vessel, crew, and gear may be credited to another state. The catch is listed in the port where it is landed, while the operating units are credited to the port where the vessel landed the greatest portion of its catch.

The last complete survey of the fishery transporting, wholesaling and manufacturing industries was made for 1940. In that year, 186 men were employed in the operation of 84 vessels engaged in the transporting trade, and 12,650 persons were employed in wholesale and manufacturing establishments. The latter employees received \$7,547,395 in salaries and wages during 1940. Detailed statistics on these branches of the industry for 1940 can be found in ''Fishery Statistics of the United States, 1944' (Statistical Digest No. 16).


The following tables contain summarized and detailed information on the 1949 catch and operating units of the New England States. Condensed summary data on the operating units and catch by states of the New England States, appearing on the following pages, have been previously published in Current Fishery Statistics No. 692.

#### NEW FNGLAND CATCH, 1949




#### NEW ENGLAND FISHERIES


MAINE: CATCH BY GEAR, 1949




NEW HAMPSHIRE: CATCH BY GEAR, 1949




MASSACHUSETTS: CATCH BY GEAR, 1949



RHODE ISLAND: CATCH BY GEAR, 1949



CONNECTICUT: CATCH BY GEAR, 1949



# NEW ENGLAND FISHERIES SECTIONAL SUMMARIES

#### SUMMARY OF CATCH, 1949

PRODUCT	MAINE		NEW HAM	PSHIRE	MASSACHUSETTS		
FISH	POUNDS 262,501,600 31,795,600	<u>VALUE</u> \$6,215,185 8,772,855	POUNDS 21,400 422,000	<u>VALUE</u> \$1,58B 168,311	POUNDS 621,691,400 25,921,500	<u>VALUE</u> \$30,583,258 8,408,21B	
PRODUCT	294,297,200	14,988,040 1SLAND	443,400	169,899 CTICUT	647,612,900	38,991,476	
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	
FISH	26,999,500 6,428,500	\$841,331 1,388,585	20,219,700 3,975,100	\$935,657 1,221,888	931,433,600 68,542,700	\$38,577,019 19,959,857	
TOTAL	33,428,000	2,229,916	24, 194, 800	2,157,545	999,976,300	58,536,876	

#### SUMMARY OF OPERATING UNITS, 1949

ITEM	MAINE	NEW HAMPSHIRE	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	TOTAL
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	477	-	5,155	286	467	6,385
REGULAR	5,614 3,199	134 112	1,707 5,294	471 1,075	130 718	8,056 10,398
TOTAL	9,290	246	12,156	1,832	1,315	24,839
VESSELS: MOTOR	111 2,307 -		639 26,032	85. 1,131	108 2,137 5 513	943 31,607 5 513
TOTAL VESSELS TOTAL NET TONNAGE	111 2,307	Ξ	639 26,032	85 1,131	113 2,650	948 32,120
BOATS: MOTOR OTHER ACCESSORY BOATS APPARATUS:	5,200 1,770 18	101 67 -	2,655 2,040 186	529 879 30	351 247 7	8,836 5,003 241
PURSE SINES: MACKEREL LENGTH, YAROS OTHER LENGTH, YAROS HAUL SEINES, COMMON LENGTH, YAROS STOP SEINES LENGTH, YAROS GILL NETS:	15 5,150 55 16,780 3 300 136 41,850		35 17,120 1 39 5 285	- - - - - 1,600	81 13,288 - - - - - -	131 35,558 56 16,819 15 2,185 136 41,850
ANCHOR. SQUARE YARDS. DRIFT SQUARE YARDS.	354 108,992	=	318 162,133 545 259,667	- 30 9,000	3 1,100 99 86,300	321 163,233 1,028 463,959
LINES: HAND. HOOKS TRAWL OR TROT WITH HOOKS. HOOKS TROLL HOOKS POUND NETS. FLOATING TRAPS. STOP NETS LENGTH, YARDS WEIRS FYKE NETS, FISH DIP NETS, COMMON. BAG NETS. LIFT NETS OTTER TRAWLS, FISH. YARDS AT MOUTH. TRAPS, BOX. POTS:	1,717 3,300 12,503 525,832 	37 74 16 1,200	757 895 11,435 635,450 	221 221 - - - - - - - - - - - - - - - -	73 219 - - - 5 - 11 300 - 19 93 - 134 1,773	2,805 4,709 3,954 1,162,482 88 88 86 11 300 217 35 497 40 45 900 22,372
CRAB	- - 461,675	- 11 <b>,7</b> 50	1,332 125 98,309	150 490 17,443 300	- 600 12,609	1,482 1,215 601,786 300

## SUMMARY OF OPERATING UNITS, 1949 - Continued

ITEM	MAINE	NEW HAMPSHIRE	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	TOTAL
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
PPARATUS - CONTINUED:	89		79	21	7	196
HARPOONS	- 09	-	17		- 1	17
DREDGES:				.,	1	35
CLAM	-	- 1	24	1 !!	-	33
YARDS AT MOUTH	-	- 1	22	!!	1/85	116
OYSTER, COMMON	-	- :	15	16	1/83	165
YARDS AT MOUTH	-	- 1	14	22	1/129	
SCALLOPS	57	1 -	4,342	1,329	0	5,734 5,268
YARDS AT MOUTH	59	1 - 1	4,168	1,035	6	5,200
TONGS:				· ·	1	
OYSTER	_	-	37	] 70	44	15
DTHER	-	1 -	357	963	48	1,366
RAKES, OTHER THAN FOR		1			1	
	142	1 -	1,278	163	28	1,61
OYSTÉRS	142	1 [	119	1	i -	119
FORKS	1,868	35	641	180'	46	2,770
HOES	1,000	] 33	, o-,	1 100		

<sup>1/</sup> INCLUDES 1 SUCTION DREDGE, 2 YARDS AT MOUTH.

#### CATCH BY STATFS, 1949

SPECIES	MA	MAINE NEW HAMPSHIRE MASSACHUSETTS		CHUSETTS		
FISH	POUNOS	VALUE	POUNDS	VALUE	POUNDS	VALUE
ALEWIVES	3,280,700	\$31,157	4,500	\$45	501,700	\$7,937
AM8ERJACK	-,,	,,		-	100	´ 9
ANGLERFISH	-	-	-	-	1,500	54
BLUEF I SH	-	-	-	-	25,400	5,050
BUTTERFISH	200	10	-	-	720,600	58,067
COD	6,075,400	315,918	2,700	784	50,418,700	2,921,841
CREVALLE	′ 🖫		-	-	1,100	31
CUNNER	-	-	-	-	200	7
CUSK	1,358,600	50,896	400	22	2,261,200	81,906
EELS:			1		40.500	
COMMON	41,800	8,672	- 1	-	40,500	6,627
CONGER	-	-	-	-	5,700	218
FLOUNDERS:		24.040			7 300 400	509,007
GRAY SOLE	761,000	34,848	- 1	-	7,380,400 4,631,900	662,292
LEMON SOLE	1,100	73	- 1	-	25,408,600	2,417,506
YELLOWTAIL	119,800	6,743 39,774	-	-	14,399,200	1,555,852
BLACKBACK	832,800 585,700	15,777	- 1	_	3,040,500	172,367
DAB	363,700	13,777		_	1,786,700	337,869
FLUKE					500	34
FRIGATE MACKEREL				_	1,300	55
GRAYFISH	587,000	4,802		_	32,900	763
HADDOCK	7,184,800	468,765	1,400	142	126,496,700	8,697,596
HAKE:	.,,	,	, , ,		1 ' '	1 ′ ′
REO	186,200	9,762	_	-	39,800,400	340,023
WHITE	5,712,800	190,610	11,500	473	8,441,600	338,781
HALIBUT	51,300	12,285		-	420,800	93,676
HERRING, SEA	149,894,000	2,408,383	-	-	11,593,900	143,455
LAUNCE			-	-	13,600	589
MACKEREL	3,351,900	157,569	-	-	13,969,400	1,065,480
MENHADEN	5,027,300	45,040	-	-	7,473,500	88,956
OCEAN PERCH (ROSEFISH)	55,502,600	2,014,071	-	-	181,484,100	7,805,195
OCEAN POUT		<del>-</del>	300	- 10	5,200	541 202
POLLOCK	6,386,700	163,444 507	300	10	22,360,000	641,382
SALMON	1,000	507	-	-	465,900	15,824
SCUP OR PORGY	-	_		-	34,100	3,297
SEA BASS	_		1 1	_	600	59
SEA TROUT OR WEAKFISH, GRAY	4,900	206	_	_	11,100	769
SHARKS	71,400	7,173	_	-	238, 100	3,842
SKATES	71,500	1	_	_	25,300	689
SMELT	160,600	40,003	500	110	900	21
STRIPED BASS	-	1 -	-	-	71,800	11,071
STURGEON	500	69	-	-	6,700	740
SUCKERS	9,300	651	-	-	-	-
SWORDFISH	-	-	-	-	874,400	305,758
TAUTOG	-	-	-	-	49,500	2,864
TILEFISH	-	•	•	-	200,700	14, 258
TUNA AND TUNALIKE FISHES:						
		1 45 404			1 2 461 000	170 660
BLUEFIN	159,600 159,600	15,134 15,134	-		2,461,000	175,665 175,665

CATCH BY STATES, 1949 - Continued

SPECIES	MA	INE	NEW HAN	MPSHIRE	MASSACHUSETTS		
FISH - CONTINUED WHITING	POUNDS 12,580,200 190,800	VALUE \$147, 191 4,295	POUNOS 100	VALUE - \$2	POUNDS 75,776,400 2,134,900	\$1,726,61 150,88	
WOLFISH	2,381,600	19,357	-	-	4,222,700 12,399,100	101,77	
TOTAL	262,501,600	6,215,185	21,400	1,588	621,691,400	116,30	
SHELLFISH. ETC.	734,400	20,217			1,765,400	98,45	
TOTAL CRABS	734,400	20,217			1,765,400	98,45	
OBSTERS, NORTHERN	19,272,700 9,900	6,696,961 1,806	415,900 -	166,360	3,563,000	1,405,3	
CLAMS: HARO, PUBLIC	589,800	98,483	=	=	1,665,300 132,000 73,700 917,600	537,48 48,5 8,75	
RAZOR	8,622,900	1,419,691	6,000	1,890	917,600 800 10,600	376,70 30 2,6	
TOTAL CLAMS	9,212,700	1,518,174	6,000	1,B90	2,800,000	974,50	
MUSSELS, SEA	386,300	15,345	-		120,000	7,50	
DYSTERS, MARKET: PUBLIC, SPRING PUBLIC FALL PRIVATE, SPRING PRIVATE, FALL	-		- - -	:	2,500 13,000 46,500 176,500	1,57 5,75 27,65 109,92	
TOTAL OYSTERS		-			23B,500	144,8	
ERIWINKLES AND COCKLES CALLOPS:	10,300	3,186	-	-	41,500	1,86	
BAY	509,000 20,100	179,845 395	=	=	982,900 13,468,900 2,438,100	723,2 4,987,2 53,2	
EA URCHINS	20,100 79,500 1,125,000 401,800	2,291 18,704 297,021	- 100	- - 61	500,000	8,9	
ANDWORMS	33,900	18,910			3,200	2,9	
TOTAL	31,795,600	8,772,855	422,000	168,311	25,921,500	8,408,2	
GRAND TOTAL	294,297,200	14,988,040	443,400	169,899	647,612,900	38,991,4	
SPECIES		ISLAND	CONNEC		ļ	TAL	
FISH  LEWIVES	POUNDS 133,700 1,800	\$1,218 - 29	1,146,000 4,000	<u>VALUE</u> \$16,699 140	90UNDS 5,066,600 100 7,300	\$57,05	
LUEFISH	1,279,400	3,465 86,263	10,000 704,300 42,200 7,800	3,055 71,369 3,438 395	2,704,500 42,200 7,800	11,5 215,7 3,4	
OD	1,707,300 500 3,500	7B,586 16 43	590,700 4,700	60,121 - 155	1,600	3,377,2	
USK	1,500	146	600	- 26	3,620,200 2,100	132,8	
ELS: COMMON	16,100 4,600	2,369 118	20,500 6,000	3,637 200	118,900 16,300	21,30 55	
COUNDERS:  GRAY SOLE  LEMON SOLE  YELLOWTAIL  BLACKBACK.	9,500 66,300 1,138,200 1,301,900	820 7,827 109,475 68,683	6,200 40,000 550,200 3,909,200	545 5,000 60,060 201,894	8,157,100 4,739,300 27,216,800 20,443,100	545,2 675,1 2,595,7 1,866,2	
DAB. FLUKE. UNCLASSIFIED. RIGATE MACKEREL RAYFISH	5,700 469,600 3,200 43,100	75,158 75,158 367 1,888	22,400 371,700 4,300 5,300	769 70,401 143 - 153	3,654,300 2,628,000 8,000 44,400 625,200	188,99 483,43 5,99 5,7	
ADDOCK	69,600	3,407	12,100	1,000	133,764,600	9,170,9	
RED	520,700 39,800 100 4,256,700	10,642 1,645 27 70,707	1,158,800 7,300 2,668,600	32,015 450 54,000	41,666,100 14,213,000 472,200 168,413,200	392,44 531,95 105,98 2,676,54	
ING WHITING OR "KINGFISH"	400 86,000 1,500	43 6,797 45	1,000	100	87,000 15,100	6,89	
ACKEREL	502,600	41,504	92,200	11,257	17,916,100	1,275,B	

CATCH BY STATES, 1949 - Continued

SPECIES	RHODE	ISLAND	CONF	NECTICUT	T	DTAL
fish - CONTINUEO	POUNDS 38,100	<u>VALUE</u> \$457	POUNDS 27,100	VALUE \$247	POUNDS 12,566,000	\$134,700
MINNOWS. OCEAN PERCH (ROSEFISH)	:	-	100,000	6,914	100,000 236,986,700 5,200	6,914 9,819,266 71
OCEAN POUT	36,900	1,322	5,500	591	28,789,400	806,749 623
SCUP OR PORGY.	2,416,800 233,600	73,497 27,393	1,761,900 34,100	91,517 5,854	301,800	180,838 36,544
SEA TROUT OR WEAKFISH, GRAY.	8,500 15,700	151 2,243	34,100 119,500 3,000	465	128,000 19,300 489,900	1,946 2,767 74,297
SHAD	3,200 11,700	131 601	3,000 470,700 37,400 1,500	73,191	358,600	74,297 12,136 25
SILVERSIDES	400	- 6	128,100	1,890	1,500 153,800 162,000	2,585 40,134
SMELT	300 81,200	13 17,039	8,800	2,727	300 161,800	13 30,837
STURGEON	2,600	312	500 9,900	50 534	10,300	1,171
SUNFISH	1,900	221	4,700 9,300	94 265	11,200	94 486
SWORDFISH	66,700 27,300 32,700	32,420 1,152 2,038	24,200	1,557 2,209	101,000	339,735 6,225
TILEFISH			38,000	3,200	271,400	19,496
BONITO	17,900 5,200	1,928 596	35,400	3,730	2,673,900 5,200	196,457 596
TOTAL TUNA	23,100	2,524	200 35,600	3,751	200	197,074
WHITE PERCH	24,100 659,900	2,887 20,852	400 1,019,500	36 25,255	24,500	2,923 1,919,916
WOLFFISH	700	15	9,500	628	90,036,000 2,326,500 9,500	155,200 628
UNCLASSIFIED: FOR FOOD	15,200 11,609,900	304 84,379	547,500 4,433,800	25,320 90,000	7,167,000 28,442,800	146,759 290,684
TOTAL	26,999,500	841,331	20,219,700	935,657	931,433,600	38,577,019
SHELLFISH, ETC. CRABS:						
BLUE, HARD	108,000	3,250	3,400	692	3,400 2,607,800	692 121,922
TOTAL CRASS	108,000	3,250	3,400	692	2,611,200	122,614
LOBSTERS, NORTHERN	354,600	155,859	388,300	169,058	23,994,500 9,900	8,593,523 1,806
CLAMS: HARD, PUBLIC	2,135,100	469,343	13,300	5,897	4,403,500	1,111,211
HARD, PRIVATE OCEAN QUAHOG	62,800	5,232	-	-	132,000 62,800	1,111,211 48,575 5,232 8,750
RAZORSOFT, PUBLICSOFT, PRIVATE	634,400	147,138	13,300	4,093	73,700 10,194,200 800	1,949,578
SURF	7,300	1,824	-		17,900	4,441
CONCHS	2,839,600	623,537	26,600 41,500	9,990	14,884,900 41,500	3,128,156
MUSSELS, SEA	186,000	23,250	96,000	6,481	788,300	4,379 52,576
OYSTERS, MARKET: PUBLIC, SPRING	258,700	126,592 75,728 79,737	13,400 48,700 1,317,300	3,693 18,799	274,600 213,800	131,805
PUBLIC, FALL	152,100 161,100 107,900	79,737 53,605	1,317,300	357,895 611,734	1,524,900	100,277 465,267 775,267
TOTAL OYSTERS	679,800	335,662	3,085,600	992,121	4,003,900	1,472,636
PERIWINKLES AND COCKLES SCALLOPS:	88,000	14,600	-		139,800	19,646
SEA	303,000	185,490	24,100 2,100 307,300	13,735	1,310,000	922,520 5,168,047 124,769
SQUID	1,869,500	46,937	307,300	24,210	4,635,000	2,291
RISH MOSS		-	200	222	1,625,000 401,900 37,300	27,654 297,082
SANDWORMS	6,428,500	1,388,585	3,975,100	1,221,888	68,542,700	19,959,857
GRAND TOTAL	33,428,000	2,229,916	24, 194, 800	2, 157, 545	999,976,300	58,536,876

#### SUPPLEMENTARY REVIEW OF THE CATCH OF CERTAIN SHELLFISH, 1949

ITEM		MA	INE	NEW HAM	IPSHIRE	MASSA	CHUSETTS
CRABS, ROCK	NUMBER	QUANTITY 2,203,200	<u>VALUE</u> \$20,217	QUANTITY -	VALUE	QUANTITY 5,296,200	<u>VALUE</u> \$98,455
CLAMS: HARD, PUBLIC HARD, PRIVATE RAZOR SOFT, PUBLIC SOFT, PRIVATE	BUSHELS DO DO DO DO	53,618 - - 574,860	98,483 - 1,419,691	.400	\$1,890	151,391 12,000 2,303 70,585 62	537,488 48,575 8,750 376,766 369
SURF	00 00	25,753	15,345		Ξ	964 10,000	2,617 7,500
PUBLIĆ, SPRING PUBLIĆ, FALL	00 00 00 00 00	- - - - 572	- - - 3,186	-	- - -	384 2,000 7,154 27,154 2,306	1,520 5,750 27,655 109,928 1,860
SCALLOPS: BAY	D0 D0	- 84,833	- 179,845	-	-	167,150 2,244,817	723,295 4,987,202
ITEM		RHODE	ISLAND	CONNECTICUT		TOTAL	
		QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE
CRABS: BLUE, HARD	NUMBER DO	324,000	\$3,250	13,600	\$692 -	13,600 7,823,400	\$692 121,922
CLAMS: HARD, PUBLIC HARD, PRIVATE. OCEAN QUAHOG RAZOR.	BUSHELS DO DO DO	177,925 5,233	469,343 5,232	1,108 - - - - - 665	5,897 - - 4,093	384,042 12,000 5,233 2,303 678,230	1,111,211 48,575 5,232 8,750 1,949,578
SOFT, PUBLIC SOFT, PRIVATE. SURF CONCHS MUSSELS, SEA	00 00 00	31,720 - 608 - 15,500	147,138 - 1,824 - 23,250	2,075 9,600	4,379 6,481	1,572 2,075 60,853	369 4,441 4,379 52,576
OYSTERS, MARKET: PUBLIC, SPRING PUBLIC, FALL PRIVATE, SPRING PRIVATE, FALL PERIWINKLES AND COCKLES.	DO DO DO DO	36,957 21,729 23,014 15,414 4,889	126,592 75,728 79,737 53,605 14,600	1,740 6,325 171,078 221,584	3,693 18,799 357,895 611,734	39,081 30,054 201,246 264,152 7,767	131,805 100,277 465,287 775,267 19,646
SCALLOPS: BAY	DO DO	50,500	185,490	3,887 350	13,735 1,000	221,537 2,330,000	922,520 5,168,047

NOTE: -- BUSHELS REPRESENT U.S. STANDARD BUSHEL OF 2,150.4 CUBIC INCHES CAPACITY

#### AVERAGE WEIGHTS OF CERTAIN SHELLFISH, 1949

ITEM		MAINE	NEW HAMPSHIRE	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT
		QUANTITY	QUANTITY	QUANTITY	QUANTITY	QUANTITY
CRABS:					İ	
BLUE, HARD	NUMBER PER POUND	-	-	-	-	4.00
ROCK	DO	3,00	-	3.00	3.00	-
CLAMS:	LBS. MEATS PER	'	1		1	
HARD, PUBLIC	U,S. STANDARD BUSHEL	11.00	-	11.00	12.00	12.00
HARD, PRIVATE	DO	-	-	11.00	-	-
OCEAN QUAHOG	DO	-	-	-	12.00	-
RAZOR	DO	-	-	32.00	-	-
SOFT, PUBLIC	DO	15.00	15.00	13.00	20.00	20.00
SOFT, PRIVATE	DO	-	-	13.00	-	-
SURF	DO DO	-	-	11.00	12.00	-
CONCHS	00	-	-	-	-	20,00
MUSSELS, SEA	00	15.00	-	12.00	12.00	10.00
OYSTERS, MARKET:			l			•
PUBLIC, SPRING	DO DO	-	-	6.50	7.00	7.70
PUBLIC, FALL	DO	-	-	6.50	7.00	7.70
PRIVATE, SPRING	00	-	-	6.50	7.00	7.70
PRIVATE, FALL	OO	-	-	6.50	7.00	7.70
PERIWINKLES AND COCKLES	DO	18.00	-	18.00	18.00	-
SCALLOPS:						
BAY	D <b>O</b>	-	-	5.88	6.00	6.20
SEA	00	6.00		6.00	-	6.00

NOTE: -- BUSHELS REPRESENT U.S. STANDARD BUSHEL OF 2,150.4 CUBIC INCHES CAPACITY.

## MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1/

YABUPTACTURING ESTABLISHMENTS:   YALUE   QUANTITY   YALUE   SALTED, ROUND.   1940   POUNDS   839,400   \$13,539   60,000   \$32   \$32   \$32   \$32   \$33,539   \$33,730	ITEM			,	AAINE	ISLAND,	MASSACHUSETTS, RHODE ISLAND, CONNECTICUT AND NEW HAMPSMIRE	
MANUFACTURING ESTABLISHMENTS:		YEAR	UNIT	CHANTITY	VALUE		VALUE	
ALEUVES: SALTEC, ROUND. SALONED, MOLE ARD FILLETS. 1940 1940 1940 1940 1940 1940 1940 1940	DV MANUFACTURING FRIARI IRUMENTO.	TE AIT	<u> </u>	4000000		44		
SALTEG, ROUND.   1940   POUNDS   239, 400   \$13,539   60,000   \$300   \$00,000   \$16,500   \$16,								
SMOKED, WHOLE AND FILLETS. 1940 DO 16,500 515 3,750 CARP, SMOKED. 1940 DO 1,750 CARP, SMOKED. 1940 DO 226,445 42,200 3,656,543 922 FROZEN FILLETS. 1949 DO 226,445 42,200 3,656,543 922 FROZEN FILLETS. 1949 DO 335,578 75,750 4,901,683 1,101 CARP, SMOKED. 1940 DO 12,615 595 111,600 5 CARP, SMOKED. 1940 DO 12,615 595 111,600 5 CARP, SMOKED. 1940 DO 374,800 75,575 44,901,683 1,101 CARP, SMOKED. 1940 DO 33,480 75,755 44,901,683 1,101 CARP, SMOKED. 1940 DO 35,000 75,500 144,374 CARP, SMOKED. 1940 DO 35,000 75,500 144,374 CARP, SMOKED. 1940 DO 50,000 75,500 144,374 CARP, SMOKED. 1940 DO 50,000 75,500 144,374 CARP, SMOKED. 1940 DO 50,000 75,500 157,700 30,000 CARP, SMOKED. 1940 DO 50,000 157,700 30,000 CARP, SMOKED. 1940 DO 50,000 157,700 30,000 CARP, SMOKED. 1940 DO 50,000 67,40 CARP, SMOKED. 1940 DO 50,000 67,40 CARP, SMOKED. 1940 DO 60,000 67,500 CARP, SMOKED. 1940 DO 60,000		1940	POUNDS	930 400	\$13,539	60,000	\$2,400	
BUTTERFISH, SMOKED. 1940 DO 3,750 1,250 1,250 200 2,050 200 1,250 3,000 2 1,250 200 2,000 2,	SMOKEO, WHOLE AND FILLETS	1940		18,500	515	300	37	
CARR, SMOKEO. 1940 DO - 1, 1,250 I,250 CHURS, SMOKEO. 1940 DO 1, 1,250 I,250 CHURS, SMOKEO. 1940 DO 1, 1,250 I,200 CHURS, SMOKEO. 1940 DO 1, 1,250 I,200 CHURS, SMOKEO. 1940 DO 226,445 42,200 3,656,543 922 FROZEN FILLETS. 1949 DO 335,579 75,750 4,901,683 9,101 SMATTER. 1949 DO 374,802 T5,655 43,902 GMEEN 2/ 1940 DO 374,802 T5,655 543 922 GMEEN 2/ 1940 DO 374,802 T5,655 543 922 GMEEN 2/ 1940 DO 73,505 64,304 6,861,715 1,000 GMEEN 3,400 CHURS, 1940 DO 73,505 64,304 6,861,715 1,000 GMEEN 3/ 1940 DO 73,505 64,304 4,372 418,100 46 GMEEN 2/ 1940 DO 73,505 04,372 418,100 46 GMEEN 3/ 1940 DO 74,505 04,372 418,100 46 GMEEN 3/ 1940 DO 74,505 04,50	BUTTERFISH, SMOKED		DO	-	-	3,750	613	
CHURES, SMOKED. 1940 DO 10,000 12,000 13	CARP, SMOKEO	1940	00	-	-	1.250	375	
COD: FRESH FILLETS. 1949 DO 226,445 75,750 336,56,943 1,101 SALTEED: SALTEED: SALTEED: SOURCE:	CHUBS, SMOKED			-	-	10,000	3,500	
FRESH FILLETS. 1949 DO 226,445 42,200 3,555,943 7,205,770 5,100,100,100 1,000		1940	DO	-	-	50,000	13,500	
FROZEN FILLETS. 1940 DO 335,578 75,750 4,901,683 1,101  SALTEED: GREEN 2' 1940 DO 12,615 995 111,600  SHORECS: HOWELESS AND ABSOLUTELY BONELESS AND ABSOLUTELY BONELESS AND ABSOLUTELY BONELESS AND ABSOLUTELY BONELESS. 1940 DO 73,500 3,140 FILLETS. 1940 DO 33,480 4,372 416,100 BONELESS. 1940 DO 00 33,480 4,372 416,100 BONELESS. 1940 DO 00 50,000 7,500 144,374 278  CUSK: FRESH FILLETS. 1949 GALLONS 86,025 136,500 144,374 278  CUSK: FROZEN FILLETS. 1949 POUNDS 164,999 38,820 323,989 772 FROZEN FILLETS. 1940 DO 5,800 157 - 15,700 175,200 175							000 051	
SALTEC:	FRESH FILLETS			226,445	42,200		922,951	
GREEN 2/ 1940 DO 174,002 15,665 111,600 5		1949	no	335,578	/5,/50	4,901,683	1,101,836	
DRY. 1940 DO 12,615 595 111,600 500 500 500 500 12,750 31,400 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500,600 71,500 500 500,600 71,500 500 500 500 500 500 500 500 500 500		1040	00	374 802	15 695	_	_	
BONELESS NO ABSOLUTELY BONELESS 1940 DC 43,556 4,304 6,861,715 1,000 SMOKED: MOILE 1940 DD 73,500 3,140 418,100 46 FILLETS 1940 DD 33,480 4,372 160 FILLETS 1940 DD 33,480 4,372 160 FILLETS 1940 DD 33,480 4,372 160 FILLETS 1949 GALLONS 86,025 136,580 144,374 278 CUSK: FRESH FILLETS 1949 POUNDS 164,999 38,820 323,999 77 FROZEN FILLETS 1940 DD 5,800 157 - DRY. 1940 DD 9,115 455 15,700 3 SMOKED: MOILES 1940 DD 5,800 157 - BONELESS 1940 DD 5,800 20 1,600 160 WHOLE 1940 DD 5,800 20 1,600 170 FILLETS 1940 DD 8,740 874 333,859 31 FRESH FILLETS 1940 DD 102,073 30,585 9,300,824 7,283,259 2,1555 FRESH FILLETS 1940 DD 11,444 343 7,283,259 2,1555 FRESH FILLETS 1940 DD 11,444 343 7,283,259 2,1555 FRESH FILLETS 1940 DD 180,000 49,250 17,553,771 5,197 FROZEN FILLETS 1940 DD 2,000 100 HADDOCK: 1940 DD 180,000 49,250 17,553,771 5,197 FRESH FILLETS 1940 DD 2,000 100 HADDOCK: 1940 DD 2,000 100 HADDOCK: 1940 DD 2,000 100 FRESH FILLETS 1940 DD 3,000 100 FRESH FILLET	ORY 2			12 615	505	111.600	5,997	
BONELESS   1940   DC	BONFLESS AND ABSOLUTELY	1940	1 20	12,015	3,33	1 ,,	3,33.	
SMOKEC:  MOLE. 1940 DO 73,500 3,140 FILLETS. 1940 DO 33,480 4,372 418,100 46 BONELESS. 1940 DO 33,480 4,372 418,100 46 BONELESS. 1940 DO 33,480 4,372 418,100 46 BONELESS. 1940 DO 150,000 7,500 OIL, LIVER 1949 DALLONS 86,025 136,580 144,374 278 CUSK: FREST FILLETS. 1949 POUNDS 164,999 38,820 323,999 76 BONELESS. 1940 DO 5,800 157 - DO 125,280 155,280 125,280 CREEN Z/ 1940 DO 9,115 455 - DO 20 155,000 157 - DO 20 155,000 157 - DO 3,000 157 - DO 3,000 157 - DO 3,000 157 - DO 1,600 150 DO 1,600 SHOKEDS. 1940 DO 9,115 455 - DO 1,600 SHOKED. 1940 DO 9,115 455 - DO 1,600 SHOKED. 1940 DO 9,115 455 - DO 1,600 SHOKED. 1940 DO 102,073 30,585 9,300,824 3,151 EELS, SMOKED. 1940 DO 102,073 30,585 9,300,824 7,283,285 2,155 FRESH FILLETS. 1940 DO 11,444 343 7,283,285 2,155 FRESH FILLETS. 1940 DO 12,418 219,589 SALTED: GREEN Z/ 1940 DO 12,615 595 100 DO		1940	90	43,556	4.304	6.861.715	1,006,386	
FILLETS. 1940 DO 33,480 4,372 418,100 44 BONELESS 1940 DO 50,000 7,500 12,500 126,500 14-374 276 CUSK:  FRESH FILLETS. 1949 POUNDS 164,999 38,820 323,999 76 FROZEN FILLETS 1940 DO 5 S,800 157 - 15,700 BONELESS 1940 DO - 15,800 157 - 15,700 BONELESS 1940 DO - 15,800 157 - 15,700 BONELESS 1940 DO - 15,800 157 - 15,700 BONELESS 1940 DO - 16,800 BONELESS 1940 DO 102,073 30,585 9,300,824 7,283,259 2,158 SMOKED 1940 DO 11,444 343 7,283,259 2,158 SMOKED 1940 DO 11,444 BONELETS 1940 DO 12,615 DO 10,600 BONELESS AND ABSOLUTELY BONELESS MAD ABSOLUTELY BONELESS 1940 DO 52,400 5,963 375,311 MOLE. 1940 DO 52				','	1	1 ' '		
BONELESS 1949 DO 50,000 7,500 144,374 278  CUSK: FRESH FILLETS 1949 POUNDS 164,999 38,820 323,989 76  FROZEN FILLETS 1949 DO 5,800 157 - 125,280 24  SALTED: GREEN 2 1940 DO 5,800 157 - 15,700 33  BONELESS 1940 DO 5,800 157 - 15,700 33  BONELESS 1940 DO 5,800 157 - 15,700 33  BONELESS 1940 DO 5,800 157 - 15,700 33  BONELESS 1940 DO 5,800 20 - 15,700 33  BONELESS 1940 DO 5,800 20 - 15,700 33  BONELESS 1940 DO 5,800 20 - 15,800 20 - 15,800 20 20 20 - 15,800 20 20 20 - 15,800 20 20 20 - 15,800 20 20 20 - 15,800 20 20 20 - 15,800 20 20 20 - 15,800 20 20 20 20 20 20 20 20 20 20 20 20 2		1940	00	73,500		-	-	
OIL, LIVER . 1949 GALLONS 86,025 136,580 144,374 276 CUSK: FRESH FILLETS . 1949 DO	FILLETS			33,480	4,372	418,100	46,484	
FRESH FILLETS. 1949 POUNDS 164,999 38,820 323,989 776 776 776 776 776 776 776 776 776 77	BONELESS			50,000	7,500			
FRESH FILLETS. 1949 DO	OIL, LIVER	1949	GALLONS	86,025	136,580	144,374	278,848	
FROZEN FILLETS. 1940 DO 5,800 15,700 3 GREEN 2 1940 DO 5,800 15,700 15,700 3 MMOLE. 1940 DO 9,115 455 - MMOLE. 1940 DO - 15,700 3 MMOLE. 1940 DO - 15,700 3 MMOLE. 1940 DO - 15,700 3 MMOLE. 1940 DO - 15,700 20 7 MMOLE. 1940 DO - 15,700 20 7 MMOLE. 1940 DO - 17,740 39,859 31 FILLETS. 1940 DO 102,073 30,585 9,300,824 7,283,259 2,155 MMOLE 1940 DO 11,444 343 7,283,259 2,155 MMOLE 1940 DO 11,444 343 7,283,259 2,155 MMOLE 1940 DO 14,446 249 20 11,7553,771 5,197 FROZEN FILLETS. 1949 DO 180,000 49,250 17,553,771 5,197 FROZEN FILLETS. 1949 DO 180,000 49,250 17,553,771 5,197 FROZEN FILLETS. 1940 DO 2,000 100 PO 10	CUSK:		1		20,000	222 222	76.054	
SALTED: GREEN 2/ 1940 00 5,800 157 - DRY. 1940 00 9,115 455 - BONCLESS 1940 00 - BONCLESS 1940 00 - BONCLESS 1940 00 - BONCLESS 1940 00 - HOLE. 1940 00 500 20 - HOLE. 1940 00 8,740 874 393,859 31 11,144 343 7,283,259 1,800 11,444 343 7,283,259 1,800 11,444 343 7,283,259 1,800 11,444 343 7,283,259 2,158 300,665 11,800 11,444 343 7,283,259 2,158 300,665 11,800 11,444 343 7,283,259 1,800 11,444 343 7,283,259 2,158 300,665 11,800 11,444 343 7,283,259 1,800 11,444 343 7,283,259 2,158 300,665 11,800	FROM FILLEIS			164,999	38,820		76,854 24,960	
GREEN 2/ 1940 DO 5,800 157 - 155,700 BONELESS 1940 DO 15,700 SANEED: 1940 DO 15,700 SANEED: 1940 DO 15,700 SANEED: 1940 DO 15,700 SANEED: 1940 DO 15,700 SANEED: 1940 DO 15,700 SANEED: 1940 DO 15,700 SANEED: 1940 DO 2,000 SANEED: 1940 DO	SALTED:	1949	DO .	-	1 -	125,200	24,900	
DRY. 1940 DO 9,115 455 15,700 BONELESS 1940 DO 1,600 SHOKED: 1940 DO 1,600 SHOKED: 1940 DO 1,600 SHOKED: 1940 DO 8,740 874 393,859 SHOKED: 1940 DO 102,073 30,555 9,300,824 3,151 SHOKED 1940 DO 11,444 343 7,283,259 2,158 SHOKED 1940 DO 11,444 343 7,283,259 2,158 SHOKED 1940 DO 11,444 343 7,283,259 2,158 SHOKED 1940 DO 11,444 343 7,283,259 2,158 SHOKED 1940 DO 12,615 595 DO 621,418 219,589 21,376,193 5,663 SHOKED 1940 DO 2,000 DO 7 SHOKED 1940 DO 12,615 595 DO 621,418 219,589 21,376,193 5,663 SHOKED 1940 DO 2,000 DO 7 SHOKED 1940 DO 12,615 595 DO 60,900 SHOKED 1940 DO 100,645 14,041 859,700		1040	00	5,800	157	1 -	-	
MOLE. 1940 00 - 15,700 1,600 30	DRY					-	-	
BONELESS . 1940 DO - 1,600 SONO BOOK	WHOLE		DO			15,700	3,467	
SMOKED: MODELS: MONED:	BDNELESS			i -	-	1,600	276	
FILLETS. 1940 DO 8,740 874 393,859 2,000 FLOUNDERS: 1940 DO 102,073 30,585 9,300,824 7,283,259 1,868 FILLETS. 1949 DO 114,444 343 343 7,283,259 1,868 FROZEN FILLETS. 1949 DO 114,444 343 343 7,283,259 1,868 FROZEN FILLETS. 1949 DO 180,000 49,250 17,553,771 5,197 FROZEN FILLETS. 1949 DO 821,418 219,599 21,376,193 5,683 SALTED: 1940 DO 2,000 100 GREEN 2/ 1940 DO 12,615 595 100 MOLE. 1940 DO 100,645 14,611 522,730 166 MOLE. 1940 DO 100,645 14,041 522,730 166 MOLE. 1940 DO 100,645 14,041 1522,730 166	SMOKED:		i		1			
EELS, SMOKED . 1940 DO 2,000 PTOUNDERS . 1949 DO 102,073 30,585 7,283,259 9,300,824 7,283,259 SMOKED . 1940 DO 4 1,600 PTOUNDERS . 1949 DO 111,444 343 7,283,259 SMOKED . 1940 DO 4 1,600 PTOUNDERS . 1949 DO 180,000 49,250 17,553,771 5,197 FROZEN FILLETS . 1949 DO 821,418 219,589 121,376,193 SALTED:	WHOLE					-		
FLUNDERS: 1949 DO 102,073 30,585 9,300,824 7,283,259 2,158 500KEC 1940 DO 11,444 343 7,283,259 1,600 1	FILLEIS			8,740	8/4	393,859	31,263 300	
FRESH FILLETS . 1949 DO 102,073 30,565 9,300,824 3,155 5,683 5,000,624 7,283,259 SMOKED . 1940 DO 111,444 29,250 17,553,771 5,175 5,683 5,217 5,275 5,683 5,275 5,683 5,275 5,275 5,683 5,275 5,		1940	1 00	_	_	2,000	300	
FROZEN FILLETS 1949 DO 11,444 343 7,283,259 1,800 PhoDOCK: FRESH FILLETS 1949 DO 180,000 49,250 17,553,771 5,197 FROZEN FILLETS 1949 DO 621,418 219,599 17,553,771 5,197 FROZEN FILLETS 1940 DO 2,000 100 DO 12,615 595 100 PhOLESS AND ABSOLUTELY BONELESS NO ABSOLUTELY BONELESS NO ABSOLUTELY BONELESS 1940 DO 52,400 5,963 375,311 PhoLE 11,500 Pho	FRESH FILLETS	1040	00	102 073	30 585	9.300.824	3, 151,479	
SMOKED	FROZEN FILLETS			11.444	343	7,283,259	2,158,923	
### HADOCK:   FRESH FILLETS.   1949   D0   180,000   49,250   17,553,771   5,197   FROZEN FILLETS.   1949   D0   821,418   219,599   17,553,771   5,197   5,683   17,573   5,683   17,573   5,683   17,573   5,683   17,573   1,376,193   17,573   1,376,193   17,573   1,376,193   17,573   1,376,193   17,573   1,376,193   17,573   1,376,193   17,573   1,376,193   17,573   1,376,193   100				1		1,800	290	
FROZEN FILLETS . 1949 DO 821,418 219,589 21,376,193 5,683 SALTED: GREEN 2/ 1940 DO 2,000 100 WHOLE . 1940 DO 12,615 595 100 BONELESS AND ABSOLUTELY BONELESS . 1940 DO 52,400 5,963 375,311 MOLE . 1940 DO 60,900 FILLETS . 1940 DO 102,925 110 HAKE: FRESH FILLETS . 1940 DO 95,000 24,500 616,913 115 FROZEN FILLETS . 1949 DO 95,000 24,500 616,913 115 FROZEN FILLETS . 1940 DO 90,015 30,271 GREEN 2/ 1940 DO 91,115 455 384,050 100 BONELESS AND ABSOLUTELY BONE				i	1	] ,,,,,,,,,,		
SALTED: GREEN 2'. 1940 DO 2,000 100 - DRY. 1940 DO 12,615 595 100 BONELESS AND ABSOLUTELY BONELESS. 1940 DO 60,900 6 SMOKED: 1940 DO 60,900 6 SMOKED: 1940 DO 122,925 18 FIRSH FILLETS. 1940 DO 122,925 18 FRESH FILLETS. 1949 DO 95,000 24,500 616,913 115 FRESH FILLETS. 1949 DO 36,900 4,461 522,730 65 SALTED: GREEN 2'. 1940 DO 90,015 30,271 - 60,000 616,913 115 GREEN 2'. 1940 DO 90,015 30,271 - 60,000 616,913 65 SALTED: GREEN 2'. 1940 DO 90,015 30,271 - 60,000 616,913 65 SALTED: GREEN 2'. 1940 DO 90,015 30,271 - 60,000 616,913 65 SALTED: GREEN 2'. 1940 DO 90,015 30,271 - 60,000 616,913 65 SALTED: GREEN 2'. 1940 DO 90,015 30,271 - 60,000 616,913 65 SALTED: 1940 DO 90,105 30,771 - 70,000 64 BONELESS AND ABSOLUTELY BONELESS AND ABSOLUTELY BONELESS AND ABSOLUTELY BONELESS 1940 DO 39,400 1,227 1,500 66 SMOKED FILLETS 1940 DO 39,400 1,227 1,500 66 SMOKED: 1940 DO 39,400 1,227 1,500 66 SALTED: BRINE 1940 DO 365,200 111,714 36,500 3 SALTED: BRINE 1940 DO 1,245,425 45,549 650,000 45 SMOKED: BLOATERS:			00	180,000	49,250	17,553,771	5, 197, 718	
GREEN 2/ 1940 DO 2,000 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1949	D0	821,418	219,589	21,376,193	5,683,016	
DRY. 1940 DO 12,615 595 100 BONELESS AND ABSOLUTELY BONELESS. 1940 DO 60,900 SMOKEO: 1940 DO 60,900 SMOKEO: 1940 DO 60,900 SMOKEO: 1940 DO 122,925 110 FILLETS. 1940 DO 122,925 110 FRESH FILLETS. 1949 DO 95,000 24,500 616,913 115 FRESH FILLETS. 1949 DO 36,900 4,461 522,730 65 SALTED: GREEN Z 1940 DO 90,2015 30,271 - 50 DRY. 1940 DO 90,2015 30,271 - 50 DRY. 1940 DO 90,2015 30,271 - 50 WHOLE. 1940 DO 90,2015 30,271 - 50 WHOLE. 1940 DO 91,15 30,271 - 50 WHOLE. 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 91,15 30,271 - 50 WHOLE 1940 DO 90,445 14,041 859,700 66 WHORE 1940 DO 90,445 14,041 859,700 66 WHOLE 1940 DO 90,445 14,			i					
WHOLE:	GREEN 2/						- 7	
BONELESS AND ABSOLUTELY BONELESS . 1940 DO 60,900 6 SMOKEO: 1940 DO 52,400 5,963 375,311 WHOLE. 1940 DO 122,925 1E FIRSH FILLETS. 1940 DO 122,925 1E FRESH FILLETS. 1949 DO 95,000 24,500 616,913 115 FROZEN FILLETS. 1949 DO 36,900 4,461 522,730 65 SALTED: GREEN 2/ 1940 DO 902,015 30,271 - 500 DRY. 1940 DO 915 30,271 - 500 DRY. 1940 DO 915 30,271 - 500 WHOLE. 1940 DO 915 30,271 - 500 WHOLE 1940 DO 100,645 14,041 859,700 660 SMOKED FILLETS 1940 DO 39,400 1,227 1,500 HALIBUT, SMOKED. 1940 DO 39	MIT			12,615	595		28	
BONELESS . 1940 DO 60,900 66 SMOKEC: FINNAN HADDE 1940 DO 52,400 5,963 375,311 WHOLE . 1940 DO 122,925 18 HAKE: FRESH FILLETS . 1940 DO 95,000 24,500 616,913 FROZEN FILLETS . 1949 DO 36,900 4,461 522,730 SALTED: GREEN 2/ 1940 DO 902,015 30,271 DRY . 1940 DO 9115 455 384,050 WHOLE . 1940 DO 9,115 455 384,050 WHOLE . 1940 DO 9,115 455 384,050 WHOLE . 1940 DO 100,645 14,041 859,700 BONELESS . 1940 DO 100,645 14,041 859,700 SMOKED FILLETS . 1940 DO 39,400 1,227 - 1,500 HERRING, SEA: . 1940 DO 39,400 1,227 - 1,500 HERRING, SEA: . 1940 DO 39,400 1,227 - 1,500 HERRING, SEA: . 1940 DO 39,400 1,227 - 1,500 HERRING, SEA: . 1940 DO 39,400 1,227 - 1,500 HERRING, SEA: . 1940 DO 39,400 1,227 - 1,500 HERRING, SEA: . 1940 DO 39,400 1,227 - 1,500 HERRING, SEA: . 1940 DO 39,400 1,227 - 1,500 HERRING, SEA: . 1940 DO 39,400 1,227 - 1,500 HERRING, SEA: . 1940 DO 365,200 11,714 36,500 39 SALTED: BRINE . 1940 DO 1,245,425 45,549 650,000 45 SMOKED: BLOATERS:	BONELESS AND ARSOLUTELY	1940	1 100	_	1 -	500	20	
SMOKED: FINNAN HADDIE. 1940 DD 52,400 F,963 F,100 FILLETS. 1940 DD 122,925 FRESH FILLETS. 1949 DD 36,900 FRESH FILLETS. 1949 DD 36,900 FRESH FILLETS. 1940 DD 36,900 FRESH FILLETS. 1940 DD 36,900 FRESH FILLETS. 1940 DD 105,000 FRESH FILLETS. 1940 DD 105,000 FRESH FILLETS. 1940 DD 106,045 FRESH FILLETS. 1940 DD 107,045 FRESH FILLETS. 1940 DD 107,045 FRESH FILLETS. 1940 DD 108,045 FRESH FILLETS. 194		1940	00	_	1 -	60,900	6,413	
MHOLE 1940 DO	SMOKEO:	.,,,,	1			,	-,	
MMOLE. 1940 DO - 500 122,925 18  HAKE: 1949 DO 95,000 24,500 616,913 115  FRESH FILLETS. 1949 DO 36,900 4,461 522,730 65  SALTED: 0 0 0 902,015 30,271 65  GREEN 2 1940 DO 902,015 30,271 65  GREEN 2 1940 DO 9,115 30,271 455 384,050 110,500 40  WMOLE. 1940 DO 9,115 30,271 455 110,500 40  WMOLE 1940 DO 9,115 30,271 455 110,500 40  WMOLE 1940 DO 100,645 14,041 859,700 66  SHOKED FILLETS 1940 DO 39,405 1,227 1,500  HALIBUT, SHOKED. 1940 DO 39,405 1,227 1,500  HALIBUT, SHOKED. 1940 DO 39,405 1,227 1,500  HALIBUT, SHOKED. 1940 DO 39,405 1,227 1,500  HALIBUT, SHOKED. 1940 DO 39,405 1,227 1,500  HALIBUT, SHOKED. 1940 DO 39,405 1,227 1,500  HALIBUT, SHOKED. 1940 DO 39,405 1,227 1,500  HALIBUT, SHOKED. 1940 DO 39,405 1,227 1,500  HALIBUT, SHOKED. 1940 DO 39,405 1,227 1,500  HALIBUT, SHOKED. 1940 DO 1,245,425 45,549 650,000 45  SALTED: BRINE. 1940 DO 1,245,425 45,549 650,000 45  SHOKED: BLOATERS:	FINNAN HADDIE	1940	D0	52,400	5,963	375,311	40,329	
HAKE: FRESH FILLETS. 1949 DO 95,000 24,500 616,913 115 FROZEN FILLETS. 1949 DO 36,900 4,461 522,730 65 SALTED: GREEN 2 1940 DO 902,015 30,271 - DRY. 1940 DO 9,115 30,271 - SOURCES AND ABSOLUTELY BONELESS AND ABSOLUTELY BONELESS 1940 DO 100,645 14,041 859,700 66 SANCED FILLETS 1940 DO 39,400 1,227 1,500 HALIBUT, SHOKED 1940 DO 39,400 1,227 1,500 HALIBUT, SHOKED 1940 DO 39,400 1,227 1,500 HALIBUT, SHOKED 1940 DO 39,400 1,227 1,500 BERING SEA: 1940 DO 39,400 1,227 1,500 BRING SALTED: BRING 1940 DO 365,200 11,714 36,500 3 SHOKED 1940 DO 1,245,425 45,549 650,000 45 SHOKED BLOATERS:	WHOLE			-	-		68	
FRESH FILLETS		1940	00	-	-	122,925	18,233	
FNOZEN FILLETS . 1949 DO 36,900 4,461 522,730 65 SALTEEL:  GREEN 2/ . 1940 DO 902,015 30,271 - 5 DRY 1940 DO 9,115 455 384,050 110,500 40 WHOLE 1940 DO - 5 110,500 40 BONELESS . 1940 DO 100,645 14,041 859,700 66 SMOKED FILLETS . 1940 DO 39,400 1,227 - 1,500 HALIBUT, SHOKED . 1940 DO - 1,227 - 1,500 HERRING, SEA:	HAKE:		1		24 500		115 075	
SALTED:  GREEN 2/	FROZEN FILLETS			95,000		610,913	115,975	
DRY. 1940 DO 9,115 455 384,050 110,500 1 80NELESS AND ABSOLUTELY BONELESS . 1940 DO 39,400 11,227 39NOKED FILLETS . 1940 DO 39,400 1,227 1,500 HALIBUT, SMOKED . 1940 DO 39,400 1,227 1,500 HERRING, SEAT 1940 DO 39,400 1,227 1,500 HERRING, SEAT 1940 DO 39,400 1,227 1,500 96,706 331 SALTED:  BRINE	SALTED:	1949	"	30,900	7,401	322,730	09,970	
DRY. 1940 DO 9,115 455 384,050 110,500 Report No. 1940 DO 9,115 455 384,050 110,500 Report No. 1940 DO 100,645 14,041 859,700 Report No. 1940 DO 39,400 1,227 1,500 Report No. 1940 DO 39,400 1,227 1,500 Report No. 1940 DO 39,400 Report No. 1,227 1,500 Report No. 1940 DO 39,400 Report No. 1,227 1,500 Report No. 1940 DO 1,245,425 Report No. 1940 POUNDS 385,200 11,714 36,500 Report No. 1940 DO 1,245,425 45,549 650,000 Report No. 1940 BLOATERS:	GREEN 2/	1940	l po	902.015	30.271		-	
BONELESS AND ABSOLUTELY BONELESS AND ABSOLUTELY BONELESS . 1940 D0 100,645 14,041 859,700 66 SHOKED FILLETS . 1940 D0 39,400 1,227 1,500 HERRING, SEA: . 1940 D0 . 1,227 1,500 HERRING, SEA: . 1940 D0 . 1,227 2,506 96,706 331 SALTED: BRINE 1940 POUNDS 385,200 11,714 36,500 3 SMOKED: BLOATERS:	DRY		l 50	9,115	455	384.050	10,933	
BONELESS	WHOLE	1940	00	-	-	110,500	4,044	
SMOKED FILLETS				l			1	
1,500   1,50	BONELESS			100,645	14,041	859,700	66,677	
HERRING, SEA:	SMOKED FILLETS			39,400	1,227			
CANNED, SARDINES	HERRING. SEAT.	1940	1 00	-	-	1,500	468	
SALTED: BRINE		1040	074ND400 C40F0	2 077 817	20 720 506	96 706	331,169	
PICKLED IN VINEGAR 1940 DO 1,245,425 45,549 650,000 45 8HOKED: BLOATERS:		1949	STANDARD GASES	2,9//,01/	20,720,500	30,700	331,109	
SMOKED: BLOATERS:	BRINE	1940	POUNDS	385,200	11.714	36,500	3,710	
SMOKED: BLOATERS:							45,250	
				1				
HAND 1040   DO   03.942   4.703   30.200	BLOATERS:							
SCFT	MARU	1940	00	93,942	4,703	39,200	824	
	UNDIE			8,066		-	_	
				4,500	125		-	
				60.517	2 000	424,000	40,138	
				160 100	3,802	2 121	313	
MEDIUM STALE				109, 199	210 540	2, 121	- 313	
MEAL	MEAL			3 040	463.737	-	-	
01L	014			122,448	61,574	-	-	
SEE FOOTNOTES AT END OF TABLE (CONTINUED ON NEXT PAGE)		15-15	•		1	1	l	

### MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1/- CONTINUED

CANNED 1949 STANDARD CASES 19,021 \$127,420 95,142 815,625 SALTED:     DRY FILLETS. 1940	ITEM		MAIA	NE	MASSACHUSETTS, RHODE ISLAND, CONNECTICUT AND NEW HAMPSHIRE		
FRESH FILLETS. 1949 CANNED. 1949 STANDARD CASES 19,021 \$127,420 95,1457 SALTED. 1940 STALTED. 1940 STALTED. 1940 STALTED. 1940 SPILIT. 1940 DD		YEAR	UNIT	QUANTITY	VALUE	QUANTITY	VALUE
DRY FILLETS. 1940 DD 4,660,000 108,300 1	FRESH FILLETS	1949	DO	- 19,021	- - \$127,420	549,457	141,166
MODE. 1940 DO 749,400 61,666 FILLETS. 1940 DO 667,400 71,335 SMOKED FILLETS. 1940 DO 667,400 3,960 CEAN PERCH (ROSEFISH): FRESH FILLETS. 1949 DO 15,825,004 3,222,757 56,728,393 11,972,901 PRICEN FILLETS. 1949 DO 759,947 91,736 5,626,526 751,959 FROZEN FILLETS. 1949 DO 92,115 455 248,620 11,293 MHOLE. 1940 DO 9,115 455 248,620 11,293 SMOKED. 1940 DO 40,000 960 321 SMOKED. 1940 DO 40,000 960 321 SMOKED. 1940 DO 75,900 26,588 SMOKED. 1940 DO 75,900 26,588 SMOKED. 1940 DO 2,000 340 SMOKED. 1940 DO 2,500 2,000 MHITERISH. 1940 DO 2,500 18,131 SMITING: FRESH AND FROZEN FILLETS. 1949 DO 37,430 4,831 1,133,583 201,606 FRESH AND FROZEN FILLETS. 1949 DO 52,266 MOLEFISHS! 1949 DO 52,266 MOLEF	DRY FILLETS			-	-		108,300 27,369
FRESH FILLETS. 1949 DO 3,3,020 604 33,021 55,728,393 11,972,961 POLLOCK: FRESH FILLETS. 1949 DO 7507,036 76,135 5,728,393 11,972,961 FRESH FILLETS. 1949 DO 759,947 51,758 5,728,393 11,7972,961 POLLOCK: FRESH FILLETS. 1949 DO 759,947 51,758 5,628,526 751,959 SALTED: GREEN 2/ 1940 DO 184,772 5,665 751,959 248,620 11,203 321 MWOLE. 1940 DO 40,000 960 11,203 321 MWOLE. 1940 DO 40,000 960 11,203 321 MWOLE. 1940 DO 750,000 960 11,203 321 MWOLE. 1940 DO 750,000 960 11,203 321 MWOLE. 1940 DO 750,000 960 11,10	WHOLE	1940	DD	-	-	657,400	61,666 71,335 3,960
FRESH FILLETS . 1949 DO 507,036 76,135 5,2197,387 751,959 SALTED:  GREEN Z . 1940 DO 184,772 5,665 9,528,526 751,959 SALTED:  GREEN Z . 1940 DO 184,772 5,665 248,620 11,293 SALMON:  SMOKED . 1940 DO 40,000 960 4,600 321 331,000 500 500 500 500 500 500 500 500 500	FRESH FILLETS			3,020 15,825,084			
GREEN 2 . 1940 DO 184,772 5,665	FRESH FILLETS			507,036 759,947	76,135 91,758		345,743 751,959
## WHOLE	GREEN 2/	1940 1940	DD DD	9,115	455	248,620 4,600	
FRESH AND FROZEN FILLETS 1949 DO 37,430 4,831 1,133,583 201,606 FRESH AND FROZEN SPLIT 1949 DO 3,028,502 479,167 FRESH AND FROZEN FILLETS 1949 DO 52,266 16,006 FROZEN FILLETS 1949 DO 52,266 16,006 FROZEN FILLETS 1949 DO 52,666 16,006 FROZEN FILLETS 1949 DO 52,606 16,006 3,663 307; ST. 1949 DO 29,100 29,420 373,642 581,694 CANNED: CANNED: CHOMBER, JUICE BROTH, AND MINCED 1949 DO 169,389 993,469 (3) (3) CANNED: CHOMBER, JUICE BROTH, AND DO 169,389 993,469 (3) (3) (3) FRESH-COOKED 1940 DO 16,300 19,300 261,200 295,882 COOKED 1940 DO 16,300 19,300 261,200 295,882 COOKED 1940 DO 17,650 17,	WHOLE	1940 1940 1940	DO DO DO	- - - -	-	2,000 400 2,500	500 94 2,000
"BUTTERFLY" . 1949 DO	FRESH AND FROZEN FILLETS	1949	DO	37,430	4,831	1,133,583	201,606
FROZEN FILLETS . 1949 DO - 258,383 75,952 CLAMS: HARD, FRESH-SHUCKED . 1940 DO 29,100 29,420 373,642 581,694 CANNED: WHOLE AND MINCED 1949 STANDARD CASES 155,129 1,469,711	"BUTTERFLY" WOLFFISH:			-	-	' '	
MARD, FRESH-SHUCKED	FRDZEN FILLETS			Ξ	=		75,952
CANNED: WHOLE AND MINCED . 1949 CHOWER, JUICE BROTH, AND NECTAR 1949 CRABS, ROCK, MEAT, PACKAGED, FRESH-COOKED 1940 CDASSTER MEAT, PACKAGED, FRESH-COOKED 1940 COOKED 1940 DO 169,389 DO 25,712 DO 169,389 DO 25,915 DO 25,915 DO 261,200 DO 295,882 DO 17,850 DO 1	MARD, FRESH-SHUCKED SDFT:					1	Į.
CHONDER, JUICE BROTH, AND NECTAR 1949 DD 169,389 993,469 (3) (3) (3)  CRABS, ROCK, MEAT, PACKAGED, FRESH-COOKED 1940 DD 169,389 993,469 (3) (3) (3)  CRABS, ROCK, MEAT, PACKAGED, FRESH-COOKED 1940 DD 16,300 19,300 261,200 295,882 C00KED 1940 DD 16,300 19,300 261,200 295,882 C00KED	CANNED:					3/3,642	581,094
CRABS, ROCK, MEAT, PACKAGED, FRESH-COOKED 1940 POUNDS 52,172 25,915 243,522 81,966 CASSTER MEAT, PACKAGED, FRESH-COOKED 1940 DD 16,300 19,300 261,200 295,862 CASSTERS, FRESH-SHUCKED . 1940 DD 5,400 17,7850 UNCLASS IF IED PRODUCTS: PACKAGED FISH 1949 POUNDS 4/27,585 4/8,214 5/21,698 5/10,739 CANNED: ANIMAL FOOD 1949 STANDARD CASES (6' (6) 464,931 (6) (6) FISH CAKES 1949 DD 37,375 35C,031 (6) (6) (6) FISH CAKES 1949 DD 37,375 35C,031 (6) (6) (6) 223,577 DOTHER CANNED PICKLED . 1949 DD 7/529,053 DUTTONS, MARINE PEARL-SHELL . 1949 DO 7/529,053 POUNDS PEARL-SHELL 1949 TONS 9/6,842 9/947,313 19,790 11,790 11,790 NARINE PEARL-SHELL 1949 TONS 9/6,842 9/947,313 11/51,343 11/51,343 11/51,343 11/51,343 11/51,343 11/51,343 11/51,345 11/51	CHOWDER, JUICE BROTH, AND			· ·	1	(3)	(3)
COOKED . 1940 DD 16,300 261,200 295,882   DYSTERS, FRESH-SHUCKED 1940 DD 1-6,300 262,487 591,277   SCALLOPS, BAY, FRESH-SHUCKED 1940 DD - 5,400 17,850   LORLASSIFIED PRODUCTS: PACKAGED FISH 1949 POUNDS CANNED: ANIMAL FOOD 1949 DD 37,585   FISH CAKES 1949 DD 37,595 37,375 35C,031 (6) 82,357   FISH ROE 1949 DD 7,523,053 7,301,479 8,210,799   TONGUES AND SOUNDS PICKLED 1940 POUNDS GROSS OF	FRESH-COOKED	1940	POUNDS	52,172	25,915	243,522	81,966
PACKAGED FISH	COOKED	1940	GALLONS	16,300 -	19,300	262,487	591,277
ANIMAL FOOD	PACKAGED FISH	1949	POUNDS	<u>4</u> /27,585	4/8,214	<u>5</u> /21,698	<u>5</u> /10,723
	ANIMAL FOOD. FISM CAKES FISH ROE OTHER CANNED TONGUES AND SOUNDS PICKLED BUTTONS, MARINE FEARL-SMELL. MEAL OILS, BODY AND LIVER.	1949 1949 1949 1940 1949 1949	DO DO DO PDUNDS GROSS TONS	37,375 7/529,053 9/6,842	350,031 7/3,019,479 - 9/947,313 11/31,343	(6) 21,066 <u>8</u> /210,799 17,900 1,118,060 1 <u>0</u> /27,210	(6) 223,577 8/2,371,701 1,613 1,786,712 10/4,580,727 12/395,509
	TOTAL			-	34,667,845	-	51,122,054

<sup>1/</sup> DATA ON THE PRODUCTION OF THE DIFFERENT PRODUCTS ARE FOR THE YEARS INDICATED.
2/ THIS ITEM IS USUALLY AN INTERMEDIATE PRODUCT. AND ALTHOUGH INCLUDED IN THE TOTAL, MAY BE SHOWN IN ITS FINAL STAGE OF PROCESSING IN THIS OR ANOTHER SECTION.
3/ THIS ITEM HAS BEEN INCLUDED UNDER "UNCLASSIFIED PRODUCTS."
4/ INCLUDES FRESH AND FROZEN WOLFFISH AND UNCLASSIFIED FILLETS.:
5/ INCLUDES FRESH AND FROZEN WOLFSH AND UNCLASSIFIED FILLETS.:
6/ THIS ITEM HAS BEEN INCLUDED WITH "OTHER CANNED.".
7/ THIS ITEM HAS BEEN INCLUDED WITH "OTHER CANNED.".
7/ INCLUDES CANNED ANIMAL FOOD, TUNA, FISH CHOWDER, FISH FLAKES, CLAM CAKES, CRAB MEAT, SEA MUSSELS, AND LOBSTER NEWBORG. NEWBURG.

<sup>8/</sup> INCLUDES CANNED TUNA; FINNAN HADDIE, SMOKED SALMON; HADDOCK; SALMON AND CHEESE; FISH CHOWDER; SPREADS OF SALMON, HALIBUT, AND ANCHOMY; FISH CAKES; FISH FLAKES; SCALLOPS; CLAM LOAF; AND CLAM CHOWDER.

9/ INCLUDES GROUNDFISH (WHITE FISH) MEAL, CODE-LIVER PRESS CAKE, FISH POWAGE, TISH POWAGE, TISH POWAGE, THE WORLD STREAM AND CHEESE STARE, FISH POWAGE, THE WORLD STREAM AND CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE FISH POWAGE, THE WORLD WITH CHEESE FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, THE WORLD WITH CHEESE STARE, FISH POWAGE, WITH CHEESE STARE, WITH CHEESE STARE, FISH POWAGE, WITH CHEESE STARE, WITH CHEESE STARE, FISH POWAGE, WITH CHEESE STARE, WITH C

ME AL -

<sup>10/</sup>INCLUDES GROUNDFISH (WHITE FISH), OCEAN PERCH (ROSEFISH), AND UNCLASSIFIED SCRAP AND MEAL.


<sup>10/</sup>INCLUDES GUNCLASSIFIED BODY AND LIVER OILS.
12/INCLUDES OUCASIFIED BODY AND LIVER OILS.
13/INCLUDES OUEAN PERCH (ROSEFISH) AND UNCLASSIFIED BODY OILS, AND HALIBUT, SWORDFISH, AND TUNA LIVER OILS.
13/INCLUDES GLUE, CONDENSED FISH SOLUBLES, AGIN, IRISH MOSS EXTRACT, AND PEARL ESSENCE.
13/INCLUDES GLUE, CONDENSED FISH SOLUBLES, SEAWEED EXTRACTIVES, AND ISINGLASS.

NOTE: -- SOME OF THE ABOVE PRODUCTS MAY HAVE BEEN IMPORTED FROM ANOTHER STATE OR A FOREIGN COUNTRY; THEREFORE THEY CANNOT BE CORRELATED DIRECTLY WITH THE CATCH WITHIN THE STATE.

## SUMMARY OF MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS

MASSACHUSE RHODE ISLA	TTS	STATES	\$34,667,845 48,198,996 792,839 2,130,219 85,789,899	
SUMMARY OF PRODUCTS  ITEM  PACKAGED FISH AND SHELLFISH FISHERY PRODUCTS  PACKAGED SHELLFISH PACKAGED SHELLFISH SALTED, DRIED AND PICKLED SHOKED AND KIPPERED	1949 1949 1940 1940	POUNDS STANDARD CASES POUNDS DO DO	QUANTITY 155,310,011 4,776,428 7,513,073 17,125,075 4,677,590	¥36,588,124 32,083,571 13,251,864 1,783,467 1,581,065 501,808
TOTAL	· • • •	-	-	85,789,899

#### FILLETING PLANT



### MAINE

### OPERATING UNITS BY GEAR, 1949

	PURSE S	FINES			Γ			LL		LIN	NES
ITEM	MACKEREL	OTHER	SEINES COMMON		STO SEIN		NE	TS,		HAND	TRAWL OR TROT WITH HOOKS
	NUMBER	NUMBER	NUMBER		NUMB	ER	NL	MBER		NUMBER	NUMBER
FISHERMEN: ON VESSELS	51	-	-		-			44		14	22
ON BOATS AND SHORE: REGULAR	-	144 52	_	8		357 121		43		262 402	318 42
TOTAL	51	196		8		478		87		678	382
VESSELS, MOTOR NET TONNAGE	15 136		-		-			8 133		11 74	5 80
BOATS: MOTOR	- - 15	55 55 -		3		136 132		13 1		225 67 -	225 - -
NUMBER	15 5,150 -	16,780 -	30 - -	3		136 850	10	354 - 992		1,717 - - 3,300	12,503 - - 525,832
ITEM	FLOATING TRAPS	WEIRS	FYKE NETS, FISH		DIP NETS,	BAC NET		L1FT NETS		OTTER TRAWLS, FISH	TRAPS, BOX
	NUMBER	NUMBER	NUMBER	N	UMBER	NUME	BER	NUMBE	R	NUMBER	NUMBER
ON VESSELS ON BOATS AND SHORE:	-	-	-		-		-	-		335	5 -
REGULAR	41 8	323 163	- 4	L	26 124		18 26	-	45	138	12
TOTAL	49	486	4	L	150		44		45	473	3 12
VESSELS, MOTOR	=	-	-		-		:	-		55 1,81	
MOTOR	22 7	201 199	2 2		- 11	:		-	Ì	- 46	5 -
NUMBER	24 -	217 -	15		150		40	-	45	10° 2,686	
ITEM	POTS, LOBSTER	HARPOONS	DREDGE SCALLO		RAKE OTHER FOR OY	THAN	н	OES	OTH	HAND, ER THAN OYSTERS	TOTAL, EXCLUSIVÉ OF DUPLICATION
	NUMBER	NUMBER	NUMBER		NUMB	ER	NU	MBER	,	NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	51	э	1	6	-			-		-	477
REGULAR	4,339 1,012	60 82	7	7		67 <b>7</b> 5		816 1,052		9 26	5,614 3,199
TOTAL	5,402	145	10	0		142		1,868		35	9,290
VESSELS, MOTOR NET TONNAGE	46 320	3 21	3	3	-			-		-	111 2,307
BOATS: MOTOR. OTHER. ACCESSORY BOATS. APPARATUS:	4,716 555 -	86 1 3	5 -	4	-	37 52		260 687		5 13	5,200 1,770 18
NUMBER	461,675	- 89	5 5		-	142		1,868		-	=



LOBSTER FISHING

MAINE: CATCH BY GEAR, 1949

FLOUNDERS: BLACKBACK 600 35 DAB 200 5 HADDOCK 186,400 16,077 HAKE: RED 154,200 8,693 WHITE 1,466,800 56,167			MAINE:	CATCH BY	GEAR,	1949			
ALEVIVES.    14,700   \$194	SPECIES	PURSE	SEINES	HAUL	SEINES	STOP	SEINES	GILL	NETS
BUTTERT   SM.		POUNDS	VALUE	POUNOS	VALUE			POUNDS	VALUE
COUNTS.  CUSK.	ALEWIVES	-	-		-	14,700	\$194	200	\$10
CUSK. PLOWGERS: BLAKERSCK	000	-	:		] [	1 -	-		124,716
BLACKBACK  TOR  TOR  TOR  TOR  TOR  TOR  TOR  TO	CUSK	-	1 -	-	-	-	-	29,500	897
DAB   HADDOCK	FLOUNDERS:				1		l	600	35
HADDOCK   HACK		] [	]		1 :		-	200	5
HAKE: RECT   154,200   6,622   1,466,800   56,171   HALIBIT	HADDOCK		-	-	-	-	-	186,400	16,077
MAILEUT 1. 1,466,800 \$55,1278  **HALIBUT 2. 19,235,000 \$309,700 \$309,700 \$309,700 \$30,907 \$352,200 \$25,055 \$46,800 \$3,097 \$352,200 \$25,055 \$46,800 \$3,097 \$352,200 \$25,055 \$46,800 \$3,097 \$352,200 \$25,055 \$46,800 \$3,097 \$352,200 \$25,055 \$46,800 \$3,097 \$352,200 \$25,055 \$46,800 \$3,097 \$352,200 \$25,055 \$46,800 \$3,097 \$352,200 \$25,055 \$46,800 \$3,097 \$352,200 \$25,055 \$46,800 \$3,097 \$352,200 \$25,055 \$46,800 \$3,097 \$352,200 \$25,055 \$46,800 \$3,097 \$352,200 \$25,055 \$46,800 \$3,095 \$46,800 \$3,095 \$46,800 \$3,095 \$46,800 \$3,095 \$46,800 \$3,095 \$46,800 \$3,095 \$46,800 \$3,095 \$46,800 \$36,800 \$3,095 \$46,800 \$3,095 \$46,800 \$30,095 \$46,800 \$46,								154 200	8 603
MALIBIT 1. 19,235,000 \$309,700 65,515,500 1,037,798 1,000 288 MALIBIT 1. 2,031,700 96,284 1. 2,031,700 96,385 1. 2,031,700		1 -			-		1 -	1,466,800	56, 167
MACKEEL . 2,051,700 96,284 61,900 3,097 352,270 25,000 96,201 1,786 3,162,900 84,942 3,162,900 89,947 100 20 20 1,786 193 193 193 193 193 193 193 193 193 193	HALIBUT		·	-	-			1,000	238
MCNHADEN, CCEAN PERCH (ROSEF ISH) 155,700 1,786		19,235,000	\$309,700	_	-	65,515,500	1,037,798	352 200	25 055
CCEAN PERCH (ROSETISH)   155,700   1,786   -   -   -   -   -   3,162,000   69,92   99,92   901,000   101   -   -   -   -     10,000   101   -   -     10,000   101   -   -     10,000   101   -     -     10,000   101   -     -     10,000   101   -     -     10,000   101   -     -     23,500   240	AACAULA D.CAL	5,019,000	44,942	-	[	01,300	3,057	-	,
SHARD	OCEAN PERCH (ROSEFISH).	-		-	-	-	-	100	
SHARKS   200   7		155,700	1,786		_	1 [	_	3,162,900	193
SMELT 7,100 \$1,336 16,500 \$.66 TUNA, BLUEFIN 1,000 101 500 102 TUNA, BLUEFIN 1,000 101 500 102 UNCLASSIFIED, FOR FOOD 16,800 318 SRELP - 500 10 16,800 318 SRELP - 500 10 16,800 318 SRELP - 500 10 16,800 318 SRELP - 500 10 16,800 318 SRELP - 500 10 16,800 318 SRELP - 500 10	SHARKS	200	7	_	-	_	_	1 59,400	6,171
1,000	SMELT	-	-	7,100	\$1,336	-	-	16,500	3,858
WHITING. UNCLASSIFIED, FOR FOOD.	STURGEUN	1 000	101	[	1 :	]	_		
Section   Sect	WHITING	1,200	- '0'	-	-	-	-	23,500	240
SERTIF   Part	WULTTION	-	-	-	-	-	-		
TOTAL	SHALL P		1 :	1 :	1 :	:		200	
Name	SQUID	500	10	-	-	-	-		
SPECIES   HAND   TRAWL OR TROT WITH HOOKS   FLOATING TRAPS   WEIRS		26,463,100	452.830	7, 100	1.336	65, 592, 100	1.041.089		332,953
NAND						, , , , , ,	.,,	, , ,	
MANU   WITH HOOKS   WALUE   POUNDS   VALUE   POUNDS   V			LINE	S 704.11	D TROY				
ALEMIVES.	SPECIES .			WITH		FLUATI	NG IKAPS		
COD		POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE		
CUSK. 12,300 321 659,600 31,033	ALEWIVES	750 100	*35 653	, 202 600	*61 507	-	-	735,000	\$6,350
FLOUNDERS: GRAY SOLE GRAY	CUSK	12,300	321	659,600	31.033		_	1 -	-
BLACKBACK DAB	FLOUNDERS:	,		'				i	
DAB.	GRAY SOLE	-	-			200	\$9	-	-
GRAYF (SM	DAB	[	-	8,000		-	-	1 1	1 -
MAKE:	GRAYFISH			567,000	4,610	-	-	18,000	180
RED	HADDOCK	40,000	2,322	484,100	33,803	-	-	-	-
MHITE	0.50	-	-	11,500	439	-	-	-	-
HERRING, SEA. 6,900 517 - 134,700 2,156 65,008,800 15,058,729 MENHADEN 6,500 6,500 665 11,800 1333,500 16,427 544,700 16,180 12,800 16,	WHITE	101,860	2,466	[2,702,300	97,428	100	7	•	-
OCEAN PERCH (NOSETSH), POLLOCK         142,500         4,052         138,000         3,508         4,600         42         22,500         235           SALMON         -         600         67         7,400         428         -         -         8,400         1,607           SHELT         44,100         12,538         -         -         -         8,400         1,667           TUNA, BLUEFIN         13,500         1,142         1,200         20         -         -         -         -         8,400         1,667           WALTING         13,500         1,142         1,200         20         -<	HERRING SEA	8,700	2,094	15,800	4,018	134 700	2 156	65 008 800	1 058 729
OCEAN PERCH (NOSETSH), POLLOCK         142,500         4,052         138,000         3,508         4,600         42         22,500         235           SALMON         -         600         67         7,400         428         -         -         8,400         1,607           SHELT         44,100         12,538         -         -         -         8,400         1,667           TUNA, BLUEFIN         13,500         1,142         1,200         20         -         -         -         -         8,400         1,667           WALTING         13,500         1,142         1,200         20         -<	MACKEREL	6,900	517	_	1 -	334,500	16,427	544,700	16,189
POLLOCK	MENHADEN	-	-		l - ,,	6,500	65	1,800	33
SALMON	POLLOCK	142,500	4.052			4.600	42	23.500	235
SALELT   12,000   12,338	SALMUN	-	-			1,000	507	-	-
TUNA, BULEFIN 13,600 1,142 1,200 20	SHARKS			7,400	428	-	-		
WHITING	TUNA. BLUEFIN	13,600			1 -	-		0,400	1,007
UNCLASSIFIED, FOR FOOD. SOULD	WHITING		-	1,200		-	-	-	-
SOULD   1,131,600   51,221   6,340,800   240,424   484,600   19,250   66,349,500   1,083,586	WOLFFISH	2,000	49	341,000		-	_	-	-
TOTAL	SQUID		_	341,000	3,130	3,000	37	9,100	195
SPECIES		1,131,600	51,221	6,340,800	240,424	484,600	19,250		1,083,586
ALEMIVES. 2,200 \$2,531,000 \$24,613		FYKE	NETS	DIP	NETS	BAG	NETS	LIFT	NETS
ALEMIVES. 2,200 \$2,531,000 \$24,613		POUNDS	VALUE						
EELS, COMMON. 2,200 \$550 - 20,900 3,131 63,600 \$17,473 422,300 \$4,636 SMELT 20,900 3,131 63,600 \$17,473 SEA URCHINS 79,500 2,291	ALEWIVES					-	-	-	-
SMELT - 20,900 3,131 63,600 \$17,473	EELS, COMMON	2,200	\$550	-	-		-	420 000	A
SUCKERS 9,300 651		1		20,900	3 131	63,600	\$17 473	422,300	\$4,636
SEA URCHINS	SUCKERS	9,300	651	-	-	-	Ψ17, 473	-	-
TOTAL 11,500 1,201 2,631,400 30,035 63,600 17,473 422,300 4,636	SEA URCHINS		-	79,500	2,291	-	-	-	-
	TOTAL	11,500	1,201	2,631,400	30,035	63,600	17,473	422,300	4,636

MAINE: CATCH BY GEAR, 1949 - Continued

SPECIES	OTTER	TRAWLS	TRAPS	, BOX	ŗ	POTS	HARP	OONS
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNOS	VALUE
COD	2,324,900	\$104,042		-	-	-	-	-
CUSK	657,200	18,645	<b>-</b>		i -	-	-	-
EELS, COMMON FLOUNDERS:	-	-	39,600	\$8,122	-	-	-	-
GRAY SOLE	760,000	34,810	-	-	-	-	-	-
LEMON SOLE	1,100	73	-	-	-	-	-	-
YELLOWTAIL	119,800 832,100	B,743 39,734	_	-	_	_		
BLACKBACK	577,500	15,604		-	_	-	-	_
GRAYFISH	2,000	12	-	-	-	- 1	-	-
HADOOCK	6,474,300	416,563	-	-	-		- 1	-
RED	20,500	630	-	- 1	-	-	-	-
WHITE	1,441,800	34,542	-	-	-	-	-	_
OCEAN PERCH (ROSEFISH)	25,800 55,502,100	5,935 2,014,058	_	l I	] [	_ [	[	_
POLLOCK.	2,337,200	59,238	-	-	-	- 1	-	-
SHAD	400	13	-	-	-	-		
SHARKS	3,500	482	-	-	-	- 1	100 144,200	\$10 13,783
TUNA, BLUEFIN	100	146,931	_	1 -			144,200	13,763
WOLFFISH	177,700	3,981	-	-		-	- 1	-
UNCLASSIFIED, FOR FOOD	2,023,800	15,883	-	-	-	-	-	-
CRABS, ROCK	-	1.077	-	-	734,400	\$20,217	-	-
LOBSTÉRS, NORTHERN	2,700 9,700	1,075 1,803	-	-	19,270,000	6,695,886	- 1	
TOTAL	85,849,700	2,922,803	39,600	8,122	20,004,400	6,716,103	144,300	13,793
SPECIES	DRE	OGES	RAK	ES	ı	IOES	ву н	AND
CLAMS:	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
SOFT, PUBLIC			_	-	8,622,900	\$1,419,691	_	_
HARD, PUBLIC	-	-	' -	-	589,800	98,483	- 1	-
MUSSELŚ, SEA	-	-	-	-	386,300	15,345		
PERIWINKLES AND COCKLES	509,000	\$179,845	-	-	-	-	10,300	\$3,186
SCALLOPS, SEA	209,000	9179,645	1,125,000	\$18,704	_	_ [		_
8LOODWORMS	-	-			401,800	297,021	- (	-
SANOWORMS	-	-	-		33,900	18,910	-	-
TOTAL	509,000	179,845	1,125,000	18,704	10,034,700	1,849,450	10,300	3,186

### NEW HAMPSHIRE

### OPERATING UNITS BY GEAR, 1949

	LI	NES	DIP	POTS.		TOTAL,
ITEM	HAND	TRAWL OR TROT	NETS, COMMON	LOBSTÉR	H0ES	EXCLUSIVÉ OF OUPLICATION
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN ON BOATS AND SHORE: REGULAR	1 9	2	- 8	131 63	3 32	134 112
TOTAL	10	2	8	194	35	246
BOATS: MOTOR. OTHER. APPARATUS: NUMBER. HOOKS.	1 - 37 74	2 - 16 1,200	- - 8	101 63 11,750	- 4 35 -	101 67 ~

NEW HAMPSHIRE: CATCH BY GEAR, 1949

	LINES										
SPECIES	HAN	0	TRAWL OR		DIP	DIP NETS POTS		ots	HOES		
7	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNOS	VALUE	POUNDS	VALUE	
LEWIVES			-	-	4,500	\$45	-	-	-	-	
00	1,600	\$112	1,100	\$672		-	-	-	-	-	
USK		-	400	22	-	-	-	-	-	-	
ADDOCK	100	12	1,300	130	- 1	-	-	-	- 1	-	
AKE, WHITE	1,000	43	10,500	430	-	- '	-	-	-	-	
OLLÓCK	1 - 1	-	300	10	-	-	-	-	-	-	
MELT	500	110	-	-	-	-	-	-	-	-	
OLFFISH	-	-	100	2	-	-	-	-	-	-	
DBSTERS. NORTHERN.	1 - 1	-	-	-	- 1	-	415,900	\$166,360	-		
LAMS, SÓFT, PUBLIC	1 - 1	-	-	-	-	-	-	-	6,000	\$1,89	
LOODWORMS	-	-	-	-	-	-	-	-	100	6	
TOTAL	3,200	277	13,700	1,266	4,500	45	415,900	166,360	6,100	1,95	

### **MASSACHUSETTS**

### OPERATING UNITS BY GEAR, 1949

LTEM	PURSE S	EINES	HAUL	GILL 1	NETS	LINE	s
1 TEM	MACKEREL	OTHER	SEINES, COMMON	ANCHOR	DRIFT	HAND	WITH HOOKS
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	401	-	-	42	18	17	122
ON BOATS AND SHORE: REGULAR	15 5	- 4	5 11	10 12	50 31	157 453	227 81
TOTAL	421	4	16	64	99	627	430
VESSELS, MOTOR	31 1,134	=	:	7 102	3 37	4 38	14 239
MOTOR	4 7 62	=	- 6 -	- 11	35 - -	261 60 -	114 - 12
NUMBER LENGTH, YAROS SQUARE YARDS HOOKS	35 17,120 - -	1 39 -	5 285 - -	318 162 <u>,</u> 133	545 - 259,667 -	757 - 895	11,435 - 635,450
ITEM	POUND NETS	FLOATING TRAPS	FYKE NETS, FISH	DIP NETS, COMMON	OTTER TRAWLS, FISH	CRAB	EEL
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	3	-	-	-	4,085	-	
REGULAR	115 9	41 11	- 2	56 232	72 4	16 7	5
TOTAL	127	52	2	288	4,161	23	5
VESSELS, MOTOR	1 5	:	=	:	538 23,041	-	-
MOTOR	33 42 2	18 25	1	12 242 -	35 - -	12 4	5 - -
NUMBER	- 81 -	- 46	- 1	246	573 15,574	1,332	125

MASSACHUSETTS: OPERATING UNITS BY GEAR, 1949 - Continued

ITEM	POTS - CONT'O	HARPOONS	SPI	EARS			OREOGES			TONGS
I I EM	LOBSTER	TIAKI OOKS	3, ,	LANG	CL	AM	COMMO	N N	SCALLOP	OYSTER
	NUMBER	NUMBER	NUI	MBER	NUM	BER	NUMBE	<u>.R</u>	NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	-	340		-		-	-		897	-
REGULAR	397 1,240	46 7		- 17		26 22		29	392 2,238	37 
TOTAL	1,637	393		17		48		29	3,527	37
VESSELS, MOTOR NET TONNAGE BOATS:	-	53 1,357		:		-	-		110 3,225	=
MOTOR	1,042 509 -	26 22 110		-		24 - -	-	14	1,172 323 -	- 37 -
APPARATUS: NUMBER	98,309	79 -		- 17		24 22		15 14	4,342 4,168	37 -
LTEM	TONGS - CONT'D. OTHER	RAKES, OTHER TH FOR OYST	AN	FO	RKS	Н	OES	OT	BY HAND, HER THAN IR OYSTERS	TOTAL, EXCLUSIVE OF DUPLICATION
	NUMBER	NUMBER	!	NUM	BER	NU	MBER		NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	-	-			-		-		-	5,155
REGULAR	153 204	36 91			32 87		253 407		87 184	1,707 5,294
TOTAL	357	1,28	13		119		66C		271	12, 156
VESSELS, MOTOR NET TONNAGE BOATS:	=	=			-		-		-	639 26,032
MOTOR	357 -	84	1 -8		- 12 -		19		-	2,655 2,040 186
NUMBER	357	1,27	8		119		641		-	-

### MASSACHUSETTS: CATCH BY GEAR, 1949

		BBACHUBE	I	CII DI GUA	· · · · · · · · · · · · · · · · · · ·	CILL NO	TC	
SPECIES	PURSE	SEINES	HAUL S	UL SEINES ANCHOR		GILL NE	DRIFT	
ALEWIVES. BUTTERFISH. COO. CUSK. FLOUNDERS: YELLOWTAIL BLACKBACK DAB. HADDOCK HAKE, WHITE HALIBUT HERRING, SEA. LAUNCE. MACKEREL. MENHADEN, POLLOCK SHAO. SHAO. SHAOR. STURGEON. TUNA, BLUEFIN	POUNDS 252,900 1,200 200 - - - - - - - - - - - - -	VALUE \$3,712 86 12 - - - - 4,651 338,382 83,424 3	POUNDS 246,200	VALUE \$4,158 - - - - - - - - - - - - -	POUNDS	VALUE - \$89,502 243 15,127 36 13,557 30,500 25 - 29 64,813 162 734 34 22	8,900 303,200 1,500	VALUE
WHITING	-	= -	-	-	900 100	24 8	113,000	1,833
TOTAL	13,746,700	430,288	259,800	4,747	5,031,000	199,831	428,500	28,439

MASSACHUSETTS: CATCH BY GEAR, 1949 - Continued

	1	LINE	s					
SPECIES	HAN			OR TROT	POUND	NETS	FLOATIN	G TRAPS
	POUNDS	VALUE	POUNOS	VALUE	POUNDS	VALUE	POUNDS	VALUE
ALEWIVES	-	-	-	-	1,200	\$16 9	1 :	
AMBERJACK		-	200	\$5	-		- 1	
BLUEFISH	25,000	\$5,000	-	211	200	13,682	91,500	2,412
BUTTERFISH	379,400	22,727	1,300 6,503,900	406,872	90,900 13, <b>7</b> 00	511	8,000	396
CREVALLE	1 2	-	-	-	900	27	-	-
CUSK	2,400	57	1,004,800	33,818	_	1 :	[	-
FLOUNDERS:	_			1		1		
GRAY SOLE	400	- 19	1,000 105,200	11,337		1 :		-
LEMON SOLE YELLOWTAIL	-	- ''	93,800	7.778	-		- 1	-
BLACKBACK	5,600	231	46,900	3,610	2,800	230	1 - 1	
OAB	200	7	4,200	239	4,400	661	1 - 1	_
FRIGATE MACKEREL	-	_	_	-	1,300 32,900	55	- 1	-
GRAYFISH		1-770	4 622 700	254 120	32,900	763	[	-
HADDOCK	28,500	1,720	4,623,700	354,120	_	_		
REO			1,200	79	2 500		-	-
WHITE	1,100 500	31 114	1,200 2,151,200 101,900	102,874 32,536	3,500	- 84		-
HERRING. SEA	- 500	- ' ' '		-	1,364,000	31,172 580,957	42,600	523
HALIBUT	- 1	i -	-	-	5,674,400 458,400	4,977	1,540,800 34,100	80,756 324
MENHAGEN (ROSEFISH).		:	6,500	487	1 -	1 -	1 - 1	-
POLLOCK	118,700	3,263	450,000	14,965	39,900	927	92,000 300	864 116
SALMON	8,700	278	1 :	1 :	28,600	1,060		-
SEA BASS	1,100	99	-	-	2,500	248	- 1	-
SEA TROUT OR WEAKFISH:			1			59	1 '	
GRAY	<u> </u>	:	200	12	6,000	574	1 :	
SHARKS	2,000	80	118,500	810	5,500	440	-	-
SKATES	56,200	0 702	21,100	536	-	2 261	200	- 28
STURGEON	30,200	8,782		-	15,400 400	2,261		_ 20
TAUTOG	37,400	2,163		207	2,800	203	-	-
TILEFISH	1,393,000	65,913	2,000	207	1.037.700	87,053	7,000	503
WHITING	1 -	-	10,800	36	1,037,700 356,500	7,019	133,000	2,446
WOLFFISH	200	10	204,600	14,265	-	-	-	-
FOR FOOD	-	-	5,300	216	78,200	1,210	100	8
OTHER	- '	-	200	- 0	90,100	715	57,500	535
SQUID	-		200	- 9	2,009,100	43,509	322,900	5,712
TOTAL	2,060,400	130,494	15,458,900	987,226	11,322,000	778,506	2,330,400	94,632
SPECIES	FYKE !	·	DIPN	IFTS	OTTER	TRAWLS	PO	TS
	POUNOS	VALUE	POUNDS	VALUE	POUNDS		POUNDS	
ALEWIYES	1,400	\$51	FOUNDS	VALUE	FOUNDS	VALUE	POUNDS	VALUE
ANGLERFISH	1 -	- **	_	-	1,300	\$49	-	
DUTIER TON	-	-	-	-	1,300 535,700	41,676	-	-
CREVALLE.		-		[	42,230,700	2,399,548	[	
CUNNER	- 1	-	-	-	200	7	- 1	_
CUSK	- !	-	-	-	1,247,000	47,788	-	-
COMMON	700	57	-	-	-		29,000	\$4,550
CO-IGER.	-	-	-	-	5,300	207	- 1	-
FLOUNDERS: GRAY SOLE	_	_	_	-	7,379,300	508,871		
LEMON SOLE	-	-	-	-	7,379,300 4,517,000 25,309,700	649.882	-	-
YELLOWTAIL	200	- 17	-	-	25,309,700	2,409,415 1,548,529	-	-
BLACKBACK	- 200	- ''	:		14,306,000 3,035,100	172,017		-
FLUKE	-	-	-	-	1,782,300	337,208	-	-
UNCLASSIFIED	:	-		1 :	500 121,661,500	8,326,949		-
HAKE:	-	_	_				-	•
RED	1 - 1	-	-	-	39,799,200 5,544,700	339,944	-	-
WHITE	1 : 1		-	1 -	5,544,700 318,200	205, 291	: 1	-
HALIBUT	-	-	6,700,800	\$58,851	3,113,200	60,979 47,991	- 1	-
		10		NEVT DACE				

MASSACHUSETTS: CATCH BY GEAR, 1949 - Continued

		CHICK E		1			T		
SPECIES	FYKE	NETS	DIP	NETS	ОТ	TER TRAV	/LS	P	075
	POUNDS	VALUE	POUNDS	VALUE	POUND	<u>s</u> .	VALUE	POUNDS	VALUE
MACKEREL	_	-	- 1	-	285,1	00 :	39,100	-	-
MENHADEN	-	- 1	-	-	19,2 181,477,6	00   7	231	1 -	-
OCEAN PERCH (ROSEFISH).					5,2	00 7,0	708	1 -	1 -
OCEAN POUT	] [		-	_	18,838,8	00 5	556,545 14,486	-	-
SCUP OR PORGY	-	-	-	-	428,6	00	14,486	1 :	-
SEA BASS	-	-	_ [		30,5	50	2,950	1 -	1 -
SHAD	[	_	- 1	_	89.3	00	1,694	-	-
SKATES	-	-	-	-	4,2	00	153 21	-	-
SMELT	1 :	_	_ [	_	6,1		663	] [	1 -
SWORDF ISH	-	-	- 1	-			314	-	-
TAUTOG	-	-	-	-	108 7	00	498 14,051	1 -	1 -
TILEFISH	]		] [	Ξ	9,3 198,7 13,3	00	1,071	-	-
TUNA, BLUEFIN WHITING	-	-	- 1	-	75,162,2 1,930,0	00 1,	715,260	-	-
WOLFFISH	-	-	-	-	1,930,0	30	136,611	_	-
FOR FOOD	_	_	_	-	4,138,9	00	100,318	-	-
OTHER	-	-	- 1	-	12,251,5	00	115,055	1 765 400	*00 4EE
OTHER		_		_	1,5	20	288	1,765,400 3,561,500	\$98,455 1,405,097
PERIWINKLES AND COCKLES		_		_	41,3	00	1,851	,	,,
SCALLOPS:			E4 000	*40 450				1	1
SEA	[		54,800	\$42,459	32,1	00	11,069	1 -	1 -
SQUID	- 1	-	-	-	106,1	00	4,006	-	-
TOTAL	2,300	\$125	6,755,600	101,310	565,858,2	00 27,6	517,411	5,355,900	1,508,102
SPECIES	HARP	OONS	SPE	ARS	<u> </u>	DREDGES		ТО	NGS
3, 23, 13	POUNDS	VALUE	POUNDS	VALUE	POUNO		VALUE	POUNDS	VALUE
000	FOUNDS	- VALUE		- VALUE	6,2		\$273	-	- IALUE
COO	-	_	10,800	\$2,020		-	-	-	-
FLOUNDERS:			i		١,	00	3		i _
GRAY SOLE		-	_		9.3	00	1,054	_	-
YELLOWTAIL	-	-	-	-	1,9	00	298	-	-
BLACKBACK		-	-	_	35,8	00	3,108	-	-
HADDOCK	-	_	_	_	25,5		1,250	_	-
HAKE, WHITE	-	-	-	-	1	00	1	-	-
HALIBUT	] [	-	1 -	_		00	22 2	1 -	-
SHARKS	100	\$4	-	-	- `	-		-	-
SWORDFISH	873,800	305,444		-	-		-	-	-
TUNA, BLUEFIN	9,400	1,095	1 :	_		00	- 2	1 :	1 :
WOLFFISH	-	-	-	-	1	00	18	l	1
CLAMS, HARD, PUBLIC	-	-	-	-	74,0 9,6	00	17,862 600	321,000	\$96,258
PRIVATE SEAL PRIVATE SPRING PRIVATE	-	-	-	-	9,0	~	•	_	1 -
PUBLIĆ, SPRING	- ]	-	-	-	-		-	2,500	1,520
PUBLIC, FALL		-	-	1 :	2,2	00	1,100	13,000	5,750
	-	-	-	-	78,3	00	50,612	82,000	48,116
SCALLOPS:					•	- 1		· 1	
BAY	-	-	-		838,10 13,436,8	00 4,9	515,836 976,133	] [	-
TOTAL	883,300	306,543	10,800	2,020	14,521,5	00 5,6	68,182	418,500	151,644
SPECIES		RAKES			FORKS			HOES	
CLAMS:	POUNI	os l	VALUE	POUNDS	S V.	LUE	POUI	NOS	VALUE
HARD, PUBLIC	1,267,3	300	422,130		_	-		,000	\$1,238
HARD, PRIVATE	132,0	000	48,575	-		-		- 1	-
RAZOR. SOFT, PUBLIC	_		-	1 :		-	917	,700 ,600	8,750 376,766
JULI, PRIVALE		300	138	-		-	]	500	231
SURF	5,	100	1,617	5,50	50 \$	,000		-	-
MUSSELS, SEA	-		-	110,40	~   '	900	1 '	-	-
PRIVATE, SPRING	16,3	300	11,300	28,00	00 15	, 255	1 .	- 1	-
PRIVATE, FALL SCALLOPS, BAY	16,3 90,0	200	11,200 65,000 8,950	1 -		-	1 .	-	-
IRISH MOSS	500,0	000	8,950			-		.	
SANDWORMS	-		-,	-		-	3,	,200	2;926
TOTAL	2,027,2	200	568,910	143,90	0 2	, 155	998.	000	389,911
TOTAL									


### RHODE ISLAND

OPERATING UNITS BY GEAR, 1949

		OPPRAITING C	MIIS DI GEA	111, 1242		
) T EM	HAUL SEINES, COMMON	GILL NETS, ORIFT	LINE	TROLL	FLOATING TRAPS	OTTER TRAWLS, FISH
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	-		9	, -	58	174
ON BOATS AND SHORE: REGULAR	28	- 6	68 74	33	- 12	45 16
TOTAL	28	6	151	33	70	235
VESSELS, MOTOR	:	-	4 27	:	6 52	63 824
MOTOR	4 7	3 -	B3 -	22	3 6 15	29 -
APPARATUS: NUMBER LENGTH, YARDS SQUARE YARDS	1,600	9,000	221 - -	88 - -	16	92
HOOKS	-	-	- 221	BB -		2,339

		F	POTS		HARPOONS	DREDGES
I T EM	CRAB	CEL	LOGSTER	PERT INKLE AND COCKLE	HARPOONS	CLAM
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	-	-	4	-	33	16
REGULAR	2	- 6	76 159	- 4	- 22	12
TOTAL	5	6	239	4	55	28
VESSELS, MOTOR	-	=	2 12	-	11 150	5 127
BOATS: MOTOR		6	185 - -	- -	10 6 15	- -
APPARATUS: NUMBER	150	490	17,443	300	21 -	11 11

	DREDGE	S - CONT'O.	TONGS	5	RAKES,		TOTAL,
ITEM	OYSTER, COMMON	SCALLOP	OYSTER	OTHER	OTHER THAN FOR OYSTERS	HOES	EXCLUSIVE OF OUPLICATION
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS. ON BOATS AND SHORE:	35	8	-	-	-	-	286
REGULAR	=	246 323	20 50	251 <b>7</b> 12	B3 80	125 55	471 1,075
TOTAL	35	577	70	963	163	180	1,832
VESSELS, MOTOR	8 167	4 29	-	-	-	:	85 1,131
MOTOR	Ē	250 - -	- 70 -	101 B62 -	25 138 -	99	529 8 <b>7</b> 9 30
NUMBER	16 22	1,329 1,035	- <b>7</b> 0	963	163	180	-



RHODE ISLAND: CATCH BY GEAR, 1949

	F	HODE	ISLAN	۱D:	CATCH	BY GEA	AR,	1949					
SPECIES	PURSE 5	EINES	HAU	L SI	EINES	GILL NI	ETS,		н	AND	LINE	S TF	80LL
	POUNDS	VALUE	POUND	s	VALUE	POUNDS	VA	LUE	POUNDS	VA	Ē	POUNDS	VALUE
ALEWIVES	- 1	-	119,0	00	\$1,057	-	1	-		١.,,		-	-
COD	1 : 1	-	1,5	ററ	215		l	-	705,600 700	\$34	,771 60	-	
FLOUNDERS:			.,0	-			1			1			
BLACKBACK	-	-	-		-	-	ĺ	-	2,300 200		136 16	-	-
HAKE, WHITE	]	_	_		_	_	1	-	400		15	_	-
HERRÍNG, SEA	-	-	49,5 1,5	00	700	-	l	-	-	1	-	-	-
MACKEREL	60,400	\$5,437	-	00		8,500		\$780	-	1		57,10	0 \$4,875
POLLOCK	-	-	1 :			-	l	-	8,600 900	1	389 60	-	
SEA BASS	- }	-	-		-	-		-	6,000	1	,200	-	-
SHARKS	[	-	1 -			_		I 1	800 200	1	48	-	
STRIPED BASS	-	-	15,3		3,374	-		-	14,000	2	, B25	4,70	524
WHITE PERCH	-	-	23,9	00	2,860	-		-	400	1	29	-	1
	60,400	5,437	210,7	00	8,251	8,500		780	740,100	30	,551	61,80	5,399
TOTAL	00,400	3,437	210,7	1	, 6,231	0,300	<u> </u>	700	740,100	13,	, 551	01,00	3,399
SPEC   ES	FLOAT	ING TR	APS		OTTER	TRAWLS			POTS		L	HARF	OONS
	POUNDS		ALUE	ĺ	POUNDS	VALUE		POUND	<u>s   v</u>	LUE	PC	UNDS	VALUE
ALEWIVES	14,60	0	\$160 -	ļ	1.800		\$1 29	1	İ	-		-	-
BLUEFISH	25,00	0	3,362		1,800 700	10	03	-		-		-	-
BUTTERFISH	275,70 513,10	0 2	8,735 5,043		1,003,700 48B,600	67,52 18,7	28 72	1 :		-	1	-	i :
CREVALLE	513,10 50	ŏ	16	1		-		-		-		-	-
CUNNER. DOLPHIN	1,50	0	146		3,500	- 4	13	-		-		-	
EELS; COMMON			_					13,9	nn •	2,094			
CONGER	60	0	19	1	4,000	_ 9	99	- 13,3		-		-	-
GRAY SOLE	-		-		9,500 66,300	82	20	-		-	1	-	-
LEMON SOLE	-	ı	-	١,	66,300 1,138,200	7,82	27 25	-		-	İ	-	-
BLACKBACK	5,00	0	249	i	1 294 600	68,29	98	-		_	1	-	-
DAB	127,80	0 2	- 0,139	-	5,700 341,600 3,200	55.00	36 13	_		_	1	-	_
FLUKE			-		3,200	55,00	57	-		-		-	-
HADDOCK	43,10	۱ ۱	1,888		69,600	3,40	7	-		-		Ξ.	-
HAKE: RED	_		_		520,700	10,64	12	-	į	-	1	_	_
WHITE	6,30	0	325		33, 100 100	1,30	)5 27	-	1	-	1	-	-
WHITE HALIBUT HERRING, SEA HICKORY SHAD	727,80	0 1	2,080	3	3,479,400	57,92		-	- 1	-	1	-	
KING WHITING OR "KINGFISH".	40		43 70		-	6,72		-		-	1	-	-
MACKEREL	336 90	5 2	5,082		85,100 39,700	4,33	80	-		-		-	-
MENHADEN .	38,10	2	457 639		8,600	29		-		-		-	-
SCLIP OR PORGY	38,10 19,70 1,669,90	0 48	3,794	Ī	746,000	24,64	13	-		-		-	-
SEA BASS	177,80	20	7,431 151		49,800	5,76	2			-		-	-
SEA TROUT OR WEAKFISH, GRAY	177,80 8,50 13,90 3,00	5   .	1,982	1	1,800	26		-		-	ļ	-	-
SHARKS	5,10	3	122 413	İ	5,800	14	9	_	- 1	-	1	-	-
SKATES	-	- 1			200		4	-	1	-	1	- 1	-
STRIPED BASS	30 41,10	3   C	13 925,925		6,100	1,39	1	-		-		-	
STURGEON	1,60	7 I	161		1,000	15	1	Í -		-		-	-
SWORDFISH	1,90		221	ļ		-		-		-	6	5,700	\$32,420
TAUTOG	21,50	)	,963	i	5,800 32,700	1B		-		-		-	
TUNA AND TUNALIKE FISHES:			·		32,700	2,03		-		-		-	-
BLUEFIN	11,400 5,200	ś   ¹	178 596		-					-		6,500	<b>7</b> 50
WHITE PERCH	64,400	- 1	- ,253		200 595,500	19,59		-		-		- 1	-
WOLFFISH			<u></u>		700	1	5	-		-		-	-
FOR FOOD	1,300		26		13,500	24		-		-		-	-
OTHER	504,200	)   4	,565	117	,105,700	79,81 -	4	108.00	о з	250		-	-
PERIWINKLES AND COCKLES	-		-		-	-		108,00 354,60 18,00	0 155	,250 ,859		-	-
SQUID	1,422,800		,590		446,700	13,34		-		,000 -		-	-
TOTAL	6,090,900	232	,837	21	,609,500	560,74	9	494,50	00 164	, 203	73	,200	33,170

RHODE ISLAND: CATCH BY GEAR, 1949 - Continued

SPECIES	DRED	GES	TON	GS	RAK	ES	HO	ES
LAMS:	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
HARD, PUBLIC	255,600	\$53,250	1,455,600	\$321,712	423,900	\$94,381	-	-
OCEAN QUAHOG	62,800	5,232	-	-	-	-	634,400	\$147,13
SOFT, PUBLIC		-	7 300	1,824	-	-	634,400	\$147,13
SURF	186,000	23,250	7,300	1,024	-		-	-
PUBLIC, SPRING	234,200	116,092	24,500	10,500	-	-	-	-
PUBLIC, FALL	152,100	75,728			-	-	-	-
PRIVATE, SPRING	161,100	79,737	-	-	-	-	-	-
PRIVATE, FALL	107,900	53,605	-	-	-	-	- :	-
PERIWINKLÉS AND COCKLES	70,000 303,000	11,600 185,490	-		-	-		-
TOTAL	1,532,700	603,984	1,487,400	334,036	423,900	94,381	634,400	147,1

### CONNECTICUT

### OPERATING UNITS BY GEAR, 1949 GILL NETS LINES, POUND STOP

ITEM	SEINES, COMMON	ANCHOR	DRIFT	HAND	POU NE		NETS	NETS, FISH
FISHERMEN: ON VESSELS.	NUMBER	NUMBER	NUMBER	NUMBER 2	NUM	8ER 2	NUMBER	NUMBER
ON BOATS AND SHORE: REGULAR CASUAL.	22 187	- 6	9 162	8 63		4 3	- 15	2 15
TOTAL	209	6	171	73		9	15	17
VESSELS, MOTOR	-	-	-	1 7		1 6	-	-
MOTOR	59 82	- 3	59 61	<b>4</b> 1 8		3 1	3 8	6 5
NUMBER. LENGTH, YARDS SQUARE YARDS	81 13,288 -	1,100	99 86,300	73 - - 219		5 - -	300 -	19 - -
ITEM	DIP NETS, COMMON	OTTER TRAWLS, FISH	EE	POTS LO	BSTER	н	ARPOONS	DREDGES OYSTER, COMMON 1/
FISHERMEN:	NUMBER	NUMBER	NUM8	ER N	UM8ER		NUMBER	NUMBER
ON VESSELS	2	185	-		22		26	266
REGULAR	10 81	56 69		9 42	55 230		: [	-
TOTAL	93	310		51	307		26	266
VESSELS: MOTOR	1 6 -	63 975 -	-		11 73		7 133 -	37 1,112 5 513
TOTAL VESSELS TOTAL NET TONNAGE	1 6	63 975	-		11 73		7 133	42 1,625
BOATS: MOTOR	37 39 -	- <sup>71</sup>	-	24 14 °	148 52		- - 7	:
NUMBER	- 93	1,773		500	2,609		- 7	85 129
SEE FOOTNOTE AT END OF	TABLE.	( CONT	INUEO ON NE	(T PAGE)				

CONNECTICUT: OPERATING UNITS BY GEAR, 1949 - Continued

	DREDGES - CONT'D.	TON	IG <b>S</b>	RAKES,		TOTAL,
ITEM	S ALLOP	OYSTER	OTHER	OTHER THAN FOR OYSTERS	HOES	EXCLUSIVE OF OUPLICATION
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	-	-	2	-	2	467
REGULAR	3 3	9 35	2 44	5 23	4 40	130 718
TOTAL	6	44	48	28	46	1,315
VESSELS:  MOTOR	- - - -	-	1 6 -	-	1 7 -	108 2,137 5 513
TOTAL VESSELS TOTAL NET TONNAGE	-	-	1 6	-	1 7	113 2,650
BOATS: MOTOR	3 -	23 9 -	21 20 -	15 8 - 28	25 11 -	351 247 7
YARDS AT MOUTH	6					

<sup>1/</sup>INCLUDES 1 SUCTION OREOGE, 2 YARDS AT MOUTH.

### CONNECTICUT: CATCH BY GEAR, 1949

SPECIES	HAUL :	SEINES	L	GILL	NETS	
			ANCH	IOR	ORI	FT
ALEWIVES. BLUEFISH. CARP. CUNNER. FLOUNDERS. BLACKBACK. GRAYFISH. MENHADEN. MINNOWS. SCUP OR PORGY SEA ROBIN SKATES. SUCKERS. TAUTOG. YELLOW PERCH.	POUNCS 1,138,000 800 39,000	\$16,544 206 3,227 - - - 6,238 - 32,550 283	POUNOS 1,000 - 6,400	VALUE \$20 56	POUNOS 8,000 - 1,000 1,000 1,500 1,500 1,000 237,600 1,000 1,000	VALUE \$155 - 15 15 36 - 15 37,600 15 - 15
TOTAL	1,480,600	59,123	7,400	76	254,100	37,896
SPECIES	LINES,	HANO	POUND	NETS	STOP	NETS
BLUEFISH. BUTTERFISH. COD CUNNER. CELS, COMMON. EELS, COMMON. FLUKE EELS, FLUKE FLUKE BLACKBACK  DRAYFISH. WICLASSIFIED GRAYFISH. MACKEREL MENHADEN POLLOCK SCUP OR PORGY SEA BASS. SEA ROBIN SEA TROUT OR WEAKFISH, GRAY SHARKS.	900 NOS 6,700 900 1,600 2,300 900 91,200 91,200 2,800 4,700 700 100 -100 400 400	VALUE \$1,909 121 75 394 270 196 11,157 14 11,157 250 215 754 17	POUNOS 2, 100 1,500	VALUE \$940 245 - - 20 9 - 239 - - - - - - - - - - - - -	POUNGS	VALUE


993093 O - 52 - 6

CONNECTICUT: CATCH BY GEAR, 1949 - Continued

SPECIES	LINES,	HAND	POUND	NETS	STOP	NETS
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
270,000 0466	8,700	\$2,702			-	_
STRIPED BASS	100	5			-	-
SWORDFISH	300	207	-	<del>-</del> .	-	-
TAUTOG	9,100	864	5,300	\$625	-	-
TUNA AND TUNALIKE FISHES, BLUEFIN	8,700 500	730 28		_	1	
WHITING	300	_ 20	3,300	116	_	-
		10.074	47,500	4,811	4,600	\$725
TOTAL	147,600	19,974				TRAWLS
SPECIES	FYKE			NETS		
	POUNDS	VALUE	POUNDS .	VALUE	POUNOS	VALUE \$140
ANGLERFISH	-		1	-	4,000	100
BLUEFISH	-		[		702,800	71,12
CARP	3,200	\$211	_	-	-	
ATFISH AND BULLHEADS	7,600	375	200	\$20		
00	-	-	-	-	589,800	60,00
CUNNER	-	-	-	-	1,100 600	20
DOLPHIN	_			-	6,000	200
LOUNDERS:						
GRAY SOLE	-	!	- ]	-	6,200	545
LEMON SOLE	-	-	-	-	40,000	5,000 60,060
YELLOWTAIL	-	1 -	1		550,200 3,905,000	201,600
DAB	-		-		22,200	760
FLUKE	-	-	-	-	369.500	70,056
UNCLASSIFIED	-	-	- }	-	4,000	13
GRAYFISH	-	-	-	-	3,600	124
HADDOCK	-	- 1	- 1	-	12,100	1,000
HAKE: RED	_	-	_	_	1,158,800	32,015
WHITE.	-	-	-	-	7,300	450
HERRING.SEA	-		-	-	2,668,600	54,000
KING WHÍTING OR "KINGFISH"	-	- 1	-	-	1,000	100
MACKEREL	-		-	-	1,000 3,200	100
MINNOWS	11,900	335	4,400	341	3,200	
POLLOCK	-	-	.,	-	1,600	24
SCUP OR PORGY	-	-	-	-	1.758,100	91,28
SEA BASS	-	- 1	-	-	29,400 117,800	5,100
SEA ROBIN	-	1			1,500	1,766
SHAD	100	16		_		- '
SHARKS	-	-	-	-	37,300	515
SILVERSIDES	-	-	-	-	1,500	25
SKATES	-	- 1	-	-	125,900	1,831
STRIPED BASS				2	100 500	50
SUCKERS	4.500	251	- 1	_	- 500	_
SUNFISH	4,700	94	- 1	-	-	-
SWELLFISH	-	-	- [	-	9,200	260
TAUTDG	-	-	-	-	8,800	705
TILEFISH	-	-	-	- 1	38,000	3,200
BLUEFIN	_		-	-	26,700	3,000
LITTLE	-	-	-	-	200	21
HITE PERCH	400	36	-	-	·	
WHITING		-	-	-	1,019,000	25,227
YELLOW PERCH	9,000	553	-	-	-	-
FOR FOOD	_	_	_	-	547,500	25,320
	-	-	-	- 1	4,433,800	90,000
RABS, BLUE, HARD	-	-	3,400	692	-	-
OBSTÉRS, NÓRTHERN	-	-	-	-	9,800	3,200
ONCHS	-	-	-	-	400	44
DAY	-	_	19,700	11,235	_	_
SEA	-		.5,,,,,,	,200	2,100	1,000
SQUID	-	-	-	-	304,000	24,094
TOTAL	41,400	1,871	27,700	12,288	18,530,600	834,701
	41,400	1,071	27,750	12,200	10,550,000	
		CONTINUED ON	VEYT PAGE1			

CONNECTICUT: CATCH BY GEAR, 1949 - Continued

SPEC   ES	РОТ	'S	HARPO	OONS	DRED	GES
EELS, COMMON. SWORDFISH LOBSTERS, NORTHERN. CONCHS. OYSTERS, MARKET: PUBLIC, SPRING. PUBLIC, FALL. PRIVATE, SPRING PRIVATE, FALL SCALLOPS, BAY	POUNOS 18,100 376,500 41,100	VALUE \$3,223 165,858 4,335 - - - -	2,800 	\$1,350 - - - - - - - - -	POUNES	\$1,200 10,605 357,895 611,734 2,500
TOTAL	437,700	173,416	2,800	1,350	3,059,700	9B3,934
SPECIES	TONG	S	RAK	ES	НО	ES
	POUNOS	VALUE	POUNDS	VALUE	POUNOS	VALUE
CLAMS: HARD, PUBLIC SOFT, PUBLIC MUSSELS, SEA. OYSTERS, MARKET: PUBLIC, SPRING PUBLIC, FALL SANOWORMS	6,100 96,000 8,600 21,500	\$2,697 6,481 2,493 8,194	7,200 - - - - -	\$3,200 - - -	13,30c - - 200	\$4,093 - - 222
TOTAL	132,400	19,865	7,200	3,200	13,500	4,315



Because of the important role they play in the production of fishery products, detailed daily statistics have been collected and published monthly for the landings at Boston, Gloucester, New Bedford, Provincetown, Massachusetts; and other Cape Cod ports. Landings of fishing craft of all sizes at the ports named are included in the data in the following tables.

It should be noted that these figures represent actual landings which have not been converted to round weight, therefore, the data are not directly comparable to the catch figures shown in the General Review, regional tabulations, or the section entitled ''Peview of Certain Major Fisheries.''

During 1949, landings of fishery products at Boston, Gloucester, New Bedford, and Cape Cod ports amounted to 564,825,638 pounds, valued at \$34,775,046 to the fishermen. This represented a decrease of 1 percent in volume and a decrease of 18 percent in value compared with 1948. The volume approximated that of the previous year only because of large landings of fish for animal food and reduction into meal and oil. A large portion of the receipts of nearly 40 million pounds of red hake, and nearly 20 million pounds of unclassified species were landed for these purposes. Of the total landings, ocean perch (rosefish) accounted for 32 percent; haddock, 20 percent; hake, 8 percent; and cod, 7 percent. In 1948, ocean perch (rosefish) accounted for 33 percent of the total landings; haddock, 23 percent; cod, 9 percent; and hake, 2 percent. Haddock landings during 1949 were 19.5 million pounds less than the 1948 catch, and receipts of ocean perch (rosefish) decreased 7.6 million pounds compared with the previous year.

Gloucester retained its position as the Massachusetts port with the greatest volume, while Boston led in value. Gloucester receipts accounted for 46 percent of the total poundage landed during the year, but only 30 percent of the total value. Boston was in second place with respect to volume of landings, and New Bedford replaced Gloucester as the number two port with regard to value. Increased landings of the highly valued scallops was responsible for the noticeable monetary gain made by the New Bedford fisheries.

The fishing fleet operating on the fishing banks of the North Atlantic and landing fares at Boston, Gloucester, New Beiford, and Cape Cod ports during 1949, numbered 1,184 craft of all sizes. Of these 342 landed in one or more of the Cape Cod ports. There may be some duplication between the craft operating out of Cape Cod ports and those landing at other ports. The landings listed in the following tables do not represent the entire catch of these vessels, as some of them also landed fares at other New England ports, at New York City, and at more southerly ports in connection with the southern mackerel and the southern trawl fisheries.

Of the total landings, amounting to almost 565 million pounds, 33 percent was taken by large otter trawlers (over 150 gross tons); the same amount was taken by medium otter trawlers (51 to 150 gross tons); 23 percent was caught by small otter trawlers (50 gross tons or under); and the remaining 11 percent was taken by other types of gear.

The following tables contain a detailed summary of information on the landings of fish and shellfish by fishing craft of all sizes in Boston, Gloucester, New Bedford, and Cape Cod ports. Information of the annual landings by ports was previously published in Current Fishery Statistics No. 543, while data on the landings by gear and area appeared in Current Fishery Statistics No. 562. Detailed information on the monthly landings by port and by gear and area of capture also were published in the Current Fishery Statistics series.

<sup>3</sup> The reader is referred to Section 13 of this document for an account of the years for which surveys of these fisheries have been made.

SUMMARY OF LANDINGS, 1949

		BOSTON			GLOUCESTER			NEW BEOFORD		
	POUNDS	VALUE	AV. PRICE PER POUND	POUNDS	VALUE	AV. PRICE	POUNDS	VALUE	AV. PRICE PER POUND	
6.5	13,071,560	\$1,025,979	7.85¢	4,196,783	\$254,841	6.07¢	656,860	\$40,592	6.18¢	
<u>.</u>	.236,765	67,483	5.46	327,462	15,737	80.4	731,255	47,596	6.51	
	,197,454	57,301	4.78	777,498	24,086	3.10	2,600	114	4.38	
-	403 032	147 346	10.50	F 403 025	321 547	r C	351 BEE	30 866	4	
	1.562,090	193,657	12.40	4,985	353	2.00	2.911,480	450.274	15.46	
-	701,675	115,687	6.80	567,360	46,575	8.27	19,652,113	1,941,052	88.6	
, V	031,894	189,525	6,33	209,689	15,845	7.56	9,411,095	1,112,566	11,82	
Ĺ,	408,555	92,850	65.59	1,367,227	65,289	4.56	161,150	11,308	7.02	
		1	,	185	18	9.73	1,430,376	277,600	19.41	
525	847,974	4.659.317	8,82	6.719.631	454.739	6.77	5.234.438	437,949	. 8.37	
37,	37,297,745	2,573,712	06.9	1,796,174	91,933	5.12	4,688,490	289,876	6.18	
	1,600	66	6.19	17,985	420	2,34	1/39,670,842	1/337,652	0.85	
						_				
e,	44,830	212,924	9.20	1,868,995	77,904	4.17	151,195	5,020	3,32	
	20000	2,00	25,75	700,000	24,360	24.40	20 6490	A E O A		
-,	700.365	81,023	11.43	6.876.144	362,008	1,7	342,133	20,380	_	
ć.	177 878	472,115	3.59	702, 770, 9	154 005	18.0	100, 505	5,247		
2	7.020	224	83.5	60.518	047	1.36	000600	1		
			}			:				
12	,112,955	497,827	4.11	169,280,942	7,303,940	4.31	80,130	2,972	3.71	
	11,935	096	8,04				132,635	5,421	4.09	
	267,024	118,523	44.39	70,146	26,957	38,43	148,850	66,416	44.62	
12,	958,715	526,050	4.06	17,072,991	980,929	3,96	24,270	802	3,32	
	35,605	1,195	3,36	2,368,902	41,991	1.77				
<b>-</b> ,	1,332,771	126,391	9*48	148,609	8,437	5,68	96,835	3,974		
	124,634	45,501	36.51	20,103	6,708	33,37	11,707,165	4,296,883		
	124,997	7,128	5.70	7,620,100	183,885	2.41	2,178,607	57,386	2.63	
	'			14,000,020	602,001	١٠٥٠	3,000,000	20,000		
172,	172,470,390	12,187,317	7.07	250,910,468	10,456,236	4.17	105,693,574	6,670,993	9.15	
5	100 000 363	100 000	8	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100 700	Ĺ	503	023 CCT		
98,	200,000	200,6201,601	5.0	401,611,104	1/0,452,11	/ ***	معدر ۱۱٬۵۰٬۱	111,114,000	13.10	

SEE FOOTNOTES AT END OF TABLE

SIMMARY OF LANDINGS, 1949 - Continued

921.2309		CAPE COO PORTS				101	TOTAL		
5					1949			1948	
	PUUNDS	VALUE	AV. PRICE	POUNDS	VALUE	AV. PRICE PER POUND	POUNDS	VALUE	AV. PRICE
LOU, DRAWN	1 338 113	4111 OB1	700 0	200 000 00	41 422 402	, , ,			
MARKET	1,243,376	13 082	0.00	015,503,910	1 205 270	7.44¢	25,076,412	\$1,909,667	7.62¢
SCROD.	63,244	3,402	2,38	2,358,726	134,278	5.50	3 237 363	211,404,113	7,35
CUSK, DRAWN	23,641	406	1.72	2,001,193	81,007	. 4	1,945,087	98.601	20.52
FLOUNDERS, ROUND:									•
GRAY SOLE	41,845	3,676	8.78	7,290,657	503,435	06.9	2,247,184	201.402	8.96
LEHON SOLE	145,101	17,024	11.73	4,623,656	661,308	14,30	5,252,625	804,895	15,32
YELLOWTAIL	2,337,826	208,660	8.92	24,258,974	2,311,974	9.53	31,427,142	2,925,927	9.31
BLACKBACK	1,384,105	176,274	8.40	13,036,783	1,434,210	11.00	13,737,942	1,595,796	11.62
	35,460	2,254	9.30	2,972,352	168,701	5.68	2,128,871	159,174	7.48
HADDOCK DRAWN.	354,652	60,093	16.93	1,785,413	337,711	18,92	2,368,127	489,189	20.66
LARGE	2.035.869	166 100	4	CFO TER 94	110 100	91	17.00		
SCROO	55,207	3.428	2.5	43 837 616	0,010,000	8 4	73,040,094	7,116,619	9.68
HADDOCK, ROUND, SCROD.				0106/0060	6,000,643	0.0	90,0,0,000	4,000,611	8,23
HAKE:			'	•	•		1,000	150	12.00
RED, ROUND	640	13	2.03	39,691,067	338,184	0.85	4,147,947	52,605	1.27
TADE	-								
SUAL	4,000	4,024	9.50	5,342,399	299,872	5.61	5,923,610	354,208	5.98
HAI IRUT DRAW	56,537	20 540	70.00	931,643	959,75	3.5	1,450,211	55,800	3,93
HACKERFI BOUND	5 244 225	040,040	20,03	304,900	93,514	25.63	377,512	98,514	26.10
POLLOCK DRAWN	173 551	200,000	200	10,171,007	1,019,410	4.74	33,939,911	2,356,753	6.94
POLLOCK, ROUND			2:1	19,020,921	1,00	3,623	27,526,735	1,153,718	4.19
OCEAN PERCH (ROSF -				200		1001	190,040	4,690	2.16
FISN), ROUND	8,105	373	4.60	181,482,132	7 805 112	QF. 4	180 051 024	7 035 217	7 30
SCUP OR PORGY, ROUND	304,603	8,729	2,86	449 173	15,110	3.36	1 507 314	048,64	900
SWORDF18H, ORESSED	162,380	71,482	44.02	648,400	283,378	43,70	627.133	311,388	40.65
WHITING, ORESSED	4,807,268	162,021	3,37	34,863,244	1,364,962	3.92	28,842,550	1.211.145	4.20
WHITING, ROUND	8,246,898	165,868	2.01	10,651,405	209,054	1.96	13, 103, 718	264,935	2.02
SCALL DES (LILANS)	133,133	9,185	06.9	1,711,348	147,987	8.65	1,626,317	135,551	8,33
OTHER COR COOR	1,367,003	499,200	37.62	13,178,905	4,848,292	36.79	11,638,057	6,098,988	52,40
OTHER 2/	2,233,548	18.954	0.85	13,836,555	420,121	4.5	12,357,801	560,699	4.54
1				in familie	100	3			
TOTAL, AS LANDEO	35,751,206	2,460,500	6.88	564,825,638	34,775,046	6.16	573,119,518	42,522,838	7.42
TOTAL IN 1948.									
AS LANDEO.	44,454,469	3,332,896	7.50	•	1	,	573.119.518	42,522,838	7.42
1/ NEADLY THE FAITING CATCH OF DEPT AND AT AND DEPENDED	277	1000						, ,,,	===

MEARLY THE ENTIRE CATCH OF RED HAKE LANGED AT NEW BEDFORD WAS USED FOR ANIMAL FOOD OR MANUFACTURE INTO MEAL AND OIL.. AT TIMES SOME TRASH 2/ INCLUDES FISH USED FOR REDUCTION AND ANIMAL FOOD. FISH WERE INCLUDED WITH THE LANDINGS OF RED HAKE.

NOTE:—THE WEIGHTS OF FRESH FISH GIVEN IN THESE STATISTICS REPRESENT THE FISH AS LANDED, AND THE VALUES ARE THOSE RECEIVED BY THE FISHERMEN. LARGE MODOL AND THOSE COLO ARE CLASSIFIEDD. AS THOSE WEIGHING OVER AS THOSE WEIGHING OVER A FINGE WEIGHING OVER A FINGE WEIGHING OVER A FINGE WEIGHING OVER A FOLIONING S. AND SAMLL TAME. THOSE WEIGHING OVER 6 FOLIONS, AND SAMLL TAME, UNDER 6 FOUNDS. LARGE HADOLO ARE THOSE WEIGHING OVER 6 FOLIONS, AND SAMLL TAME, UNDER 6 FOUNDS. THE FOLIONING TERRS NOTATE THE COMPLICATION IN WHICH LANDED. "BOUNDS." AS CAUGHT, "GRAWN" EVISCERATED, AND "OMESSEO", EVISCERATED AND HEADED. IN YALUED AT \$6,937, WERE LANDED AT THESE FORTS.

LANDINGS AT BOSTON, 1949

1,055,544   10.694   1,689,200   7,434   3,511,528   7,014   1,21,755   5,914   1,156,749   5,715   1,915,740   5,225   1,22,560   6,324   1,22,765   1,186,749   6,344   1,22,765   1,22,765   1,186,749   1,17,750   1,1	SPECIES	UANU	JANUARY	FEBRUARY	ARY	MAR	МАВСН	APRIL	11	MAY	>
1,025,554 10.65¢ 1,689,200 7.43¢ 13.511,528 7.01¢ 2,318,775 5.81¢ 1,156,749 6.3¢ 123,450 6.37 7.05¢ 13.05,660 6.3¢ 1.3¢ 130,050 6.2¢ 1.4¢ 130,050 6.3¢ 1.4¢ 130,050 6.3¢ 1.4¢ 130,050 6.3¢ 1.3¢ 130,050 6.3¢ 1.4¢ 1.3¢ 130,050 6.3¢ 1.4¢ 1.3¢ 130,050 6.3¢ 1.3¢ 130,050 6.3¢ 1.4¢ 1.3¢ 130,050 6.3¢ 1.4¢ 1.3¢ 130,050 6.3¢ 1.3¢ 130,050 6.3¢ 1.4¢ 1.3¢ 130,050 6.3¢ 1.4¢ 1.3¢ 130,050 6.3¢ 130,050 6.3¢ 130,050 6		POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND
1,055,544 10,659 1,065,200 7,034 3,511,526 6,10 6,10 6,301,775 5,10 1,195,380 1,250 6,25 123,420 6,71 1,195,130 7,100 1,000 1,100 1,000 1,100 1,	COD. DRAWN:					:			Č	7	701 0
126,350   6.58   1/23,426   6.71   1/3,210   6.34   1/2,755   4.47   46,770   1.1     126,350   6.58   1/23,429   6.57   6.57   1.7   1.5   1.	LARGE	1,055,544	10.69¢	1,689,200	7.43¢	3,511,528	7.0]¢	1 303 050	2 7	1,180,380	7.0.5
164,000   0.46   0.31,339   6.01   0.7,565   7.88   6.7,370   5.02   73,710   5.02   73,710	MARKET	794,550	86.98 9.98	123 420	91.	73.210	6.34	12,785	4.47	48,750	3,53
164,700   13.15   12.55   12.55   13.25   14.37   14.41   11.720   11.37   160,330   13.35   14.55   11.02   26,675   22.04   11.42   23.55   6.65   12.38   303,200   16.7600   143,375   11.65   325,600   17.40   11.65   325,600   14.30   16.7600   14.30   11.50   11.65   325,600   14.30   14.30   16.7600   14.30   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.30   16.7600   14.20   16.7600   14.30   16.70   14.30   16.	SCROD	120,300	8.46	03,420	6.01	67,565	7,88	67,370	5.02	73,710	3.62
114,575 13.15 78,675 12.04 143,775 14.91 117,230 12.38 393,230 6.69 13.37 14.975 10.08 114,275 6.69 325,600 7.40 11.37 303,230 6.69 11.37 303,230	CUSK, DRAWN	000,07	•	confor							
3,917.5   19.00   28.675   22.04   143,275   14.91   17.450   17.450   17.450   10.300   103,000   11.050   10.300   10.300   11.050   10.300   1	CDAY SOLF	164.700	13,15	78,675	12,56	284,603	7.84	74,390	11.37	160,330	7.48
184,595   11.02   63,975   10.80   174,275   6.59   35,5100   7.40   10,700   143,595   143,595   10,00   11.67   5,305,445   10.80   174,275   6.56   16.59   3,513,545   14,70   1.67   1.0	FMON SOFF.	33,775	19.00	28,675	22,04	143,275	14.91	117,250	12,38	303,230	50.0
114,505 14.76 97,440 11.00 12.00 11.	YELLOWTAIL	83,875	11.02	63,975	10,80	174,275	69.9	325,600	04.0	779,900	0. 4 7. R
69,370   10.33   43,765   8,59   97,055   6,544   100,473   6,547,905   6,91   6,547,905   6,90   6,547,905   6,90   6,547,905   6,90   6,547,905   6,90   6,547,905   6,90   6,547,905   6,90   6,547,905   6,90   6,547,905   6,90   6,	BLACKBACK	114,505	14.76	97,840	11.08	126,307	11.41	266,70	50.0	20,050	0.0
3,914,040 11.67 5,306,545 8.77 5,021,110 9.72 7,493,075 6.91 6,547,975 6.91 2,001,480 9.66 2,672,330 7.37 3,223,290 8.44 4,024,675 5.98 3,513,545 6.91 2.20 1.0.10 2.0 1.0.2 1	DAB	69,370	10,33	43,765	8.59	97,055	6.g	100,915	00.00	505,503	6/•+
3,914,040 11.87 5,305,345 8.7.7 9,021,450 8.44 4,024,675 5,98 3,513,545 5.98 2,013,540 9.68 2,612,540,340 9.68 2,612,540,340 9.68 2,612,540 9.68 14.01 10,281 23.69 2,92 128,540 10.68 157,320 10.78 90,990 7.00 142,135 26,245 10.281 23.69 24,372 26,818 27.66 242,990 26,33 26,244 26,00 1.0.5 10.78 10.380 1.300,00 3.52 4.88 17.04,650 10.78 9.25 24,88 17.04,650 2.61 17.991 26,945 1.1.95 1.0.91 17.991 26,945 1.1.95 1.0.91 17.991 26,945 1.1.95 1.0.91 17.991 26,945 1.1.95 1.0.91 17.991 26,945 1.1.95 1.0.91 17.991 26,945 1.1.95 1.0.91 17.991 26,945 1.1.95 1.0.91 17.991 26,945 1.1.95 1.0.91 17.991 26,945 1.1.95 1.0.91 17.991 17	HADDOCK, DRAWN:			-		0,000	,	270 SOL T	6 01	A 547 075	6.76
2.505,360 9.66 2,507,330 1.37 3,525,535 0.10.79 0.0990 6.90 142,135 0.10.79 0.10.20 1.20.30 0.20.30 0.20 0.20 0.20 0.20 0.20	LARGE	3,914,040	11.87	5,306,545	a.73	0,021,110	2/10	7,00,000 V	000	3.513.545	0.00
10,281   23.69   9.92   128,540   10.68   157,320   10.78   90,990   7.00   142,135   1.00	SCROD	2,001,480	9.68	2,672,330	7.37	3,223,250	ţ	6,06#306#	26.0	20121060	
255,300 9.92 128,540 10.66 157,320 10.79 00.990 6.90 142,135 25.35 14.91 23.35 20.35	HAKE:		;			100	00			,	•
10,281   236,90   9.92   128,540   10,68   157,320   10,78   90,990   7,00   142,135   13,500   13,300   142,135   13,500   14,213   13,500   14,213   13,500   14,213   13,500   14,213   13,500   14,213   14,513   14,	RED, ROUND	275	14.91	1		050	30.0				
10,281   23.64   23.55   24.	WHITE, DRESSED:			0.1		167 320	40 78	000.00	6.90	142,135	3.77
10,281 23.69 22,372 25.64 15.90 13.88 27.66 24.990 26.33 26.245 2.65 2.60 10.281 22.65 3.35 26.345 2	LARGE	295,300	36.6	040,040		256,701	2	100	7.00	50	
10,25,296	SMALL	. !	. ;	33,300		20 010	37.56	42 000	26.33	48.644	21.51
1,589,080	HALIBUT, DRAWN	10,281	23.69	24,372		16,010	13 83	72,450	30.30	26,245	14.24
7,757,000 3.52 1,537,124 3.43 1,538,447 7.52 4.88 772,595 4.84 1,124,695 1.00 17,910 5.92 9.775 9.25 19,255 8.34 2,695 7.72 5.95 17,775 1.00 17,910 5.92 9.775 9.25 19,255 8.34 2,695 1.00 17,910 5.92 17,575 1.00 17,910 5.92 17,575 1.00 17,910 5.92 1.00 17,910 5.	MACKEREL, ROUND	2,380	12.44	000,4		200,000	2 5	1 301 605	2 81	665,445	3.20
1,589,080	POLLOCK, DRAWN	2,787,000	3,52	1,537,120		1,326,44/	4.50	500,100,1	5	,	
1,595,000   13.00   9.775   9.25   19.00   5.45   5.65   17.03,680   17.25   17.03,680   17.25   17.03,680   17.25   17.03,680   17.25   17.03,680   17.25   17.03,680   17.25   17.03,680   17.25   17.03,680   17.25   17.03,680   17.25   17.03,680   17.25   17.03,680   17.25   17.03,680   17.05   17.05   17.05   17.03,680   17.05	OCEAN RERCH (ROSE-	000		042 450	4 18	732,525	4.88	772,595	4.84	1,124,695	4.30
17,910 5.52 9,775 9.25 19,255 9.34 2,885 6.02 1,703,680 6.02 1,703,680 6.02 1,703,680 6.02 1,703,680 6.02 1,703,680 6.02 1,703,680 6.02 1,703,680 6.02 1,703,680 6.02 1,703,680 6.02 1,703,680 6.02 1,703,680 6.02 1,703 6.03 6.03 6.04 6.04 6.03 6.04 6.04 6.04 6.04 6.04 6.04 6.04 6.04	FISH), KOUNO	000,600,1	_	946,130	: '	11 835	00.8		,		
Fig. 1, 17, 17, 18, 18, 18, 18, 18, 18, 18, 18, 18, 18	SCUP OR PORGY, ROUND	9 50	_	1	200	10,285	0.65	54.985	6.02	1,703,680	
10,455,296   10.68   13,147   10.37   12,122   149,199   13,17   143,195   13,17   143,195   13,17   143,195   13,17   143,195   143,195   13,17   143,195   143,195   143,195   143,195   142,195   143,195	WHITING, DRESSED	01.64/1		C/, v	0.0	7 335	8.34	2,855	4.03	17,275	
13,216,976   8.55   13,682,700   7.41   17,388,202   8.72   18,751   18,752   3   3   3   3   3   3   3   3   3	WHITING, ROUND	2	_	2/2	500	140,100	12.47	431,055	7.76	403,660	
5.1. 8.429 4.2.0 0.001 5.1.0 5.0.0 5	WOLFFISH, DRAWN	66,147	_	050,4/	25.50	961,641	42 B	18,544	37,48	18,720	
5.0. 13,105 2.67 8.55 13,682,700 7.41 17,388,202 8.22 18,751,939 6.28 17,752,193 7.0. 10,455,298 10.68 13,141,915 10.37 22,029,668 7.42 20,279,371 7.15 18,027,724	SCALLOPS (MEATS)	8,429	_	0,001	2/2	7, 7	90	7,800	4.89	7,075	
. 13,216,976 8.55 13,682,700 7.41 17,388,202 8.22 18,751,939 6.28 17,722,193	OTHER FOR FOOD	3,105		C/#	t/*0	2006		(2)			1
10,455,298 10.68 13,141,915 10.37 22,029,668 7.42 20,279,371 7.15 18,027,724	TOTAL, AS LANDED	13,216,976	8,55	13,682,700	7.41	17,388,202	8,22	18,751,939	6.28	17,752,193	5.92
10,455,298 10.68 13,141,915 10.37 22,029,668 7.42 20,279,371 7.15 18,027,724											
	TOTAL IN 1948, AS LANDED	10,455,298	10.68	13,141,915	10.37	22,029,668	7.42	20,279,371	7.15	18,027,724	7.12
							(10)				

LANDINGS AT BOSTON, 1949 - Continued

SPECIES	JUNE	¥	JULY	<b>&gt;</b>	AUGUST	JST.	SEPTEMBER	HBER	100	DCTOBER
	POUNDS	AV. PRICE	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE	POUNOS	AV. PRICE PER POUND
OD, ORAWI:										
LARGE	754,755	7.51¢	345,120	9.38¢	418,380	10.69¢	396,154	12,32¢	571,420	11.84¢
MARKET	1,805,215	4.82	1,211,795	5.12	1,500,805	5,98	1,390,855	7.53	1,457,535	
SCROD	90,510	3.47	54,530	3.55	95,080	4.94	163,555	6.13	210,210	_
CUSK, DRAWN	109,475	3.10	93,850	3.04	157,250	3.46	145,090	3,49	106,885	
'LOUNDERS, ROUND:										_
GRAY SOLE	74,029	10.00	79,525	11.03	28,660	12.06	98,265	11.16	74,465	_
LEMON SOLE	350,165	9.02	51,640	18.44	146,355	14.37	187,680	_	108,155	_
YELLOWTAIL	162,515	9.0	62,440	6.93	122,755	6.48	47,850		76,275	
BLACKBACK	191,610	7,53	35,920	12.37	84,615	11.17	435,855		224,455	
DAB	164,060	5.78	94,790	4.68	78,360	6.89	97,500		89,735	7.88
ADDOCK, DRAWN:		-				1			-	_
LARGE	4,334,414	7.05	2,600,965	8.32	4,367,795	7.74	4,245,315	9.24	2,787,940	8
SCROD	4,224,765	5.10	2,587,885	2.63	4,988,005	9.15	4,353,730	_	2,780,500	
										_
RED, ROUND	•	,			1				200	2.00
WHITE, ORESSED:			410		100	;	1,1		200	_
LARGE	099,522	7.4	090,102	3.67	31/,045		24, 143		0// 100	
SMALL	1,190	4.62	1,515	4.03	220	9.00	091,	_	4,445	
HALIBUT, ORAWN	39,295	18.87	5,359	21.80	3,638	27.93	1,828	32.50	4,961	30.94
MACKEREL, ROUND	112,420	4.4	1,320	8.41	25,800	12.03	36,165	_	98,890	
POLLOCK, ORAWN	371,335	4,34	343,055	3,88	483,381	3.98	356,325	_	906,825	
POLLOCK, ROUND	. 1	•	382	2,08	7,535	2.87	,			
N PERCH (ROSE-										
FISH), ROUND	1,125,980	3,41	736,440	3,36	1,493,235	3.57	1,396,430	3.87	1,195,565	4.49
SWORDFISH, ORESSEO	21,084	59.14	99,266	42.41	93,507	41.75	53,167	`		
"HITING, ORESSED	2,924,311	4.00	2,145,415	4.00	2,326,917	4.00	2,426,284		1,327,698	
WHITING, ROUND	1,600	1.44	25		•	,	•		4,690	
FISH, ORAWN	128,945	8,83	19,885	7,30	11,585	8.46	6,785	8.03	8,538	
SCALLOPS (MEATS).			٠ 1		4.245	35.90	٠,	•	10,861	_
THER FOR FOOD	22,520	3.57	7,060	9.00	8,278	5.19	31,480	6.71	17,6,71	7.05
TOTAL, AS LANDED	17,236,073	5.62	10,829,765	6.10	16,794,266	6.34	16,420,238	7,32	12,534,295	8.21
AS LANDED	21,102,782	6.92	18,821,807	7.17	17,443,207	8,39	15,942,485	9.53	14,173,606	9.51

LANDINGS AT BOSTON, 1949 - Continued

		5	LANDINGS AT BUSION, 1949	JOICH, 1242	- Contrained				
SPECIES	NOVEMBER	48ER	DECEMBER	BER	TOTAL,	TOTAL, 1949	TOTAL,	TOTAL, 1948	
	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	
COD, DRAWN:	448.239	10.514	405.696	0.464	13.071.560	7.854	16.418.780	- C	
יייייייייייייייייייייייייייייייייייייי	1 035 550	10.00	745 285	, c	14 336 423	4.03%	16 835 030	400.0	
SCROD	167,820	3,15	70,535	2.5	1,236,765	7.46	1.455,500	7.03	
CUSK, DRAWN	96,205	4.62	108,055	5,88	1,197,454	4.78	1,076,929	5.80	
FLOUNDERS, ROUND:									
GRAY SOLE	122,015	10.07	133,375	12,50	1,403,032	10.50	396,587	11.52	
LEMON SOLE.	59,075	17.17	32,795	23.26	1,562,090	12.40	2,056,315	13.87	
YELLOWTAIL	313,595	200	100,920	7.43	1,701,675	9.90	3,258,490	6.68	
DAMP	118 510	90.4	199,032	* d	1,409,694	20.00	1,120,430	7.0	
FLUKE	25.601	200	010,401	9 1	cocepter.	60.0	100	19.00	
HADDOCK, DRAWN:									
LARGE	2,565,865	11.25	2,662,935	12,14	52,847,974	8.82	58,129,574	96*6	
scrop	1,733,505	8.58	1,193,875	9.04	37,297,745	9.90	47,177,883	8.43	
HADDOCK, ROUND, SCROD	•	,	•		•		1,000	12,00	
HAKE:									
RED, ROUND.		,			1,600	6.19	6,525	6.62	
WALLIE, URESSED:	OEF # 96	46	1011	1	000	ì	7.00	ŗ	
LAKGE	26,470	0 0	cnc, 602	79.	3,244,830	30	3,446,565	71.7	
HALLENT DOMEN	5,100	25.00	7.96.1	20.00	200,000	06	0,940	60.0	
TACKEDEL BOUND	200,400	207 E	, ra	1.5	400,004	55.73	720,027	2.5	
POLLOCK DOALN	1 246 465	20.6	1 820 874 875 874		12,500,	5.50	17,683,160	δ· .	
POLLOCK BOLIND	COF ( OF 2 ( )	· ·	2,050,01	6.4	0,0,1,1,6,0	200	901,600,7	5 0	
OCEAN PERCH (BOSE-					9166	;	260	3	
FISH), BOUND	434,135	4.64	570,125	4.24	12,112,955	4.11	11,383,271	4.37	
SCUP OR PORGY, ROUND					11,935	8.8			
SWORDFISH, DRESSED	1	,	•		267,024	44.39	303,107	50.46	
WHITING, DRESSED	280	2,50	2,205	4.35	12,958,715	4.06	11,373,121	4.40	
WHITING, ROUND	00	4.00	1,450	2,62	32,605	3.36	54,655	3.25	
WOLFFISH, DRAWN	14,048	8,56	17,389	8,82	1,332,771	9,48	1,168,986	9.27	
SCALLOPS (MEATS)	9.622	35.83	7,192	36.00	17 124,634	36.51	330,252	3.61	
	- 26		annin	200	16661-11 1-		occiono.		
TOTAL, AS LANDED	9,332,697	8.17	8,531,046	8.14	172,470,390	7.07	199,980,363	8.09	
TOTAL IN 1048									
AS LANDED	16,840,913	7.41	11,721,587	8.05		ı	199,980,363	8.09	

1/ THE ITEMS UNDER "OTHER FOR FOOD" INCLUDE ANGLERFISH, 495 POUNDS, VALUED AT \$14; BUTTERFISH, 26,484 POUNDS, VALUED AT \$2,761; CONGER EELS, 650 POUNDS, VALUED AT \$565 IS AR ASAS, 1,957 POUNDS, VALUED AT \$565 IS AR ASAS, 1,957 POUNDS, VALUED AT \$251; SAD, 3,41UED AT \$12; SARAWS, 16,721 POUNDS, VALUED AT \$1,931 STAPECHD, 1,110 POUNDS, VALUED AT \$16,103 FOR POUNDS, VALUED AT \$12; SARAWS, 1,672 POUNDS, VALUED AT \$1,931 STAPECHD, 1,110 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,932 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,931 POUNDS, VALUED AT \$1,932 POUNDS, VALUED AT

NOTE:--LANDINGS NOT INCLUDED IN THE ABOVE TABLE CONSISTED OF LIVERS, 422,462 POUNDS, VALUED AT \$30,799, AND SPAWN, 2,453 POUNDS, VALUED AT \$457.

LANDINGS AT GLOUCFSTFR, 1949

SPECIES	JANUARY	ARY	FEBRUARY	JARY	MAR	навсн	API	APRIL	ž	нау
	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	EGNNOd	AV. PRICE
COO. ORAWN:										
LARGE	134,885	6.57¢	269,810	5.394	411,105	6.054	636,280	5.074	960,950	5.02#
MARKET	91,390	6.79	196,741	5.49	448,263	5.54	361,548	4.44	198,823	3,84
SCROD	7,905	4.90	5,118	4.77	149,549	6.11	60,210	3.74	22,185	3.51
CUSK, DRAWN	22,505	4.68	34,965	4.74	43,615	4,82	100,070	3.69	76,266	2.77
FLOUNDERS, ROUND:										
GRAY SOLE	115,095	7.91	223,460	8.17	3,607,450	2.68	424,691	6.91	264,034	4.92
LEMON SOLE.		. ;		. !	0,1	21.82				,
YELLOWTAIL	120,216	10.29	966,866	10.51	60,891	9.05	78,645	7.70	34,045	5.51
BLACKBACK	CB0, L	10.63	34,796	4.3	32,507	5.0	25,479	7.19	12,848	3,93
0A6	47,351	6.84	95,981	6.30	174,185	5.25	209,435	2.00	199,226	3.64
Thought, on the second	000 00	č		0	100		, 100	č		
	96,20	7.6	320,712	8:	200,000	2.50	0,00,000	8 6	418,209	6.5
HAKE	2	2	200,000		6061033		0(*,000		1939113	8
RED. ROUND.	975	2,46	•	,	1.115	2.24	3.760	2.26	555	1.98
WHITE, DRESSED:	,				2				3	
LARGE	776,577	5.21	111,005	6.88	73,937	6.01	185,900	2.64	132,821	2.35
SMALL	65,555	5.63	62,945	6.84	1,0,77	7.27	46,180	3.27	52,120	2.32
HALIBUT, DRAWN	1,584	32.95	875	32.68	2,345	28.27	21,215	52.06	9,942	24.74
MACKEREL, ROUND		. :				ı	,	•	1,212,965	4.75
POLLOCK, ORAWN.	122,105	3.20	147,262	2.97	321,393	3.40	746,400	2,33	405,506	2.22
OCEAN PERCH (ROSF =			400				-			
FISH), ROUND	701,000,0	4 0	7,595,108	25.43	6,611,969	4 6	11,777,71	5.0	21,670,388	4.40
WHITING DOING	20,000	2 0	10,000	24.6	206,2	95.0	60,039	60.0	1,019,423	2.00
TOTAL DESCRIPTION	29,490 F OBS	ָ ה ה ה	306	20.4	20,00	0.00	75,00	3 4	01,/1	50
SCALLOPS (HEATS)	200	? ,	06060	5 •	19,04	20.4	606,04	10.0	2,426	32.48
OTHER FOR FOOD.	58,790	3.86	150,065	4.01	64,950	4.56	222.424	3.58	326,642	2.51
OTHER 2/	. 1	,	. 1	1	,		٠,		9,400	1.16
TOTAL, AS LANDED	7,749,499	4.68	9,744,045	4.81	15,041,022	5,39	17,336,265	5.02	27.843.400	4.33
TOTAL IN 1948, AS LANDED	4,852,972	66.98	9,701,663	9.05	16,486,203	4,95	17,915,185	4.30	30,026,928	3.95

LANDINGS AT GLOUCESTER, 1949 - Continued

SPECIES	JUNE		JULY	<b>&gt;</b> -	AUGUST	IST	SEPTE	SEPTEMBER	OCT(	OCTOBER
	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUNO	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND
OD, DRAWN:	493.643	6.184	277.254	6.884	181,395	7.13¢	160,047	7.76¢	244,359	8.38¢
MARKET	177,138	3.57	207,861	3.95	95,140	4.4	92,038	5.56	176,358	5.93
SCROD	5,755	3,37	5,390	3.02	215	3.72	320	2,81	7,370	4.45
CUSK, DRAWN	200,65	2,48	113,035	2.60	84,802	2.62	86,175	2.74	70,235	2.87
LOUNDERS, ROUND:	i c	6	2000	r C	113 27E	7	798 881	7.05	151.661	, BB
GRAY SOLE	579,66	4.39	4,620	5.47	5/2,5/1	24.5	255	11.76		; ,
VELLOUTA II	50.665	7.10	33,095	8.04	1,520	6.58	14,690	6.59	18,517	6.52
BI ACKBACK	3,160	5.51	5,365	5.11	4,415	_	3,415	8,64	2,876	7.34
DAB	79,302	3.49	120,728	3.71	101,948		87,774	4.18	86,930	4.80
HADDOCK, DRAWN:	1		127	000	010	r C	556 37B	10.	428.583	0.12
SCROD	73,695	4.24	492,190	. 6	102,630	4.37	75,175	5.04	83,005	6.04
HAKE:										
REO, ROUND	1	1	1	ı	11,380	2,38	200	3.80	ı	
WHITE, ORESSED:	1		000	i c	172 670	5	237 B41	7 65	737.735	2.20
LARGE	55,61		0,000	200	73,579	200	68,205	2,62	155,785	4.50
SMALL	2,191	10.28	2,576	22.48	4.027	24.51	5,197	22.24	6,303	24,18
MACKEDE! DOLLNO	2.239,167		1.556,231	4.47	619,311	4.20	230,567	9.50	10,295	9.62
POLLOCK DRAWN	398,851		293,197	2.62	394,703	2.53	365,210	3.34	509,865	3,33
POLLOCK, ROUND.	. 1		7,688	1.30	12,940	4.8	21,075	1.00	,	ı
OCEAN PERCH (ROSE-							1,	,	000	3
FISH), ROUND	21,126,995	3.65	20,103,758	3.72	20,149,653	3,80	15,647,937	4.16	14,053,790	48,4
SWORDFISH, DRESSED	, ,,,,		23,00		200147	60.60	7 628 00E	8 6	2.886.00F	
WHITING, DRESSED	1,430,199		256,071,2	_	563 711		500,008	1.61	413,472	
WHILING, ROUNDS	020,020		20,000		7 832		020.0	0.4	6,787	_
WOLFFISH, DRAWN	2,0		20,03		1006	•		1	914	_
THER FOR FOOD	186 161	2 42	540 540	2.72	1.088.535	4.33	2.262.664	_	972,138	_
OTHER 2/	176,110	0.94	1,173,873	0.99	5,173,104	1.19	2,754,950	1.11	2,841,669	0.94
TOTAL, AS LANDED	27,646,856	3,76	29,328,078	3.77	33,634,365	3,47	28,037,380	à.71	23,365,053	4.19
9701										
AS LANDED	28,038,433	4.16	31,706,284	3,98	33,661,744	4.16	24,797,953	5.08	727,606,22	4.90

LANDINGS AT GLOUCFSTER, 1949 - Continued

SPECIES	NQVEMBER	4BER	DECEMBER	BER	TOTAL,	TOTAL, 1949	TDTAL	DIAL, 1948
	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND
COD, DRAWN:				į				
LARGE	221,475	8.11¢	205,580	6.20¢	4,196,783	6.07¢	5,528,419	2.994
MARKET	239,910	5.14	167,008	5.18	2,452,218	4.93	2,090,553	5,73
SCROD	30,715	3.64	32,730	3.41	327,462	4.80	77,965	5.02
COSK, DRAWN	516,04	2.83	39,910	79.7	777,498	3.10	793,568	4.25
CONDERS, ROOMD:	161 246	20	0.00	9	10000			
LENON SOLF	0+06101	2.5	010,031	00.0	0,493,925	000	1,103,410	24.0
VELLOUTALL	35 310	4	000		506,123	9.0	0,030	9.
BI ACKDACK	50,71	2.5	000,000	4.0	300,000	12.0	635,323	
DAB	110,602	4.34	20,00	200	1 367 223	0.4	140,118	10.29
FILIKE			100	100	1,326,000,1	3 6	20,000	D# *0
HADDOCK DRAWN:			2	?	COL	6/•6	•	
LARGE	331,770	8.60	211,575	8.42	6.719.631	6.77	7.537.028	7.66
SCROD	76,715	5,32	39,085	5.31	1,796,174	51.12	3.624.686	90.30
HAKE:							2006	
GED, ROUND	•	,	,		17,985	2.34	76.096	2.20
WHITE, DRESSED:								
LARGE	213,935	4.28	78,870	5.57	1,868,995	4.17	1,914,666	4.33
SHALL	86,370	2.95	43,185	3.24	880,667	3.90	1,332,101	4.04
HALIBUT, DRAWN	833	26.65	764	24.08	58,306	24.71	32,257	24.53
MACKEREL, ROUND	892,023	8.17	115,585	7,53	6,876,144	5.27	19,886,200	5,22
POLLOCK, DRAWN	1,137,330	2,28	1,235,475	2.17	6,077,297	2,53	9,012,727	3.61
POLLOCK, ROUND	٠	•	27,815	1.80	69,518	1.36	192,185	2,14
OZEAN PERCH (ROSE-	:							
FISH), ROUND	11,899,109	4.92	9,039,351	5.04	169,280,942	4.31	176,800,876	4,19
SWDRDF ISN, DRESSED			ı		70,146	38,43	42,241	51.30
WHITING, DRESSED	582,176	3.98	7,950	3.99	17,072,991	3,96	12,826,608	4.33
WHITING, ROUND.	271,12	2.11	86,240	2.00	2,368,902	1.77	866,363	2.52
WOLFFISH, DRAWN	0,240	4.71	4,460	49.64	148,609	2.6B	177,867	5,39
SCALLOPS (MEATS)		, ;	16,763	33,13	20,103	33,37	66,132	50.69
OTHER 2/.	1.637,850	0.0	799,540	200	14.566.626	0.4 0.1	2,497,083	3.52
			20600		(application)			
TOTAL, AS LANDED	18,326,229	4.50	12,858,276	4.49	250,910,468	4.17	251,113,164	4.47
0704 111 14101								
AS LANDED	19,903,593	4.23	11.112.479	4,33			251.113.164	4.47

1/ THE ITEMS UNDER "OTHER FOR FOOD" INCLUDE ALENIVES, 101,516 FOUNDS, VALUED AT \$1,819; BLUEFISH, 176 FOUNDS, VALUED AT \$9; BUTTERFISH, 98,972
FOUNDS, VALUED AT \$2,977; CERVALLE, 208 FOUNDS, VALUED AT \$8,5456 FOUNDS, VALUED AT \$9,340 FOUNDS, VALUED AT \$9,5456 FOUNDS, VALUED AT \$9,540 FOUNDS, VAL

NDTE:--LANDINGS NOT INCLUDED IN THE ABOVE TABLE CONSISTED OF LIVERS, 1,673,571 POUNDS, VALUED AT \$140,290, AND SPAWN, 75,805 POUNDS, VALUED AT \$5,516.

LANDINGS AT NEW BEDFORD, 1949

SPECIES	JANL	JANUARY	FEBRUARY	tRY.	MARCH	СН	APR	APRIL	HAY	,
	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUNO	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND
COD, DRAWN:	5	Ç	1	0	000	,,,	100	700	6	,
MARKET	169,245	10.89	72,870	9.70¢ 8.84	148,545	9.40	339,935	6.22	274,465	6.22 6.22
SCROD	53,130	9.37	31,275	7.76	174,685	7.36	83,130	4,55	55,910	5.49
CUSK, DRAWN	260	2.00	785	3.18	720	5.69	ı	ı	09	3,33
GRAY SOLE	8,450	9.72	49,525	11.14	173,390	8,23	8,220	7.72	21,630	7,53
LEMON SOLE	220,255	21.95	77,640	22.42	170,570	17.26	250,970	14.34	433,205	10.14
YELLOWIAIL	1,264,845	14.16	1,294,388	13,32	911,915	13,59	357,550	11.98	238,410	9.40
BLACKBACK	503,540	18,13	325,220	17.84	497,165	12.87	705,136	11.54	1,931,548	9.56
DAB	2,025	8.20	4,320	06.90	21,720	9.40	072,72	7,32	67,175	6.14
FLUKE	199,205	19.17	269,550	16.60	191,805	18,88	206,827	17.83	57,202	20.46
HADDOCK, DRAWN:	200 335	12.60	021 320	0.17	378 R7E	90 0	1 011 315	7	074 100	6.61
SCROO	296,685	10.51	149,895	7.78	295,560	8.64	771,785	2,38	996,500	5.15
HAKE:										
REO, ROUND 1/	1	'	•		09	3,33	2,098,195	0.76	7,362,543	0.77
WHITE, DRESSED:										
LARGE	6,920	6.04	15,595	6.45	2,840	6.58	50,390	9.37	000,9	4.20
SMALL	ດດ	5.45		•						
HALIBUT, DRAWN	836	35.06	519	26.78	3,669	21.70	8,045	20.42	10,028	21.82
MACKERET, ROUND	200	13.65		٠.	5,950	17.41	03,210	27.6	26,4/5	5.73
POLLECK, DRAWN	0,460	3.95	16,500	3.05	59,925	2.75	79,715	77.7	17,960	2.59
OCEAN PERCH (NOCE	069	2 07	10 200	0	020 07	2				
SCIID OF BODGY BOILING	0,030	70.0	10,200	4. R	46,070	200	12 130		12 440	2 61
THIT DESERT	2006	60.0	000	9 6	00660	200	2000		14,71	
WOLFELSH, DRAWN	325	5.54	3.550	200	17, 180	, r.	26,47		20,400	4.41
SCALLOPS (MEATS).	630.217	40.65	516,082	38.55	506 142	43.78	1 042 707	_	1 200 347	32 B1
OTHER FOR FOOD.	107,020	7.08	118,695	7.45	64,780	10.96	1,485,080	1.29	16,585	6.88
TOTAL, AS LANDED	3,801,506	18,88	9,303,669	16.85	3,942,181	16.45	8,813,480	8.73	13,928,183	6.42
TOTAL IN 1948, AS LANDED	3,248,982	19.41	2,916,452	22,81	4,624,951	17.72	6,433,762	15.43	7,998,076	12.96

(CONTINUED ON NEXT PAGE)

SEE FOOTNOTES AT END OF TABLE

ć LANDINGS AT NEW BEDEORD 1949

SPECIES	JUNE	Ě	טחני	<b>*</b>	AUGUST	JST	SEPTE	SEPTEMBER	00.00	OCTOBER
	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND
COD, DRAWN:										
LARGE	13,195	5.34¢	29,622	5.56¢	2,570	6.46¢	1,240	10.08€	13.645	8.844
HARKET	292,005	5.88	340,785	5.99	100,790	92.9	120,070	8.30	353,770	8.87
scron scron	03,950	5,45	61,590	5.52	20,070	5,86	15,480	7.02	68,420	8.03
FI DUNDERS BOUND	'		100	2.00	r			,	125	1.60
GRAY SOLF	52.40U	0	27 645	0	2 457	,			9	1
LEHON SOLF	124 BOO	20.61	143 245	20.00	204,7	40.0		' ;	280	7.08
YELLOWIALL	675,025	44	1 126 155	9.50	202,273	20.00	7 27,003	14.40	176,225	17.73
BLACKBACK	1.238.915	11.08	605.365	14.06	538,123	7.00	006,126,2	0.50	3,028,223	9.74
DA8	28,085	6.97	3,795	8.17	610600	- 1	754,750	C**71	04,04	5
FLUKE	42,750	22.19	165,141	26.12	83.110	18, 13	103.467	23.76	1,900	20.0
HADDOCK, DRAWN:					211622		,,,,,	2.	060610	0.4
LARGE	803,000	6.85	460,308	8,00	88.275	8.65	137.300	0.01	250 605	12 17
SCROD	840,060	5.16	791,010	5.40	160,935	5.84	124,465	9.08	106,285	8.52
HAKE:								3	2	
RED, ROUND 1/	7,936,021	77.0	6,905,230	0.97	4,945,200	0.79	2,736,826	0.84	5.491.200	96.0
WHITE, DRESSED:										
LARGE	27,755	3.86	13,945	3.81	3,120	3,40	975	2,46	7,205	4.59
SMALL	195	2.56			1			•		
HALIBUT, DRAWN.	5,782	19.54	1,130	15.93		•		,	45	31.11
MACKEREL, ROUND	203,640	3.62	4,303	9.10	805	7.45	202	10,73	4,975	12.02
POLLOCK, DRAWN.	2,550	2.39	6,555	2.36	265	4.15	250	4.80	1,675	2,33
FISH DOLLD										
Chind Yadda an allow	61 ABE	- 0		,		1	. !	•	8,605	4.00
SUDBOELSH. DRESSED.	200,10	5.5	7, 703	3.42	3,640	3.52	0,310		2,900	2.90
WHITING DRESSEO.	2	3 .	4,000	2.5	016,00	43.50	12,505	_	718	51.39
VOLFFISH DRAWN	12.675	3.50	282	44.0	7	22.			302	2,95
SCALLOPS (MEATS)	1.489.614	35.28	1.305,461	36.24	1 230 245	24.50	2412		5/2	3.64
OTHER FOR FOOD	13,149	7.80	113,940	1.80	85,160	2.46	66,195	6.38	52,530	37.99
IOIAL, AS LANDED	14,129,007	6.93	12,196,743	7.82	10,915,919	8.36	8,412,535	10.56	11,188,735	7.80
TOTAL IN 1948.										
AS LANDED	8,358,109	13,22	9,853,908	15.38	7,844,141	18,35	7,916,538	16.96	8,460,053	12.78
				TOTO TALL NO GENERAL MODE	Lucat Dage					
SEE FOOTWOIFS AT END OF TABLE			_	CONTINUE U UI	NEXT PAGE /					

SEE FOOTHOTES AT END OF TABLE

LANDINGS AT NEW BEDFORD, 1949 - Continued

SPECIES	NOVE	NOVEMBER	DECEMBER	18ER	TOTAL	1949 rotal, 1949	TOTAL	TOTAL, 1948
	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE
COD, DRAWN:	20.425	A 154	009					
MARKET	344,565	6.28	134,868	6.03 \$	2,691,913	7.14	1,492,620	7.48¢
CIER DEALN	47,320	5.52	56,295	5.72	731,255	6.51	1,643,305	6.19
FLOUNDERS, ROUND:	2	00.0	•		2,600	4,38	2,630	3*66
GRAY SOLE	1,440	7.71	6,030	5.4	351,855	8.77	91.875	0.0
CEMON SOLE.	186,975	17.28	161,225	21,32	2,911,480	15.46	3,071,100	16.36
BLACKBACK	2,280,3/0	900	2,260,245	8,68	19,652,113	9,88	25,214,097	9.56
DAB	3.230	7,12	2,037	26.8	9,411,095	11,82	10,454,574	11.97
FLUKE	43,260	17.28	30,464	14.98	1,430,376	19.41	2.035,702	20.82
HADDOCK, DRAWN:		į				:	-6.600.6-	
SCROD	77,045	10.79	395,770	11,38	5,234,438	8,37	5,630,786	9.72
HAKE:	2006/	/†.0	76,200	00.6	4,688,490	6.18	5,779,265	7.84
RED, ROUND 1/	2,195,567	1.00	•	,	39,670,842	0.85	4.063.035	1 24
WHITE, DRESSED:							and format	-
SHALL	12,335	4.00	4,115	3,11	151,195	3,32	271,040	3.81
HALIBUT, DRAWN.	2	9 .	145	25.07	490	2.86	9,810	4.25
MACKEREL, ROUND		,	2.410	10.25	30,072	21.21	34,421	24.84
POLLOCK, DRAWN	4,010	4,86	3,730	8	100,505	69.0	377 440	7.60
POLLOCK, ROUND.		,		•		2 .	5,565	2.5
CLEAN PERCH (ROSE =		•					2126	
SCIIP OF PORCY POINT	4,945	4.6	2,600	2.50	80,130	3.71	350,102	4.07
SWORDF1SH, DRESSED.	146	56.16	000,21	96.	132,635	8.5	873,751	3.08
WHITING, DRESSED.	•	2,,	•		746,630	20.44	164,561	48,68
WHITING, ROUND			•	,	0/2643	3.32	200	2.12
WOLFFISH, DRAWN	125	2.60	240	2.08	26. A3E	10,	26,70	Š.
SCALLOPS (MEATS)	911,282	37.10	887,739	36.57	11.707,165	36.70	10 081 805	4. C.
OTHER FOR FOOD	48,068	2,59	7,405	6.09	2/ 2,178,607	2,63	812,217	10.08
OTHER 3/ · · · · · · · ·	1,140,715	1.00	1,865,815	1.00	3,006,530	8:		
TOTAL, AS LANDED	8,499,303	8.90	6,562,313	10.99	105,693,574	9.15	77,571,522	15.18
TOTAL IN 1048								
AS LANDED	6,725,846	9.61	4,190,704	15.53	1	-	77 571 522	94 10
							7706./06//	0.0

WEE INCLUED WITH THE LANDINGS OF RED HAKE.

THE TIES UNCENTRES UNCENTRES OF RED HAKE.

THE TIES UNCENTRE FOR FOODD! INCLUDE BUTTERF19, 736,600 POUNDS, VALUED AT \$28,735; CONGER EELS, 1,615 POUNDS, VALUED AT \$445; 90 POUNDS, VALUED AT \$177; POUNDS, VALUED AT \$1775; POUNDS, VALUED AT \$1775; POUNDS, VALUED AT \$1775; POUNDS, VALUED AT \$12,005; BULFIN TUNA, \$17,705; BULFIN TUNA, \$12,005; BULFIN TUNA, \$12,005; BULFIN TUNA, \$12,005; BULFIN TUNA, \$17,005; BULFIN TUN AT TIMES SOME TRASH FISH NEARLY THE ENTIRE CATCH OF RED HAKE LANDED AT NEW BEDFORD WAS USED FOR ANIMAL FOOD OR MANUFACTURE INTO MEAL AND OIL. > 7

DATA NOT AVAILABLE BY SPECIES. INCLUDES FISH FOR REDUCTION OR ANIMAL FOOD. ان NOTE:--LANDINGS NOT INCLUDED IN THE ABOVE TABLE CONSISTED OF LIVERS, 1,249 POUNDS, VALUED AT \$756, AND SPAWN, 235 POUNDS, VALUED AT \$44.

LANDINGS AT CAPF COD PORTS, 1949

SPECIES	JAN	JANUARY	FEBRUARY	IARY	HAR	HARCH	APF	APRIL	ì	нА∀
	POUNDS	AV. PRICE PER POUNO	POUNDS	AV. PRICE	POUNDS	AV. PRICE PER POUND	POUNOS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUNO
COO, DRAWN:										
LARGE	114,691	12.01¢	68,187	9.84	103,050	8.574	132,682	6.89€	130.093	5,544
MARKET	120,342	9.14	78,817	7.10	83,724	6.87	74,279	5.32	74,291	4.58
SCROD	4,615	71.7	7,355	6.40	4,405	6.31	3,350	4.06	940	4.26
CUSK, ORAWN	23	4,35	104	6.58	, 662	4.98	449	2.23	7,136	1.35
FLOUNDERS, ROUND:										
GRAY SOLE	195	10.26	1,385	11.91	7,178	90.6	2,363	8.21	4,665	9.54
LEMON SOLE	2,281	16.66	622	18.56	4,415	14.25	5,731	14.31	4,350	2.06
YELLOWTAIL	146,488	12,85	264,426	11.34	309,306	10.30	139,178	9.45	54,267	7.80
BLACKBACK	23,838	14.88	14,890	11.56	52,562	12.08	180,442	10.92	279,465	5.78
0AB	29	2.97	678	6.93	1,229	8.62	864	3.82	1,596	4.51
FLUKE	16,489	15.04	32,487	15.19	21,984	17.07	25,277	16.26	36,828	18.94
HADDOCK, ORAWN:										
LARGE	72,131	11.18	105,814	9.32	187,233	9.10	69,693	6.68	94,865	7.45
SCR00	430	6.53	•	,	370	8.65	3,220	4.10	1,185	5,49
AAKE, WHITE, DRESSED:										
LARGE	1,440	10.97	2,001	7.30	2,524	8.44	108	5,65	7,538	4.36
SHALL		, ;	520	6.80	15	29.9	968	4.91	1,073	3.36
HALIBUT, ORAWN	334	40.12	474	15.4	7,117	46.09	26,510	34.94	15,934	34.41
AACKEREL, ROUND		•	S	20.00			3,765	12.64	320,127	1.8
POLLOCK, DRAWN	10,283	4.76	2,489	4.26	5,998	4,35	11,081	3,63	28,296	2,88
DCEAN PERCH (ROSE-	•		,	;						
FISH J, KOUNO	con'	9 9	1,140	3.51	1,185	5.40	4,000	8		
SCUP UR PORGY, ROUND	1,965	7.05	32	11.42	e 8	10.00	4		123,755	2.90
WHILING, UNESSEU.		. ;				•			109,380	3,34
WHITING, ROUND.	5,010	2,48	140	2.14			6,630	4.44	301,925	2.22
WOLFF ISH, DRAWN	6,725	8	15,058	6.77	31,063	99.6	28,573	6.03	31,941	6.55
SCALLOPS (MEATS)	45, 61	40.47	21,096	41.01	49,192	44.45	90,048	36.94	153,491	32,11
DITHER FOR FOOD	31,303	4.8	33,339	4.78	43,196	5.16	484,307	3.70	1,280,614	2.17
UIMER 2/		,	•			-	-	-	10,375	0.99
TOTAL, AS LANDED	678,759	16.17	680,794	12.30	916,438	11.59	1,297,020	9.23	3,074,130	.5.90
AS LANDEO	660,899	15.97	877,628	17.22	963,245	14.71	1,986,865	8,73	3,900,288	5.66

SEE FOOTNOTES AT END OF TABLE

LANDINGS AT CAPE CCD PORTS, 1949 - Continued

SPECIES	JUNE	NE.	אחרא	۲.	AUGUST	JST	SEPTE	SEPTEMBER	000	DCTOBER
	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER PDUND
COD, DRAWN:										
LARGE	131,778	6.446	138,608	7.246	125,675	7.49¢	118,994	8.75¢	86,790	9.82¢
SCROO	12,260	4.57	1,890	26.4	480	3.90	12/,025	2.96	155,880	6.67
CUSK, DRAWN	7,017	1.27	1,158	2.16	1,049	3.81	3,901	1.56	966	1.91
GRAY SOLE	17,498	7.96	5.071	0.10	245	6 12	1		4	
LEMON SOLE.	2,830	10.00	3,783	13.51	12.653	12.71	20,400	11.24	52 136	13.01
YELLOWTAIL	139,935	8.14	209,355	8,50	287,472	96.9	239,539	7.48	144,861	8.76
BLACKBACK	193,415	60.09	50,513	9.17	76,822	8.42	40,677	11.04	75,441	8.66
CLUKE	12,960	5.5	5,412	5.40	2,237	4	5,972	7.74	2,695	8.65
HADDOCK, DRAWN:	40,004	10.83	67,779	70.02	48,756	14.43	20,452	17.83	35,926	13.61
LARGE	157,759	6.71	238,509	8.12	430,481	6.50	219.986	B. 13	210.735	0 41
SCROD	29,640	-5.55	9,500	5.62	,987	5.37	1,335	7.86	5,070	06.8
HAKE:										
RED, ROUND.	640	2,03	1	1	ı	1	1	ı	,	1
APOF	10 462	3 40	0,0	70,7	1	ľ		i i		
SMALL	1,486	2.40	200		06/60	03.5	2,044	00.0	14,0	26.0
HALIBUT, DRAWN	2,382	31.02	836	35,53	920	3.56	1.131	39.70	7,87	30.00
MACKEREL, ROUND	2,291,761	7.94	1,246,846	11.93	1,070,673	13.77	158,970	13.38	106.725	13.21
POLLOCK, DRAWN	17,612	3,66	9,325	4.28	10,104	3,39	9.691	3.92	5,564	4.64
OCEAN PERCH (ROSE-										
FISH (+ ROUND	150 213		1 6	,	400	4.00	160	3.75	215	4.19
SWORDFISH, DRESSED.	21.26 B	75.39	13,502	, v. c.	0,400	20.00	1,182	ъ. 6	2,602	6.23
WHITING DRESSED.	1.070,495	2 6	1.100,820	3.44	1.431.003	24.6	A20 78E	9.00	305 151	, c
WHITING, ROUND	1,305,705	2.00	1,442,245	00	2,036,940	2.00	1.351.354	2.00	1 342 405	200
WOLFFISH, DRAWN,	10,303	4.71	2,558	4.38	1,279	4.61	2,126	3.20	1,563	3.60
SCALLOPS (MEATS)	84,345	35.42	82,228	35.94	164,171	35,47	144,701	38,13	194,511	40.08
OTHER FOR FOOD.	565,363	2.87	314,571	7.26	344,229	7.58	322,455	7.92	344,976	6.67
	55.6	72:1	21,0/0	1.14	25,500	80.	169,555	/6.0	930,190	0.79
TOTAL, AS LANDED	6,374,207	5.64	5,273,807	7.26	6,255,061	6.72	3,844,094	6.11	3,795,193	5.95
TOTAL IN 1948										
AS LANDED	10,662,123	5.90	8,746,846	7.65	6,261,623	9.04	4,765,088	6.44	2,969,829	96.9

SEE FOOTNOTES AT END OF TABLE

LANFINGS AT CAPE CCD PORTS, 1949 - Continued

SPECIES	NOVEMBER	49ER	DECEMBER	BER	TOTAL, 1949	1949	TOTAL	TOTAL, 1948
	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND	POUNDS	AV. PRICE PER POUND
LARGE	60,972	8.94¢	126,593	10.34€	1.338.113	8.304	1.636.584	8.904
MARKET	90,687	5.13	127,360	5.90	1,243,376	5.95	1.069,325	7.62
SCR00	4,635	6.26	19,083	4.76	63,244	5,38	60,503	5,30
CUSK, DRAWN	1,113	2.16	33	3.03	23,641	1.72	71,960	3,18
LOUNDERS, ROUND:							1	
GRAY SOLE		. ;	280	11.07	41,845	8,78	55,306	12.65
LEMON SOLE	18,714	10.13	8,284	16.39	145,101	11.73	118,580	14.11
YELLOWTAIL	179,818	7.37	223, 181	7.89	2,337,826	8.92	2,319,232	10.60
BLACKBACK	217,945	8.82	178,095	8.80	1,384,105	8.40	1,425,255	89*6
DA8	920	6.23	098	5.83	35,420	9.30	62,625	10.25
FLUXE	5,845	66.22	2,185	15.88	354,852	16.93	332,235	19.66
1 4 BOE	123 676	66.0	116 147	200	0 000 000	9	2000	
	20,000	33.66	101	20.66	600,000,3	0.0	2,240,000	20.1
AKE:	6, 63	3	Can	33.11	703,600	13.0	30,15	10./
RED. ROUND	1	•	•	,	640	2.03	1.301	4.53
WHITE, DRESSED:								
LARGE	10,919	6.21	1,839	96.9	975,77	5.20	291,339	5.14
SMALL	306	52.4	350	4.38	4,486	3.77	69,355	1,33
HALIBUT, DRAWN	158	39,87	156	39,74	56,537	36,33	62,608	35.98
MACKEREL, ROUND	45,353	13,87		,	5,244,225	10,60	8,897,324	10.49
POLLOCK DRAWN	9,870	4.53	53,239	2,88	173,551	3.50	456,399	4.24
DOEAN PERCH (ROSE-								
FISH), ROUND		•	,		8,105	4.60	516,775	3.40
SCUP OR PORGY, ROUND	15	13,33	15	6.67	304,603	2,86	633,563	2,62
SWORDF ISH, DRESSED	•		•		162,380	44.02	117,224	48.33
HHIT:NG, DRESSED			,		4,807,268	3.37	4,642,021	3.36
MITING, ROUND	419,824	2.00	31,630	2.64	8,246,898	2.01	12, 123, 939	1.98
WOLFFISH, ORAWN	842	2.93	1,102	3.63	133,133	06.9	193,349	7.09
CALLOPS (MEATS)	24,66	38.68	94,544	33,45	1,327,003	37.62	1,239,868	52,38
OTHER FOR FOOD	504,871	0.80	53,627	6.19	1/ 3,912,851	4.39	5,717,503	4.65
		3	2001	25.5	2,500,040	6.6		
TOTAL, AS LANDED .	1,983,585	6.14	1,578,118	7.24	35,751,206	6.88	44,454,469	7.50
9701 141 14101								
AS LANDED	1,734,889	7.40	917,946	10.37	•	,	44,454,469	7.50
							, 2.6	

THE ITEMS UNDER "OTHER FOR FOOD" INCLUDE AMBERJACK, 1)3 POUNDS, VALUED AT \$9: AMGLERFISH, 240 POUNDS, VALUED AT \$7: BLUEFISH, 79 POUNDS, VALUED AT \$33.3 BOWING, AND ADMINS, VALUED AT \$7.0 BUTTER FOR POUNDS, VAL

INCLUDES FISH FOR REDUCTION OR ANIMAL FOOD. DATA NOT AVAILABLE BY SPECIES.

NOTE:--LANDINGS NOT INCLUDED IN THE ABOVE TABLE CONSISTED OF LIVERS, 5,118 POUNDS, VALUED AT \$1,694, AND SPAWN, 8,927 POUNDS, VALUED AT \$920,

## LANDINGS AT CERTAIN MASSACHUSETTS PORTS

SUMMARY OF FISHFRY: BY GEAR AND SUBAREA, 1949

			Comments of Fibrifiers:	- 1	BI GEAR AND SUBAREA, 1949	SUBAREA,	1949			
GEAR AND SUBAREA	CRAFT	TRIPS	DAYS		COD, DRAWN		CUSK,	i.	FLOUNDERS, ROUND	
	FISHING		ABSENT	LARGE	MARKET	SCROD	DRAWN	GRAY SOLE	LEMON SOLE	YELLOWTAIL
LINE TRAWLS:	HUMBER	NUMBER	NUMBER	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
E. BROWNS AND LA HAVE SOUTHERN NOVA SCOT!A	2 -		55	28,375	51,200	3,500	9,300	1	-	•
WESTERN BROWNS.	.0.	 		86,650	100,160		55,100			1 1
WESTERN MAINE	12	323.0		398,455	7,440	20.050	9,890			1
EASTERN MASSACHUSETTS	120	1,770.0		873,783	696,602	150,960	442,849	006	1	1,995
WESTERN SIDE SOUTH CHANNEL.	ر کا ۔	18.3	£ 62	134,400	255,270	3,315	53,660	1 1		-1-1
NORTHERN EDGE OF GEORGES	N W	10.8		16,382	29,500	. 1	16,200	1 1	,	ı
CENTRAL AND S.E. GEORGES		0.1		5,985	1,800	1	000	1 1		
OFF NO MAN'S LAND	- m	11.0		300	1,300	1 1	1,900	1 1		1
S. NEW ENGLAND, UNCLASSIFIED. CAPE COD $1/$	49	5,680.0		3,500	1,750	11	5,250	145	105,185	7,260
TOTAL	711/2	7,852.0	8,352	2,941,987	2,338,324	178,050	889,140	1,045	105,185	9,255
HAND LINES: EASTERN MASSACHUSETTS	128 49	1,398.0	1,398	186,016 46,624	29,608 61,946	75	2,113		- 441	11
TOTAL	2/162	1,980.0	1,980	232,640	91,554	110	2,143	'	441	
HARPOONS: WESTERN BROWNS	4 (	2.8	55		-					,
EASTERN SIDE SOUTH CHANNEL	-0	0.00	200				1 1			
CENTRAL AND S.E. GEORGES	4.	18.7	27.5	1					1.1	
NAMINCKET SCHOOLS & LHISHIP.	7 - 1	000	<u>.</u> n		1 1			. 1	1 1	1 1
S. NEW ENGLAND, UNCLASSIFIED.	26	11.0	28 8 8	111				111	111	F 1 4
TOTAL	2/63	153.0	892	-	,	-	1		,	-
OTTER TRAMLS, LARGE: NORTHEAST CAPE BRETON MASAINE BANK MANGUEROU. CANSO BANK NOVE ROUND N F SHAFF IS AND DANK N F SHAFF IS AND DANK	25 20 27 27 28	53.2 36.8 101.0 103.3	706 400 1,229 1,171	83,539 24,828 572,980 267,424 24,111	63,260 19,152 784,301 273,668 46,133	- 146,720 37,690 3,015	977 295,7 6,612 571,1	110,060 8,692 515,253 2,052,847 85,403	150	137,250
S.E. SABLE ISLAND BANK	5 4 8	0.4°	12002	16,375	190,900	50,470	- 580	1,350	1,090	198,040
S.W. SABLE ISLAND BANK EASTERN NOVA SCOTIA	31.1	12.9	193 164 174	131,725 5,555 64,817	262,475 262,475 9,197 116,140	13,150	3,800 4,725 4,907	32,390 350 12,924 2,352	100	57,180 28,150 5.080
SEE FOOTNOTES AT END OF TABLE			-	(CONTINUED	CONTINUED ON NEXT PAGE	-		<del>-</del>	_	}

## LANDINGS AT CERTAIN MASSACHUSETTS PORTS

SUMMARY OF FISHERY: BY GEAR AND SUBAREA, 1949 - Continued

					COD, DRAWN		1000	1	FLOUNDERS, ROUND	
GEAR AND SUBAREA	FISHING	TRIPS	ABSENT	LARGE	MARKET	SCROD	ORAWN	GRAY SOLE	LEMON SOLE	YELLOWTAIL
	NUMBER	NUMBER	NUMBER	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
CENTRAL NOVA SCOTIA	17	11.1	116	2,006	2,229	40	1,712	3,583	1	- 00
SOUTHERN NOVA SCOTIA	50 4 7	39.1	349	86,310	175,451	21,900	3,455	17,845	1,200	8,975
WESTERN BROWNS	40	78.1	626	680,938	577,880	19,250	11,167	4,178	4,475	12,790
SOUTHERN BAY OF FUNDY	n -	0.8	9	330		200		-	,	
NOVA SCOTIA, UNCLASSIFIED	m •	2.8	8 t	30,100	18,000	9,400	400			. 1
CENTRAL MAINE	4 %	0.0	2 9	918	620		944	540		•
WESTERN MAINE	- !	0.1	-;	26. 26.3	, ,,	,	, ,	14 646		1 1
N. GUIF OF MAINE. UNCL	<u>c</u> -	0.1	7	20,402	55	205	100	80		000.
WESTERN SIDE SOUTH CHANNEL	48	157.6	1,218	492,778	1,258,677	106,435	41,570	92,571	202,410	40,485
EASTERN SIDE SOUTH CHANNEL	51	143.3	1,189	2 028 102	4 758 003	410,820	120,285	31.060	373.845	90,670
CENTRAL AND S.E. GEDRGES	25.5	196.3	1,563	4,043,303	1,238,770	37,630	9,500	6,400	313,830	383,210
SOUTHWEST GEORGES	6 w	1.1	946	34,345	12,510	1,000	2,430	3,400	3,100	200
S. NEW ENGLAND, UNCLASSIFIED .	38	70.6	584	271,485	478,305	16,665	6,175	12,345	101,090	69,415
TOTAL	2/81	1,768.0	15,736	10,758,385	11,363,350	910,680	322,607	3,210,105	1,176,005	1,190,270
OTTER TRAWLS, MEDIUM:										
NORTHEAST CAPE BRETON	30	56.4	607	76,348	29,905	127,000	9 800	108,849	. 1	4,030
BANOUEREAU	30	71.2	781	138,918	112,641	1,336	3,371	236,676	•	
CANSO BANK	47	122.4	1,260	149,031	75,514	2,671	3,329	1,410,258		
MIDDLE GROUND:	3	0.5	5,	700,00	1,500	650	356-	, 60 <b>, 00</b>	,	2,700
S.E. SABLE ISLAND BANK	-	0.1	-							. 1
HORSESHOE GROUND	15	10.1	104	2,311	10,082	929	1,730	3,462		
EASTERN NOVA SCOTIA	38	70.9	888	36,290	18,077	378	11,140	34,411	•	
EMERALD BANK	30	25.8	234	27,215	9,412		1,801	11,174		
E. BROWNS AND LA HAVE	25	84.7	832	46,789	39,310	1,000	20,466	44,336	•	8,500
SOUTHERN NOVA SCOTIA	99	100.9	975	150,292	103,368	2,800	16,637	50,916	•	9000
WESTERN BROWNS	16	14.7	119	9,830	2,494	2,000	4,120	3,032	3	006.07
EASTERN MAINE	23	19.5	176	7,377	10,713	300	13,530	10,192		
CENTRAL MAINE	7	5.6	48	3,590	1,320	906 66	3,205	2,436	420	3 325
EASTERN MAINE	7. Y	770.6	955	109,878	200,850	36,007	17,617	771,77	125	81,360
INNER GROUNDS	115	503.5	2,860	263,488	118,130	12,740	173,498	165,092	200	1,050
WESTERN SIDE SOUTH CHANNEL	122	734.7	3,652	651,177	1,622,563	166,415	231,157	296,369	342,325	78,805
EASTERN SIDE SOUTH CHANNEL	123	341.2	2,401	379,874	333, 706	65,225	73,124	112,362	760,152	556,285
CENTRAL AND S.E. GEORGES	2000	256.6	1,736	403,115	277,155	113,195	1,520	250,0	729,976	5,494,711
SOUTHWEST GEORGES	48	179.9	1,195	59,640	193,320	29,305	150	18,027	366,413	2,087,515

SEE FOOTNOTES AT END OF TABLE

# LANDINGS AT CERTAIN MASSACHUSETTS PORTS

SUMMARY OF FISHERY: BY GEAR AND SUBAREA, 1949 - Continued

VIII VOITO CHY CYLO	CRAFT	TOLOG	DAYS		COD, DRAWN		CUSK,		FLOUNDERS, ROUND	٥
מבאים אוסט פרסטארבא	FISHING	2	ABSENT	LARGE	MARKET	SCROD	DRAWN	GRAY SOLE	LEMON SOLE	YELLOWTAIL
Contraction of the contraction o	NUMBER	NUMBER	NUMBER	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	Pounds	POUNDS
NANTUCKET SHOALS & LHTSHIP OFF NO MAN'S LAND	45 26	200.1	975 427	31,645	266,195	89,500 870	1.1	50,170	234,940	1,508,505
RHODE ISLAND SHORE	47 8	3.0 117.4 7.7	14 780 48	111,230	2,875 192,120 725	28,640	2,770	14,850	309,285	19,325 397,145 29,460
TOTAL	2/192	4,372.0	23,938	3,258,502	4,344,646	781,370	686,163	2,992,442	2,853,345	10,725,130
OTTER TRAWLS, SMALL: WESTERN HAINE	44 138	211.9	542 5,442	362,599 707,781	170,843 645,275	18,980 133,537	27,667	194,117	6,165	24,815
INNER GROUNDS	112	49.9 539.2 55.2	1,682	18,060 94,236 11,835	11,032 538,565 14,048	375 143,545 3,215	18,933 29,404 5,502	23,156 137,903 20,731	44,780	4,800 325,995 252,025
NORTHERN EDGE OF GEORGES CENTRAL AND S.E. GEORGES	26	81.9	461	75 295	1,395	2,450	1 1	460	10,875	1,790,785
SOUTHWEST GEORGES	99	605.9	2,469	32,595	27,275 285,595	97,655		91,575	151,100	2,340,135
SOUTHERN S LAND:	38	64.7	200.5	1,795	16,520	2,275		CO2,22	3,620	935
S. WEW ENGLAND, UNCLASSIFIED . SOUTH	35 c £	498.0 9.7 4,367.0	975 41 4,367	4,175	65,853 1,180 325,441	4,730 25 63,209	730	7,695	15,855	32,825 32,825 2,330,566
T0TAL	2/413	13,127.0	20,422	1,452,581	2,262,182	488,141	94,975	1,087,015	479,405	12,329,197
HAUL SEINES, EASTERN MASSACHUSETTS	1	2.0	2	-	•		-	-	-	1
FLOATING TRAPS, EASTERN MASSACHUSETTS	14	912.0	912	80	3,336	-	-	1	•	
DIP NETS, EASTERN MASSACHUSETTS	14	85.0	85				-	-	1	1
SINK GILL NETS, EASTERN MASSACHUSETTS	13	1,185.0	1,185	617,936	313,176	1	6,165	,	t	242
DRIFT GILL NETS, EASTERN MASSACHUSETTS	36	438.0	439			-		-	_	,
CURTRAL MAINE. CENTRAL MAINE. WESTERN MAINE. EASTERN MASSACHUSETTS. WESTERN SIDE SOUTH CHANNEL. OFF NO MAN'S TAND.	39	1.0 1.0 1.0 1.0 1.0	ဥ 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	105	120	11111	1111	11111	1111	11111
SEE FOOTNOTES AT END OF TABLE				(CONTINU	(CONTINUEO ON NEXT PAGE)	(E)		_	-	

SUMMARY OF FISHERY: BY GEAR ANL SUBAREA, 1949 - Continued

	CRAFT		DAYS		COD, DRAWN		CUSK.		FLOUNDERS, ROUND	Q
GEAR AND SUBAREA	FISHING	TRIPS	ABSENT	LARGE	HARKET	SCROD	DRAWN	GRAY SOLE	LEHON SOLE	YELLOWTAIL
Olivituos - Savias asolid	NUMBER	NUMBER	NUMBER	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
9. NEW ENGLAND, UNCLASSIFIED .	4	4.0	4 (			1		•	ı	,
SOUTH:	4 0	9.0	Σφ							1 1
TOTAL	2/42	527.0	637	3/105	3/120	٠	-	'	,	ŧ
SCALLOP OREDGES: FASTERN HASSACHISETTS.	14	35.5	188			,	1	,	'	
WESTERN SIDE SOUTH CHANNEL .	54	298.5	2,317				, ,	. ,	100	1,210
NORTHERN EDGE OF GEORGES	55	493.0	4,332						150	535
SOUTHWEST GEORGES	. <del>L</del> 6	53.7	3.504					, G		340
OFF NO MAN'S CAND.	4	74.0	10	006	4,000	375			7,525	360
SOUTH	93	18.0	150	1 1	.1 1		• •			
TOTAL	2/185	2,441.0	12,955	3/900	3/4,000	3/375		3/20	3/9,275	3/4,880
POUND NETS,	19	2,250.0	2,250	200	3,242			1	,	,
GRAND TOTAL	2/1,184	37,092.0	89,785	19,263,316	20,723,930	2,358,726	2,001,193	7,290,657	4,623,656	. 24,258,974
	FLOUNDERS,	ROUND - CONTINUED	ONTINUED	НАВ	HADDOCK, DRAWN			HAKE	Н	MACKEDE
GEAR AND SUBAREA	BLACKBACK	DAB	FLUKE	LARGE	SCROD		ROUND U	LARGE SMACE	DRAWN	
70 414 0	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS		POUNDS	POUNDS	POUNDS	POUNDS
E. BROWNS AND LA HAVE		•	•	72,625		13,600		15,730	2,672	•
SOUTHERN NOVA SCOTIA				545,740		000		9,865	7,833	
MESTERN MAINE	4.872	685 2,885		212,11		235	200		305	
INNER GROUNDS	9			57,840		2,360		55,225	2,395	
FASTERN SIDE SOUTH CHANNEL NORTHERN EDGE OF GEORGES				184,4		000		- 002,7	1,647	11
SOUTHWEST GEORGES				10,600		2,400		3,100	. 44	
CAPE 100 1/2	AUX.	660		1,701,1	1		_1.	4	$\perp$	
TOTAL	5,132	4,169	-	3,897,082	82 158,910	910	1,200 1,5	1,594,478 10,	10,925 88,973	

NEW ENGLAND FISHERIES

(CONTINUED ON NEXT PAGE)

SEE FOOTNOTES AT END OF TABLE

### NEW ENGLAND FISHERIES

# LANDINGS AT CERTAIN MASSACHUSETTS PORTS

SUMMARY OF FISHERY: BY GEAR AND SUBAREA, 1949 - Continued

FLOUNDERS, RC	FLOUNDERS, ROUND - CONTINUED	НАВВОСК	C. DRAWN		HAKE			
	DAB FLUKE	LARGE	SCROD	RED,	l d	DRESSED	HALIBUT,	MACKEREL,
	POUNDS	-	MUNITED	ROUND	LARGE	SMALL	UKAWN	KOUND
				200	Location	CONON	SOUNDS	POUNDS
- 1	244	18 24,453	. 5		252	1 65	380	37
	244	18 24,943	S	-	643	65	395	3/37
	90.708	356 751	7 881		C L			
. 0	6,649	205	1,572		4,973	266 -	9,281	1 )
25	- 440	316,217	255,814		32,417	3,894	000	
-	275 -	15,664	962,6	1	4,345	- 666 - 666	5,396	
ô	200	009,677	976,080		20,650		5,358	200
9,6		1,140,658	672,567	,	16,030	4,536	8,554	2,843
ξ. Γ	172	833,910 4,214	539,560		19,800	4 BO3	4,022	2,300
2,711	- 12	239,187	269,520	1	14,271	585	566	300
27.4	87	7,629	1,739		240,0	1,701		2,100
26,304	4	1,733,496	928,077	1	35,679	518	3,247	3.000
44,06		4,265,230	2,017,029	1	21,410	199	15,730	25,780
8	1	1,160	1,100		1,400	, ,	1.1	١,
9,6	0 1	33,000	21,140	1	700	1	305	,
28.2		4,384	1,473	1 1	2,1/3		. 1	,
ω 9,7	0 11	145,424	43,631	ı	25,893	3,596	626	1
74,33		3,838,520	1,291,262		143,326	970	5,824	4 ROS
238,55		4,385,394	1,263,140		220,428	,	14,536	2,550
26,25	י ו	6.617.575	5.400,9530		237, 180	33.1	43,851	162,770
10,45	1	717,755	367,520	•	3,135	2006	3,479	0//4
53,240	00	35,930 1,484,815	1,242,675		38,565	٠,	10.630	- 6
760,612	2 -	42,812,635	33,175,900		1,011,565	65,540	184,412	3/217,150
9,357	-	209,480	102,217	1	20,569	135	16,730	250
16,43	0.00	30.066	31,740		6,595	4,620	250	ı
37,07	-	36,617	16,049	1	7,603	5.112	525	
5,60	-	5,865	2,796	,	2,173	863	983	,
7 4	- 20	05/,00	6,850	1	250			•
- [	808	25,202	16,045		2,218	1,325	06	•
12,		20,104	7,098	1	19,962	10,477	555	1
7,5	55	22,387 17,338	3,855	1 1	7,936	1,519	304	249
	-	(POAG TYPE NO GRINITAGE)	- (1000 1	-	_	_	_	

SUMMARY OF FISHFRY: BY GEAR AND SUBARFA, 1949 - Continued

RICKERACK   OAB   FLUKE   LARGE   SCROO	ВФО	1004			Į			
POUNDS		נאאפני	SCROD	ROUND,	LARGE	DRESSED	DRAWN	MACKEREL, ROUND
HINDER: 1,173 1,173 1,173 1,174 1,175 1,174 1,175 1,174 1,175 1,174 1,175 1,174 1,175 1,174 1,175 1,174 1,175 1,174 1,175 1,174 1,175 1,174 1,175 1,17	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
HILL 1,248_515	17 127	277 004	162 112	000	25 675		100	
1, 2, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3,	44,817	724,732	253,951	200	35,432	19,969	350	
H4, 743 144, 735 — 11, 192 17, 193 17,	3,538	350,760	167,357		24,922	172	1,022	
14,743   2,155   -1   1,328   1,094	4.335	40.486	17,015	, ,	5,807	5,337		
14,743   144,535   -1,744   144,535   -1,744   144,535   -1,744   144,535   -1,744   144,535   -1,744   144,535   -1,744   144,535   -1,744   -1,		11,192	1,079		2,610	1,297	,	
95,633 96,371 185 1,268,834 55,099  NRT. 1,248,515 221,532 190 5,533,818 1,7210  NRT. 771,499 122,523 245 2,879,239 1,7210  S. 572,590 67,192 1,221,323 190  S. 572,590 67,193 1,221,323 190  S. 572,590 67,193 1,221,323 190  S. 572,590 67,193 1,221,323 1,221  S. 572,590 67,193 1,221  S. 572,590 67,193 1,221  S. 572,590 1,222,132 1,222  S. 572,590 1,222	144,535	737,490	209,449	,	298,412	116,238	988	
1,248,515   1,701,100   1,70	100,515	205,834	52,099	403	52,596	132,055	1 205	575
1,248,515   22,523   190   5,539,828   1,704,672     1,248,515   22,523   190   5,539,828   1,704,672     1,549,405   2,495   2,000   1,704,605   1,403,325     1,440,405   2,495   2,495   2,79,806   1,403,325     1,440,405   2,495   2,79,806   1,403,325     1,440,405   2,155   33,045   2,79,806   1,403,325     1,405   30,715   33,045   2,485   2,10,611     1,576,228   29,204   7,70   20,512     1,576,228   29,204   7,70   20,512     1,576,228   29,204   7,70   20,512     1,530,335   1,320   2,485   2,201     1,530,335   1,320   2,485   2,485   2,595     1,530,335   1,320   2,485   2,485   2,595     1,530,335   1,320   2,485   2,481     1,530,335   1,320   2,485   2,485   2,595     1,530,335   1,320   2,485   2,485   2,595     1,530,335   1,320   2,485   2,485   2,595     1,530,335   1,320   2,485   2,485   2,595     1,530,335   1,320   2,587   16,085     1,530,335   1,320   2,587   16,085     1,530,335   1,320   2,587   1,385   20,785     1,530,335   1,320   2,587   1,385   20,785     1,530,335   1,320   2,587   1,385   20,785     1,530,335   1,320   2,587   1,385   20,785     1,530,335   1,320   2,587   1,186,032   2,291,837   777,716     1,530,335   1,320   2,587   1,186,032   2,291,837   777,716     1,530,335   1,320,335   1,386,023   2,291,837   777,716     1,530,335   1,530,335   1,186,032   2,291,837   777,716	_	18,600	1,210	2/0,1	3,230	715	9, '	, ,
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	221,532	5,533,828	1,704,672	7,005	664, 183	61,015	11,772	3,500
1,34,499   26,146   590   1,564,196   1,464,375   1,464,325   1,464,325   1,464,325   1,440   1,344,455   2,465   1,464,325   1,440   1,344,455   2,465   1,461,115   1,440   1,344,455   2,465   1,440   1,	122,523	2,879,239	1,231,409	09	154,720	55,532	12,770	3,870
HIP 1243,555 34,695 88,435 2,088,950 1,443,325 11,4035 11,4035 24,695 88,435 279,500 138,690 138,690 11,4035 11,4035 21,105 14,400 11,4035 11,4035 21,105 14,2105 11,4035 21,105 14,2105 11,403 11,4035 21,105 14,2105 11,403 11,4035 11,4035 11,4035 11,4035 11,4035 11,503 11,4035 11,503 11,4035 11,503 11,4035 11,	26,145	1.269.080	1,960,775		5,698		3,032	3.000
HIP 1,349,405 2,665 884,33 279,500 136,840 14,095 17,409 174,095 17,409 174,095 17,409 174,095	34,595	2,038,950	1,443,325		13,095	,	10,494	1,470
1,000   1,00	2,665	279,500	136,840		9,315	,	1,283	140
1,576   300, 15.5   33,065   27,110   747,405   774,97	175 474,	4,470	5+ +2	149,608	6,655	40		29,910
4,690,635 971,000 595,925 17,671,017 9,704,995  192,132 979,403 2,485 263,599 113,631  NRL 1,576,236 19,032 2,485 263,539 113,631  NRL 1,576,236 113,032 - 2,485 263,539 113,631  NRL 1,576,236 113,032 - 2,285 113,631  SS 38,905 17,300 10,032 2,485 13,507  SS 38,905 17,300 10,580 173,007  HIP 1,933 355 11,400 187 242,910 162,900  HIP 1,937,166,483 1,235,179 1,186,032 2,291,837 777,716  - 45 45 - 138,023 2,291,837 777,716	33,065	747,405	774,975	99,195	19,915		4,696	1,555
9,405 99,187 2,485 230,100 86,867 13,631 18,	971,060	710,179,71	9,704,995	260,138	1,664,025	484,500	82,016	3/44,519
1,576, 280   99, 4187   2,485   263, 569   113, 631     1,576, 280   979, 4187   2,485   263, 569   113, 631     1,576, 280   37, 351   2,20   681, 320   373, 591     1,31, 282   37, 351   2,20   105, 803   73, 007     1,31, 282   11, 400   87, 681, 300   7,035     1,31, 383   11, 400   87, 682   97, 10   162, 960     1,31, 383   1,320   2,457   16, 262, 960     1,31, 383   34, 577   331, 396   250, 254   55, 202     1,375, 663   34, 577   331, 396   250, 254   55, 202     1,375, 663   34, 577   331, 396   250, 254   55, 202     1,375, 663   34, 577   331, 396   250, 254   55, 202     1,375, 663   34, 577   31, 186, 032   2, 291, 837   777, 716     1,375, 663   918     138, 022   90     1,393   818     138, 022   90     1,394   818     138, 022   90     1,395   1,395   1,395   1,396, 022   90     1,395   1,395   1,395   1,396, 022   90     1,395   1,395   1,395   1,396, 022   90     1,395   1,395   1,395   1,396, 022   90     1,395   1,395   1,395   1,396, 022   90     1,395   1,395   1,395   1,396, 022   90     1,395   1,395   1,395   1,396, 022   90     1,395								
792,152 979,403 2,485 828,595 113,631  MRE. 1,576,256 99,242 7,770 681,302 133,597  MRE. 1,524,256 99,242 7,770 681,302 133,597  MRE. 1,534,257 75 5,220 105,400 13,597  MRE. 1,534,395 1,325 7,700 87,591 16,052  MRE. 1,534,395 1,325 1,320 400,607 37,105  MRE. 1,534,395 1,325 1,325 1,325 1,035 1,035  MRE. 1,534,396 1,235,479 1,186,032 2,291,837 777,716	99,187	210,100	86,867	07	171,463	61,395	747	
HELL 1,576,256 58,204 7,770 681302 133,577  NELL 1,576,256 58,204 7,770 681302 133,577  S. 31,025 7,331,005 7,3005	979,403	263,595	113,631	7,290	165,249	207,889	2,292	12,953
Net C	58,204	681,302	133,507	150	97,583	11,602	1,287	20
1,332   33,905   40,405   40	37,351	105,803	73,007		11,230	6,310	375	
HIP 1,55,845 11,400	75	29,570	61,450		790		34.0	1
1,034 818 - 1138,023 90	11,400	242,910	162,960	. 039	7,280	001	567	- 35
34,180 - 6,630 225 - 2,2412 25,2412 3,630 25,870 44,138 20,785 25,112 3,630 25,870 44,138 20,785 25,800 1,375,663 34,577 351,396 25,254 55,202 27,66,489 1,235,179 1,186,032 2,291,837 777,716 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	226		750	30,725,556	6,490	160	7/01	628
1,375,483					021			. 1
1,375,663	3,630		20,785	8,135,408	49,440	95	235	
7,166,483 1,235,179 1,186,032 2,291,837 777,716 45 45 918 - 138,023 90	34.577	2	55,202	640	33.863	4.486	1.181	9.659
45 - 138,023 90	, , , , ,	ľ	, , , , , ,	200 000	0.00	1000		
1,934 818 - 138,023	1,235,179	6,691,637	01/,///	469,654,65	0.00,040	309,617	9,31/	3/63,415
USETTS 1,934 818 - 138,023	- 45	1	•			•		1,312,885
	818	138,023	06	-	492,046	966,09	98	245
EASTERN MASSACHUSETTS		ŧ		,			,	301,855
								2006

NEW ENGLAND FISHERIES

SUMMARY OF FISHERY: BY GEAR AND SUBAREA, 1949 - Continued

	FLOUNDERS	ROUND	- CONTINUED	-	HADDOCK	HADDOCK, DRAWN		HAKE			
GEAR AND SUBAREA	BI ACKBACK	040	2/11/2	2	1 4000	00000	RED,	WHITE,	DRESSED	HALIBUT,	MACKEREL,
	DEACABACA	250	1	Į.	LARGE	SCROD	ROUND	LARGE	SMALL	DRAWN	ROUND
PLIRSE SEINES	POUNDS	POUNDS		SOUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
CENTRAL MAINE	ı	•		,	1	1	1	•	,	1	35,875
MESTERN MAINE	1 1	1				1		1	,	ı	44,550
WESTERN SIDE SOUTH CHANNEL	,						. ,	. ,	. ,	. ,	3,160,563
OFF NO MAW'S LAND	1	1			,		,	,	'	,	2.265,184
S. NEW ENGLAND, UNCLASSIFIED .	1	1		,	•	ı	,	•	ŀ	1	6,575
CAPE COD 1/	1 1				٠,		1 )	1 1	1 1		129,550
				+							- 1
TOTAL	'	'			-	_	_	_		-	6,058,242 A
SCALLOP DREDGES:	Č										
FASTERN MASSACHUSETTS	260	1		ı					1	į	
EASTERN SIDE SOUTH CHANNEL	7,245	' '					. ,				EN
NORTHERN EDGE OF GEORGES	3,992	١		,	•	1			1 1	-	VG
CENTRAL AND S.E. GEORGES	125	١		1	ı	1		1	,	,	FL.
NANTUCKET SHOALS & LHTSHIP	410						- 40	. 07	1 1		AN
S. NEW ENGLAND, UNCLASSIFIED .	10,050	2	225		2,375	20,000			,	011	ND '
TOTAL	1,725,25	3/225	25	,	3/2,375	3/20,000	3/40	07/€	-	3/110	<i>F.</i>
POUND NETS, CAPE COD 1/	2,614	'	(")	3,438	-	1	t	2,632	-	-	5,213,519
GRAND TOTAL	13,036,783	2,972,352	52 1,785,413	5,413	66,837,912	43,837,616	39,691,067	5,342,399	931,243	364,909	ER 29,171,81
OF AND OLIDARITA	POLLOCK		OCE AN PERCH		SWORDFISH,		WHITING	WOLFF!SH,	SCALLOPS	OTHER. AS	TES SA TIOTAL. AS
מבאה אותם טוסטארבא	DRAWN	ROUND (F	ROSEFISH), ROUND	ROUND,		DRESSED	ROUND	DRAWN	(MEATS)	LANDED	LANDED
TRAWLS:	POUNDS	POUNDS	POUNDS	POUNDS	POUNOS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
F. BROWNS AND 18 HAVE	2 200	,		,							
SOUTHERN NOVA SCOTIA	340	,	•	1	,	1	•			· •	33,380
WESTERN BROWNS	5,910		2,000	. 1	1 1	1	1	7,600	1	1	889,358
WESTERN MAINE	116,150	382			· ·	366		18,105		9,005	1.756.451
EASTERN HASSACHUSETTS	198,901	1,285	4,495	1 1		240	282	76,514	1	14,265	3,913,061
WESTERN SIDE SOUTH CHANNEL	2,260		1	1	1	1	'	4,575		285	856,782
NORTHERN EDGE OF GEORGES	5,100	, ,						2.250		, ,	132,582
CENTRAL AND S.E. GEORGES		'	,	,	'	ı	,	2	,	1	7,785
SOUTHWEST GEORGES			( )				1 1	222		200 00	9,575
S. NEW ENGLAND, UNCLASSIFIED .	350	,	•	,	1	•		1	•		27,397
CAPE COD 1/ · · · · · · · ·	LEO, [19	•	•	•	'	1	110	60,945		1,836	-
TOTAL	396,727	1,670	6,495	-	1	930	395	170,549		125,966	125,966 12,925,887 8
SEE FOOTNOTES AT END OF TABLE					CONTINUED ON NEXT PAGE	NEXT PAGE)					

## LANDINGS AT CERTAIN MASSACHUSETTS PORTS

SUMMARY OF FISHERY: BY GEAR AND SUBAREA, 1949 - Continued

			NE AN								
GEAR AND SUBAREA	DRAWN	POLLOCK N ROUND	(ROSEFISH),	SCUP OR PORGY, ROUND	SWORDF ISH, DRESSED	DRESSED	ROUND	WOLFF ISH, DRAWN	SCALLOPS (MEATS)	OTHER, AS	TOTAL, AS
HAND INFR	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
EASTERN MASSACHUSETTS	90,358	1 1	1.1	6,713	1 1			95		565,429	875,026
TOTAL	96,110	•		8,713	-		,	195		585,587	1,049,471
HARPODNS:											
MIDDLE GROUND (OCCASIONAL)					190	1 1		, ,		1 1	190
WESTERN BROWNS	•		•	,	59,274	1	,	,	,	,	59,274
EASTERN MASSACHUSETTS				, ,			, ,		. 1	5,257	5,257
EASTERN SIDE SOUTH CHANNEL		,	•	,	1,838	,	,	,		006.	1,838
EASTERN SIDE SOUTH CHANNEL(DCC).	, ,	, ,			1,000	. ,				1	1,000
NORTHERN EDGE OF GEORGES (OCC) .	'	,	1	•	4,035	,	. 1		. ,	1 7	4,035
CENTRAL AND S.E. GEORGES CENTRAL AND S.E. GEORGES (OCC.)			1 1		215,757	. 1		,		1	215,757
SOUTHWEST GEORGES	'	'	,	,	24,060		. 1			, ,	24,060
SOUTHWEST GEORGES (OCCASIONAL) .		,			98		1				96
NANIUCKEI SHOALS & LHISHIP		, ,			2.015	1 1	1 1				360
OFF NO MAN'S LAND.	•	ı	1		49,322		,				49,322
S. NEW FING AND LING					4,950					,	4,950
S. NEW ENGLAND, UNCL. (OCC)		1			365			, ,		900	15,344
CAPE COD 1/ (OCCASIONAL)			• •		137,985	.,	1 1			7	137,992
TOTAL		,	,	-	647,866	,	1			7,684	655,550
OTTER TRAVLS, LARGE:											
MORTHEAST CAPE BRETON	16,006		10,307,377		1 1			644		38,130	10,780,406
BANQUEREAU	93,033	1	15,093,964	•	,	,	,	5,130		91,410	18,120,745
MIDDLE GROUND.	28,169		13,509,383	. ,		1 1	•	2,571		78,790	16,445,859
N.E. SABLE ISLAND BANK	49,890	'	183,950	,		,		099		365	2,535,415
S.E. SABLE ISLAND BANK	362,232		155,500	•		,	1	1,150	,	- 0	209,870
S.W. SABLE ISLAND BANK	182,530		33,250	1		, ,		36,260		2,800	2,231,414
EASTERN NOVA SCOTIA	19,723	•	1,595,972		•		ı	1,084	•	20,606	1,689,673
CENTRAL NOVA SCOTIA	7,158		1,266,836			• •	. :	11,521		2,135	2,126,542
E. BROWNS AND LA HAVE	603,432	•	3,463,437	•	•	1,600	,	60,205		13,186	9,487,472
SOUTHERY 137A SCOTIA	710,559		1,081,897	, ,		1 1		47,804	1	4,415	4,890,692
WESTERN NOVA SCOTIA.	8,480	,	96,820	•	1	. 1		126,622	1 1	0,0,1	113,690
SOUTHERN BAY OF FUNDY.	19,500		17,900	,		•	ı			275	45,515
	20,00		200		_		_	6/6/5		10,085	244,505
SEE FOOTNOTES AT END OF TABLE				NO3)	(CONTINUED ON NEXT PAGE)	(T PAGE)					

# LANDINGS AT CERTAIN MASSACHUSETTS PORTS

SUMMARY OF FISHERY: BY GEAR AND SUBAREA, 1949 - Continued

		100	OCEAN								
GEAR AND SUBAREA	LOCK	rottock	(DOSEE LED)	PORGY.	SWORDF 19H,	NH L L NO	NG	WOLFFISH,	SCALLOPS	OTHER, AS	TOTAL, A
	DRAWN	ROUND	ROUND	- 1	ORESSED	DRESSED	ROUNO	DRAWN	(MEATS)	LANDEO	LANDED
	Pounds	POUNDS	POUNDS	POUNDS	POUNOS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	Pounds
EASTERN MAINE.	21 352	,	118 687								
CENTRAL MAINE	4,760	1	28,467	ı	,			788	1 1		159,91
WESTERN MAINE.	- 113 BAR		5,100	,			,	1		1	5,10
N. GULF OF MAINE, UNCLASSIFIED .	330		4,550	. ,				1,181	F I	1,160	1,422,600
WESTERN SIDE SOUTH CHANNEL	981,333	ı	1,622,977	30		•	,	31,620	281	4.216	10.857.53
EASTERN SIDE SOUTH CHANNEL	1,622,472		1,927,488	70	1	•	4,500	64,100	230	18,119	11,118,30
CENTRAL AND S.E. GEORGES	565,245		6,940	، ،		2.400	10,000	148,833		17,378	42,143,65
SOUTHWEST GEORGES	85,050	ı	3,250	•	,	2016	ı	8,980	556	850	1,405,65
NANTUCKET SHOALS & LHTSHIP S. NEW ENGLAND, UNCLASSIFIED	2,850		400 95,100					36.120		185	79,896
TOTAL	10,189,105	-	66,924,585	100	,	4,000	14,500	851,270	3/1,077	372,666	186.645.09
OTTER TRAWLS, MEDIUM:											
NORTHEAST CAPE BRETON	6,945	,	6,840,665	,	,		ţ	1,359	1	32,670	7,587,30
RANDUEREALI	14,413		4,995,6/1	1	1		ı	5 50		33,530	5,186,33
CANSO BANK	10,745	. ,	12,666,001	. ,		. :	,	2,405	,	61,131	9,675,21
MIDOLE GROUND	3,590		8,606,780		,			1,00		92,679	14,517,65
N.E. SABLE ISLAND BANK	٠,	,		1			1		,	10,01	20,047,0
S.E. SABLE ISLAND BANK	,	•	3,500		1	1	,	,	,	,	9,00
HORSESHOE GROUND	6,569	,	838,983	ı	1	,	1	1,103	,	6,850	933,28
FASTERN NOVA SCOTIA	360 41 18E		070 700		ı	, ,		1,190		,	42,98
EMERALD BANK	13,845		2,516,283			1,402	084	1,760		94,720	6,085,25
CENTRAL NOVA SCOTIA	19,987	ı	2,336,661	,				270	١ ١	42,630	2,647,35
E. BROWNS AND LA HAVE	100,046	•	6,375,965			,	1	10,338	ſ	75,786	7,220,85
WESTERN AROUNS	330,648 48,807		386,711				120	12,136		100,447	8,151,32
WESTERN NOVA SCOTIA	28,720		780,325			368	1 1	23,408		3,375	1,197,70
EASTERN MAINE.	41,806	ı	904,638		1	1,827	1	35	1	13,380	1,077,70
CENTRAL MAINE	8,075		238,337	,	,	954		ı	,	1,500	277,775
FASTERN MASSACHUSETTS.	360,424		1,897,480	1	ı	132,558	56,967	13,887			5,657,70
INNER GROUNDS	842,439	,	17,840,233	,		40,691	555,505	4,730	200	3,505,477	9, 135, 55
N. GULF OF MAINE, UNCLASSIFIED .	7,585		123,800		,	185	400		. 1	50.61	165.36
FASTERN SIDE SOUTH CHANNEL	1,414,952	6,760	12,902,971		t	237,040	6,835	74,607	422	210,657	27,699,26
NORTHERN EDGE OF GEORGES	150,042		6,410,043		1	11,470	15,225	39,796	2,419	201,808	16,638,66
CENTRAL AND S.E. GEORGES	141,273	ı	20,520				. ,	10,200	, a	270	2,847,858
SOUTHWEST GEORGES	26,870	,		45	,	,	1	14,525	9,40	610	6,585,886
DEF NO MAN 'S LAND.	6,635	•	2,000	345	ı		ı	11,295	1,084	16,875	4,085,77
RHODE ISLAND SHORE	0,1			4,425		3,400		t ·	1	257,935	1,212,14
S. NEW ENGLAND, UNCLASSIFIED	63,730		49,050	27,720	1	1.675		8.800	. 69	84 004 004	3 303 44
SOUTH	75	1		13,985			ı	1		33,100	149,81
TOTAL	5,390,542		6,760 110,065,442	46,520		3,613,525	621,385	274,238	3/18,655	5,698,096 187,545,59	187,545,59
SEE FUOTNOTES AT END OF TABLE				LNO3)	CONTINUED ON NEXT PAGE	CT PAGE					
						, ,					

# LANDINGS AT CERTAIN MASSACHUSETTS PORTS

SUMMARY OF FISHFRY: BY GFAR AND SUBARFA, 1949 - Continued

	POLI	POLLOCK	OCEAN	SCUP OR	SWORDF ISH.	WHITING	ING	VOI FF ISH.	SCALLOPS	OTHER	1014
GEAR AND SUBAREA	ORAWN	ROUNO	(ROSEFISH), ROUNO	ROUND	DRESSEO	DRESSED	ROUNO	DRAWN	(MEATS)	LANDEO	LANDEO
OTTEN TRAUS. SWALL	POUNDS	POUNOS	POUNOS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNOS	POUNDS
WESTERN MAINE	330,953	1 1	1,017,886			24.775.934	26,967	12,626	- 313	28,820	3,145,380
INNER GROUNDS.	51,690	, ,	1,383,483	5	1	26,820	1,500	1,770		37,720	1,725,483
EASTERN SIDE SOUTH CHANNEL	28,598		343,300		. 1	4,080	5,015	1,734	1,488	7,930	6,682,097
HORTHERN EDGE OF GEORGES	1	,		,	•	. 1	•	. 1	. 1	. 1	37,812
SOUTHWEST GEORGES	405	. ,			, ,			250	1,760	500	1,983,745
NANTUCKET SHOALS & LHTSHIP	13,010	,		3,595		400	,	12,230	2,143	120,367	6,467,827
SOUTHERN MASSACHUSETTS	1,000	, ,	. ,	18,840	346	4,500			33	2,328,765	36,690,885
RHODE ISLAND SHORE	345	,	,	70	1	- 1	,	1	50	510	336,385
SOUTH	175			3,105		12,125		675	992	2,225,605	11,289,885
CAPE COD 1/	84,589	,	8,105	284,074	188	4,807,268	7,980,865	72,093	327	2,273,689	20,634,140
TOTAL	1,023,689	-	4,485,610 382,024	382,024	3/534	31,206,912	9,580,247	414,929	3/12,392	14,314,929	14,314,929 132,620,592
HAUL SEINES, EASTERN MASSACHUSETTS	-	,	1	-	-	-		,	-	3,100	3,100
FLOATING TRAPS, EASTERN MASSACHUSETTS	38,053	41,193	t		1	10,217	101,435	1	,	476,838	1,984,082
DIP HETS, EASTERN MASSACHUSETTS	•			-	1	ŧ	,			754,220	754,220
SINK GILL NETS, EASTERN MASSACHUSETTS	2,471,741	27,815		,	-	400	300	62		21,061	4,153,136
DRIFT GILL NETS, EASTERH MASSACHUSETTS	•	-	,		-	27,560	67,220	-		3,097	399,732
PURSE SEINES: CENTRAL MAINE	-	•		1	,		,	,			35,875
VESTERN HAINE	100	, ,		1	1	1			1	16,350	61,120
WESTERN SIDE SOUTH CHANNEL			,							169,180	564,115
S. NEW ENGLAND. UNCLASSIFIED					: 1				, (	, ,	2,265,184
CAPE COO 1/			11		1 2		1 1	11	1.1		129,550
TOTAL	3/100	,		-	-		-	-		7,429,156	13,487,723
SCALLOP DREOGES: EASTERN MASSACHUSETTS	1.1				1 1		1.1	- 1	73,697	150	73,957


SEE FOOTHOTES AT END OF TABLE

# LANDINGS AT CERTAIN MASSACHUSETTS PORTS

SUMMARY OF FISHERY: BY GEAR AND SUBAREA, 1949 - Continued

The state of the state of	POLI	POLLOCK	OCEAN	SCUP OR	1000010	HM	WHITING				
GEAR AND SUBAREA	DRAWN	ROUND	(ROSEFISH), ROUNO	ROUND,	DRESSED	DRESSED	ROUNO	ORAWN	SCALLOPS (MEATS)	OTHER, AS	TOTAL, AS LANDED
SCALLOP DREDGES - CONTINUED:	POUNDS	POUNDS	POUNDS	POUNDS	PDUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
LASTERN SIDE SDUTH CHANNEL NORTHERN EDGE OF GEORGES	1 1	, ,	-		1 1	1		1	444,997	1	453,537
CENTRAL AND S.E. GEORGES		1	1	1			. 1	105	4,133,094		4,138,396
NANTUCKET SHOALS & LHISHIP	1 1	, ,			•	,	,	ı	453,165		453,915
OFF NO MAN'S LAND.	,	1				1		,	3,721,858	,	3,728,748
S. NEW ENGLAND, UNCLASSIFIED	125		,		,	, ,	1 1	ſ	5,438		5,438
SOUTH	,	,	,	1				•	420,824	,	341,909
CAPE COD 1/	,	,	ı	1	ı	r	1 1	1 1	1.326,676	1 1	133,595
TOTAL	3/125	'						3/105	. 5	, E	12 325 326
POUND NETS.								201/2	1016011601	001	13,223,230
CAPE COD 1/	22,129	-	,	11,816	•	,	265,923	1	1	3,850,709	9.376.222
GRAND TOTAL	19,628,321	77,438	181,482,132	449,173	"	34,863,244 10,651,405 1,711,348 13,178,905 33,643,259 564,825.638	10,651,405	1,711,348	13,178,905	33,643,259	564,825,638

IT IS NOT PREPRESTINS THE CATCH LANDED AT PRODINGETOWN, WOODS HOLE, CHATHAM, HYANNIS, HARWICH PORT, AND OTHER CAPE COD PORTS EAST OF BUZZARDS BAY.
FECLUSIVE OF DUPLICATE THIS CATCH INTO THE SUBARRENS AS DATA ARE NOT COLLECTED ON THE AREA OF SHEESE PORTS.
FECLUSIVE OF DUPLICATION, EXCEPT THAT CRAFT LANDING AT CAPE COD PORTS MAY SE DUPLICATED WITH GRAFT FISHING ELSEWHERE. . આજો NOTE:--OTTER TRAMLS ARE CLASSIFIED ACCORDING TO THE SIZE OF THE CRAFT. "SWALL" OTTER TRAWL CRAFT ARE THOSE 50 GROSS TONS CAPACITY OR UNDER; "WEDIUM", 51 GROSS TONS TO 150 GROSS TONS, AND "LARGE", "SIS GROSS TONS, AND "LARGE", "SIS GROSS TONS OF WELL STAND TO RESPONDE TO THE SUBMETOR TO NOTE SHOW TO SEA OF THE CATCH TAKEN IN EACH SHOWED AS TO THE SUBMETA AND THE MAN OF THE CATCH TAKEN IN EACH SUBMETA. "OCCASIONAL" AFTER THE NAME OF A SUBMETA INDICATES THAT THE CAPIT CONTRIBUTING TO THE CATCH AS SHOWN FISHED CHIEFLY WITH AND THEN TYPE OF GRAFT.



# LANDINGS AT CERTAIN MASSACHUSETTS PORTS

1949
13
٧
MA
SUBARFA,
AND
AREA
BY
FISHERY:
FIS
OF.
SUMMARY
<b>U</b>

4 PO4019 CAL 4 PO4	CRAFT	20107	DAYS		COD, DRAWN		CUSK.	L .	LOUNDERS, ROUND	
ANEN AND SODAREN	FISHING	0	ABSENT	LARGE	MARKET	SCROD	DRAWN	GRAY SOLE	LEMON SOLE	YELLOWTAIL
OFF NOVA SCOTIA (**!).	NUMBER	NUMBER	NUMBER	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
NORTHEAST CAPE BRETON	52	119.6	1,313	159,887	93,165	127,000	1,579	218,909	1	4,030
BANQUEREAU.	68	182.2	2,010	711,898	896,942	148,056	10,666	751,929	150	137,250
CANSO BANK	74	225.7	2,431	416,455	349,182	40,361	9,941	3,463,105		. 1
N.E. SABLE ISLAND BANK	90	25.0	1,241	60,382	192,400	3,015	2,105	116,000	1 000	6,650
S.E. SABLE ISLAND BANK	S	1.6	13	16,375	29,025	550				2,150
HORSESHOE GROUND.	4 t	42.1	403	109,218	239,608	5,900	2,515	35,852	300	57, 180
EASTERN NOVA SCOTIA	52	83.8	1.052	41,845	27,274	378	15,865	47.335	3	061,82
EMERALD BANK	9	43.4	408	92,032	125,552	9,530	6,708	13,526	160	5,080
CENTRAL NOVA SCOTIA	48	38.7	383	11,689	8,702	40	6,069	11,021		
SOUTHERN NOVA SCOTIA	108	140.5	1,708	236,027	282,119	16,725	51,901	70,886	1,495	18,700
WESTERN BROWNS	63	109.1	955	797,318	745,400	21,750	68,585	13,210	4,575	89,690
WESTERN NOVA SCOTIA	25	76.7	143	15,830	9,934	,	13,010	3,555	,	
NDVA SCOTIA, UNCLASSIFIED	Э-	2.8	33	30,100	18,000	8,400	400			
TOTAL	1/159	1,421.3	14,657	3,340,483	3,936,651	475,515	127,912	4,830,841	0,070	558,595
OFF NEW ENGLAND (XXII):	ŗ			920 01	000	000	4. 00.	***		
CENTRAL MAINE	10,	7.1		4,508	1,940	300	15,605	2,976		
WESTERN MAINE	110	925.0		1,079,059	646,194	72,338	321,733	471,987	420	28,140
INNER GROUNDS	0.05	582.8	3,285	337,270	1,886,847	13.640	263,400	202,935	6,290	1,122,205
NORTHERN GULF OF MAINE, UNCL.	5	5.0		3,435	1,530	26	2,055	2,205	3	
WESTERN SIDE SOUTH CHANNEL.	358	1,767.3	8,974	1,372,591	3,675,075	419,710	314,556	526,843	589,615	446,495
NORTHERN EDGE OF GEORGES	154	1,039.7	8,794	3,357,695	5,194,158	472,395	177,635	37,193	494,559	150,829
CENTRAL AND S.E. GEORGES	161	573.2	4,226	4,452,698	1,530,140	153,275	11,020	7,620	1,087,841	7,668,706
NANTUCKET SHOATS & LATSHID	210	344.6	6,376	98,665	263,675	32,885	4,306	37,897	444,048	3,266,565
OFF NO MAN'S LAND	173	1,713.2	3,822	7,965	138,155	13,870		24,650	8,070	2,735,775
SOUTHERN MASSACHUSETTS	8 8	64.7	503	1,795	16,520	2,275		. 1	3,620	935
S. NEW ENGLAND, UNCLASSIFIED.	242	775.5	2.842	301 200	742,095	50,230	14 105	34 RoO	433 755	307,010
CAPE COD 2/	333	13,858.0	13,858	1,338,113	1,243,376	63,244	23,641	41,845	145,101	2,337,826
TOTAL	1/1,157	35,631.3	74,881	15,922,833	16,785,374	1,883,186	1,781,472	2,459,621	4,614,586	23,638,094
OFF HIDDLE ATLANTIC STATES (XXIII), SOUTH	33	39.4	247		1,905	25	1	195	•	62,285
GRAND TOTAL	1/1,184	37,092.0	89,785	19,263,316	20,723,930	2,358,726	2,001,193	7,290,657	4,623,656	24,258,974

NEW ENGLAND FISHERIES

# LANDINGS AT CERTAIN MASSACHUSETTS PORTS

SUMMARY OF FISHERY: BY AREA AND SUBAREA, 1949 - Continued

		SOMMAN OF LISHENI:		AREA AND S	UBAKEA, 194	BI AREA AND SUBAREA, 1949 - Continued	ed			
AREA AND SUBSES	FLOUNDERS	FLOUNDERS, ROUND - CONTINUED	TINUED	НАОООСК	HADDOCK, DRAWN				110	1000
2000 ON 2000	BLACKBACK	DAB	FLUKE	LARGE	SCROD	RED,	LARGE LA	DRESSED	DRAWN	MACKEREL, ROUND
OFF NOVA SCOTIA (XXI):	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNOS	POUNDS	POUNDS	POUNDS
NORTHEAST CAPE BRETON	1 1	19,155		336,816	105,868	1	30,122	1,127	25,011	250
BANQUEREAU.		75,447		356,183	287,712	1 1	11,568	4,620	1,863	ı
CANSO BANK	930	108,518	1	86,297	51,622	,	33,363	9,203	2,212	
N.F. SABIF ISLAND BANK	320	12,884		21,529	12,594	1	6,518	1,856	6,379	,
S.E. SABLE ISLAND BANK	035 -	200	1	0cr, de/	982,930		20,900	1 1	5,358	200
HORSESHOE GROUND.	1	11,247	ı	1,178,894	688,612	,	16,248	5,861	8.644	2.843
EASTEDN NOVA SCOTIA	1	15,928		859,112	643,960	'	20,273	,	4,022	2,300
EMERALD BANK	BOB	3,07/	1 1	24,318	8,325	1	25,457	15,285	709	2,317
CENTRAL NOVA SCOTIA	'	8,287	1	18,967	5,594	1 1	19,052	4,508	028	249
E. BROWNS AND LA HAVE	320	44,614	1	3,257,534	1,694,865	200	94,490	19,013	18.746	6,1
SOUTHERN NOVA SCOTIA	260	71,121	ı	2,475,543	1,186,528	1	75,311	20,487	3,777	3,000
WESTERN NOVA SCOTIA	1	47,003	1 1	5, 161, 730	2,242,886	, ,	66,197	371	24,585	25,780
SOUTHERN BAY OF FUNDY	3,450	200	ı	1,160	1,100		1,400	5,432		
NOVA SCOTIA, UNCLASSIFIED	-	1,000	'	33,000	21,140		007	,	305	
TOTAL	6,030	453,907	•	14,925,499	8,246,981	200	480,124	92,640	111,939	39,639
OFF NEW ENGLAND (XXII);										
EASTERN MAINE	ı	4,666	,	49,965	20,680	,	8.982	5,337	,	
LEGITAL MAINE	- 22	2,442	,	15,576	2,552	1	4,700	1,297		35.875
EASTERN MASSACHUSETTS	804.821	1 070 407	0.54.0	1,159,750	302,551	0,70	1,043,115	185,728	6,251	44,550
INNER GROUNDS	7,607	123,397	0/0,1	1.649.312	262,973	9,890	1,550,743	318,040	16,452	4,789,076
NORTHERN GULF OF MAINE, UNCL.		1,105	ı	18,600	1,210	200	3,845	757	5,533	
MESTERN SIDE SOUTH CHANNEL.	3,451,251	354,056	7,960	10,480,410	3,139,101	7,155	917,972	73,492	19,355	403,380
NORTHERN EDGE OF GEORGES	213,157	70,290	1 400	14,031,745	2,570,256	09	401,978	61,842	27,681	6,420
CENTRAL AND S.E. GEORGES	755,958	52,475	555	7,916,225	7,522,190		68,228	33.500	38.975	162,770
NANTUCKET SHOATS A LITSHIP	314,075	56,450	1,400	3,004,315	1,974,705	,	23,760	100	14,540	1,470
OFF NO MAN'S LAND	635,085	115	777,572	20,555	196,210	30,875,164	15,790	95	2,962	265
SOUTHERN MASSACHUSETTS	346,180	r	6,690	225			2	3	1	27,682,2
S. NEW ENGLAND, UNCLASSIFIED.	677,887	00.180	050,75	222	300 030 0	- 300 0	170	ı	,	
CAPE COO 2/	1,384,105	35,420	354,852	2,035,869	55,207	640	976,77	4,486	56,537	5,244,225
TOTAL	13,025,303	2,518,445	1,696,018	51,912,413	35,590,635	39,690,867	4,860,490	838,603	252,970	13,002,678
OFF MIDDLE ATLANTIC										
SOUTH	5,450	,	89,395	1	,		1,785	1	1	129,550
GRAND TOTAL	13,036,783	2,972,352	1,785,413	66,837,912	43,837,616	39,691,067	5,342,399	931,243	364,909	13, 171, 867
										526

SEE FOOTNOTES AT END OF TABLE

# LANDINGS AT CERTAIN MASSACHUSETTS PORTS

SUMMARY OF FISHERY: BY AREA AND SUBAREA, 1949 - Continued

	POLL	POLLOCK	OCEAN	SCUP OR	SWORDF ISH.	WHITING	ING	WOLFF ISH,	SCALLOPS	0	TOTAL, AS
AREA AND SUBAREA	DRAWN	ROUND	(ROSEFISH), ROUND	ROUND	ORESSEO	ORESSED	ROUND	ORAWN	(MEATS)		LANDED
	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNOS	POUNDS	POUNDS	POUNDS
OFF NOVA SCOTIA (XXI): NORTHEAST CAPE BRETON	22,951	,	17,148,042	,	190	1	•	2,003	,	70,800	
MISAINE BANK	41,565	,	11,721,640		i	•	1 1	7 535		49,507	
BANQUEREAU	38 014		26,035,712	, ,				3,622		174,609	30,963,508
KIDDIE GROUND.	8,101		14,758,129		165	,	•	2,402	,	41,693	
N.E. SABLE ISLAND BANK	49,890		183,950				•	999		365	2,555,015
S.E. SABLE ISLAND BANK	4,920		159,000		,			1,150	• 1	- 0	213,370
HORSESHOE GROUND	370,801		1,638,410	, ,		, ,		37.450		000	2,240,090
S.W. SABLE ISLAND BANK	60,008		7.370,920	,		1,462	480	2,844	•	115,326	7,774,925
EMERALO BANK	129,694	,	3,783,119			. 1	1	12,656	٠	20,246	4,774,093
CENTRAL NOVA SCOTIA	27,145	ı	3,772,241				ı.	919		48,750	3,935,002
E. BROWNS AND LA HAVE	703,678		9,839,40Z	1 1		2006	120	50,040	•	104,862	13,075,308
CENTERN NOVA SCULIA	811.948		445,257		59,274	1	1	254,995	ı	5,245	-
WESTERN NOVA SCOTIA	37,400	•	877,145		. 1	365	•		,	39,810	
SOUTHERN BAY OF FUNDY	19,500	,	17,900		,		,			275	45,515
NOVA SCOTIA, UNCLASSIFIED	20,400	•	000,86		,	•		6,975		CBD 101	244,505
TOTAL	3,689,487	•	129,498,199	_	59,629	3,427	600	540,535		932,736	172,452,448
OFF NEW ENGLAND (XXII):	011		1 020 20E			1 827	٠	133	•	13.380	1.7.7.711
DENTITOR MAINER	12,835		266,804			954	•	28	•	1,500	
WESTERN HAINE	1,443,627		2,	,		423,821	83,934	44,618		79,455	
EASTERN MASSACHUSETTS	3,518,676	70,293	924,329	,	,	27,996,249	2,263,445	350,700	74,000	19,854,348	71,994,749
MONTER GROUNDS	7,041,829	٠,	128,451			185	400		•	3	171.650
CESTEON SOFT OF MAINE, ONCL.	2.551.866	6.760	15.740,351	730		1.521.852	18,850	-	2,336,372	403,778	49,065,680
EASTERN SIDE SOUTH CHANNEL	2,296,777		10,480,831	7	2,838	15,550	19,725	-	449,134	716,722	
NORTHERN EDGE OF GEORGES	3,481,282		82,685		103,846	- 2	10,000		173,094	77,048	32 563 101
CENTRAL AND S.E. GEORGES	112,325	. ,	3.250	4.5	24,158	20,1		24,750	464,509	2,050	
NANTUCKET SHOALS & LHTSHIP	22,495		2,400		2,375	400	•	23,925	3,725,085	137,327	
OFF NO MAN'S LAND	1,135		. 1		54,618	006,7	1		5,471	2,686,625	40,327,852
SOUTHERN MASSACHUSETTS	1			05, 20 05,		3 .	, ,		50		361,795
S. NEW ENGLAND, UNCLASSIFIED CAPE COD 2/	503,910		144,150	30,130	15,249	13,800	8,246,898	45,595 133,133	297,283	2,312,870 6,146,399	35,
TOTAL	15,938,584	77,438	51,983,933 432,083	432,083	588,771	34,859,817	10,650,805 1,170,813	1,170,813	13,045,310		32,674,048 391,895,190
OFF MIDDLE ATLANTIC STATES (XXIII),				1.1					133,505	36.475	478.000
	007			066/					250		
GRAND TOTAL	19,628,321		77,438 181,482,132 449,173	449,173	648,400	648,400 34,863,244 10,651,405 1,711,348	10,651,405	1,711,348	13,178,905	33,643,259	33,643,259 564,825,638
1/ EXCLUSIVE OF DUPLICATION, EXCEPT THAT CRAFT LANDING AT CAPE COD PORTS MAY BE DUPLICATED WITH CRAFT FISHING ELSEWHERE.	PT THAT CRAF	L LANDING	3 AT CAPE COL	PORTS M	AY BE DUPLIC	ATED WITH CR	AFT FISHING	ELSEWHERE.			
Z/ REPRESENTS THE CATCH LANDED AT PROVINCETOWN, WOODS HOLE, CHATHAM, HYANNIS, HARWICH PORT, AND OTHER CAPE COD PORTS EAST OF BUZZARDS BAY. IT IS NOT	PROV INCE TOW	4, WOOOS	HOLE, CHATH	IH, HYANN	IS, HARWICH	PORT, AND OT	HER CAPE CO	PORTS EAST	T OF BUZZARD	S BAY. IT	IS NOT

NOTE:--THE ROHAN NUMERALS APPEARING IN THE ABOVE TABLE REFER TO THE NUMBERS GIVEN THOSE AREAS BY THE NORTH AMERICAN COUNCIL ON FISHERY INVESTIGATIONS. Z/ BEPERSENTS THE CATHEL LANDED AS A PROVINCELION, WOULDS FULE, CATHARY TRANSIS, MARRIAN FOR THE SEE OF THESE PORTS. CATE DOSSIBLE TO ALLOCATE THIS CATCH INTO SUBARRAS AS DATA ARE DOT COLOR.

### LANDINGS AT MAINE PORTS


In 1946, the Fish and Wildlife Service, in cooperation with the Maine Department of Sea and Shore Fisheries, began to collect, compile, and publish monthly and annual data on the landings of fish and shellfish in Maine. These data are published in detail in "Maine Landings" which is in the Current Fishery Statistics Series of reports issued by the Service. In addition to the individual monthly reports, two annual summaries were published in 1949, one listing the catch by months, (Current Fisheries Statistics, No. 544) and the other listing the catch by gear and county, (Current Fisheries Statistics, No. 548).

The data on Maine landings during 1949 represent the landed weight of fish. Figures on the landings of shellfish and marine products, other than fish, represent the round weight of the catch except for bivalve and univalve mollusks, which are reported in pounds of meats.

Landings of fishery products at Maine ports in 1949 totaled 292,203,570 pounds valued at \$14,988,040 to the fishermen. This represented a decrease of 4 percent in quantity of landings and a decrease of 7 percent in value of landings compared with the previous year. Increased landings of ocean perch (rosefish), whiting, menhaden, lobsters, and unclassified fish largely used for reduction, were not sufficient to offset a decline of nearly 33 million pounds in herring receipts. Herring, used principally in canning Maine sardines, accounted for 51 percent of the total poundage and 16 percent of the total value. Although lobsters accounted for only 7 percent of the total catch, they represented 45 percent of the value, making them the most valuable species taken.

During the year, 48,926,666 pounds of fish and shellfish, valued at \$1,662,711 were landingd in Portland. Prior to 1947, these landings were included in the bulletins entitled "Landings at Certain New England Ports", summaries of which appear in annual Statistical Digests. To avoid duplication, beginning in 1947, data on Portland landings were omitted from these bulletins since the data appeared in the monthly and annual Maine reports.

### LANDINGS AT MAINE PORTS, BY MONTHS, 1949



993093 O - 52 - 8

LANDINGS AT MAINE PORTS BY MONTHS, 1949

RDUND:	SPECIES	JANU	ARY	FEBR	UARY	МА	RCH	AF	RIL
BOUND:	FISH	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	PDUNDS	VALUE
BOUND:									
LARGE . 2,773 3160 3,283 3148 7,000 43331 30,985 4,000 ARARET . 1,673 50 4,2510 63 16,660 65,000 652 137,505 4,300 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 17,000 ARARET . 18,000 ARARET . 17,000 ARARET . 18,000									
MARKET . 1,673 50 2,510 83 16,609 652 137,959 43 75 8		2.673	\$160	3,283	\$148	7,000	\$331	30,856	\$1,070
DAMN: LARGE			50		83	16.609	652	137,505	4,336
DAMN: LARGE		359		48		1,067		16,836	259
LARGE 63,656 6,046 62,772 4,666 154,811 11,036 254,284 12,1 MARKET 72,938 3,709 78,753 3,830 183,107 9,341 66,592 1,9 MARKET 72,938 163 3,709 78,753 3,830 183,107 9,341 66,592 1,9 MARKET 72,938 163 3,709 78,753 3,830 183,107 9,341 66,592 1,9 MARKET 74 30 16,792 1,9 MARKET 74 30 16,792 1,9 MARKET 74 30 16,792 1,9 MARKET 74 30 12,158 3,7 MARKET 74 30 12,158 3,7 MARKET 74 30 12,158 3,8 MARKET 74 30 12,158 3,7 MARKET 74 30 12,158 3,7 MARKET 74 30 12,158 3,8 MARKET 74 30 12,158 3,8 MARKET 74 30 12,158 3,7 MARKET 74 30 12,158 3,7 MARKET 74 30 12,158 3,7 MARKET 74 30 12,158 3,7 MARKET 74 3,260 12,154 3,100 12,154 3,	DRAWN:	1 1				.,			
MARKET. 72,938 3,709 78,753 3,830 183,167 9,341 66,592 13,00 8CF00 4,336 163 3,536 162 8,710 340 66,592 13,00 8DDDK:  LARGE		63,656	6,046	62,372	4,666	154,811	11,036	254,284	12,12
SCROD	MARKET	72,938	3,709	78,753	3,830	183,167	9,341	354,193	13.010
ADDOCK: ROUND: LARGE LAR	SCROD	4,386	163	3,536	162	8,710	340	66,592	1,92
LARGE 643 64 79 6 439 40 69,379 3 12,198 3 SCR0D	ADDOCK:	'						1	
SCROD ORANN: LARGE				1				1	1
DRAIM: LARGE		543	54	79	6			69,379	3,80
LARGE		-	-	-		74	3	12,158	39
SCROD. 76,512 4,627 49,360 2,600 62,535 3,611 239,393 9,1  MCC. RED., ROUND. 560 30 485 28 1,690 194 5,300 2  J. SCR. 1,287 40 100 9 931  J. SCR. 1,287 40 100 9 931  J. SCR. 1,387 4,365 53,666 1,821 218,599 8,505 42,585 9,90  J. SCR. 1,4575 63,506 4,963 114,263 8,200 164,189 5,8  ALBUT, DRAWN 50,721 4,575 53,506 4,963 114,263 8,200 164,189 5,8  ALBUT, DRAWN 481 184 933 361 1,876 678 5,054 4,663 114,263 8,200 164,189 5,8  ALBUT, DRAWN 50,721 4,575 63,506 4,963 114,263 8,200 164,189 5,8  ALBUT, DRAWN 50,721 4,575 63,506 4,963 114,263 8,200 164,189 5,8  ALBUT, DRAWN 6,000 1,00						I			
AKET REC, ROUND. 560 30 485 28 1,690 194 5,300 2 MHTE: ROUND. 1,287 40 40 19,179 9,648 94,796 10,336 170,019 19,20 224,529 13,8 30,103,103,103,103,103,103,103,103,103,1		227,019	25,446	137,174	13,664	199,642	19,866	567,284	35,53
REC, ROUND		76,512	4,627	49,360	2,600	62,595	3,611	239,393	9,13
MITTE: ROUNDO						1			
ROUND	RED, ROUND	560	30	485	28	1,690	194	5,300	278
DRAMN		1 203	40		_	100	_	02.	36
01.10CK: ROUND	DOAUN	1,287		04 704	10 336				
ROUND		91,1/9	9,040	94,790	10,336	170,019	19,220	224,529	13,04
DRAMN		267	5	_	_	-	_	1 608	9
USK, DRAWN				63.866	1 821	218 500	8.505	425 585	9 07
ALIBUT, DRAWN				63.506	4.063	114.263	8.200	164, 189	5,89
ACKCREL, ROUND		481	184	03,300	361	1 876	678	5.054	1 47
LDUNDERS, ROUND: GRAY SOLE . 14,853 1,022 21,615 1,455 75,215 2,6 68,198 3,1 LEMON SOLE			-104			28		3,05.	13.
GRAY SOLE . 14,853 1,022 21,615 1,455 75,215 3,916 66,198 3,1   LEMON SOLE . 29,260 3,258 13,265 1,455 9,566 2,66 12,389 6 12,081   PRILLIPHON SOLE . 29,260 9,308 109,339 6,604 87,641 4,534 56,642 2,7   DAS								(	1
LEMON SOLE. 29,260 3,258 13,265 1,455 9,566 1,266 12,389 6. BLACKBACK 107,160 8,368 109,339 6,664 87,641 4,534 56,642 2,7 DAS		14.853	1.022	21.615	1.455	75.215	3.016	68.198	3.10
YELLOWTAIL. 29,260 3,258 13,265 1,455 9,566 1,286 12,389 6 10,393 6,604 87,614 4,534 58,642 2,7 0A3		1.,000	.,022	21,5015	.,	565	26	00,.50	2.5
BLACKBACK . 107,160 8,368 109,339 6,604 87,641 4,534 56,642 2,7 DAS		29.260	3.258	13.265	1.455			12.359	646
DAS	BLACKBACK	107,160	8.368	109.339	6.604	87,641	4.534	58,642	2,75
CEAN PERCN (ROSETISH), ROUND		19,080	901	24.317	994	56,147	2,128	120,621	3,11
ROUND	CEAN PERCH (ROSEFISH).	.,,,,,,	, , ,	,	, ,,,	00,,,,,	,	120,021	",
HITING:  ROUND		960.293	36.068	1.443.819	54.276	2,262,562	85.054	3.758.593	150.25
ROUND		300,230	50,000	,,,	0.,270	-,,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,
DRESSEO		-	-	-		2,723	120	-	-
DIFFISH (CATFISH) DRAWN	DRESSED	l - i	-		-	-3		p.594	24
DRAWN	OLFFISH (CATFISH)							1	1
LEMIVES, ROUND	DRAWN	3,553	154	5.970	248	17.649	728	44,747	1,07
ELS, ROUND		1 2			-			12,180	346
HAD, ROUND		- 1	-	2,200	550	-	-	1 -	-
MELT, ROUND		25	1	<u> </u>	-	-	-	-	-
MELT, ROUND			3	-	-	- 1			
TURGEON, DRAWN 39 8 100	MELT, ROUND	33,659	9,490	26,768	9,054	1,286	321	60,080	12,463
UCKERS, ROUND.  1SCELLANEDUS  2,500  58  5,180  120  8,655  173  2,449  101  1,879,928  118,439  2,224,479  118,076  3,662,827  180,326  6,736,255  287,33  SHELLFISH, ETC.  RABS  16,858  777  13,652  653  49,627  1,303  50,556  1,99  1,99  1,000	TURGEDN, DRAWN	1 -	-	-	-	39	8	-	-
TOTAL	UCKERS, ROUND	-	-	9,305		-	-	-	
SHELLFISH, ETC.  RABS	ISCELLANEDUS	2,500	58	5,180	120	8,655	173	2,449	64
SHELLFISH, ETC.  RABS			440 400	2 224 470	440.075	2 552 027	*00.025	c =20 255	207 07
RABS	TOTAL	1,879,828	118,439	2,224,479	118,076	3,002,827	180,326	0,730,255	287,351
LAMS: 50FT	SHELLFISH, ETC.					1			
LAMS:	DARS .	16 858	777	13 652	653	40 627	1 303	50 556	1 02
SOFT	MADS	10,050	///	13,002	055	49,027	1,505	30,330	1,92
MARIO (30/MHOGS)		746 772	131 812	500 013	107 484	823 404	120 422	1 060 267	124 75
DBSTERS, MAINE		5 205	721	1 400	225	4 007	673	15 050	3 26
HRIMP	ORSTERS MAINS	561 105		460.051		500,146		761,207	348 81
CALLIPS, SEA	HRIMP	301,133	209,002	5,500	963	4.200	840	.01,3237	3.0,01
USSELS, SEA	CALLOPS, SEA	75.746	20.77B	52, 123		59,640		110	40
## ACOMPANS	USSELS. SEA	91,940	4.961	56,201	2.413	30,485	1,556		76
EA URCHINS (SEA EGGS) . 8,575		468		540	180	954	199		10
COODWORNS				2.870			76	-	
ANDMORMS		87		907		8,848	5.855	25,495	20.35
IVERS.     59,626     4,785     30,551     2,463     52,075     3,904     89,933     6,32       PAWN     195     17     310     35     2,302     317     1,467     30       TOTAL     1,566,757     412,600     1,215,127     380,269     1,546,283     472,573     2,021,716     506,88	ANDWORMS		- "			1 2	-7	375	150
TOTAL	IVERS	59.626	4.785	30,551	2,463	52,075	3,904		
TOTAL	PAVN	195	17	310		2,302	317	1,467	366
		.,,,				,550		1,,,,,,,	
	TOTAL	1,566,757	412,600	1,215,127	380,269	1,546,283	472,573	2,021,716	506,864
GAND TOTAL 3,440,555 531,034 3,434,005 440,345 5,204,110 052,634 6,757,971 794,2				-		-			
(CONTINUED DN NEXT PAGE)	GRANU IDIAL.	3,440,555	331,039					0,737,971	754,415

LANDINGS AT MAINE PORTS BY MONTHS, 1949 - Continued

SPECIES	м	IAY	JUNE		Ju	LY .	AUGI	JST
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNOS	VALUE	POUNDS	VALUE
ROUND: LARGE MARKET SCROD	35,817 68,223 9,801	\$1,074 1,552 102	29,098 20,572 5,918	\$644 463 60	6,347 28,218 2,055	\$133 571 22	8,426 3,591 994	\$208 61 10
DRAWN: LARGE MARKET SCROD HADDOCK:	405,504 263,142 33,409	19,894 8,646 621	412,673 200,439 13,948	24,516 5,689 409	389,285 181,740 7,970	32,183 5,920 219	279,524 158,237 10,707	26,155 4,720 275
ROUND: LARGE SCROD	13,544 2,725	699 76	3,894 161	171 5	9,356 798	493 30	2,023	111
LARGE SCROD	260,697 83,707	16,594 3,042	332,413 105,492	18,513 3,545	349,770 90,660	21,551 3,147	507,193 117,319	31,134 4,225
REO, ROUND WHITE:	4,475	67	13,065	408	11,382	399	38,715	2,053
ROUND DRAWN POLLOCK:	14,480 350,751	289 12,833	248,584 538,236	4,964 17,809	470,129 429,558	9,395 12,508	88,567 463,826	1,771 17,314
ROUND DRAWN CUSK;	1,278 374,194	21 7,349	7,360 412,520	75 9,79 <b>1</b>	153,015 450,498	1,826 9,642	61,814 375,866	508 9,298
ROUND DRAWN HALIBUT, DRAWN. MACKEREL, ROUND	155,525 17,166 74,248	3,748 4,368 7,758	151,597 6,264 484,908	4,052 1,720 27,010	3,977 104,780 2,399 1,695,068	69 2,745 582 61,955	2,699 109,605 4,537 501,749	29 3,160 1,288 28,500
FLOUNDERS, ROUND GRAY SOLE YELLOWTAIL BLACKBACK OAB	74,503 4,000 19,812 69,088	3,082 123 592 1,346	140,033 275 20,297 74,235	5,313 8 674 1,535	83,030 1,288 18,467 38,074	3,217 53 567 818	106,523 90 43,316 54,986	4,432 2 1,313 1,170
(ROSEFISH), ROUND	6,692,634	260,623	9,224,509	302,914	8,343,129	269,148	8,192,472	268,852
ROUND DRESSED	486,227 19,291	9,393 727	2,594,604 173,458	32,470 1,749	4,953,657 2,200	50,944 66	1,994,767	23,669
WOLFFISH(CAT- FISH), DRAWN ALEWIVES, ROUND BUTTERFISH, ROUND	34,262 885,867	861 9,460	22,864 2,382,600	505 21,349	11,712	_315	3,994	123
EELS, ROUND GRAYFISH (DOG- FISH), ROUND	1,000	160	1,200	192	_	-	370, 300	2,640
MENHADEN, ROUND SALMON ROUND.	4,091,964	66,641	24,755,480 358,780 212	369,571 3,651 106	19,729,255 2,007,225 740	322,221 18,160 370	370,000 16,006,960 2,661,290	262,325 23,228 31
SHAO, ROUND SHARK, ORESSED . SMELT, ROUND STURGEON, ORAWN.	210 2,588 2,132 5	4 84 257	53 3,524 60	111 - 10	235 8,006 212 220	5 277 23 30	319 7,551 695	13 238 120
TUNA, ROUND MISCELLANEOUS .	4,980	- 81	4,486 4,765	641 69	101,814 13,460	9,481 174	46,912 180,160	4,438 1,305
TOTAL	14,557,249.	442,168	42,757,477	859,714	39,699,729	839,259	32,405,506	724,731
SHELLFISH, ETC. CRABS CLAMS:	138,297	3,515	100,554	3,241	44,941	1,974	78,769	1,566
SOFT HARD(QUAHOGS) LOBSTERS, MAINE. SHRIMP	1,299,602 69,949 1,007,920	197,391 12,724 379,461	942,631 89,364 807,192 153	165,723 20,315 346,191	764,835 41,866 1,943,145	154,609 7,377 678,584	475,399 254,339 3,383,442	83,695 34,680 1,123,435
SCALLOPS, SEA . MUSSELS, SEA .	49,385	1,073	9,907	3,517	18,109	6,405	16,230	5,468
PERIWINKLES SQUID	33,873 2,629 140,000 115,350	209 - 25,254 1,447 2,800 8,021	1,377 10,110 46,121 4,144 450,000	705 179 33,003 2,850 9,000 11,325	927 5,620 51,696 3,163 120,000	307 120 35,958 1,453 1,440	936 - 49,966 1,968 255,000	311 37,004 1,042 3,060
SPAWN	116	11	165,820	1	229,057	16,295	222,308	15,584
CPAND TOTAL	2,857,714	631,906	2,627,383	596,058	3,229,358	904,522	4,738,357	1,305,835
GRAND TOTAL .	17,414,963	1,074,074	45,384,850	1,455,782	42,929,097	1,743,781	37,143,863	2,030,556

LANDINGS AT MAINE PORTS BY MONTHS, 1949 - Continued

SPECIES	SE	PTEMBER	00	TOBER	NO	VEMBER	DE	CEMBER
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	YALUE
000:					1	i	1	
RDUNO:	1		i			i	1	
LARGE	805	\$ 24	6,162	\$185		\$230	6,604	\$198
MARKET	362	5	5,618	84	6,832	103	4,915	74
SCROD	133	2	3,675	36	422	4	3,704	37
DRAWN:	1	l .	1	1			-,	
LARGE	197,280	17,269	131,683	9,879	127,658	7,091	94,910	5,516
MARKET	147,780	5,262	205 055	8,668	104 603	3,599	74 642	2,953
SCROO	5,347	167	206,955 6,344	242	104,602	160	74,613	3,955
3CR00	0,347	107	0,344	242	0,901	100	2,100	3,
ADDOCK:		1		1		i	1	
ROUND:			1	1 _				
LARGE	237	14	405	24	-	-	-	
DRAWN:			1					
LARGE	556,777	38,432	769,967	59,532	542,875	40,359	394,943	38,064
SCROD	152,524	4,999	215,642		87,463	4,454	74,465	4,049
AKE :	,	1,7000		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0,,.00	.,	1 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.,
REO, ROUNO	55,335	3,029	49,570	3,018	4,760	196	875	53
WHITE:	33,333	3,020	49,570	3,010	4,700	190	0/3	٥.
	0 202		34				- 00-	
RDUND	8,262	151	24,150			366	5,881	118
DRAWN	450,803	20,546	357,259	17,518	289,044	11,932	145,042	9,475
POLLOCK:	1			1	1	I	1	
ROUND	172	2	826	12	424,573	4,691	118	2
ORAWN	410,294	13,542	826,807	23,109	735,272	16,563		14,247
LUSK:		1	1,,,,,,	1,	1,	1,555	1,	,
ROUND	307	6	1,963	29	1,610	25	2,071	30
	88,102	3,494	02,453	4 224	44,030		51 153	3 265
DRAWN	00,102	3,494	92,452	4,231	44,030	2,378	51,153	3,263
ALIBUT, DRAWN	1,927	569	1,759	485		339	873	241
MACKEREL, ROUND	277,666	15,994	312,259	15,805	5,943	544	-	-
LOUNDERS, ROUND .			1	1	i	1		
GRAY SOLE	71,616	3,725	55,110	2,817	25,503	1,334	24,782	1,343
LEMON SOLE	-	1 -	1 -	1 -	445	42	125	1 5
YELLOWTAIL	7,277	223	25,617	1,127	5,948	177	10,750	403
BLACKBACK	70,710	2,867	146,615	5,865	47,710	1,916	93,172	3,718
	53 346		27 163	1,073	10,056	580	10 450	565
DAB	53,346	1,550	37,163	1,0/3	19,066	560	19,468	505
			1					
ROUND	5,757,429	203,880	3,677,909	156,935	2,895,842	127,035	2,293,419	99,033
HITING:						1	1	
ROUND	2,045,111	25,337	86,263	1,152	32,452	326	10,162	153
DRESSED	_,		13,409	469	7,909	277	2,674	94
OLFFISH (CATFISH),	1	i	10,.05	100	1 ,,,,,,,,,,		_,,,,	7
	2,957	105	1,398	52	7,953	77	1,788	55
	2,957	105			7,953	"	1,700	55
BUTTERFISH, ROUNG	-	-	215		-	i -	_	-
ELS, ROUND	14,500	3,190	22,900	4,580	-	i -	-	
GRAYFISH (DOGFISH),	,	,,,,,,	,	1 +,500	1		_	_
ROUND	_		132,000	. 212	52 000	520		
	24 472 220		E4 500 660		52,000		33,000	330
ERRING, ROUND	21,473,220	349,683	54,588,660	890,452	8,489,660	136,216	757,690	11,274
MENHADEN, ROUND	50	,	-	-	-	1 -	-	_
SHAD, ROUND	1,095	42	2,300	111	480	22	1 100	1 6
SHARK, DRESSEO	19,056	718	12,906	512		135		6
	942	188	13,438		3,439		2,248	95
STURGEON ORAUN	942		13,430	3,203	12,440	3,136	7,123	1,748
STURGEON, ORAWN	85	20			-	1 -	-	-
TUNA ROUND	75	5	6,317		-	-	-	-
ISCELLANEOUS	393,600	3,000	1,048,555	7,556	565,081	5,485	152,023	1,271
						t	1 ,5	1
TOTAL,	32,265,183	718,039	62,884,271	1,231,237	14,575,029	370.312	4,934,064	198,500
			,,	,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3,0,312	7,954,004	,90,500
SHELLFISH, ETC.								
CRABS	135 012	2 600	40.0					
LAMS:	135,012	2,606	40,017	785	42,081	1,143	24,035	732
LAMS:				1		1	1	1
SOFT ,	421,209	75,532	463,323 37,213	76,466	461,788	80,528	573,539	92,288
HARD (QUAHOGS)	41,052	7,389	37.213	5,367	20,878	3 779	8 303	1,200
OBSTERS, MAINE	3,696,569	1,126,665	3,072,161	963,448	1 807 205	3,778	8,382	1,967
CALLOPS, SEA	9,893	3,648	9 477	3 035	1,807,205	538,706 52,300	1,256,272	396,978
	9,093	3,040	9,477	3,035	148,191	52,300	110,491	30,551
HISSELS SEA			5,325	355	30,330	1,269	106,695	2,957
JUSSELS, SEA		597	123	42	531	42	1,660	377
ERIWINKLES.	1,872		3,875	86		-	.,	
PERIWINKLES	470	10			6 690	173	26,630	830
USSELS, SEA	470 32,940	782	290	8				930
USSELS, SEA	470 32,940	782	290		6,680		20,030	
PRINTERS SEA	470 32,940 47,105	782 40,490	290 33,224	28,425	59,163	41.747	35,231	27,218
USSELS, SEA	470 32,940 47,105 3,031	782 40,490 2,188	290		59,163 5,950		35,231 10,333	27,218 5,659
IUSSELS, SEA	470 32,940 47,105 3,031 160,000	782 40,490 2,188 2,404	290 33,224 2,219	28,425 1,206	59,163 5,950	41,747 2,905	35,231	27,218 5,659
USSELS, SEA ERIWINKLES. QUID. EA URCHINS(3EA EGGS). LOODWORMS. ANOWORMS. IA MOSS.	470 32,940 47,105 3,031	782 40,490 2,188	290 33,224 2,219 208,458	28,425 1,206 14,562	59,163 5,950	41,747 2,905	35,231 10,333	5,659
USSELS, SEA ERIWINKLES. QUID. EA URCHINS(3EA EGGS). LOODWORMS. ANOWORMS. IA MOSS.	470 32,940 47,105 3,031 160,000	782 40,490 2,188 2,404	290 33,224 2,219 208,458	28,425	59,163 5,950 229,832	41,747 2,905 16,330	35,231 10,333 158,225	10,434
IUSSELS, SEA FERI WINKLES. IQUID. EA URCHING (SEA EGGS). LLOODWORMS ANDWORMS. EA MOSS IVERS.	470 32,940 47,105 3,031 160,000	782 40,490 2,188 2,404	290 33,224 2,219	28,425 1,206 14,562	59,163 5,950	41,747 2,905	35,231 10,333	5,659
USSELS, SEA ERIWINKLES. QUID. EA URCHINS(SEA EGGS). LOODWORMS ANDWORMS. EA MOSS IVERS.	470 32,940 47,105 3,031 160,000 218,102	782 40,490 2,188 2,404 13,894	290 33,224 2,219 208,458 1,520	28,425 1,206 14,562 113	59,163 5,950 229,832 22,680	41,747 2,905 16,330 1,279	35,231 10,333 158,225 18,696	5,659 10,434 957
USSELS, SEA FRIWINKLES. QUID. EA URCHINS(SEA EGGS). LOODWORMS ANOWORMS. EA MDSS	470 32,940 47,105 3,031 160,000	782 40,490 2,188 2,404	290 33,224 2,219 208,458	28,425 1,206 14,562 113	59,163 5,950 229,832	41,747 2,905 16,330 1,279	35,231 10,333 158,225	10,434
USSELS, SEA FIVINKLES. QUID. A URCHINS(3EA EGGS). DODWORMS. NOWORMS. A MOSS.	470 32,940 47,105 3,031 160,000 218,102	782 40,490 2,188 2,404 13,894	290 33,224 2,219 208,458 1,520 3,876,225	28,425 1,206 14,562 113 1,093,898	59,163 5,950 229,832 22,680 2,845,309	41,747 2,905 16,330 1,279	35,231 10,333 158,225 18,696 2,330,189	5,659 10,434 957

LANDINGS AT MAINE PORTS BY MONTHS, 1949 - Continued


SPECIES		1949		1	1948	
FISH	PDUNOS	VALUE	AV. PRICE		VALUE	AV. PRICE PER POUNT
000:		i			ĺ	
ROUND:						
LARGE	144,708	\$4,405	3.04¢	218,430	\$7,272	3.33₺
MARKET	304,629	8,036	2.64	302,621	8,734	2.89
SCROD	45,012	558	1.24	45,620	513	1.12
ORAWN:	2					
LARGE	2,573,640	176,373	6.85	3,797,836	262,408	5.91
MARKET	2,026,559 170,010	75,347	3.72	1,804,213	75,396	4.18
ADDOCK:	170,010	4,768	2.80	217,700	6,052	2.78
ROUND:	i					
LARGE	99,999	5,430	5.43	102 549	7 100	6.00
SCROD	15,916	506	3.18	102,548 11,993	7,103 386	6.93 3.22
DRAWN:	1 ,3,510	300	3.10	11,993	300	3.22
LARGE	4,845,754	358,691	7,40	4,338,459	354,866	8.18
SCR00	1,355,132	57,536	4.25	1,598,299	79,636	4.98
AKE:	.,,	,,	1,120	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	79,000	4.90
RED, ROUND	186,212	9,762	5,24	60,005	2,394	3,99
WHITE:	1	,		,	-,05.	0.,,
ROUND	880,770	17,624	2,00	1,140,646	19,995	1.75
DRAWN	3,606,042	172,996	4.80	4,433,077	211,387	4.77
OLLOCK:						
ROUND	657,111	7,239	1.10	116,961	2,430	2,09
DRAWN	5,070,595	127,205	2.51	6,133,591	206,702	3.34
USK:					1	
ROUND.	12,627	188	1.49	-	-	-
DRAWN	1,189,923	50,708	4.26	1,014,369	45,834	4.52
ALIBUT, ORAWN	44,440	12,285	27.64	42,757	12,598	29.46
ACKEREL, ROUND	3,351,769	157,569	4.70	4,091,530	191,917	4.69
LOUNDERS, ROUND: GRAY SOLE	760 001	24 040	4 =0			
LEMON SOLE	760,981 1,135	34,848 73	4.58	753,385	45,724	6.07
YELLOWTAIL	119,725	8,743	6.43 7.30	8,366 117,718	630	7.53
BLACKBACK	832,881	39,774	4.78	870,194	7,345	6.24
OAB	585,591	15,777	2.69	563,869	53,123 18,931	6.10 3.36
OTHER		13,777		990	20	2.02
CEAN PERCH (ROSEFISH),				""		2.02
ROUND	55,502,605	2,014,071	3.63	49,041,410	1,711,769	3,49
HITING:	1 ' '	1 ' '		1,,	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
ROUND	12,205,966	143,564	1.18	8,412,173	105,708	1.26
ORESSED	225,534	3,627	1.61	242,381	7,910	3.26
OLFFISH (CATFISH):				· '	''	1
RDUND	·	-	-	3,236	127	3.92
DRAWN	158,847	4,295	2.70	213,405	8,575	4.02
LEWIVES, ROUND	3,230,647	31,157	•95	1,867,820	11,370	.61
UTTERFISH, ROUND	227	10	4.41			1
ELS, ROUND	41,800	8,672	20.75	20,231	3,534	17.47
	E07 000	4 003	02			
ROUND	597,000 149,893,889	4,802	1.61	102 460 055	2 105 100	ļ
ENHADEN, ROUND	5,027,345	2,408,383 45,040		182,460,955	3,486,455	1.91
ALMON, ROUND.	1,018	507	49.80	24,109	227	.94
HAD, ROUND.	4,908	206	4.20	2,552	86	
HARK, DRESSED	59,448	2,173	3.66	49,419		3,37
CATE WINGS	1 37,	-,,,,	3.00	695	1,621 35	3.28 5.04
MELT, ROUND	160,776	40,003	24.88	542,236	137,291	25.32
TURGEON, DRAWN	409	69	16.87	228	137,291	17.10
UCKERS, RDUNO	9,305	651	7.00	4,143	544	13.13
WORDFISH, ORAWN	1 - 2		,	461	258	55.96
UNA, ROUND	159,604	15,134	9.48	229,138	19,095	8.33
ISCELLANEOUS	2,381,403	19,357	.81	98,377	3,123	3.17
					-,	
TOTAL	258,581,897	6,098,152	2.35	275,048,146	7,119,163	2.59

LANDINGS AT MAINE PORTS BY MONTHS, 1949 - Continued


SPECIES		1949			1948	
	POUNDS	VALUE	AV. PRICE PER POUNO		YALUE	AV. PRICE PER POUND
SHELLFISH, ETC.						
RABS	734,399	\$20,217	2.75	340,086	\$19,878	5.84
SOFT	8,622,872	1,419,691	16.46	8,969,362	1,801,207	20.08
HARD (QUAHOGS)	589,794	98,483	16.70	288,677	60,348	20.90
OBSTERS, MAINE	19,272,435	6,696,961	34.75	15,923,053	6,439,474	40.44
HRIMP	9,853	1,806	18.33	27,325	3,122	11.42
CALLOPS, SEA	508,916	179,845	35.34	453,686	217,662	47.98
USSELS, SEA	386,321	15,345	3.97	124,129	13,365	10.77
ERIWINKLES	10,288	3,186	30.97	19,773	6,213	31.42
QUID	20,075	395	1.97	-	-	-
EA URCHINS (SEA EGGS)	79,490	2,291	2.88	180,085	4,448	2.47
LODDWORMS	401,716	297,021	73.94	567,987	305,044	53.71
ANDWORMS	33,811	18,910	55.93	77,871	57,307	73.59
EA MOSS	1,125,000	18,704	1.66	1,483,721	29,675	2.00
IVERS	1,779,347	123,937	6.96	1,509,274	104,993	6.96
PAWN	47,296	3,096	6.55	24,342	1,697	6.97
TOTAL	33,621,673	8,899,888	26.47	29,989,371	9,064,433	30.22
GRAND TOTAL	292,203,570	14,988,040	5.13	305,037,517	16,183,596	5.30

NOTE:--THE FACTORS USED IN THE ABOVE TABLES TO CONVERT NUMBERS OR BUSHELS OF SHELLFISH, ETC., TO POUNDS ARE AS FOLLOWS: CRABS, 3 TO A POUND; CLAMS, SOFT, PUBLIC, 15 POUNDS OF MEATS PER BUSHEL; CLAMS, HARD (QUAHOGS), 11 POUNDS OF HEATS PER BUSHEL; BLOODWORMS, 44 WORMS PER POUND; SANDWORMS, 40 WORMS PER POUND, HERRING, 70 POUNDS PER BUSHEL; AND PERIWINKLES, 18 POUNDS OF MEATS PER BUSHEL.

### MAINE LANDINGS, 1949



### VALUE OF MAINE LANDINGS, 1949



# SECTION 3.- MIDDLE ATLANTIC FISHERIES

(Area XXIII)4

The 1949 catch of fish and shellfish in the coastal areas of the Middle Atlantic States (New York, New Jersey, and Delaware) totaled 520,976,400 pounds valued at \$27,117,133 to the fishermen. This represented an increase of 4 percent in quantity but a decrease of 5 percent in value compared with the previous year. Menhaden accounted for 75 percent of the total 1949 landings in the Middle Atlantic States, and 16 percent of the total value.

The fisheries of the Middle Atlantic Area remained in a fairly healthy condition during 1949 with most of the major fisheries either holding their own or making slight gains in production. However, the continued failure of the pound net fishery was noticeable in New York and New Jersey. There were two factors which helped save many of the pound net operators from complete financial collapse during the year. These were successful summer retail markets, and prolonged winter operations. The pound net fisheries being located in the center of the popular resort areas, found a ready retail market for their fish during the summer months while production was at its peak. The profits recognized from direct retail sales coupled with the elimination of additional shipping and icing charges greatly aided the hard-pressed pound net operators. Prior to 1949 it had been customary to take the pound nets from the water in the early fall before the beginning of the autumnal storms, however with a non-productive season behind them and good fishing weather at hand, many operators left their equipment in the water. Migratory species continued to make their appearance in the nets throughout the winter. Out-of-season prices were received for these fish and, although some gear was lost because of storms, a new phase of seasonal operations was inaugurated.

The New England mackerel fleet made its appearance in the Middle Atlantic Area in early April and recorded an exceptionally successful season. During 1949, the purse seine operators caught almost 17 million pounds of mackerel. The 1948 mackerel purse seine season in the Middle Atlantic area had been unusually unsuccessful with slightly over one half million pounds being taken. The 1949 fall mackerel season was not so successful for hand line operators and gill netters as the spring eason had been for the purse seine fleet. In the fall, the mackerel failed to school or to respond favorable to chumming operations. These two factors were mainly responsible for the failure of the fall season.

The menhaden catch in the Middle Atlantic area was only 3.2 million pounds above the amount taken the previous year. The prices paid for oil dropped greatly during 1949, but meal prices showed a marked increase and in part compensated for the fish oil problem.

The 1949 production of oysters in New York and New Jersey recorded a noticeable gain compared with the previous year. Increased plantings and a good demand for fresh stock again made this fishery the most valuable single item in the Niiddle Atlantic Arrea.


The failure of the soft clam production during 1949 was due mainly to the depletion of the famed Shrewsbury River clam beds in northern New Jersey. In 1949, because of pollution and intensive digging, these once-productive beds reached a point where constructive measures had to be taken if they are ever again to become the fertile grounds they were in the past. During the year, the state began studies to determine what measures should be adopted to preserve and build up these valuable grounds.

<sup>&</sup>lt;sup>4</sup> This number was assigned to this area by the North American Council on Fishery Investigations. It should be explained that there are included in this area craft whose principal fishing ports are in the area but at times fish elsewhere. A notable example is the southern trawl fishery which extends into Area XXIV.


The last complete survey of the fishery transporting, wholesaling, and manufacturing interest was made for 1940. In that year, 215 men were employed in the operation of 72 vessels and boats engaged in the transporting trade, and 5,880 persons were employed in wholesale and manufacturing establishments. The latter employees received \$6,736,554 in salaries and wages during 1940. Detailed statistics on these branches of the industry for that year can be found in "Fishery Statistics of the United States, 1944", (Statistical Digest No. 16).

Condensed summary data on the operating units and catch by states of the Middle Atlantic fisheries, appearing on the following pages, have previously been published in Current Fishery Statistics No. 693.


### MIDDLE ATLANTIC CATCH, 1949




### VALUE OF MIDDLE ATLANTIC CATCH, 1949




NEW YORK: CATCH BY GEAR, 1949



NEW JERSEY: CATCH BY GEAR, 1949



DELAWARE: CATCH BY GEAR, 1949



# MIDDLE ATLANTIC FISHERIES SECTIONAL SUMMARIES

SUMMARY OF CATCH, 1949

PRODUCT	NEW	YORK	NEW	JERSEY
FISH	POUNDS 120,048,800 25,456,200	VALUE \$4,453,553 9,911,247	POUNDS 191,492,100 17,505,400	VALUE \$4,536,262 5,208,298
TOTAL	145,505,000	14,364,800	208,997,500	9,744,560
PRODUCT	DELA	WARE	•	TOTAL
FISH	POUNDS 161,733,200 4,740,700	\$1,839,801 1,167,972	POUNOS 473,274,100 47,702,300	\$10,829,616 16,287,517
TOTAL	166,473,900	3,007,773	520,976,400	27, 117, 133

### SUMMARY OF OPERATING UNITS, 1949

ITEM	NEW YORK	NEW JERSEY	DELAWARE	TOTAL
	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	916	1,832	685	3,433
REGULAR	2,884 4,353	1,810 2,325	159 207	4,853 6,885
TOTAL	8,153	5,967	1,051	15, 171
VESSELS, MOTOR	211 4,776	333 6,874	46 2,459	590 14,109
BOATS: MOTOR. OTHER. ACCESSORY BOATS. APPARATUS: PURSE SEINES:	3,320 349 42	2,227 946 72	155 69 69	5,702 1,364 183
MACKEREL LENGTH, YARDS. MENHADEN LENGTH, YARDS.	- - 8 3,200	1,550 18 5,710	- - 23 6,900	1,550 49 15,810
OTHER LENGTH, YAROS. HAUL SEINES, COMMON. LENGTH, YAROS. GILL NETS:	136 80,818	2 800 23 6,900	- - 58 17,400	2 800 217 105,118
ORIFT. SOUARE YARDS. RUNAROUND. SOUARE YARDS. STAKE. SOUARE YARDS.	205 631,500 - - 102 57,125	1,329 647,938 17 68,000 551 951,731	44 87,168 5 20,000 18 26,902	1,578 1,366,606 22 88,000 671 1,035,758
LINES: HAND HOOKS. TRAWL OR TROT WITH HOOKS HOOKS. TROLL HOOKS. TROT WITH BAITS OR SNOODS. BAITS OR SNOODS. POUND NETS WEIRS. STOP NETS. LENGTH, YARDS. FYKE NETS, FISH. DIP NETS, COMMON OTTER TRAWLS, FISH YARDS AT MOUTH BEAM TRAWLS, SHRIMP.	649 1,300 1,911 71,500	254 470 339 102,600 21 42 62 43,000 18 9,000 20 106 2,239 20 106 2,224	- 85 51,000 	903 1,770 615 225,100 21 42 62 43,000 230 30 18 9,000 863 50 272 4,835
YARDS AT MOUTH POTS: CONCH. CRAB EEL. FISH LOBSTER HARPOONS	1,605 721 680 2,836 5	35 - 55 1,114 15,185 6,950 ON NEXT PAGE)	- 900 450 - -	95 1,605 955 2,285 15,865 9,786

# SUMMARY OF OPERATING UNITS, 1949 - Continued

ITEM	NEW YORK	NEW JERSEY	DELAWARE	TOTAL
APPARATUS - CONTINUED:	NUMBER	NUMBER	NUMBER	NUMBER
OREGES: CLAM YARDS AT MOUTH. CRAB. YARDS AT MOUTH. OYSTER, COMMON. YARDS AT MOUTH. SCALLOP YARDS AT MOUTH.	53 36 - - 70 96 92 267	76 70 38 72 272 272 34 112	- - - - 34 - -	129 106 38 72 376 402 126 379
TONGS: O'STER. OTHER RAKES, OTHER THAN FOR OYSTERS HOES.	874 5,767 372	207 475 669 185	65 - 47 -	1,146 6,242 1,088 185

### CATCH BY STATES, 1949

SPECIES	NEW '	YORK	NEW .	JERSEY
FISH ALEWIVES. ANGLERFISH. BLUEFISH. BUTTERFISH. CARP. CATFISH AND BULLHEADS COO CTOCKOAKER CUNNER DOLPHIN DRUM, GLACK EELS!	POUNDS 99,000 48,400 251,200 1,520,400 56,600 38,500 2,356,800 2,600	VALUE \$2,991 2,510 39,522 221,363 4,488 4,244 229,073	POUNDS 19,900 9,100 1,055,400 11,499,700 65,000 111,600 1,386,600 85,200 500 100 800	VALUE \$597 273 121,347 97,983 3,930 5,742 135,786 5,142 9 10 44
COMMON	228,800 8,600	39,848 260	128,200 43,600	25,640 1,309
FLOUNDERS: GRAY SOLE LEMON SOLE YELLOWTAIL BLACKBACK DAB FLUKE UNCLASSIFIED FRIGATE MACKEREL GRAYFISK GROUPER HADDOCK	10,800 376,600 1,461,900 1,911,000 46,300 3,560,000 28,300 25,800 53,700	909 60,040 122,989 195,190 2,742 641,628 1,516 1,000 2,109	13,600 11,600 57,000 111,600 	816 649 2,850 5,517 446,622 187 1,967 54 210 722
HAKE: RED WHITE HALIBUT HERRING SEA HICKORY SHAD KING MACKEREL KING WHITHING OR "KINGFISH" LAUNCE. MACKEREL MENHADEN MULLET. PILOTFISH POLLOCK SCUP OR PORGY SEA BASS. SEA ROBIN SEA TROUT OR WEAKFISH, GRAY SHACK. SILVERSIDES SKAYES. SPOT. STRIFED BASS. STIRIFED BASS. STIRIFED BASS. STURGEON. SUCKERS	589,100 59,000 3,700 219,500 	22,614 3,355 700 6,245 4,950 22,000 290,572 939,631 -,500 644,969 230,672 61,459 141,457 1,206 13,185 2,362 5,362 156,455 3,975 3,975	354,700 57,200 57,200 1,961,700 3,100 25,000 143,173,900 17,400 17,400 9,363,900 3,755,500 23,900 2,567,900 1,406,600 12,300 12,300 12,300 12,300 21,200 3,600 2,000	10,998 1,716 25,748 93 1,968 1,968 1,639,207 459,921 454,139 602 301,891 252,180 -384 1,499 4,820 1,080 342,000 345,00
SUNFISH SWELLFISH SWORDFISH TAUTOG TILEFISH.	1,700 822,800 21,900 5,000 914,300	174 56,704 10,900 400 66,162	57,800 100 65,900 49,400	3,043 75 1,992 2,964

### CATCH BY STATES, 1949 - Continued

SPECIES	NEW	YORK	NEW .	JERSEY
FISH - CONTINUED	POUNDS	VALUE	POUNDS	VALUE
TUNA AND TUNALIKE FISHES: BLUEFIN	33,500	\$6,697	30,700	\$4,455
BONITO	-	-	16,900 606,100	2,532 42,018
TOTAL TUNA	99,000	8,769 15,466	653,700	49,005
WHITE BAIT		4,204		
WHITE PERCH	28,000 51,900 998,700 7,500 3,700	6,693 56,945	33,000	1,640
WHITING	7,500	200	579,200	17,376
YELLOW PERCH		543	-	-
FOR F000	527,900 53,800	34,399 538	498,000	32,412
OTHER	120,048,800	4,453,553	191,492,100	4,536,262
SHELLFISH, ETC.		<del></del>	<del></del>	
CRABS, BLUE:			1,994,200	185 304
SOFT AND PEELERS		]	12,700	185,304 4,064
TOTAL CRABS	-	-	2,006,900	189,368
HORSESHOE CRABS	<del>-</del>		630,000	2,563
LOBSTERS, NORTHERN	344,100	160,835	315,200 90,000	148,165 45,000
CLAMS:				<b></b>
HARD, PUBLIC	7,023,700 270,000	2,351,200 90,000	3,995,300	1,438,141 11,583
SOFT, PUBLIC	270,000 74,300 4,903,700	27,834	49,900 937,500 407,700	164,062
SURF	12,271,700	470,433	5,390,400	39,219 1,653,005
concue	<del></del>		30,000	4,500
MUSSELS, SEA	101,500 126,600	26,580 25,330	50,000	7,500
OYSTERS, MARKET: PUBLIC, SPRING. PUBLIC, FALL. PRIVATE, SPRING PRIVATE, FALL	226, 900	151 175	28 700	11,275
PUBLIC, FALL	226,900 226,900 3,682,700	151,175 151,175	28,700 57,100	22,436
PRIVATE, SPRING	3,999,200	2,455,115 2,666,095	2,815,200 4,184,700	1,104,320 1,645,593
TOTAL OYSTERS	8,135,700	5,423,560	7,085,700	2,783,624
SCALLOPS:	22.400	27, 024		
SEA	23,100 3,309,200	27,834 1,243,707	998,600	349,370
TERRAPIN, DIAMOND-BACK	1,144,300	63,934	939,900 4,400	28, 198 220
TURTLES, SNAPPER	-		14,300	4,285
TOTAL	25,456,200	9,911,247	17,505,400	5,208,298
GRAND TOTAL	145,505,000	14,364,800	208,997,500	9,744,560
SPECIES	DEL	AWARE	тот	AL
FISH ALEWIVES	POUNDS	VALUE	POUNDS	VALUE
ANGLERFISH	25,700	\$771 -	144,600 57,500	\$4,359 2,783
BLUEFISH	62,700 67,600	6,897 3,380	1,369,300 3,087,700 121,600	167, 766 322, 726 7, 818
CATFISH AND BULLHEADS	3,000	180	121,600	7,818
COD	400	40	153,100 3,743,800	10,166 364,899 16,542
CROAKER	88,000	11,400	173,200 3,100	16,542
OOLPHIN	12,500	625	200 13,300	14 669
EELS:	1	I		
COMMON	57 <b>,40</b> 0	8,780	414,400 52,200	74,268 1,569
FLOUNDERS:				
	-	-	24,400 388,200	1,725 60,689
LEMON SOLE			1,518,900	
LEMON SOLEYELLOWTAILBLACKBACK	12,000	540	2,034,600	201,247
YELLOWTAIL	1 1	_	2,034,600 46,300 6,592,800	201,247 2,742 1.089,495
LEMON SOLE. YELLOWIAIL BLACKBACK OAB FLUKE UNCLASSIFIED.	12,000 8,300 7,800			201,247 2,742 1,089,495 2,873
LEMON SOLE. YELLOWTAIL BLACKBACK OAB FLUKE	8,300	1.245	2,034,600 46,300 6,592,800 38,800 90,700 55,500 2,100	201,247 2,742 1,089,495 2,873 2,967 2,163 210

### CATCH BY STATES, 1949 - Continued

SPEC   ES	DEL	AWARE	To	DTAL
FISH - CONTINUED	POUNDS	VALUE	POUNDS	VALUE 470, 400
HADDOCK	-	-	1,205,800	\$79,490
RED	1 :	_	943,800 116,200 3,700	33,312 5.071
	-	-	3,700	5,071 700
HALIBUT	-	-	Z 1B1 200	31,993
HICKORY SHAD	9,400	\$752	3,100 34,400	2.720
KING MACKEREL	-	-	33,800	4,950
LAUNCE		_	33,800 22,500 20,952,800	4,950 2,000 703,538
MENHADEN	159,748,100	1,677,355		4,200,193
MULLET	29,500	2,360	30,700 17,400	2,464
POLLOCK			42,200	1,563 1,112,700
POLLOCK	155,800 5,100	7,790 612	16,804,700 5,060,800	6B5,423
SEA ROBIN	-	1 -	40,800	1,117
SEA TROUT OR WEAKFISH, GRAY	1,038,000 57,500	29,835 8,625	4,012,500 2,363,600	413,215 402,262
SHADSHARKSSILVERSIDES	37,300		43,200 220,300	1.914
SILVERSIDES	-	-	220,300 60,600	13,185 2,746
SKATES	26,200	2,882	48,500	4,851
STRIPFD BASS	255,000	67,930	902,200	229,205
STURGEON	9,600	3,780	24,500 7,700	8,835 897
SUNFISH	-	-	1.700	174
SWELLFISH	1 :	-	880,600 22,000	59,747 10,975
TAUTOG	-	-	70,900 963,700	2,392
TILEFISH		<u> </u>	963,700	69,126
TUNA AND TUNALIKE FISHES:	l _	_	64,200	11,152
BLUEFIN	1 -	_	16,900 705,100	2,532 50,787
LITTLE	-			
TOTAL TUNA		-	786,200	64,471
WHITE BAIT	47,200	2,360	28,000 132,100	4,204 10,693
WHITING	77,200		1,577,900	74,321
WOLFFISH	1,000	- 60	1,577,900 7,500 4,700	200 603
UNCLASSIFIED:			l .	
FOR FOOD.	5,400	432	1,031,300 53,800	67,243 538
OTHER	161,733,200	1,839,801	473,274,100	10,829,616
TOTAL	101,733,200	1,009,001	473,274,100	10,029,010
SHELLFISH, ETC. CRABS, BLUE:				1
HARD	2,233,000	207,350	4,227,200	392,654 22,976
SOFT AND PEELERS	57,600 2,290,600	18,912 226,262	70,300 4,297,500	415,630
TOTAL CRABS	2,290,000	220,202		
HORSESHOE CRABS	300	75	630,000 659,600	2,563 309,075 45,040
SHRIMP	100	40	659,600 90,100	45,040
CLAMS:				
HARD, PUBLIC	59,800 189,000	18,268 57,750	11,078,800 508,900	3,807,609 159,333
SOFT. PUBLIC.	189,000	57,750	1,011,800	191,896
3011	-	-	5,311,400	509,652
TOTAL CLAMS	248,800	76,018	17,910,900	4,668,490
CONCHS	-	-	131,500 126,600	31,080 25,330
NVSTERS MARKET.	<del></del>	<del></del>	120,000	23,330
OYSTERS, MARKET: PUBLIC, SPRING. PUBLIC, FALL. PRIVATE, SPRING	-	-	255,600	162,450 173,611
PUBLIC, FALL	015 900	261 450	284,000	173,611
PRIVATE, SPRING	915,800 1,274,200	361,450 503,800	7,413,700 9,458,100	3,920,885 4,815,488
TOTAL OYSTERS	2,190,000	865,250	17,411,400	4,815,488 9,072,434
SCALLOPS:	<del></del>			
BAY	-	-	23,100	27,834 1,593,077 92,459 220
SEA	10,900	327	4,307,800 2,095,100	92, 459
TERRAPIN, DIAMOND-BACK		-	4,400	220
TURTLES, SNAPPER		-	14,300	4,285
TOTAL	4,740,700	1,167,972	47,702,300	16,287,517
GRAND TOTAL	166,473,900	3,007,773	520,976,400	27,117,133

### SUPPLEMENTARY REVIEW OF THE CATCH OF CFRTAIN SHELLFISH, 1949

1 T EM		NEW	YORK	NEW	JERSEY
CRABS, BLUE: HARD SOFT AND PEELERS HORSESHOE CRABS CLAMS:	NUMBER DO POUNDS PER CRAB	CUANTITY - -	VALUE - - -	QUANTITY 5,982,600 50,800 210,000	\$185,304 4,064 2,563
HARD, PUBLIC HARD, PRIVATE SOFT, PUBLIC SOFT, PUBLIC SURF CONCHS SEA OVSTERS, MARKET:	U.S. STANDARD BUSHEL DO DO DO DO DO DO DO	585,308 22,500 4,644 408,642 6,767 12,660	\$2,351,200 90,000 27,834 470,433 26,580 25,330	443,922 5,544 46,875 33,975 2,143	1,438,141 11,583 164,062 39,219 4,500
PUBLIC, SPRING PUBLIC, FALL PRIVATE, SPRING PRIVATE, FALL SCALLOPS:	DO DO DO DO	30,253 30,253 491,027 533,227	151,175 151,175 2,455,115 2,666,095	4,100 8,157 402,171 597,814	11,275 22,436 1,104,320 1,645,593
BAY	DO DO	4,620 551,533	27,834 1,243,707	166,433	349,370
		T			
ITEM		DEL	WARE	то	TAL
CRABS, BLUE: HARD SOFT AND PEELERS HORSESHOE CRABS	NUMBER DO POUNDS PER CRAR	QUANTITY 6,699,000 230,400	VALUE \$207,350 18,912	QUANTITY 12,681,600 281,200 210,000	VALUE \$392,654 22,976 2,563
CRABS, BLUE: HARD SOFT AND PEELERS HORSESHOE CRABS. CLAMS: HARD, PUBLIC HARD, PUBLIC SOFT, PUBLIC SURF CONCHS MUSSELS, SEA	DO	QUANTITY 6,699,000	\$207,350	QUANTITY 12,681,600 281,200	\$392,654 22,976
CRABS, BLUE: HARD HARD FELLERS HORSESHOF CRABS. CLAMS: HARD, PUBLIC HARD, PRIVATE SOFT, PUBLIC SURF CONCHS	POUNDS PER CRAR  U.S. STANDARD BUSHEL  DO  DO  DO  DO  DO	QUANTITY 6,699,000 230,400	\$207,350 18,912	QUANTITY 12,681,600 281,200 210,000 1,035,874 49,044 51,519 442,617 8,910	\$392,654 22,976 2,563 3,807,609 159,333 191,896 509,652 31,080

NOTE: -- BUSHELS REPRESENT U.S. STANDARD BUSHEL OF 2, 150.4 CUBIC INCHES CAPACITY.

### AVERAGE WEIGHTS OF CERTAIN SHELLFISH, 1949

ITEM	NEW YORK	NEW JERSEY	DELAWARE
	QUANTITY	QUANTITY	QUANTITY
RABS, BLUE:	i		
HARO NUMBER PER POUND	- [	3,00	3.00
SOFT AND PEELERS DO HORSESHDE CRABS POUNDS PER CRAB	- 1	4.00	4.00
LAMS:	-	3.00	-
HARD, PUBLIC LBS. MEATS PER U.S. BUSHEL	12.00	9.00	9.00
HARD, PRIVATE. 00 SOFT, PUBLIC 00 SURF 00 ONCHS 00	12.00	9.00	9.00
SOFT, PUBLIC DO	16.00	20.00	9.00
SURF	12.00	12.00	-
ONCHS DO	15.00	14.00	-
USSELS, SEA	10.00	14.00	•
	,0.00	-	•
PUBLIC, SPRING DO PUBLIC, FALL DO	7.50	7.00	
PUBLIC, FALL	7.50	7.00	-
PRIVATE, SPRING DO	7.50		
PRIVATE, FALL		7.00	6.00
CALLOPS:	7.50	7.00	6.00
BAY	5.00		
SEA DO	6,00	6.00	-

NOTE: -- BUSHELS REPRESENT U.S. STANDARD BUSHEL DE 2, 150.4 CUMIC INCHES CAPACITY.

### MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1/

ITEM			NEW	YORK		ERSEY A & DELAWARE
BY MANUFACTURING ESTABLISHMENTS:	YEAR	UNIT	QUANTITY	VALUE	QUANTITY	VALUE
BUFFALOFISH, SMOKED	1940	POUNDS	315,000	\$68,700		
BUTTERFISH, SMOKED	1940	DO	290,700	56,740	80,850	\$27,447
	1940	00				
CARP, SMOKED	1940		40,000	12,900	60,500	24,650
CHUB, CISCO AND TULLIBEE, SMOKED		DO	1,710,000	477,000	508,000	217,600
FRESH AND FROZEN FILLETS	1949	D0	2,394,320	694,719	401,785	126,036
SALTED FILLETS	1940	DO	-	i -	685,200	205,560
SMOKED FILLETS	1940	DO	64,600	12,920	-	-
EELS, COMMON, SMOKED	1940	DO	100,000	28,100	4,100	1,360
FLOUNDERS, FRESH AND FROZEN FILLETS	1949	l po	3,739,113	1,500,198	207,537	87,080
HADDOCK:			/ / /	.,,		1.,,
FRESH AND FROZEN FILLETS SMOKED:	1949	00	1,701,320	527,989	507,094	167,209
FILLETS	1940	DO	113,100	17,274	57 140	12 461
FINNAN HADDIE	1940	D0			57,140	13,461
	1940		115,000	14,950	34,900	5,595
WHOLE		D0	00,000	40,000	28,700	5,740 (2)
HAKE, FRESH FILLETS	1949	DO	98,000	19,800	(2)	(2)
BLOATERS, SMOKED HARD	1940	DO DO	-	-	490,500	73,055
KIPPERED	1940	DO	63,000	11,600	2,500	375
SPICED	1940	DO	<u> </u>	<u> -</u>	35,000	2,500
LAKE TROUT, SMOKED	1940	l po	67,000	19,700	72,000	31,200
LINGCOD, SMOKED	1940	DO	800	100	1	1 7
MACKEREL, SMOKED, WHOLE	1940	Do	49,000	9,250	10,100	2,520
MENHADEN:			· ·	1		
DRY SCRAP AND MEAL	1949	TONS	{2 2	{2 2		3/4,918,546
OIL	1949	GALLONS			3,201,065	1,464,605
PADDLEFISH, SMOKED	1940	POUNDS	125,000	53,850	-	-
SABLEFISH, SMOKED	1940	DO	-	-	95,000	42,750
KIPPERED	1940	DO	430,000	167,900	355,000	159,250
SMOKED, WHOLE	1940	DO	5,120,000	1,697,500	1,081,000	426,400
SHAD, SMOKED	1940	DO	70,000	9,000	45,000	13,250
STURGEON, SMOKED	1940	DO	417,000	322,250	88,000	67,000
TUNA, SMOKED	1940	DO	117,000	-	700	175
WHITEFISH, SMOKED	1940	DO	1,750,000	618,500	320,000	112,300
	1940	DO	1,730,000	010,300		
WHITING, SMOKED	1940	200	_	_	131,500	19,725
CLAMS:				1	Į.	ŀ
CANNED:		f				1
WHOLE AND MINCED (HARD AND SURF)	1949	STANDARD CASES	74,027	684,798	(-,	
CHOWDER, JUICE AND BROTH (HARD)	1949	00	14,775	45, 190	(2)	(2)
FRESH-SHUCKED (HARD AND SURF)	1940	GALLONS	-	-	16,215	26,205
MUSSEL-SHELL AND MARINE PEARL-SHELL						
BUTTONS	1949	GROSS	922,562	1,713,355	1,664,378	2,423,224
OYSTERS, FRESH-SHUCKED (EASTERN)	1940	GALLONS	249,450	523,625	788,737	1,398,319
OYSTER-SHELL PRODUCTS:			1	/	,	l ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
GRIT	1949	TONS	-	-	5,266	80,894
LIME, UNBURNED	1949	. DO	-	_	1,846	6,565
UNCLASSIFIED PRODUCTS:	,,,,				1 ,,,,,,,,	1 5,505
PACKAGED FISH	1949	POUNDS	4/21,000	4/9,800	5/43,088	5/12,386
	1949		6/72,948			3/ (7)
CANNED		STANDARD CASES	9/12,948	6/843,151	(7)	
MISCELLANEOUS PRODUCTS	1949	-		8/2,368,136	I	9/5,055,291
TOTAL			-	12,528,995	-	17,218,273

- 1/ DATA ON THE PRODUCTION OF THE DIFFERENT PRODUCTS ARE FOR THE YEARS INDICATED.
- 2/ THIS ITEM HAS BEEN INCLUDED UNDER "UNCLASSIFIED PRODUCTS".
- 3/ INCLUDES A SMALL QUANTITY OF ACID SCRAP PRODUCED IN DELAWARE.
- 4/ INCLUDES FRESH FILLETS OF BLUEFISH, POLLOCK, AND STRIPED BASS.
- / INCLUDES FRESH AND FROZEN FILLETS OF HAKE, MACKEREL, POLLOCK, RED DRUM, AND MISCELLANEOUS SPECIES.

  // INCLUDES CANNED ANIMAL FOOD; SALMON, STURGEON AND WHITEFISH CAVIAR; HERRING AND SALMON SALAD SPREAD; FISH CAKES; CONCHS; CRAB MEAT CREOLE, NEWBURG, AND IN CURRY SAUCE; FROG LEGS NEWBURG; LOBSTER BISQUE, NEWBURG, SOUP, AND STEW; OYSTER BISQUE; SCALLOPS IN MUSHROOM SOUP; SHRIMP NEWBURG; SHRIMP CURRIED; TERRAPIN AND TURTLE MEAT, SOUP, AND STEW; BOU'LLABAISSE; AND SEAFOOD, NEWBURG.

  // THIS ITEM HAS BEEN INCLUDED UNDER "HISCELLANEOUS PRODUCTS".
- 3/ INCLUDES SHARK, WHALE, AND MISCELLANEOUS LIVER OILS; MENHADEN DRY SCRAP AND MEAL, DIL AND FISH SOLUBLES; AND MISCELLANEOUS MEAL.
- 9/ INCLUDES CANNED CLAM CHOWDER; COD, SHARK, AND MISCELLANEOUS LIVER OILS; HORSESHOE CRAB AND MISCELLANEOUS DRY SCRAP: AND MENHADEN FISH SOLUBLES.
- NOTE: -- SOME OF THE ABOVE PRODUCTS MAY HAVE BEEN MANUFACTURED FROM PRODUCTS IMPORTED FROM ANOTHER STATE OR A FOREIGN COUNTRY; THEREFORE THEY CANNOT BE CORRELATED DIRECTLY WITH THE CATCH WITHIN THE STATE.

### SUMMARY OF MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS

SUMMARY OF STATES	SUMMARY OF PRODUCTS				
STATE VALUE	ITEM	YEAR	UNIT	QUANT I TY	VALUE
NEW YORK \$12,528,995	PACKAGED FISH	1949	POUNDS	9,113,257	\$3,145,217
NEW JERSEY . 11,258,101	CANNED FISH AND SHELLFISH .	1949	STANOARD CASES	802,458	5,793,832
PENNSYLVANIA 2,602,217	FISHERY BYPRODUCTS	1949	-	-	13,809,923
DELAWARE 3,357,955	PACKAGED SHELLFISH	1940	POUNDS	9,226,018	1,948,149
TOTAL 29,747,268	SALTED, DRIED AND PICKLED .	1940	DO	720,200	208,060
,,	SMOKED AND KIPPERED	1940	DO	14,305,690	4,842,087
	TOTAL	-	-	-	29,747,268

## NEW YORK

### OPERATING UNITS BY GEAR, 1949

	PURSE	HAUL			LI	NES	
ITEM	SEINES, MENHADEN	SEINES, COMMON	DRIFT	STAKE	HAND	TRAWL OF TROT WITH HOOKS	
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	165	16	3	-	6	16	8
REGULAR	l :	187 170	40 387	15 204	128 516	36 53	55 67
TOTAL	165	373	430	219	650	105	130
VESSELS, MOTOR	8 732	5 30	1 7	-	2 57	2 39	3 28
BOATS: MOTOR	Ξ	131	198 2	102	286 39	48 3	47 -
ACCESSORY BOATS	24 8	5 136	205	102	649	191	153
LENGTH, YAROS	3,200	80,818	631,500	57,125	-		- 133
HOCKS		-		<u> </u>	1,300	71,500	
ITEM	FYKE NETS.	OTTER TRAWLS.		POTS			HARPOONS
	FISH	FISH	CONCH	EEL	FISH	LOBSTER	HARFOONS
FISHERMEN:	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
ON VESSELS ON BOATS AND SHORE:	-	359	-	-	-	2	15
REGULAR	19 47	80 51	18	10 31	7 2	65 215	-
TOTAL	66	490	26	41	9	282	15
VESSELS, MOTOR NET TONNAGE BOATS:	-	98 2,090	Ξ	:	-	1 7	5 84
MOTOR	33 18	60 -	13 -	10 13	5 -	140 19	- 5
APPARATUS: NUMBER YARDS AT MOUTH	543 -	158 2,453	1,605	721 -	680 -	2,836	_ 5
		DREDGES		TONGS		RAKES.	TOTAL
ITEM	CLAM	OYSTER, COMMON	SCALLOP	OYSTER	OTHER		TOTAL, EXCLUSIVE O OUPLICATION
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	73	156	224	-	22	-	916
REGULAR	30 14	= .	18 4	477 397	2,667 3,078	212 160	2,884 4,353
TOTAL	117	156	246	874	5,767	372	8,153
VESSELS, MOTOR NET TONNAGE	33 382	35 790	35 1,265	=	14 95	-	211 4,776
MOTOR	20 -	=	11 -	676 18	2,673 287 -	115 68 -	3,320 349 42
NUMBER	53	70	92				



NEW YORK: CATCH BY GEAR, 1949

SPECIES	PURSE	SEINES	HAUL	SEINES	DRIF	GILL	NETS SET	r
	ļ <sub>1</sub>							
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
LEWIVES	-		98,900	\$2,989	100	\$2	-	-
LUEFISH	- }	-	2,700	450	21,200 400	3,350 50		-
UTTERFISH	- 1	-	53,800	4,144	700	98	200	\$16
ARP	1 [		1,300	164	400	40		
OD		- !	300	32	7,000	746	-	-
I OUNDERS:	!	i				ĺ		
BLACKBACK	-		1,100	115		-	-	-
FLUKE	- 1	-	900 600	175 25	1 [	_	[	[
RAYFISH	- 1	- 1	000	25		_	_	
"KINGFISH"	-	-	3,500	505	-	-	-	-
AUNCE	-		22,500	2,000	· · ·		-	1 -
ACKEREL	160,200	\$20,000	8,600	1,317	28,000	4,629	-	-
ACKEREL	89,488,700	939,631	170 300	16,081	-	1 -	_	
EA TROUT OR	-	- 1	178,300	10,001	_		_	_
WEAKFISH, GRAY	_	- 1	225,500	45,848	44,400	в,286	-	-
HAD	- 1	-	43,300	5,637	44,400 452,300	68,158	264,000	39,600
HAD	-	-		·		500		
IRIPED BASS	-	-	592,100	147,977	1,700	372 1,005	600 700	130 254
TURGEON			1,400	110	3,200	1,003		-2.5
UCKERS	[	-	300	30		- "	-	-
WELLFISH	-	-	9,100	630	-	-	-	-
HITE BAIT	- !	-	28,000 39,900	4,204				
HITE PERCH	- 1	-	39,900	5,474	3,700	526	4,100	300
	- 1	-	E1 000	2 422	100	18 316	-	- 1
NCLASSIFIED, FOR FOOD			51,900	3,422	5,300 579,100	8B,157	269,600	40,300
TOTAL	89,648,900	959,631	1,364,000	241,329	379,100	00,137	209,000	40,300
SPECIES		LIN	ES		POUND	NETS	FYKE	NETS
SFEC (ES	НА	ND .	TRAWL WITH	OR TROT	100110	METO		
	POUNDS	. VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
	1,500	\$231	-	111222	213,000	\$33,080		-
LUEFISH	1,300			_	305,900	58.814	_	_
UTTERFISH	-	-	200	- \$16	306,900	58,814	1,700	- \$214
ARP	-	-	200 19,600	\$16 1,916	306,900	58,814 - -	1,700 17,200	- \$214
ARP	- 6,000		200	- \$16	306,900	58,814 - - 250	1,700 17,200	- \$214
UNNER	-	-	200 19,600 793,700	\$16 1,916 86,662	306,900 - - 2,400 2,500	58,814 - 250 100	17,200	\$214 2,124
UTTERFISH	-	-	200 19,600	\$16 1,916	306,900	58,814 - - 250	1,700 17,200 - 3,300	\$214 2,124
UTTERFISH	-	-	200 19,600 793,700	\$16 1,916 86,662	306,900 - - 2,400 2,500 29,200	58,814 - - 250 100 4,811	3,300	- \$214
UTTERFISH. ARP	-	-	200 19,600 793,700	\$16 1,916 86,662	306,900 - 2,400 2,500 29,200 16,500	58,814 - - 250 100 4,811 1,711 3,549	17,200	\$214 2,124 - 556
UTTERFISH. ARP. ATFISH AND BULLHEADS OD . UNNER . LS, COMMON . LOUNDERS: BLACKBACK . FLUKE .	-	-	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900 - 2,400 2,500 29,200 16,500	58,814 - - 250 100 4,811 1,711 3,549	3,300	2,124 2,124 556
UTTERFISH. ARP. ATFISH AND BULLHEADS OD. UNNER ELS, COMMON. LOUNDERS: BLACKBACK FLUKE FLUKE RIGATE MACKEREL	-	-	200 19,600 793,700	\$16 1,916 86,662	306,900 - 2,400 2,500 29,200 16,500	58,814 - 250 100 4,811 1,711 3,549 1,000 331	3,300	2,124 2,124 556
UTTERFISH. ARP. ATFISH AND BULLHEADS OD. UNNER ELS, COMMON. LOUNDERS: BLACKBACK FLUKE FLUKE RIGATE MACKEREL	-	-	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900 - 2,400 2,500 29,200 16,500	58,814 - 250 100 4,811 1,711 3,549 1,000 331 1,651	3,300	2,124 2,124 556
UTTERFISH. ARP. ATFISH AND BULLHEADS OD. UNNER. LES, COMMON. LOUNDERS: BLACKBACK FLUKE RIGATE MACKEREL RAYFISH. AKE, RED ERRING, SEA.	-	-	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900 - - 2,400 2,500 29,200	58,814 - 250 100 4,811 1,711 3,549 1,000 331 1,651 3,365	3,300	2,124 2,124 556
UTTERFISH. ARP. ATFISH AND BULLHEADS OD. UNNER. LS. COMMON. LOUNDERS: BLACKBACK FLUKE RIGATE MACKEREL ARYFISH. AKE, RED ERRING, SEA ING WHITING OR	6,000	- 675 - - - - - - -	200 19,600 793,700	\$16 1,916 86,662 - 150	2,400 2,500 29,200 16,500 18,500 25,800 8,500 42,100 117,200	58,814 - 250 100 4,811 1,711 3,549 1,000 331 1,651 3,365	3,300	2,124 2,124 556
UTTERFISH. ARP. ATFISH AND BULLHEADS OD. UNNER. LS. COMMON. LOUNDERS: BLACKBACK FLUKE RIGATE MACKEREL. RAYFISH. AKE, REO ERRING, SEA LING WHITING OR "KINGFISH"	6,000	675	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900 - 2,400 2,500 29,200 16,500	58,814 - 250 100 4,811 1,711 3,549 1,000 331 1,651	3,300	2,124 2,124 556
UTTERFISH ARP. ATFISH AND BULLHEADS OD. UNNER LES, COMMON. LOUNDERS: BLACKBACK. FLUKE RIGATISMACKEREL RARIES RED ERRING, SEA ING WHITING OR "EINGFISH" ACKEREL ACKEREL ACKEREL ACKEREL ACKEREL ACKEREL ACKEREL ACKEREL ACKEREL	6,000 - - - - - - - - - - - - - - - - - -	675	200 19,600 793,700	\$16 1,916 86,662 - 150	2,400 2,500 29,200 16,500 18,500 25,800 25,800 42,100 117,200	58,814 - 250 100 4,811 1,711 3,549 1,000 331 1,651 3,365 2,309 32,884	3,300 192,000	2,124 2,124 556
UTTERFISH. ARP. ATFISH AND BULLHEADS OD. UNNER. ELS, COMMON. LOUNDERS: BLACKBACK FLUKE RIGATE MACKEREL. RAYFISH. AKE, REO. ERRING, SEA. ING WHITING OR "KINGFISH" ACKEREL. OLLOCK	- 6,000 - - - - - - - - - - - - 5,500 4,800	675 - - - - - - - - - - - - - - - - - - -	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900 2,500 2,500 29,200 16,500 18,500 25,800 42,100 117,200 15,700 171,800	58,814 - 250 100 4,811 1,711 3,549 1,000 331 1,651 3,365 2,309 32,884 - 6,325	3,300	2,124 2,124 556
UTTERFISH. ARP. ATFISH AND BULLHEADS OD. UNNER. ELS, COMMON. LOUNDERS: BLACKBACK FLUKE RIGATE MACKEREL. RAYFISH. AKE, REO. ERRING, SEA. ING WHITING OR "KINGFISH" ACKEREL OLLOCK CUP OR PORCY EA BASS. EA TROUL OR	6,000 - - - - - - - - - - - - - - - - - -	675	200 19,600 793,700	\$16 1,916 86,662 - 150	2,400 2,500 29,200 16,500 18,500 25,800 25,800 42,100 117,200	58,814 - 250 100 4,811 1,711 3,549 1,000 331 1,651 3,365 2,309 32,884	3,300 192,000	2,124 2,124 556
UTTERFISH. ARP. HAND BULLHEADS OUNNER. UNNER. UNNER. ELS, COMMON. LOUNDERS: ELACKBACK. ELLACKBACK. FLOKE FLOKE MACKEREL. RAYFISH. AKE, RED ERRING, SEA. ING WHITING OR "KINGFISH" OLLOCK. CUP OR PORCY EA BASS. EA TROUT OR	6,000 - - - - - - - - - - - - - - - - - -	675 - - - - - - - - - - - - - - - - - - -	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900 - 2,500 2,500 2,500 2,500 16,500 18,500 2,600 42,100 117,200 117,200 171,800 71,000 3,600	58,814 - 250 100 4,811 1,711 3,549 1,000 331 1,651 3,365 2,309 32,884 6,325 6,325 700	3,300 192,000	2,124 2,124 556
UTTERFISH. ARP. ATFISH AND BULLHEADS OO. UNNER. ELS, COMMON. LOUNDERS: BLACKBACK FLUKE RIGATE MACKEREL RAYFISH. AKE, REO LERRING, SEA LING WHITING OR "KINGFISH" ACKEREL OLLOCK CUP OR PORGY EA BASS. EA TROUT OR WEAKFISH, GRAY	- 6,000 - - - - - - - - - - - - 5,500 4,800	223,260 400 417 8,759 225	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900 - 2,400 2,500 29,200 16,500 18,500 25,800 42,100 117,200 15,700 171,800 71,000 3,600 112,400 139,200	58,814 	3,300 192,000	2,124 2,124 556
UTTERFISH. ARP., ATFISH AND BULLHEADS OUNDER. UNNER. LOUNDERS: BLACKBACK. FLOKT FLOK	1,464,500 4,800 1,000	675 - - - - - - - - - - - - - - - - - - -	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900 	58,814 - 250 100 4,811 1,711 3,549 1,000 331 1,651 3,365 2,309 32,884 6,325 700 22,533 27,922 32,922	17,200	2,124 2,124 556
UTTERTISH. ARP., ATFISH AND BULLHEADS OD UNNER. LS, COMMON. LOUNDERS: BLACKBACK FLUKE BLACKBACK FLUKE RIGATE MACKEREL RAYFISH. AKE, REO LRRING, SEA. ING WHITING OR "KINGFISH" ACKEREL DLLOCK LUP OR PORGY EA BASS. EA TROUT OR WEAKFISH, GRAY HARNS.	6,000  - - - - - - - - - - - - - - - -	223,260 400 417 8,759 225	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900 - 2,400 2,500 29,200 16,500 18,500 25,800 42,100 117,200 15,700 171,800 71,000 3,600 112,400 139,200 600 220,300	58,814 	17,200	2,124 2,124 556
UTTERFISH. ARP. HAND BULLHEADS OOD UNNER. LUNGERS: ELACKBACK FLUKE BLACKBACK FLUKE RIGHTE MACKEREL RAYFISH. AKE, REO ERRING, SEA. ING WHITING OR "KINGFISH" KINGFISH" LUP OR PORGY EA BASS EA TROUT OR WEAKFISH, GRAY HAO. HARKS.	1,464,500 4,900 1,000	675 - - - - - - - - - - - - - 400 417 8,759 225 -	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900 	58,814 250 100 4,811 1,711 3,549 1,000 331 1,651 3,365 2,309 32,884 6,325 7,922 32,533 27,922 32,13,185 3,185	17,200	2,124 2,124 556
UTTERTISH. ARP.H AND BULLHEADS ONE LINNER. LINNER. LES, COMMON. LOUNDERS: BLACKBACK. FLUNE RIGATE MACKEREL. RAYFISH. AKE, REO LOUNDERS. LOUNDERS: LACKBACK. FLUNE LACKBACK. FLUNE LACKBACK. FLUNE LACKBACK. LOUNDERS. LO	1,464,500 4,800 1,000	675 - - - - - - - - - - - - - - - - - - -	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900 - 2,400 2,500 29,200 16,500 18,500 25,800 42,100 117,200 15,700 171,800 71,000 3,600 112,400 139,200 600 220,300	58,814 	17,200 3,300 192,000	\$214 2,124 - 556 19,09
UTTERTISH. ARP.H AND BULLHEADS ONE LINNER. LINNER. LES, COMMON. LOUNDERS: BLACKBACK. FLUNE RIGATE MACKEREL. RAYFISH. AKE, REO LOUNDERS. LOUNDERS: LACKBACK. FLUNE LACKBACK. FLUNE LACKBACK. FLUNE LACKBACK. LOUNDERS. LO	1,464,500 4,900 1,000	675 - - - - - - - - - - - - - 400 417 8,759 225 -	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900  - 2,400 2,500 29,200  16,500 18,500 25,800 42,100 117,200 15,700 171,800 71,000 3,600 112,400 139,200 600 220,300 1,900 4,300	58,814 250 100 4,811 1,711 3,549 1,000 1,000 1,651 1,651 3,365 2,309 32,884 6,325 700 22,533 27,932 27,932 32,13,185 97 1,100	17,200 3,300 192,000	\$214 2,124 - 556 19,09
UTTERTISH. ARP.H AND BULLHEADS ONDER LINNER LINNER LINNER LOUNDERS: BLACKBACK FLUNE BLACKBACK FLUNE FLUNE BLACKBACK FLUNE FLUNE FLORTSH ACKEREL LING WHITING OR """ NING ISH" ACKEREL LOUD OR PORCY LOUP OR PORCY LOUP OR PORCY LAE BASS. LA TROUT OR MEANFISH, GRAY HAO LIVERSIOES	1,464,500 5,500 4,800 44,300 1,000	675 - - - - - - - - - - - - - - - - - - -	200 19,600 793,700 800	\$16 1,916 86,662 	306,900 	58,814 250 100 4,811 1,711 3,549 1,000 331 1,651 3,365 2,309 32,884 6,325 7,922 32,533 27,922 32,13,185 3,185	17,200 3,300 192,000	\$214 2,124 - 556 19,09
UTTERTISH. ARP., ATFISH AND BULLHEADS OD., UNNER. LS, COMMON., LOUNDERS: BLACKBACK FLUKE RIGATE MACKEREL. RAYFISH. AKE, RED LROCK LING WHITING OR "KINGFISH" ACKEREL OLLOCK CUP OR PORGY EA BASS. EA TROUT OR WEAKFISH, GRAY HAO. HARKS, LLVERSIDES KATES. KATES. KATES. KRIPED BASS. LUKERS LUKE	1,464,500 5,500 4,800 44,300 1,000	675 - - - - - - - - - - - - - - - - - - -	200 19,600 793,700	\$16 1,916 86,662 - 150	306,900  - 2,400 2,500 29,200  16,500 18,500 25,800 42,100 117,200 15,700 171,800 71,000 3,600 112,400 139,200 600 220,300 1,900 4,300	58,814 250 100 4,811 1,711 3,549 1,000 1,000 1,651 1,651 3,365 2,309 32,884 6,325 700 22,533 27,932 27,932 31,185 97 1,100	17,200 3,300 192,000	\$214 2,124 - 556 19,09
UTTERFISH. ARP. ATFISH AND BULLHEADS OUNDER. UNNER. LES, COMMON. LOUNDERS: ELACKBACK FLUKE ELACKBACK FLUKE RIGATE MACKEREL RAYFISH. AKE, REO LOUNDERS ERRING, SEA. ING WHE TIME OR KINFFISH CUP OR PORCY EA BASS EA TROUT OR VEAKFISH, GRAY HAO. LLVERSIDES KATES. ILVERSIDES KATES. ULFERSIDES LUFISH UNFISH UNELFISH UNAL	1,464,500 4,800 44,300 1,000 	223,260 417 8,759 225 -	200 19,600 793,700 800	\$16 1,916 86,662 	306,900	58,814  250 100 4,811 1,711 3,549 1,000 331 1,651 3,365 2,309 32,884 6,325 7,922 21,533 27,922 313,185 1,100 52,004	17,200 3,300 192,000	\$214 2,124 - 556 19,09
UTTERTISH. ARP., AND BULLHEADS OD. UNNER. LS, COMMON. LOUNDERS: BLACKBACK FLUKE BLACKBACK FLUKE RAYFISH. AKE, REO CRRING, SEA ING WHITINO OR "KINGFISH" ACKEREL OLLOCK CUP OR PORGY EA BASS. EA TROUT OR WEAKFISH, GRAY HAD. HAD. HAD. HAD. HAD. HAD. HAD. HAD.	1,464,500 5,500 4,800 44,300 1,000	675 - - - - - - - - - - - - - - - - - - -	200 19,600 793,700 800	\$16 1,916 86,662 	306,900  - 2,400 2,500 29,200  16,500 18,500 25,800 42,100 117,200 15,700 171,800 71,000 3,600 112,400 139,200 600 220,300 1,900 220,300 1,900 755,700	58,814 250 100 4,811 1,711 3,549 1,000 1,651	17,200 3,300 192,000	\$214 2,124 - 556 19,09
UTTERFISH. ARP. ATFISH AND BULLHEADS OUND. UNNER. LES, COMMON. LOUNDERS: BLACKBACK FLUKE BLACKBACK FLUKE RIGATE MACKEREL RAYFISH. AKE, REO CERRING, SEA. ING WHITING OR "KINGFISH" KINGFISH" LUP OR PORGY EA BASS EA TROUT OR WEAKFISH, GRAY HAO. HARKS. LLYERSIDES KATES. LLYERSIDES KATES. UNFISH UNFISH ULEFISH UNA: BLUEFIN LLEFISH UNA: BLUEFIN LITTE.	1,464,500 1,464,500 4,800 44,300 1,000	675 	900 19,600 793,700 800 	- \$16 1,916 86,662 - 150 	306,900	58,814  250 100 4,811 1,711 3,549 1,000 331 1,651 3,365 2,309 32,884 6,325 7,922 21,533 27,922 313,185 1,100 52,004	3,300 192,000 	\$214 2,124 - - - - - - - - - - - - - - - - - - -
UTTERTISH. ARP., ATFISH AND BULLHEADS OD., UNNER. LES, COMMON., LOUNDERS: BLACKBACK FLUKE RIGATE MACKEREL. RAYFISH. AKE, REO LRRING, SEA. ING WHITING OR "KINGFISH" ACKEREL OLLOCK CUP OR PORGY EA BASS. EA TROUT OR WEAKFISH, GRAY HAO. HARKS. LILVERSIDES KATES. KATES. KATES. KRIPED BASS. LUCKERS. LUCKE	1,464,500 1,464,500 4,800 44,300 1,000	223,260 417 8,759 225 -	200 19,600 793,700 800	\$16 1,916 86,662 	306,900  - 2,400 2,500 29,200  16,500 18,500 25,800 42,100 117,200 15,700 171,800 71,000 3,600 129,400 139,200 600 220,300 1,900 220,300 1,900 755,700 24,000 99,000	58,814 250 100 4,811 1,711 3,549 1,000 1,651	3,300 192,000 	\$214 2,124 - - - - - - - - - - - - - - - - - - -
UTTERFISH. ARP. ATFISH AND BULLHEADS OD. UNNER. ELS, COMMON. LOUNDERS: BLACKBACK FLUKE RIGATE MACKEREL. RAYFISH. AKE, RED ERRING, SEA LING WHITING OR "KINGFISH" ACKEREL OLLOCK CUP OR PORGY EA BASS. EA TROUT OR WEAKFISH, GRAY HAO. HARNS. LIVERSIOES KATES. TRIPED BASS. LUCKERS. LUCKERS. LUCKERS. LUCKERS. LUCKERS. LUKERS. 1,464,500 5,500 4,800 44,300 1,000 	223,260 400 417 8,759 225 - - 4,400	900 19,600 793,700 800 	- \$16 1,916 86,662 - 150 	306,900  - 2,400 2,500 29,200  16,500 18,500 25,800 42,100 117,200 15,700 171,800 71,000 3,600 112,400 139,200 600 220,300 1,900 220,300 1,900 25,5700 24,000 99,000 111,800	58,814 250 100 4,811 1,711 3,549 1,000 1,651	3,300 192,000 	\$214 2,124 19,097 19,097 	
UTTERFISH. ARP ATFISH AND BULLHEADS OOD UNNER. LOUNDERS: BLACKBACK FLUKE BLACKBACK FLUKE RAYFISH. AKE, REO CRRING, SEA. ING WHITING OR 'KINGFISH' KENGER CULP OR PORGY EA BASS CLE ATROUT OR WEAKFISH, GRAY HAO. HARKS. LLYERSIDES KATES.  TRIPED BASS. ULVERSIDES KATES.  TRIPED BASS. UNFISH UNFIS	1,464,500 1,464,500 4,800 44,300 1,000	675 	900 19,600 793,700 800 	- \$16 1,916 86,662 - 150 	306,900  2,400 2,500 26,200 16,500 18,500 18,500 17,200 17,800 17,800 17,900 18,200 19,200 220,900 1,900 24,000 25,700 24,000 24,000 24,000 25,700 24,000 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800 21,1,800	58,814  250 100 4,811 1,711 3,549 1,000 331 1,651 3,365 2,309 32,884 6,325 7,922 27,922 27,922 13,185 9,100 - 4,769 8,769 5,638 5,933	3,300 192,000 	\$214 2,124 19,097 
UTTERFISH. ARP., ATFISH AND BULLHEADS OD., UNNER. LES, COMMON., LOUNDERS: BLACKBACK FLUKE RIGATE MACKEREL. RAYFISH. AKE, REO LERRING, SEA. ING WHITING OR "KINGFISH" ACKEREL. OLLOCK CUP OR PORGY EA BASS. EA TROUT OR WEAKFISH, GRAY HAO. HARKS, LILVERSIDES KATES. TRIPED BASS. UCKERS UUKERS U	1,464,500 5,500 4,800 44,300 1,000	223,260 400 417 8,759 225 - - 4,400	900 19,600 793,700 800 	- \$16 1,916 86,662 - 150 	306,900  - 2,400 2,500 29,200  16,500 18,500 25,800 42,100 117,200 15,700 171,800 71,000 3,600 112,400 139,200 600 220,300 1,900 220,300 1,900 25,5700 24,000 99,000 111,800	58,814 250 100 4,811 1,711 3,549 1,000 1,651	3,300 192,000 	\$214 2,124 - - - - - - - - - - - - - - - - - - -

NEW YORK: CATCH BY GEAR, 1949 - Continued

SPECIES	OTTER T	RAWLS	PC	ots	HARF	OONS
	POUNDS	VALUE	POUNOS	VALUE	POUNDS	VALUE
ANGLERFISH	48,400	\$2,510	-	-	-	-
BLUEFISH	12,800	2,411 162,499 140,708	- 1	-	-	-
UTTERFISH	1,213,100	162,499		- 1	-	
00	1,547,400	140,708			-	_
UNNER	100	1 4		- '	-	-
ELS:	""					
COMMON	-		195,500	\$34,331	-	-
CONGER	8,600	260	- 1	-	-	-
LOUNDERS:	10,800	909	_	_	_	_
GRAY SOLE	376,600	60,040		-	-	-
YELLOWTAIL	1,461,900	122,989	- 1	-	-	-
BLACKBACK	1,701,400	174,267	-	-	-	-
DAB	46,300	2,742 637,904	-	-	-	-
FLUKE	3,540,600	037,904	-	- 1		
UNCLASSIFIED	28,300 44,600	1,516 1,753			-	_
RAYFISH	1,197,300	78,768	-	- 1	-	-
AKE:	1 .					
RED	547,000	20,963	- 1	-	-	-
WHITE	59,000 3,700	3,355	-	-	-	-
ALIBUT	3,700	700	[	_ [	- :	-
ERRING, SEA	102,300 14,600	2,880 2,136			_	_
ACKEREL	53,200	B,482	-	-	-	-
OLLOCK	j 35,800	1,100 622,141	-	- 1	-	-
CUP OR PORGY	7,030,400	622,141	500	25	-	-
EA BASS	1 1.200.300	211,066	51,000	10,147		•
EA ROBIN	16,900 23,400	515 4,597				_
	700	140	_	_	-	-
HARKS	23,500	1,174	-	-	-	-
KATES	45,900	2,265	-	-	-	-
TRIPED BASS	9,800	2,476	-	- 1	_	-
TURGEON	7,400 58,000	2,716 4,070	-		-	
WELLFISH	30,000	4,070			21,900	\$10,900
AUTOG	5,000	400	-		7	
ILEFISH	321,500 886,900	24,818	-	- 1	-	-
HITING	886,900	51,307	-	- 1	-	-
OLFFISH	7,500	200	-	- 1	-	-
NCLASSIFIED: FOR FOOD	367,000	24,011	_	_ 1	_	_
OTHER	53,800	538	_	- 1	-	_
OBSTERS, NORTHERN	68,600	16,385	275,500 101,500	144,450	-	-
ONCHS	-	-	101,500	26,580	-	-
CALLOPS, SEA	62,600 901, <b>7</b> 00	22,535 51,384	-	-	-	-
QUID		2,471,638	624,000	215,533	21,900	10,900
TOTAL	23,144,800					
SPEC 1 ES	ORED	GES	TON	IGS	RA	KES
LAMS:	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
HARD, PUBLIC	-	-	7,023,700	\$2,351,200	-	-
HARD, PRIVATE	-	-	270,000	90,000		Acm 0 - :
SOFT, PUBLIC	4 878 700	\$468,037	25,000	2,396	74,300	\$27,834
USSELS, SEA	4,878,700 40,800	8,160	85,800	17, 170	I I	-
YSTERS, MARKET:	,	3,		,		
PUBLIC, SPRING	-	-	226,900	151,175	- 1	-
PUBLIC, FALL			226,900	151,175	-	-
PRIVATE, SPRING	3,682,700	2,455,115	-	-	-	-
PRIVATE, FALL	3,999,200	2,666,095	-	-	-	-
	23,100	27,834	_	_		_
BAY	3,246,600	1,221,172	-			
TOTAL	15,871,100	6,846,413	7,858,300	2,763,116	74,300	27,834

# NEW JERSEY

OPERATING UNITS BY GEAR, 1949

	OP.	ERATING	UNITS B	Y GEAR,	1949			
	PUR	SE SEINES		HAUL		GILL NETS	;	LINES
ITEM	MACKEREL	MENHADEN	OTHER	SEINES,	DRIFT	RUNAROUN	STAKE	HAND
	NUMBER	NUMBER	NUMBER	NUMBER	NUM8ER	NUMBER	NUMBER	NUM8ER
FISHERMEN:	54	411	24	_	42	2	14	54
ON VESSE'S	34	411		2		25	109	76
REGULAR		-	-	70	84 59	7	217	124
TOTAL	54	411	24	72	185	34	340	254
VESSELS, MOTOR	4 194	18 896	2 54	-	20 230	1 5	7 74	24 310
NET TÖNNAGE	194	890	34			16	107	99
MOTOR	] -	-	-	18 14	67 15	- 10	133	- "
ACCESSORY BOATS	12	54	6	-	-	-	-	-
NUMBER	4 1,550	18 5,710	2 800	23 6,900	1,329	17	551	254
LENGTH, YARDS	-	- 5,710	- "	-	647,938	68,000	951,731	470
HOOKS, BAITS, OR SNOODS			إستسا				<del> </del>	470
	LINES TRAWL OR	- CONTINUE	TROT WITH	POUND	WEIRS	STOP	FYKE	DIP
ITEM	TROT WITH	TROLL	BAITS OR SNOODS	NETS	## THO	NETS	NETS, FISH	NETS, COMMON
FISHERMEN:	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
ON VESSELS	32	-	-	101	-	-	-	-
REGULAR	72 14	- 21	35 27	45 30	- 16	- 36	1 13	- 20
TOTAL	118	21	62	176	16	36	14	20
VESSELS, MOTOR	16		-	14	-	-	-	-
NET TONNAGE	174	-	- 1	95	-	-	-	-
MOTOR	- 42	14 -	62 -	13 -	2 5	7 6	6 8	7 13
APPARATUS: NUMBER	339	21	62	77	30	18	239	20 .
NUMBER	102,600	42	43,000	-		9,000	-	-
<del></del>	OTTER	BEAM			POTS		ORED	GES
ITEM	TRAWLS, FISH	TRAWLS, SHRIMP	CRAB	EEL	FISH	LOBSTER	CLAM	CRAB
	NUM8ER	NUMBER	NUMBER	NUM8ER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	312	-	-	-	14	2	81	32
REGULAR	15	15 6	- 2	8 48	47 -	54	22	- 6
TOTAL	327	21	2	56	61	56	106	38
VESSELS, MOTOR	99 2,125	-	-	-	7 53	1 9	40 425	16 125
MOTOR	- 7	21	1 1	35 16	- 24	27 -	13	- 3
APPARATUS: NUMBER YARDS AT MOUTH	106 2,224	21 35	55	1,114	15,185	6,950	76 70	38 72
	DREDGES C	ONT 'D.	TON	GS	RAKES,		BY HAND,	TOTAL,
ITEM	OYSTER, COMMON	SCALLOP	OYSTER	OTHER	OTHER THAN FOR OYSTERS	HOES D	THER THÂN OR OYSTERS	EXCLUSIVE OF OUPLICATION
	NUMBER	NUMBER	NUMBER	NUM8ER	NUMBER	NUMBER	NUMBER	NUMBER
ON VESSELS	797	93	-	-	-	-	-	1,832
REGULAR	-	-	112 95	145 330	228 441	50 135	30 171	1,810 2,325
TOTAL	797	93	207	475	669	185	201	5,967
VESSELS, MOTOR	136 2,917	17 480	-	-	:	-	-	333 6,874
MOTOR	-	-	147	295	430	60	90	2,227
OTHER	-	-	35	- 80	124	95	73 -	945 72
APPARATUS: NUMBER	272	34	207	475	669	185		

NEW JERSEY: CATCH BY GEAR, 1949

FLOUNDERS   TRIANT   TRANS						,			
AL ENLYES.    POUNCS   VALUE   POUNCS   VALUE   POUNCS   23,000   36,000   24,000   22,400	SPECIES	PURSE	SEINES	HAUL S	EINES				
ALEVIVES. BULETISM.  11,600 \$035 - 2250 000 \$2,166 \$2,400 \$2,604		7 6.1.52	•			<del></del>	IFT		
SUPERISM		POUNDS	VALUE			POUNDS		POUNDS	VALUE
BUTTERT 59H.	ALEWIVES	11 600	\$035	4,100	\$123	253,000	32,166	22,400	\$2,624
CARPT SH AND BULLHEADS	BUTTERFISH	11,000	-	_	-	9,800	886	-	-
COORDINGS	CARP	-	-	11,500		-	-		-
CROMAKE			-	10,400	345	200	20		1 :
FLOWERS	CROAKER	1 -	-	-	-		36	3,000	210
SEARCRACKEREL   -	FLOUNDERS:	1	l	1		100			
FRIGATE MACKEREL. 16,830,400 233,477 7,000 80 1,800 944 MACKEREL. 159,822,000 1,433,999 800 68 100 4 944 MACKEREL. 159,822,000 1,433,999 800 68 100 4 8 MACKEREL. 1390,500 57,118 200 24 8 SEA BASS. 139,500 12,751,718 200 24 8 SEA BASS. 400 12 10,700 10,817 10,700 11,679 133,900 25,184 126,000 15,122 SEA BASS. 400 12 2,000 400 4,300 860	AFFLOMIAIT	1 :	:	500	25			[	-
MACKEREL 16,830,400 233,477 - 454,700 30,493 11,900 944 MICHARDEN 129,622,000 1,433,999 500 68 100 4 - 7  POLLOCK PROBOY 1,390,500 57,118 - 700 10,817 200 22, 10,700 1,679 13,000 25,148 126,000 15,122 10,700 1,679 13,000 25,148 126,000 15,122 10,700 1,679 13,000 25,148 126,000 15,122 10,700 1,679 13,000 25,148 126,000 15,122 10,700 1,679 13,000 25,148 126,000 1,75,122 10,700 1,679 13,000 25,148 126,000 1,75,122 10,700 1,679 13,000 25,148 126,000 1,75,122 10,700 1,679 13,000 25,148 126,000 1,75,122 10,700 1,1679 13,000 25,148 126,000 1,75,122 10,700 1,1679 13,000 25,148 126,000 1,75,122 10,700 1,1679 13,000 25,148 126,000 1,75,122 10,700 1,1679 13,000 25,148 126,000 1,75,122 10,700 1,177 1,700 10,720 1,75,122 10,700 1,177 1,700 1	FRIGATE MACKEREL	-	_	-	-	100	6	-	-
MCNHADEN   129,622,000   1,453,999   800   68   100   4   -     -	HERRING, SEA	16 020 400	222-477	-	i -	7,000		11 800	-044
MULLION SCIP OR POROY 1,350,500 57,118	MENHADEN	129,822,000	1,453,999	-	-		30,403		-
Compage   Comp	MULLET, , , , , , , , , , , ,	-	1 ' -	800	68		١	-	-
STABLE   141,700   10,817   200   24   36,700   4,440   126,000   15,122   36,000   15,122   36,000   35,122   36,000   35,123   38,868   37,200   351   37,200		1 350 500	57 110	-	1 -	100	_ 4	1	
SEA TROUT OR WEAKFISH, GRAY SHARD.	SEA BASS	1,350,500	37,110	-	-			-	-
SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHARS. SHUE, HARD  10,300  414  10,700  601	SEA TROUT OR WEAKFISH, GRAY	141,700	10,817			36,700	4,440	126,000	15,122
RAFILE PERCH.  CRAES, BLUE, HARD  TOTAL.  148,156,600 1,756,358 62,700 4,990 922,100 101,261 163,200 18,900  SPECIES  STAKE  HAND  TRANLOR TROT  TROLL  ALEWIVES.  ALINES.	SHAD	400	- 12	10,700	1,679	133,900	25, 184		
RAFILE PERCH.  CRAES, BLUE, HARD  TOTAL.  148,156,600 1,756,358 62,700 4,990 922,100 101,261 163,200 18,900  SPECIES  STAKE  HAND  TRANLOR TROT  TROLL  ALEWIVES.  ALINES.	STRIPED BASS	400	- '4	2.000		4.300	860		-
TOTAL   148,156,600   1,756,358   62,700   4,990   922,100   101,261   163,200   18,900	WHITE FERCH	-	-	10,300	414	10,700	601	-	-
SPECIES   GILL NETS - CONT 'D.   LINES	CRASS, SLUE, HARD	-	-	12,200	1,137	-	] -	-	-
SPECIES	TOTAL	148,156,600	1,756,358	62,700	4,990	922,100	101,261	163,200	18,900
ALEWIVES. 6,800 \$204 POUNDS VALUE POUNDS VALUE POUNDS VALUE POUNDS VALUE POUNDS VALUE POUNDS VALUE POUNDS P		GILL NETS -	CDNT 'D.						
ALEVIVES. ANGLERISM. SOLUTISM.	SPEC LES	STA	KE	HAN	D			TROLL	
ALEWIYES. 6,800 \$204		POUNDS	VALUE	POUNDS	VALUE			POUNDS	VALUE
BULTER SH.  100	ALEWIVES	6,800	\$204					-	-
CATETSH AND SULLHEADS . 2,700 162 12,700 878 1,177,300 113,280	ANGLERFISH	-100	- ,,	350 300	\$40 001	100	\$3	6,000	*730
COD CLPH IN C.C. CONCERS   C.C. C.C. CONCERS   C.C. CONCERS   C.C. CONCERS   C.C. CONCERS   C.C. C.C. CONCERS   C.C. CONCERS   C.C. CONCERS   C.C. CONCERS   C.C. C.C. CONCERS   C.C. C.C. C.C. C.C. C.C. C.C. C.C. C	BUTTERFISH			330,200	-	] [	1 -	0,000	- 4/20
DOLPHIN   Company   Comp	CATFISH AND BULLHEADS	2,700	162	l		l		-	-
EELS, CONGER FLOWNERS: BLACKBACK 6,000 250 FLUKE 100 15 700 108 FLUKE 100 15 700 108 FLUKE 100 3 3	DOLPHIN	1 :		12,700		1,177,300	113,280		-
BLACKBACK 6,000 250 700 108 7	EELS, CONGER	-	-	-	- 10	800	24	-	-
FLUKE . 100 15 700 108	BLACKBACK	6.000	250	_	١ ـ		_	_	
HAKE, RED.  INCOMERCE 1.	FLUKE	100			108	_		-	-
MACKEREL	FRIGATE MACKEREL	-	-				-	-	-
MACKEREL	KING MACKEREL		Ι Ξ						
SCHP OR PORGY	MACKEREL	21,600	1,782	1,069,800	86,024	l -	-	-	-
SEA BASS.  SEA TROUT OR MEAKFISH, GRAY  953,800  169,996  300  47  300  47  300  47  300  37  300  37  300  37  300  37  300  37  300  37  300  37  300  37  300  37  300  37  300  37  300  30	SCHP OR PORCY	200	20	13 700	-	-	1	-	-
SEA TROUT OR WEAKFISH, GRAY   700	SEA 8ASS	900	18	4,600	886				-
SHARKS	SEA TROUT OR WEAKFISH, GRAY		84	10,700	1,188		-	-	-
1,700	SHARKS	953,800	169,996			_	-		-
STRIPED BASS. 1,700 408 200 40		-	_	-	١.	1,800	54	- 1	-
TUNA AND TUNALIKE FISHES:  BONITO.	STRIPED BASS	1,700	408				-		-
BLUEFISH.  SPECIES    Combined State   C	TUNA AND TUNALIKE FISHES:	- 1	-	1	_	-	-	-	-
SPECIES   TOTAL   1,002,700   173,386   1,474,300   132,268   1,180,000   113,361   6,100   732	BLUEFIN	-	-	9,500	1,300	-	-	-	-
#HITE PERCH	BONITO	-	-	200	30	-	-	100	12
SPECIES   TROT WITH   POUND NETS   WEIRS   STOP NETS	WHITE PERCH	7,800	415	- 100	- "	-	-		-
SPECIES	TOTAL	1,002,700	173,386	1,474,300	132,268	1,180,000	113,361	6,100	732
BAITS OR SNOODS   PDUNDS   VALUE   POUNDS   342,200   \$37,642									
POUNDS   VALUE   POUN	SPECIES			POUND N	ETS	WEIR	s	STOP	NETS
BLUEFISH 342,200 \$37,642 - 53,500 \$2,755 - 53,500 \$2,755 - 500 \$37,642 - 53,500 \$2,755 - 500 \$3,0									
	0.1155.5						VALUE		VALUE
	BUTTERFISH.	:	-	342,200	517,642	-	-	-	-
ATTISH AND BULLHADS 190,200 14,322 26,500 1,435 100 190,200 14,322 26,500 1,435 2 1,435 - 2	ARP		-	300,100	-	-	.	53,500	\$2,755
TROMER 130,200 14,322		-	-	120 200	14 222	-	-	26,500	1,435
SONGER	CROAKER		-	130,200	14,322	- 1	- 1		-
ELS: COMMON		- 1	-	500	9	_	-		-
COMMON	DRUM, BLACK	-	-	800	44	-	-	-	-
- 300 IS	COMMON		_		_	15,000	\$3.000	_	_
(CONTINUED ON NEXT PAGE)	CONGER	-		1 1		-	,000	-	-
			(CONTINUED (	ON NEXT PAGE	)		·	•	

NEW JERSEY: CATCH BY GEAR, 1949 - Continued

SPECIES	LINES - TROT	WITH	POUND	NETS	WEI	RS	STOP	NETS
	BAITS OF			Lucius	5011100	L value	DOUBLOS	VALUE
FLOUNOERS:	POUNDS	VALUE	POUNOS	VALUE	POUNOS	VALUE	POUNDS	VALUE
YELLOWTAIL	-	-	3,000	\$150	-		-	-
BLACKBACK	-	-	1 -	7,40	40,000	\$2,400	-	-
FLUKE	-	-	47,600	7,140	1 -	1 -	1 [ ]	_
FRIGATE MACKEREL		1 :	64,200	1,926 54	1 :	-	1 - 1	_
HAKE REO	-	-	1,800 194,500 1,898,600	5,835	-	-	-	-
HAKE, REO	-	-	1,898,600	25,082	-	-	-	-
HICKORY SHAD	-	-	I 3.100	93 182	-	-	- 1	-
KING MACKEREL		_	2,600 605,000	48,400	_	_	[	_
MENHADEN	_	-	13,351,600	185,208	-	-	- 1	-
1ULLET	-	-	1 200	16	-	-	-	-
ILOIFISH	-	-	17,300 1,037,600	845	-	-	-	-
SCUP OR PORGY	-		21,700	53,9B1 2,604	1 :	1 [	1 [ ]	-
SEA BASS	_	]	12,700	2,304	1 - 1	_	_	-
SEA TROUT OR WEAKFISH, GRAY	_	-	984,400	118,128	-	-	- 1	-
SHAD	-	-	300.700	54,126	5,000	750	1 -	-
HARKS	-	-	1,700 5,600	51 168	-	1 :	[	-
SKATES	_	_	12,200	1,454	1 - 1	1 -	[	-
TRIPEO BASS	_	-	200	40	-	-	-	-
STURGEON	-	-	1,300	390	-	-	- <u>-</u>	
BUCKERS	-	-	-	-	-	-	1,800	\$ 33
SWELLFISH	-	-	47,000 800	2,719 24	1 -	1 -	-	-
UNA AND TUNALIKE FISHES:	_	_	300		_	_	-	_
BLUEFIN	-	-	20,300	3,045	-	-	-	-
BONITO	-	-	16.500	2,475	-	-	-	-
LITTLE	-	-	606,000	42,012	-	- 1	-	-
HITING INCLASSIFIED, FOR FOOD RABS, BLUE, HARD			354,600 486,200	10,638 31,470		1 :	[	
RABS. BLUE, HARD.	1,080,800	\$100,480	400,200		_	_	-	-
HORSESHOE, CRABS	· · · · · · · ·		-	-	630,000	2,563	1 - 1	-
SQUID	-	-	424,700	12,742	-	<u> </u>	-	-
TERRAPIN, DIAMOND-BACK			4,400	220				
TOTAL	1,080,800	100,480	21,993,000	730,780	690,000	8,713	81,800	4,52
SPECIES	FYKE	NETS	DIP	ETS	OTTER 1	RAWLS	BEAM TR	AWLS
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
					-	-	- 1	-
ALEWIVES	5,900	\$177	- 1	-	0.000	4270		-
SLUEFISH	5,900	- -	= ;	-	9,000 69,900	\$270 6.268	-	
BLUEFISH	-	-	-	-	69,900	\$270 6,268 30,210	-	-
NGLERFISH	5,900 - - 72,000	3,600		-	69,900 503,500	6,268 30,210	-	-
NGLERFISH	-	-	-	-	69,900 503,500 - 66,200	6,268 30,210 7,286	- - -	-
NGLERFISH	-	-		-	69,900 503,500 - 66,200 77,000	6,268 30,210 7,286 4,620	-	-
NGLERFISH	-	-	11111	-	69,900 503,500 - 66,200	6,268 30,210 7,286	- - -	-
NGLERTISH LUTERSISH UTTERFISH ATFISH AND BULLHEADS. OD. ROAKER. ELS, CONGER LOUNDERS: GRAY SOLE.	72,000	3,600		-	69,900 503,500 66,200 77,000 39,400	6,268 30,210 7,286 4,620 1,182	-	-
NGLERFISH LUTERSH UTTERFISH ATFISH AND BULLHEADS. OO. ROAKER. ELS, CONGER LUDWOERS: GRAY SOLE. LEMON SOLE	-	-	-	-	69,900 503,500 	6,268 30,210 7,286 4,620 1,182 816 649	- - -	
NGLERTISH LUTERSISH UTTERFISH ATFISH AND BULLHEADS. OD. ROAKER. ELS, CONGER LUUNDERS: GRAY SOLE. LEMON SOLE	72,000	3,600	-	-	69,900 503,500 	6,268 30,210 7,286 4,620 1,182 816 649 2,695	-	
NGLERFISH LUTERSH AND BULLHEADS OD. ROAKER ELS, CONGER LUDUNGERS: GRAY SOLE LEMON SOLE YELLOWTAIL BLACKBACK.	72,000	3,600	1	-	69,900 503,500 	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872	-	
NGLERFISH LUTERSH UTTERFISH ATFISH AND BULLHEADS DO. ROAKER ELS, CONGER LUDWOERS: GRAY SOLE LEMON SOLE YELLOWTAIL BLACKBACK FLUKE UNCLASSIFIED	72,000	3,600		-	69,900 503,500 	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,359 187	-	
NGLERFISH LUTERSH	72,000	3,600	-	-	69,900 503,500 66,200 77,000 39,400 11,600 11,600 53,900 42,000 2,976,100 2,700 500	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,359 187	-	
NGLERFISH LUTERSISH UTTERFISH ATFISH AND BULLHEADS. OO. ROAMER. ELS, CONGER LUDUNDERS: GRAY SOLE. LEMON SOLE YELLOWTAIL BLACKBACK. FLUKE. UNCLASSIFIED RIGATE MACKEREL ROUPERS	72,000	3,600	-	-	69,900 503,500 	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,359 187 30 210		
NGLERFISH LUTERFISH ATTISH AND BULLHEADS, DOMKER ELS, CONGER LOUNGERS: GRAY SOLE LEMON SOLE YELLOWTALL BLACKBACK FLUKE UNCLASSIFIED RIGATE MACKERE ROUPERS ADDOCK	72,000	3,600	-	-	69,900 503,500 66,200 77,000 39,400 11,600 11,600 53,900 42,000 2,976,100 2,700 500	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,389 30 210 722	-	
NGLERFISH LUTERSH UTTERFISH ATFISH AND BULLHEADS, OO, ROAKER ELS, CONGER LUDWOERS: GRAY SOLE LEMON SOLE YELLOWTAIL BLACKBACK FLUKE RIGATE MACKEREL ROUPERS ROUPERS AMPOORE AMP	72,000	3,600	-	-	69,900 503,500 	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,359 210 210 722		
NGLERFISH LUTERSH UTTERFISH ATFISH AND BULLHEADS, OO, ROAKER ELS, CONGER LUDWOERS: GRAY SOLE LEMON SOLE YELLOWTAIL BLACKBACK FLUKE RIGATE MACKEREL ROUPERS ROUPERS AMPOORE AMP	72,000	3,600	-	-	66,900 503,500 66,200 77,000 39,400 11,600 11,600 42,000 2,976,100 2,700 2,100 8,500 147,600 57,200	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,359 1877 30 210 722 4,434 1,716	-	
NALERTISH LUTERSH UTTERFISH ATFISH AND BULLHEADS OOD ROAKER ELS COMBER LLS CO	72,000	3,600		-	66,900 503,500 66,200 77,000 39,400 11,600 11,600 42,000 2,976,100 2,700 2,100 8,500 147,600 57,200	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,359 210 210 7722 4,434 1,716 586		
NGLERFISH LUTERSISH UTTERFISH ATFISH AND BULLHEADS. OO. ROAMER ELS, CONGER LUS, CONGER LUS, CONGER LEMON SOLE YELLOWTAIL BLACKBACK FLUKE UNCLASSIFIED RIGATE MACKEREL ROUPERS ADDOCK AKE: RED WHITE ERRING SEA	72,000	3,600		-	66,900 503,500	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,359 187 30 210 722 4,434 1,776 586 1,777	-	
NGLERFISH LUTERSH UTTERFISH ATFISH AND BULLHEADS, OO, ROAKER ELS, CONGER LLS, CONGER LLGWOODS: GRAY SOLE LHOWOODS: GRAY SOLE LHOWOOD LHOWOOD LE LHOWOOD LE	72,000	3,600		-	66,900 503,500 66,200 77,000 39,400 11,600 11,600 42,000 2,976,100 2,700 2,100 8,500 147,600 57,200	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,359 210 210 7722 4,434 1,716 586		
NALERFISH LUTERSHA UTTERFISH ATFISH AND BULLHEADS OO ROAKER ELS, CONGER LUDWOERS: GRAY SOLE LEMON SOLE YELLOWTAIL BLACKBACK FLUKE RICATS MACKEREL ROUPERS ROUPERS AKE KEE WHITE ERRING SEA ING MACKEREL AKEEL LIGHT SHA	72,000	3,600		-	66,900 503,500	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,389 210 722 4,434 1,716 586 1,777 5,856 5,59		
NGLERFISH LUTERSHA UTTERFISH ATFISH AND BULLHEADS. OO. OO. ROAKER ELS, CONGER LUDUNGERS: GRAY SOLE. LEMON SOLE YELLOWTAIL BLACKBACK FLUKE UNCLASSIFIED RIGATE MACKEREL ROUPERS ADDOCK AKE: RED WHITE. ERRING SEA LING MACKEREL LING MACKEREL LING MACKEREL LING MACKEREL LING MACKEREL LING MACKEREL LING MACKEREL LING MACKEREL LIOFFISH OLLOCK, LUDP OR PORGY	72,000	3,600			66,900 503,500 -66,200 777,000 39,400 13,600 11,600 13,900 42,900 2,700 2,700 2,100 65,100 73,200 55,100 73,200 56,100 6,962,100	6,268 30,210 7,286 4,620 1,182 816 816 849 2,995 1,972 439,359 310 722 4,434 1,716 586 1,777 5,856 59 348,105		
NALERISH LUTERISH UTTERFISH ATFISH AND BULLHEADS. OO ROAKER ELOUNGERS: LOUNGERS: GRAY SOLE LHOWOTAL BLACKBACK FLUKE UNCLASSIFIED HACKBACK FLUKE UNCLASSIFIED HACKBACK FLUKE UNCLASSIFIED HACKBACK FRIGHTE ROMPERS ADDOCK AKE: RED WHITE RED HITE LOTERING SEA ING MACKEREL LOTFISH OLLOCK CUP OR PORGY LE BASS	72,000	3,600		-	69,900 503,500	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,359 30 00 712 22 4,434 1,716 586 1,777 5,856 5 5 9348,105		
NGLERFISH LUTERSISH UTTERFISH ATFISH AND BULLHEADS. OO. ROAKER ELS, CONGER LUDWOERS: GRAY SOLE. LEMON SOLE YELLOWTAIL BLACKBACK. FLUKE UNCLASSIFIED RIGATE MACKEREL ROUPERS ADDOCK. AKE: RED WHITE. ERRING, SEA WHITE. LOTFISH OLLOCK, CUP OR PORGY EA ROBIN.	72,000	3,600			69,900 503,500	6,268 30,210 7,286 4,620 1,182 816 649 2,693 1,872 439,359 2102 2102 4,434 1,716 596 1,716 597 349,359 349,359		
NGLERFISH LUTERSISH UTTERFISH ATFISH AND BULLHEADS. OO. ROAKER ELS, CONGER LUDWOERS: GRAY SOLE. LEMON SOLE YELLOWTAIL BLACKBACK. FLUKE UNCLASSIFIED RIGATE MACKEREL ROUPERS ADDOCK. AKE: RED WHITE. ERRING, SEA HIGHER LUTERSISH L	72,000	3,600			69,900 503,500	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,359 30 2102 4,434 1,716 586 1,777 5,856 59 349,105 270,545 270,545 398		
NGLERFISH LUTERSH UTTERFISH ATFISH AND BULLHEADS, OO, ROAKER ELS, CONGER LUDWOERS: GRAY SOLE LEMON SOLE LEMON SOLE YELLOWTAIL BLACKBACK FUNKLASSIFIED RIGATE MACKEREL ROUPERS ANDOCK AKE: RED WHITE ERRING, SEA ING MACKEREL LLOTFISH OLLOCK CUP OR PORGY EA BASS EA BASS EA BOBIN EA TROUT OR WEAKFISH, GRAY HAD	72,000	3,600			69,900 503,500	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,399 210 777 5,856 5 5 349,105 270,545 152,088		
NALLER ISH LUTERFISH ATFISH AND BULLHEADS. OO. ROAKER ELS, CONGER ELS, CONGER LUDWOERS: GRAY SOLE. LEMON SOLE YELLOWTAIL BLACKBACK. FLUKE. UNCLASSIFIED RIGATE MACKEREL ROUPERS ADDOCK AKE: RED. WHITE. LING MACKEREL RED. WHITE. LING MACKEREL ACKEREL ILLOTISH OLLOCK. CUP OR PORGY EA ROBIN. EA ROUTOR WEAKFISH, GRAY HAD HARKS KATES	72,000	3,600			69,900 503,500	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,359 30 2102 4,434 1,716 586 1,777 5,856 59 349,105 270,254 1327,088 332,088 329,261 162		
NGLERFISH LUTERFISH ATFISH AND BULLHEADS. OO. ROAKER. ELS, CONGER LUNDOERS: GRAY SOLE. LEMON SOLE YELLOWTAIL BLACKBACK. FLUKE. UNCLASSIFIED RIGATE MACKEREL ROUPERS ADDOCK. AKE: RED. WHITE. LING MACKEREL ACKEREL ILLOTFAIL BLACKBACK. FLUKE. UNCLASSIFIED RIGATE MACKEREL RED. WHITE. LOCUPERS ADDOCK. AKE: RED. LING MACKEREL ACKEREL ILLOTFISH. OLLOCK. CUP OR PORGY LEA ROBIN. EA ROUT OR WEAKFISH, GRAY HAD	72,000	3,600			69,900 503,500	6,268 30,210 7,286 4,620 1,182 816 649 2,695 1,872 439,399 210 777 5,856 5 5 349,105 270,545 152,088		

NEW JERSEY: CATCH BY GEAR, 1949 - Continued

SWELLFISH.		FYKE NETS		01	DIP NETS		OTTER		LS BEAM T			
SWELLFISH.		DOLLINDS	1/ 6	LUE	POLIND	s T	VALUE	POUNDS		VALUE	POUNDS	VALUE
SORDETES   SORT   SHEET   STATE   ST		POUNDS	VA	LUE	FOOIND	-					-	-
TAUTOG		-		-		- 1		100	1		-	-
TILEFISH:		- 1		_	_	- 1	- 1	21,000	Į	630	-	-
TUNIA AND TUNIALINE FISHES:				]		- 1	- 1	49,400	1	2,964	-	-
BULETIN		-				- 1			1			1
BONITO		_		-	-	- 1	-		1		-	-
HITTER PERCH.  4,100 \$205 224,600 6,738 411,800 \$11,800 942 41,800 \$1,300 11,800 942 41,800 \$1,300 31,900 9,450 90,000 \$45,801		-		- !	-	- 1	- 1				-	-
THITTING.  THATTING.	WHITE PERCH	4,100		\$205	-	- 1	-				-	-
Total   Tota	WHITING			-	-	- 1	i - i	224,600		6,738	-	-
TRABS, SLUE:	INCLASSIFIED, FOR FOOD	-		-	- 1	- 1	-	11,800		942	-	-
SOFT AND PEELERS   -   -   12,200   3,904   37,800   9,450   9,000   \$45,	CRABS, BLUE:								1			
CONSTRIR	HARD,	-		-	14,0	00	\$1,300	-	l	-	-	1 -
SHRIMF		-		-	12,2	00	3,904	37 000		0.450	-	_
CONCERN   CONC		-		-	-		-	37,800		9,450	00 000	\$45 00
SCALLOPS, SEA.   -   -   -   -   -   3,600   1,120   -   -   -   515,200   15,456   -     -     -     515,200   15,456   -     -     -     515,200   15,456   -     -     -     515,200   15,456   -     -     -     515,200   15,456   -     -     -     515,200   15,456   -     -     -       515,200   15,456   -     -		-		-	-	- 1		30,000		4 500	30,000	, ,,,,,,,,,
TOTAL   104,600   4,927   26,200   5,204   15,651,000   1,328,688   90,000   45,		-		-	-	- 1			1	1,120	_	-
TOTAL. 104,600 4,927 26,200 5,204 15,651,000 1,328,688 90,000 45,  SPECIES POTS DREDGES TONGS  ALEWIVES 100 \$3	SCHILLOPS, SEA	-		_	1 -	- 1		515,200	l	15, 456	-	-
SPECIES		104 600	-	027	26.2	00	5 204		1 3		90,000	45,000
ALEVIVES	TOTAL	104,000	-4	,921	20,2	00	3,204	13,031,000	1,5	20,000		حنط
ALEWIVES  EELS:  100 \$3  EELS:  100 \$4  EELS: 100 \$4  EELS: 100 \$4  EELS: 100 \$4  EELS: 100 \$4  EELS: 100 \$4  EELS: 100 \$4  EE	SPECIES		P	ors		D		REDGES			TONG	S
TELS:  COMMON . 113,200 22,640		POUND	s	VA	LUE		POUNDS	VALUE		P0	UNDS	VALUE
EELS:  COMMON . 113,200 22,640	ALEWIVES	-	00	_	<b>\$</b> 3		-	_			-	-
CONGER . 2,900 88											l l	
CONGER . 2,900 88	COMMON	113,2	200	22	,640		-	-			-	-
		2,9	100				-	-		Ì	-	-
SUCKERS		12,3	100				-	-			-	-
TAUTOG		1,489,2	00	180			-	-			-	-
TRABS, BLUE:  12,200 1,137 875,000 \$81,250						1	-	-			-	-
HARD. 12,200 1,137 675,000 \$81,250	AUTOG	44,0	000	,	,335		-	-		ļ	- 1	-
SOFT AND PEELERS . 500 160		12.5		,	127		075 000	201 25	^	i		
LOBSTERS, NORTHERN   277,400   138,715	COST AND DESIEDS	12,2	00	,			675,000	401,23	U	1	_	_
CLAMS:  HARD, PUBLIC 569,000 205,497 1,901,900 \$682,  HARD, PRIVATE 39,500 7,875 .  SURF 407,700 39,219 205,100 20,  PUBLIC, FALL 7,100 22,  PRIVATE FALL 2,778,900 1,090,078 36,300 14,  PRIVATE, FALL 4,168,400 1,639,239 16,300 64,  PRIVATE, FALL 4,168,400 1,639,239 16,300 65,  SCALLOPS, SEA 995,000 348,250 0,000,000 348,250 - 0,000,000 348,250 - 0,000,000,000 348,250 - 0,000,000,000,000,000,000,000,000,00				138				1 .		l .	I 1	_
HARD, PUBLIC 569,000 205,497 1,901,900 \$682,  JARO, PRIVATE 39,500 7,875  SURF		277,"	-00	130	,,,,			_			_	
HARD, PRIVATE 39,500 7,675 5087 - 107,700 39,219 28,700 11, 700 22, 700 11, 700 1		_			_		569.000	205.49	7	1.90	1.900	\$682,190
SURF, MARKET: PUBLIC, SPRING PUBLIC, SPRING PUBLIC, SPRING PUBLIC, SPRING PUBLIC, SPRING PUBLIC, SPRING PUBLIC, SPRING PUBLIC, SPRING PUBLIC, SPRING PUBLIC PUBLIC, SPRING PUBLIC	HARD, PRIVATE	-			- 1					,,,,,	,,	-
OYSTERS, MARKET: PUBLIC, SPRING PUBLIC, FALL PRIVATE, SPRING PRIVATE, FALL PRIVATE, FALL PRIVATE, FALL PRIVATE, FALL 1,952,000  344,576  SPECIES  RAKES  RAKES  POUNDS  VALUE POUNDS	SURF	-			- 1		407,700				-	-
PUBLIC, FALL 2,778,900 1,090,078 36,300 14, PRIVATE, SPRINGS 4,168,400 1,639,239 16,300 6, SCALLOPS, SEA. 1,952,000 344,576 9,833,500 3,411,408 2,040,300 736,  SPECIES RAKES HOES BY HAND  CLAMS: POUNDS VALUE POUNDS VAL	YSTERS, MARKET:						,	1 ′		l .		
PRIVATE, SPRING 2,778,900 1,090,078 36,300 14, PRIVATE, FALL 4,166,400 1,639,239 16,300 14, SCALLOPS, SEA 995,000 348,250 16,300 736,  SPECIES RAKES HOES BY HAND  POUNDS VALUE POUNDS VA	PUBLIC, SPRING	-			-	l	-	-				11,279
PRIVATE, FALL 4,168,400 1,639,239 16,300 6, 950.00 348,250 - 950.00 3	PUBLIC, FALL	-			-		-	-		5	7,100	22,43
SCALLOPS, SEA.	PRIVATE, SPRING	-			-			1,090,07	8	3	6,300	14,24
TOTAL. 1,952,000 344,576 9,833,500 3,411,408 2,040,300 736,  SPECIES RAKES HOES BY HAND  LAMS: POUNDS VALUE POUNDS VALUE POUNDS VALUE POUNDS VALUE HARD, PUBLIC 1,220,700 \$4440,778 303,700 \$109, HARD, PRIVATE 10,400 3,708 - 937,500 \$164,062 - 937,500 \$164,062		-			-	4	,168,400			11	6,300	6,35
SPECIES RAKES HOES BY HAND  CLAMS: POUNDS VALUE POUNDS VALUE POUNDS VALUE  HARD, PUBLIC 1,220,700 \$4440,778 303,700 \$109,  HARD, PRIVATE 10,400 3,708 - 937,500 \$164,062 - 937,500 \$164,062						_					-	
POUNDS   VALUE   POUN	TOTAL	1,952,0	00	344	,576	9	,833,500	3,411,40	8	2,04	0,300	736,49
CLAMS: HARD, PUBLIC	SPECIES		RAH	KES			H	HOES			BY H	IAND
HARD, PUBLIC     1,220,700     \$440,778     -     -     303,700     \$109, HARD, PRIVATE       SOFT, PUBLIC     937,500     \$164,062     -		POUND	S	VA	LUE		POUNDS	VALUE		P0	JNDS	VALUE
HARD, PRIVATE 10,400 3,708		1 220 -		***						1 20		****
SOFT, PUBLIC	HADD DOLVATE			\$440	, //8	ı	-	-		30.	3,700	\$109,67
FURTLE, SNAPPER		10,4	w l	3	, /00		027 500	*164 06	2	Į.	- 1	-
- 14,300   4,.		-	- !		]		937,300	\$104,00	_	1 .	4 300	4,28
TOTAL 1,231,100 444,486 937,500 164,062 318,000 113,												



OYSTER DREDGER

# MIDDLE ATLANTIC FISHERIES DELAWARE

### OPERATING UNITS BY GEAR, 1949

	PURSE	HAUL		GILL NETS	
ITEM	SEINES, MENHADEN	SEINES, COMMON	DRIFT	RUNAROUND	STAKE
	NUMBER	NUMBER .	NUMBER	NUMBER	NUM8ER
FISHERMEN: ON VESSELS	575	-	-	-	-
REGULAR	-	53 126	10 36	10	4 14
TO,TAL	575	179	46	10	18
VESSELS, MOTOR	23 2,019	=	-	=	=
MOTORA	- - 69	30 26 -	19 9 -	3 2 -	- 13
NUMBER	6,900	58 17,400	44 - 87,168	5 - 20,000	18 26,902
	LINES,	FYKE	DIP	OTTER	POTS
ITEM	TROT WITH BAITS OR SNOODS	NETS, FISH	NETS, COMMON	TRAWLS, FISH	CRAB
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	-	-	-	20	-
REGULAR	27 58	- 18	30	-	9 12
TOTAL	85	18	30	20	21
VESSELS, MOTOR	-	-	-	8 137	-
MOTOR	61 24	10 8	16 14	-	- 9
NUMBER	51 <u>,</u> 000	81 - -	30 - -	8 - 158	900
	POTS - CONT 'D.	DREDGES	TONGS.	RAKES	TOTAL,
ITEM	EEL	OYSTER, COMMON	OYSTER	RAKES, OTHER THAN FOR OYSTERS	EXCLUSIVE OF OUPLICATION
FISHERMEN:	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
ON VESSELS ON BOATS AND SHORE:	-	90	-	-	685
REGULAR	- 5	-	45 20	30 17	159 207
TOTAL	. 5	98	65	47	1,051
VESSELS, MOTOR	-	15 303	-	-	46 2,459
MOTOR	3 -	- -	40 20 -	20 17 -	155 69 69
APPARATUS: NUMBER	450	34 34	65 -	47	:

DELAWARE: CATCH BY GEAR, 1949

SPECIES	PURSE	SEINES	HAUL S	SEINES	GILL NETS DRIFT	
ALEWIVES . SLUEFISH . ATFISH AND BULLHEADS . ROAKER . FLOUNDERS, BLACKBACK . KING MACKEREL . KENNAORN .	POUNDS	VALUE - - - - - - \$1,677,355	POUNDS 7,000 5,600 3,000 9,000 6,500 4,300	VALUE \$210 616 180 1,350 320 344	POUNDS	VALUE - - - - -

DELAWARE: CATCH BY GEAR, 1949 - Continued

SPECIES	,	PURSE SE	INES		HAUL S	EINES		GILL NE	
3,20,23				-			2011		
MULLET	POUNDS	<u>s</u>	VALUE		28,000 91,500	\$2,240 9,235	PDUN 5,	500 500	\$550
SHAD	-	- 1		ł	- 1	-	25, B.	500	3,825 935
STRIPED BASS	[ ]	- 1	-		199,500	53,245	4,	500	1,215
STURGEON	-	- 1	-	1	100	30 940	9,	100	3,600 5
WHITE PERCH YELLOW PERCH	]		-	1	18,800	60		.100	
TOTAL	159,748,10	00	\$1,677,355		374,300	68,770	53,	100	10,130
			LL NETS CONT	r'D.				NES TO	T 1/1 TH
SPECIES		RUNAROU			STA		В	NES, TRO	SNODOS
	POUNDS	5	VALUE	!	POUNDS	VALUE	POUN	ios	VALUE
ALEWIVES	1,50 55,00 60,00 55,00	00	\$45 6.050		- 1	-			
	60,00	oo	6,050 7,200	1	-	. <b>-</b>	-		-
SEA TROUT OR WEAKFISH, GRAY	55,00	00	6,600		11,500	\$1,150 4,650	-		-
SHAD	11,50	00	1,265		31,000 1,000	110	-		-
STRIPED BASS	4,50	00	1,215		2,500	675	-	.	-
WHITE PERCH	_	1			3,500	175	1,582,	000	\$146,900
TOTAL	187,50	00	22,375	┢	49,500	6,760	1,582,		146,900
	<u> </u>			┢		<del></del>	1	<u>_</u>	
SPECIES			YKE NETS		DIP NETS			DTTER TR	
N. C. WES	POUNDS		<u>VALUE</u> \$90	!	POUNDS	VALUE	PDUN		<u>VALUE</u> \$426
BLUEFISH	3,00	~	290	1	:		14,	100	231
BUTTERFISH	-	1	-		-	-	67,	600	3,380
CROAKER	1 50	, I	225		-	-		400	40
DRUM, BLACK	1,50	,,	- 225	1	-	-	17, 12,	500	2,625 625
EELS, COMMON	3,40	00	660		-	-	-	· ·	
FLOUNDERS: BLACKBACK	5,50	00	220	1	_	_		- 1	_
FLUKE		~	-	1	-	-	8,	300	1,245
UNCLASSIFIED	-	ı	-	1	-	-	7,	800	1,170
MULLET	1,50	00	120	1	-	_	٠,	100	408
SCUP OR PORGY	1,2		-		-	-	155,	800	7,790
SEA BASS	7,50	, l	- 750		-	-	867,	100	612 11,550
SHAD	_	- 1	- 750	1	- 1		1 11	000	150
SP01	3,50		385	1	-	-	1,5	000 700	187
STRIPED BASS	19,00	0	4,830		- 1	-	25,0	500	6,750 150
WHITE PERCH	7,00	00	350	1	- 1	-	17,8	800	690
UNCLASSIFIED, FOR FOOD CRABS, BLUE, SOFT AND PEELERS	-		-	i	57.600	¢10 013	5,4	400	432
LOBSTERS, NORTHERN	_				57,600	\$18,912 -	l :	300	75
SHRIMP	-		-		-	-	1	100	40
SQUID	51,90		7,650		57,600	10.012	10,9		327
TOTAL	90T		7,030	DDE	DGES	18,912	1,226,		39,103
3550153	POUNDS	VALUE	POUND		VALUE	POUNDS	VALUE	POUNDS	RAKES
EELS, COMMON	54,000	\$8,10		-	VALUE	FUUNDS	VALUE	POUNDS	VALUE
CRABS, GLUE, HARD	504,000	46,B0	0 147,0	00	\$13,650	-	-	-	_
CLAMS, HARD: PUBLIC						1 1		E0 00	410 250
PRIVATE			189,0	00	57,750	1 - 1	-	59,80	\$18,268
OYSTERS, MARKET:					l '				
PRIVATE, SPRING	: 1	-	911,0 1,267,0	00	360,250 500,500	4,800 7,200	\$1,200 3,300	_	-
								ļ.——	
TOTAL	558,000	54,90	0 2,514,0	00	932,150	12,000	4,500	59,80	18,268

### HUDSON RIVER SHAD FISHERY

During 1949, the shad fishery in the Hudson River gave employment to 845 fishermen, who marketed 1,727,370 pounds of shad with a value of \$286,515 to the fishermen. This represented a decrease of 27 percent in quantity and a decrease of 14 percent in value compared with the previous year. There was a decline of 114 fishermen employed in the Hudson River shad fishery during 1949 compared with 1948. The average price per pound received by fishermen in 1949 was 16.6 cents compared with 14.1 cents in 1948.


Stake gill nets accounted for 69 percent of the production by weight; drift gill nets, 29 percent; and haul seines, the remaining 2 percent.

In 1949, the shad taken averaged 3.49 pounds per fish -- slightly larger than the average of 3.31 pounds in the previous year.

Statistics of the operating units and catch of shad in the Hudson River for 1949 by New York and New Jersey fishermen are also included in the operating unit and catch data for the two states.

### SUMMARY OF OPERATING UNITS AND CATCH, 1949

ITEM	١	IEW YORK			NEW JERSEY			TOTAL		
OPERATING UNITS	NUMBER				NUMBER			NUMBER		
FISHERMEN: ON BOATS AND SHORE: REGULAR		32 590			77 146			109 736		
TOTAL		622			223			845		
BOATS: MOTOR OTHER		277 2	······		49 1 <b>3</b> 5		326 137			
HAUL SEINES		43 6,930			Ξ			43 6,930		
DRIFT		191 621,000 102 57,125			32,500 161 368,561			205 653,500 263 425,686		
	NUMBER	POUNDS	VALUE	NUMBER	POUNDS	VALUE	NUMBER	POUNDS	VALUE	
SHAO CAUGHT:  HAUL SEINES  ORIFT GILL NETS  STAKE GILL NETS	135,694	43,300 441,500 264,000	\$5,637 68,158 39,600	- 16,865 257,678	51,156 927,414	\$8,408 164,712	13,030 152,559 329,513	43,300 492,656 1,191,414	\$5,637 76,566 204,312	
TOTAL	220,559	748,800	113,395	274,543	978,570	173, 120	495,102	1,727,370	286,515	



## LANDINGS AT NEW YORK CITY

Landings of fishery products at Fulton Market, New York City, during 1949, by fishing craft of all sizes amounted to 14,973,000 pounds. This was an increase of nearly 975,000 pounds or 7 percent compared with the landings of the previous year.

Of the 1949 landings, 81 percent consisted of fish, with shellfish making up the remaining 19 percent. Receipts of shellfish registered a decrease of 417,000 pounds or 13 percent compared with the landings made in 1948, while finfish recorded a gain of 1,392,000 pounds or 13 percent compared with the landings of the previous year.

The more important species landed at the Fulton Market in New York City during 1949 were scup or porgy, 4,731,000 pounds; sea scallops, 2,522,000 pounds; fluke, 1,497,000 pounds; yellowtail, 1,128,000 pounds; haddock, 1,077,000 pounds; and tilefish, 874,000 pounds. The landings of these six species comprised 79 percent of the total.

### LANDINGS AT NEW YORK CITY: BY MONTHS, 1949

SPECIES	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY
FISH	POUNDS	POUNOS	POUNDS	POUNDS	POUNDS	POUNOS	POUNOS
ANGLERFISH	445	-	-	_	-	-	-
BLUEFISH	520	30	118	959	160	-	-
BUTTERFISH	205,195	37,615	99,130	100,140	14,355	9,805	-
COD:	200,100	0.,0.5	33,100	,	. ,	'	
LARGE	6,140	780	22,750	27.050	9,670	2,980	415
MARKET	42,925	19,980	6,280	6,160	12,730	92,195	65,180
	140	19,900	0,200	0,,00	1-1.00	323.30	50,
CUNNER	1,120	1.735	4,091	535	300	_	_
EELS, CONGER	1,120	1,735	4,091	233	300		
FLOUNGERS:			2 550		. 155	32,640	54,100
BLACKBACK	33,000	3,270	2,550	-,	1,155		54,100
OAB, SEA	-		/50	4,425	20,935	8,620	3,700
FLUKE	224,667	389,913	409,890	260,186	59,540	1,895	-
GRAY SOLE	485	585	-	345	2,200	4,885	-
LEMON SOLE	7,885	-	11,875	28,145	28,745	29,180	-
YELLOWTAIL (OABS)	32,520	24,015	6,300	19,930	5,250	22,730	98,465
HADDOCK	41,325	<u> -</u>	83,960	241,564	275,150	282,280	22,045
HAKE, WHITE	3,525	7,525	7,575	5.045	10,915	3,405	-1,110
HALIBUT	110	70-0	70	567	1,315	1,295	314
HERRING. SEA	800	_	′ °		1,1010	1,1	_
	-030	185	_	134,770	38,600	80	-
MACKEREL	525	14	9,270	19,940	5,320	280	365
POLLOCK	2,605	240	1,460	13,940	3,320		203
RAJAFISH	2,605		1,086,225	709,200	304.275	88,330	7,500
SCUP OR PORGY	904,390	894,780					7,500
SEA BASS	146,625	171,215	163,890	118,330	27,100	8,180	_
SEA ROBIN	300	2,190	-	-	400	-	-
SEA TROUT OR WEAKFISH,		_				l	
GRAY	175	355	613	545	200	15	-
SHAO	-	90	-	-	-	-	-
SHARKS	-	45	-	268	95	-	-
STURGEON	-	-		-	190	-	-
TILEFISH	126,365	133,540	202,723	45,670	101,990	61,500	17,131
WHITING	_	995	1 4	27,550	1,300	-	-
WOLFFISH	40	-	-	1,250	3,940	1,930	340
UNCLASSIFIED	6,714	12,135	13,373	26,293	6,000	960	
ONCEASSIFIED F E F F F F		,	10,000	,	-,	-	
TOTAL	1,788,541	1,701,132	2,132,893	1,777,867	931,830	653,185	270,665
SHELLFISH							
LOBSTERS. NORTHERN	190	170	1.040	2,394	8,450	_	-
	47,160	107,883	81,900	246,897	242,172	72,324	209,223
SCALLOPS, SEA (MEATS)	21,000	34,058	87,521	95,580	11,000	12,324	205,225
squi0	21,000	050,440	07,521	95,500	11,000	ļ <u>-</u>	
TOTAL	68,340	142,711	170,461	344,871	261,622	72,324	209,223
GRANO TOTAL	1,856,881	1,843,843	2,303,354	2,122,738	1,193,452	725,509	479,888




FULTON MARKET, NEW YORK CITY

LANDINGS AT NEW YORK CITY: BY MONTHS, 1949 - Continued

SPECIES	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL
FISH	POUNDS	POUNDS	POUNDS	POUNDS	PDUNDS	POUNDS
ANGLERFISH	- 60 -	- 10,900	-	2,375 7,610	1,580 93,330	445 5,802 578,080
LARGE	1,265 57,840	2,085	785 26,530	4,640 50,680	5,160 16,415	81,635 398,900 140
ODLPHIN	75 -	-	-	180	140	/5 8,101
BLACKBACK DAB, SEA FLUKE GRAY SOLE LEMON SOLE. YELLOWTAIL (DABS) HADDOCK. HAKE, WHITE.	41,480 550 - - 85,650 227,255 34,190 2,200	4,260 - 5,380 - 85,890 48,960 23,220	16,460 750 10,385 - 63,220 257,055 28,955 635	31,715 525 17,715 - 31,900 266,559 14,150 5,648	45,790 70 117,899 50 4,085 119,440 29,925 1,000	266,420 40,325 1,497,370 8,550 376,575 1,128,479 1,076,764 48,663
HALIBUT HERRING, SEA MACKEREL	, 42 - -	- - -	560	-	35 - -	3,748 800 174,195
POLLOCK	- 1,800	- - 35,640 320	- 10,620 1,400	140 750 257,410 12,455	200 - 430,350 11,829	35,054 5,055 4,730,520 661,344
SEA ROBIN	-	-	100	70	25 -	2,990 1,998 90 408
STURGEON	- 13,700	- 8,600	-	53,375	48 109,520	190 48 874,114
TUNA, BLUEFIN	- - - 215	- - - 50,000	1,970 - - -	190 1,000	2 <sub>50</sub> 6,305	1,970 30,285 7,500 122,995
TOTAL	466,322	275,255	419,425	759,087	993,446	12,169,648
SHELLFISH					-	
LOBSTERS, NORTHERN	439,308	316,314	434,988	3,260 162,576 6,860	4,315 161,118 5,240	20,409 2,521,863 261,259
TOTAL	439,308	316,314	434,988	172,696	170,673	2,803,531
GRAND TOTAL	905,630	591,569	854,413	931,783	1,164,119	14,973,179

### LANDINGS AT NEW YORK CITY, 1938 - 1949



## SECTION 4.- CHESAPEAKE FISHERIES

(Area XXIII)5

Turing 1949 the fisheries of the Chesapeake States (Maryland and Virginia) totaled 334,656,500 pounds, valued at \$25,182,313 to the fishermen. This represents a decrease of 29.7 million pounds or 8 percent in quantity and 2.4 million dollars or 9 percent in value compared with the previous year. The number of fishermen operating in the Chesapeake States during 1949 amounted to 18,346 compared with 19,990 in 1948, while the number of fishing vessels of 5 net tons and over increased from 466 in 1948 to 504 in 1949.

Because of the importance of the Chesapeake oyster industry, this phase of the fisheries will be mentioned first. Although the annual oyster production figure in the Chesapeake Bay and tributaries registered only a slight decrease compared with the previous year, regional shortages appeared in some areas. Local production failed at Annapolis; in the Potomac, particularly on the Virginia side; and in the Rappahannock Annapolis suffered because of a decrease in bay dredging; the Potomac because increased enforcement discouraged widespread illegal oystering practices; and the Rappahannock because of an unidentified mortality which decimated many beds and brought about a color condition in the surviving oysters making them difficult to market. Leased oysterplanting ground in Virginia climbed steadily to reach 100,000 acres as against Maryland's figure of 8,000 acres. Unionization of oyster shuckers in the Chesapeake area slowly gained ground while a similar movement for oyster tongers failed.

The menhaden fishery suffered a severe drop in the price of oil when the value fell from the 1948 high of \$1.40 a gallon to  $40\phi$  and stayed there. This was partly compensated by a rise in the value of scrap which gained approximately \$50 a ton above its 1948 price of \$105. During 1949, scouting planes were used to help locate the schools of menhaden which appeared in the bay in greater numbers than in previous years. Two versions of a floating trawl were developed independently by menhaden operators, but these operations were suspended at the close of the season in view of rather negative results. Fquipment for the salvaging of fish solubles was installed in a number of the plants in the Chesapeake area during 1949. A state agency regulating waterways pollution had discouraged the discharge of stickwater into adjacent creeks, and it was probable that additional plants would install equipment for the processing of the stickwater.

The croaker fishery continued to decline during 1949. Fven though the catch was still above 14 million pounds, the sharp decline from its position among the volume leaders has been noteworthy. Because of this scarcity, croakers brought the highest prices on record. Scientific investigations into the croaker ecology began, with progress reports due the following year.

The shad runs on the whole were not plentiful, but the market opened at a high of 52¢ per pound for roe shad at the dockside. A vast majority of the shad were small first spawners, seldom exceeding 3.5 pounds. Three small shad-hatching operations were conducted by Virginia while Maryland hatched shad in cooperation with the Fish and Wildlife Service at Fort Belvoir, Virginia, and released numbers of fry in the bay tributaries.

Alewives or river herring were present in Virginia waters in the greatest numbers since 1943. Canning, salting and pickling plants worked at capacity, however the demand for the canned product was weak. Canned roe moved more satisfactorily. Increased alewife catches caused several pearl-essence processing plants to reopen; these were closed during the periods of alewife scarcity.

The appearance of mackerel off Wachapreague and Willis Wharf, Virginia, early in the year gave employment and profit to many who would otherwise have been made idle by the scarcity of other fish during this period.

<sup>&</sup>lt;sup>5</sup> This number has been assigned to this area by the North American Council of Fishery Investigations. It should be explained that there may be included under this area, craft whose principal fishing ports are in this area but at times fish elsewhere. Data on the operating units and catch of the fisheries of Waryland have been taken largely from statistics collected by the Waryland Department of Tidewater Fisheries. A portion of the data on the fisheries of Virginia have likewise been obtained from the Virginia Commission of Fisheries. Supplementary surveys, compilations, and analyses, have been made by agents of this Service in order that the figures may be presented in a manner comparable with those of other sections.

Crabs, both hard and soft, were plentiful enough to reach the glut stage more than once, and toward the close of the year, winter dredgers were forced to limit their catches. This oversupply was accompanied by a price drop for the raw product.


The growth of filleting and freezing fish remained slow, and in some cases of short sply, as in croakers, ground was lost. The production of frozen oysters and clams increased moderately.

Fisheries investigation continued and the Virginia Fisheries Laboratory pursued five main projects. They were: crab conservation, seed-oyster propagation, shad spawning and survival, fishery publicity and education, and water testing for phosphates. The Maryland Laboratory continued its program of investigations with nearly fifty projects, ranging from a survey of the diatom flora of the bay to an inquiry into unlicensed, or non-commercial, fishing activities. Both states added boats and men to their enforcement fleets and restored airplane patrols which had temporarily been discontinued because of disasters.


The last complete survey of the transporting, wholesaling, and manufacturing industries was for 1940. In that year, 1,023 men were employed in the operation of 544 vessels engaged in the transporting trade and 12,331 persons were employed in wholesale and manufacturing establishments. The latter employees received \$3,552,827 in salaries and wages during 1940. Detailed statistics on these branches of the industry for 1940 can be found in 'Fishery Statistics of the United States, 1944' (Statistical Digest No. 16).

Condensed summary data of the catch by states of the Chesapeake Fisheries, appearing on the following pages, have previously been published in Current Fishery Statistics No. 683.


### CHESAPEAKE STATES CATCH, 1949




VALUE OF THE CHESAPEAKE STATES CATCH, 1949



MARYLAND: CATCH BY GEAR, 1949



VIRGINIA: CATCH BY GEAR, 1949



# SECTIONAL SUMMARIES

SUMMARY OF CATCH, 1949

PRODUCT	MARYLAND		VIRGINIA		TOTAL	
FISH		<u>VALUE</u> \$1,766,136 6,817,696	POUNDS 212,637,100 63,037,700	VALUE \$7,270,685 9,327,796	POUNDS 232,781,400 101,875,100	<u>VALUE</u> \$9,036,821 16,145,492
TOTAL	58,981,700	8,583,832	275,674,800	16,598,481	334,656,500	25,182,313

### SUMMARY OF OPERATING UNITS, 1949

ITEM	MARYLEND	VIRGINIA	TOTAL
	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	532	1,618	2,150
REGULAR	5,082 2,996	4,191 3,927	9,273 6,923
TOTAL	8,610	9,736	18,346
VESSELS: MOTOR.  NET TONNAGE.  SAIL  NET TONNAGE.	24 340 111 1,227	369 5,045 -	393 5,385 111 1,227
TOTAL VESSELS	135 1,567	369 5,045	504 6,612
BOATS: MOTOR OTHER ACCESSORY BOATS.	4,281 1,749	3,841 2,118 73	8,122 3,867 73
APPARATUS: PURSE SEINES, MENHADEN	- - 272 85,200	18 6,750 318 202,480	18 6,750 590 287,680
ANCHOR SQUARE YARDS ORIFI SQUARE YARDS STAKE. SQUARE YARDS LINES:	133 232,600 307 997,100 428 944,400	56 25,000 617 1,093,580 612 477,800	199 257,600 924 2,090,680 1,040 1,422,200
HAND HOOKS TRAWL OR TROT WITH HOOKS HOOKS TROT WITH BAITS OR SNOODS RAITS OR SNOODS POUND NETS STOP NETS LENGTH, YARDS	264 500 12 3,500 1,137 732,300 585 -	555 690 10 3,900 634 389,450 1,293 6 4,400	819 1,190 222 7,400 1,771 1,121,750 1,678 4,400
FYKE NETS: CRAB CRAB FISH OIP NETS, COMMON OTTER TRAWLS, FISH YARDS AT MOUTH SLAT TRAPS	- 375 757 12 270	1,051 776 419 52 1,125	1,051 1,151 1,176 64 1,395
POTS: CRAB EEL FISH TURTLE SCRAPES. YARDS AT MOUTH DREDGES: DREDGES:	19,100 21,269 786 461 354 442	51,400 2,786 1,628 374 163 185	70,500 24,054 2,414 835 517 627
CRAB YARDS AT MOUTH OYSTER, COMMON YARDS AT MOUTH OTHER. YARDS AT MOUTH OTHER.	30 26 312 404 7 16	339 485 524 591	369 511 836 995 7 16
TONGS: OYSTER OTHER.	4,033 49	2,420 . 504	6,453 553
RAKES: OYSTER OTHER.	- 84	66 598	66 682

CATCH BY STATES, 1949

	CATO	H BY STATES	, 1949			
SPECIES	MARY	LatiD	VIRG	INTA	T	OTAL
BLUEFISH BOWFIR BUTTERFISH CARP CATPSH AND BULLHEADS COO. CRAPPIE CROAKER OOLPHIN	4,965,600 86,700 200 104,000 360,800 571,500 33,800 2,400 2,352,000 200	\$114,748 9,336 9,336 10 5 477 21,460 37,057 1,352 150 272,024	993,300 921,600 1,446,500 3,200	\$389,524 41,164 -67,590 50,577 99,593 157 1,836,524	POUNOS 26,968,500 391,800 200 1,097,300 1,282,400 2,018,000 37,000 2,400 14,732,700 200	\$504,272 50,500 10 73,067 72,037 136,650 1,509 150 2,108,548
ORUM: BLACK	10,100 1,100	563 88	58,500 76,400	2,318 5,640	68,600 77,500	2,881 5,728
EELS: COMMON CONGER FLOUNDERS. GIZZARO SHAD	819,200 4,200 782,700 13,100	110,756 126 106,693 557	498,600 25,100 2,361,300 190,800	48,327 753 315,102 3,836	1,317,800 29,300 3,144,000 203,900	159,083 879 421,795 4,393
HAKE: REO. WHITE. HALIBUT: HARVESTFISH OR "STARFISH". HERRING, SEA. HICKORY SHAD. HOGCHOKER. KING WHITING OR "KINGFISH". MACKEREL. MENHADEN. MULLET. PIGFISH. PIKE OR PICKEREL. POLLOCK. POMPAND. SAND PERCH. SELP OR PORGY. SEA 8ASS. SEA ROBIN.	1,600 800 28,900 4,200 37,100 5,000 1,680,300 22,400 	48 32 75 1,445 98 2,270 122 450 32,688 13,679 - - 4,534 - - 524 66,683 34,848	16,900 572,100 81,400 209,600 189,100 2,838,100 136,131,800 12,200 19,000 5,984,400 4,244,800 15,300	676 31,895 1,927 8,384 17,483 296,001 1,538,597 3,729 518 16 24 647 411,032 430,807	1,600 17,700 81,600 81,600 31,400 3,201,200 137,812,100 22,400 100 100 7,508,800 4,680,400	48 708 75 33,340 2,025 10,654 132 17,933 328,689 1,552,276 3,729 4,534 16 24 1,171 477,775 465,655 608
SEA TROUT OR WEAKFISH: GRAY SPOTTED SHAD SHARNS SHATES SPANISH MACKEREL SPOT STRIPEO BASS STURGEON SUCKERS, SUNFISH TAUTOG	614,100 1,083,300 29,200 800 248,700 4,600 11,400 1,200 800 5,600 100	68,647 173,894 584 8 23,670 540,281 1,162 544 57 24 397 8	6,061,700 108,900 2,800,300 441,500 1,590 1,913,000 11,700 1,800 422,700 11,700 3,300	394,687 15,546 416,885 13,172 - 2,104 529,498 233,728 2,930 92 - 12,499 700 198	6,675,800 108,900 3,883,600 470,700 85,659,300 4,542,000 116,300 13,200 1,200 423,500 17,300 3,400	463,334 15,546 590,779 13,756 8 2,104 353,168 774,009 4,092 6,36 57 12,523 1,097
TUNA AND TUNALIKE FISHES: BONITO	- 700	- 28	60,900 24,200	6,892 967	60,900 24,900	6,892 995
TOTAL TUNA AND TUNALIKE FISHES	700	28	85,100	7,859	85,900	7,887
WHITE PERCH. WHITING. YELLOW PERCH YELLOW PIKE. UNCLASSIFIED, FOR FOOD.	1,101,100 3,400 182,200 100 2,100 20,144,300	91,247 68 27,486 17 99	699,500 2,900 7,600 - 212,637,100	36,615 87 576 - 7,270,685	1,800,600 6,300 189,800 100 2,100 232,781,400	127,862 155 28,062 17 99
.0		1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				.,,



### CATCH BY STATES, 1949 - Continued

SPECIES	MAR	YLAND	VIR	GINIA	1	TOTAL
SHELLFISH, ETC.	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
CRABS, BLUE: HARD	22,132,200 2,331,100	\$883,446 393,447	40,652,800 2,509,700	\$2,249,695 423,598	62,785,000 4,840,800	\$3,133,141 817,045
TOTAL CRABS	24,463,300	1,276,B93	43,162,500	2,673,293	67,625,800	3,950,186
LOBSTERS, NORTHERN	1,100 300	235 90	900	265 -	2,000 300	500 90
CLAMS: HARD, PUBLIC	137,600 98,500 1,600	55,040 39,400 225	880,300 616,400	373,013 268,342	1,017,900 714,900 1,600	428,053 307,742 225
TOTAL CLAMS	237,700	94,665	1,496,700	641,355	1,734,400	736,020
CONCHS	80,600	4,163	77,900	6,352	158,500	10,515
OYSTERS, MARKET: PUBLIC, SPRING PUBLIC, FALL PRIVATE, SPRING PRIVATE, FALL	6,211,700 6,310,500 619,700 575,800	2,424,260 2,461,440 258,535 242,570	2,476,200 1,915,300 7,067,100 6,600,400	830,430 627,510 2,342,905 2,187,410	8,687,900 8,225,800 7,686,800 7,176,200	3,254,690 3,088,950 2,601,440 2,429,980
TOTAL OYSTERS	13,717,700	5,386,805	18,059,000	5,988,255	31,776,700	11,375,060
SCALLOPS, SEA	300 47,700 236,000	90 3,339 47,200	8,200 146,000 16,900	3,280 6,078 3,380	8,500 193,700 252,900	3,370 9,417 50,530
LOGGERHEAD	- 52,700	4,216	600 69,000	18 5,520	121,700	18 9,736
TOTAL	38,837,400	6,817,696	63,037,700	9,327,796	101,875,:00	16,145,492
GRAND TOTAL	58,98+,700	8,583,832	275,674,800	16,598,481	334,656,500	25,182,313

### SUPPLEMENTARY REVIEW OF THE CATCH OF CFRTAIN SHELLFISH, 1949

PRODUCT		MAF	RYLAND	VIR	GINIA	TOTAL		
		QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	
SOFT AND PEELERS CLAMS:	UMBER DO	62,698,100 9,248,000	\$883,446 393,447	119,397,600 10,011,000	\$2,249,695 423,598	182,095,700 19,259,000		
HARD: PUBLIC U.S.STAT PRIVATE SOFT, PUBLI CONCHS	NDARD BUSHEL 00 00 00 D0	19,657 14,071 133 4,030	55,040 39,400 225 4,163	125,757 8B,057 - 3,895	373,013 268,342 6,352	145,414 102,128 133 7,925		
PUBLIC, SPRING. PUBLIC, FALL. PRIVATE, SPRING PRIVATE, FALL. SCALLOPS, SEA	DO DO DO OO DO	1,270,524 1,401,529 125,201 126,669 50	2,461,440 258,535	540,420 467,315 1,573,455 1,573,469 1,367	830,430 627,510 2,342,905 2,187,410 3,280	1,810,944 1,868,844 1,698,656 1,700,138 1,417	2,601,440 2,429,980	

NOTE: -- BUSHELS REPRESENT U.S. STANDARD BUSHEL OF 2, 150.4 CUBIC INCHES CAPACITY.

### AVERAGE WEIGHTS OF CERTAIN SHELLFISH, 1949

PRODUCT		MARYLANO	VIRGINIA
777		QUANTITY	QU, NT L í Y
CRABS, BLUE:			
HARÓ	NUMBER PER POUND	2.83	2.94
SOFT AND PEELERS	00	3.97	3.99
CLAMS:			
HARD:			
PUBLIC	LBS. MEATS PER U.S. BUSHEL	7,00	7.00
PRIVATE	DO	7.00	7.00
SOFT, PUBLIC	DO	12.00	-
CONCHS'	DO	20.00	20.00
DYSTERS, MARKET:		20.00	20.00
PUBLIC, SPRING	DO	4.B9	4.58
PUBLIC, FALL	DO	4.50	4.10
PRIVATE, SPRING	DO	4.95	4.49
PRIVATE, FALL	DO	4.55	4.19
SCALLOPS, SEA	<b>D</b> O	6.00	6.00

NOTE: -- BUSHELS REPRESENT U,S. STANDARD BUSHEL OF 2,150.4 CUBIC INCHES CAPACITY.

# MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1/

ITEM			MARY	LAND	VIRGINIA		
	YEAR	UNIT	QUANTITY	VALUE	QUANTITY	VALUE	
BY MANUFACTURING ESTABLISHMENTS:		1					
ALEWIVES:							
CANNED	1949	STANDARD CASES		\$295,021	44,166	\$174,377	
ROE, CANNED	1949	DO	10,404	154,791	28,759	506,040	
SALTED:		1				1	
CORNED	1940	POUNDS	30,000	800	2,179,300	53, 196	
PICKLED 2/	1940	00	2,406,150	84,371	2,445,350	92,448	
TIGHT-PACK CUT	1940	CCI	-	-	280, 100	12,698	
WITH ROE	1940	DO	-	-	62,700	3,874	
SHOKED	1940	ĐO	5,000	500	-	-	
BUTTERFISH, SMOKED	1940	DO	79,000	19,750	-	-	
CARP, SMOKED	1940	DO	2,800	800	-	-	
CHUB, CISCO AND TULLIBSE, SMOKED .	1940	DO	186,000	58,100	-	-	
EELS, SMOKED	1940	DO	23,000	6,625	-	-	
FLOUNDERS:							
FRESH FILLETS	1949	00	-	-	59,100	18,020	
FROZEN FILLETS	1949	00	-		21,100	6,878	
HERRING, SEA, SMOKED	1940	00	48,000	5,600	-	-	
LAKE TROUT, SMOKED	1940	DO .	9,000	3,150	-	-	
MACKEREL, CANNED	1949	STANDARD CASES	18,954	139,470	-	-	
MENHADEN:		1		1			
MEAL AND DRY SCRAP	1949	TONS	-	-	15,100	2,417,735	
OIL	1949	GALLONS	-	-	739,442	292,971	
SABLEFISH, SMOKED	1940	POUNDS	30,000	8,000	-	-	
SALMON, SMOKED	1940	00	195,000	67,350	-	-	
SEA BASS, FRESH & FROZEN FILLETS		1			ļ		
AND SPLIT "BUTTERFLY"	1949	DO	-	-	105,600	28,045	
SEA TROUT:					· ·	1 '	
FRESH FILLETS	1949	00	-	-	64,000	16,540	
FROZEN FILLETS	1949	00	-	-	39,258	11,852	
FROZEN FILLETS	1949	Do	-	-	37,000	10,480	
FRESH SPLIT "BUTTERFLY" FROZEN SPLIT "BUTTERFLY"	1949		-	-	11,000	3, 180	
STURGEON, SMOKED	1940	DO	8,000	6,600	<u> </u>		
WHITEFISH, SMOKED	1940	00	33,500	11,725	-	-	
CLAMS, HARD, FRESH-SHUCKED	1940	GALLONS		4	4,450	8,170	
CRABS, HARD:					· ·		
MEAT, FRESH COOKED	1940	POUNDS	2,050,280	726,339	1,891,237	690,600	
MEAL AND SCRAP	1949	TONS	3,450	227,564	2,731	153,290	
MUSSELS, SEA, STEAMED AND SHUCKED	1940	POUNDS	<u> </u>		901,978	187,354	
DYSTERS, FRESH-SHUCKED	1940	GALLONS	2,439,138	2,741,365	2,191,988	2,666,544	
UNCLASSIFIED PRODUCTS:			_,,		1, 1, 1,111		
PACKAGED FISH	1949	POUNDS	-	-	3/114,100	3/27,335	
CANNED	1949	STANDARD CASES	4/49,917	4/520,205	(5)	(5)	
MISCELLANEOUS PRODUCTS	1949		٠٠٠٠ و ١٠٠	6/1,668,856	1 '1'	7/462,751	
70744		L		25 .,,	L		
TOTAL		_	-	6,746,982	-	7,844,378	
				5,7.0,552	l	.,,	

DATA ON THE PRODUCTION OF THE DIFFERENT PRODUCTS ARE FOR THE YEARS INDICATED.

THIS ITEM IS USUALLY AN INTERHEDIATE PRODUCT AND ALTHOUGH INCLUDED IN THE TOTAL MAY BE SHOWN IN ITS FINAL STAGE OF PROCESSING IN THIS OR ANOTHER STATE.

STAGE OF PROCESSING IN THIS OR ANDHER STATE.

3/ INCLUDES FRESH AND FROZEN CROAKER AND PRORY FILLETS AND FRESH SPLIT "BUTTERFLIED" SEA ROBIN.

3/ INCLUDES CANNED ANCHOVY PASTE, MACKEREL ROE, MENHADEN, SHAD, SHAD ROE, SWELLFISH, TUNA, CLAM CHOWDER, CRAB HEAT, AND AN INAL FOOD.

5/ THIS ITEM IS INCLUDED WITH MISCELLANEOUS PRODUCTS.

6/ INCLUDES MARINE PERAL-SHELL BUTTONS, OYSTER-SHELL GRIT AND UNBURNED LIME, AND MISCELLANEOUS HEAL AND OIL.

7/ INCLUDES CANNED FISH CAKES AND ANIHAL FDOD; HEMHADEN FISH SOLUBLES; OYSTER-SHELL GRIT, BURNED, AND UNBURNED.

// INCLUDES CAMPIED FIRST CARES AND MISCELLANCOUS MEAL, SCRAP, AND OIL.

METHODE STATE SERVICE; AND MISCELLANCOUS MEAL, SCRAP, AND OIL.

NOTE: --SOME OT HE ABOVE PRODUCTS MAY HAVE BEEN MANUFACTURED FROM PRODUCTS IMPORTED FROM ANOTHER STATE OR A FOREIGN COUNTRY; THEREPORE THEY CANNOT BE CORRELATED DIRECTLY WITH THE CATCH WITHIN THE STATE.

#### SUMMARY OF MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS

SUMMARY OF PRODUCTS				
<u>I TEM</u>	YE AR	UNIT	QUANTITY	VALUE
PACKAGED FISH	1949 1949 1949 1940 1940 1940	POUNDS STANDARD CASES POUNDS POUNDS POUNDS	451,158 228,273  45,404,785 7,403,600 619,300	\$122,330 1,816, <b>0</b> 65 5,197,006 7,020,372 247,387 188,200
TOTAL	-	-	-	14,591,360

# MARYLAND

OPERATING UNITS BY GEAR, 1949

	HAUL		GILL NETS	
ITEM	SEINES, COMMON	ANCHOR	ORIFT	STAKE
	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	-	-	39	-
REGULAR	483 709	1 19 136	351 212	479 216
TOTAL	1,192	255	602	695
VESSELS, MOTOR	-	=	13 168	-
BOATS: MOTOR. OTHER. APPARATUS:	272 339	133 8	<b>28</b> 6 8	394 50
NUMBER	272 85 <b>,</b> 200	133	307	428
SQUARE YARDS		232,600	997,100	944,400
		LINES		POUND
ITEM	HAND	TRAWL OR TROT WITH HOOKS	TROT WITH BAITS OR SNOODS	NETS
	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	-	3	-	-
REGULAR	69 97	4 6	864 273	364 273
TOTAL	166	13	1,137	637
VESSELS, MOTOR	-	1 7	- -	-
BOATS: MOTOR. OTHER. APPARATUS;	71	8 1	1,043 84	220 185
NUMBER	264 500	12 3,500	1,137 732,300	585 -
	FYKE NETS,	DIP NETS,	OTTER TRAWLS,	POTS
ITEM	FISH	COMMON COMMON	FISH	CRAB
	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	-	-	62	-
ON BOATS AND SHORE: REGULAR	91 66	123 634	- :	320 116
TOTAL	157	757	62	436
VESSELS, MOTOR	-	-	12 217	-
BOATS: MOTOR	106 19	108 6 <b>4</b> 9	2	391
APPARATUS: NUMBER	375 -	757 -	12 270	19,100

MARYLAND: OPERATING UNITS BY GFAB, 1949 - Continued

		POTS - CONTINUED		2504255
ITEM	EEL	FISM	TURTLE	SCRAPES
	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON BOATS AND SHORE:				296
REGULAR	223 261	61 46	32 12	48
TOTAL	484	107	44	344
BOATS:	290	64	27	275
OTMER	91	12	9 461	354
NUMBER	21,268	786	- 401	442
		DREDGES		TONGS
ITEM	CRAB	OYSTER COMMON	OTHER	OYSTER
	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	6	458	-	-
ON BOATS AND SHORE:  REGULAR	18 3	96	- 11	3,482 551
TOTAL	27	554	11	4,033
vessels:	2	8	_	_
MOTOR	24	72		_
NET TONNAGE	<u> </u>	1,227	-	-
TOTAL VESSELS	2 24	119 1,299	-	-
BOATS:	15	48	7	2,802
OTHER	-	-	-	159
NUMBER	30 26	312 404	7 16	4,033
	TONGS, CONT'D	RAKES,	BY MAND,	TOTAL,
ITEM	OTHER	OTHER THAN FOR OYSTERS	OTHER THÂN FOR OYSTERS	EXCLUSIVE OF OUPLICATION
	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	-	NONDER	-	532
ON BOATS AND SHORE: REGULAR	30	70	194	5,082
CASUAL	19	14	173 367	2,996 8,610
TOTAL	***		307	8,010
MOTOR	-	Ξ.	_	24 340
SAIL	-	-	Ξ	111 1,227
TOTAL VESSELS	Ē.	=	-	135 1,567
BOATS: MOTOR	16	20	79	4,281
OTHER	24	43	120	1,749
	49	84		

MARYLAND: CATCH BY GEAR, 1949

2055150	HAUL S	FINES		GILL NETS						
SPECIES	IIAOL S	LINES	ANO	ANCHOR		т	STAKE			
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE		
LEWIVES	101,100	\$3,176	18,800	\$423	38,500	\$963	125,700	\$2,806		
LUEFISH	7,400	566		-	2,900	425	300	19		
OWFIN	200	10	-	l -	1 -2500	- "-		- '"		
UTTERFISH	-	-	-	-	1,400	70	_	١ -		
ARP	278,300	16,992	500	26	1,400	81	7,400	336		
ATFISH AND BULLHEADS	110,300	6,763	4,000	229	8,500	622	30,700	2,103		
RAPPIE	300	1 17		-	-3	-		100		
ROAKER	1,775,400	194,283	100	14	2,200	311	8,900	1,236		
ELS, COMMON	3,300	482	1,100	90	1,900	227	11,200	1,671		
LOUNDERS	1,100	117	200	15	1 2	-	600	58		
IZZARD SHAD	2,800	95	400	23	-	-	2,900	143		
ERRING, SEA	-	-	-	-	4,200	98	-2			
ICKORY SHAD	8,600	434	1,500	103	3,000	196	11,800	845		
ACKEREL	-	i -	-	-	357,600	32,184	-	- 1		
ENHADEN	119,400	1,198	1,800	18	2,000	20	5,000	50		
IKE OR PICKEREL	3,400	771	1,100	186	<u> </u>	-	4,500	789		
AND PERCH	7,900	387	100	2	- :	-		-		
EA TROUT OR WEAKFISH, GRAY	33,900	5,100	300	53	700	105	400	72		
HAD	8,000	1,133	125,500	18,090	134,000	20,175	270,500	45,888		
HARKS	-	-	-	-	18,500	370	i ′	-,		
POT	183,800	16,831	-	-	300	30	500	52		
TRIPED BASS	745,700	150,045	123,600	27,601	374,100	80,111	624,200	132,714		
UCKERS	8,900	405	100	7	-		300	14		
JNFISH	300	14	-		-	-	800	41		
HITE PERCH	316,400	25,939	29,000	2,673	96,100	8,477	116,900	10,811		
LLOW PERCH	40,200	5,982	4,000	594	3,900	512	18,500	3,079		
LLOW PIKE	100	17	-	-	-	-	-			
CLASSIFIED, FOR FOOD	100	3	-	-	200	10	200	13		
TOTAL	3,756,900	430,762	312,200	50,147	1,051,400	144,987	1,241,400	202,740		

			-	LINES			T	
SPECIES			TRAWL (	TRAWL OR TROT TROT		T WITH POUND		IND
SPECIES	HANG	D		HOOKS		OR SNOODS		TS
	00111100	T	<del> </del>	T	ļ — — — — — — — — — — — — — — — — — — —			
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
LEWIVES	_	-		l -	_	_	4,645,300	\$106,399
LUEFISH	17,000	\$2,500	-	-	l -	-	46,100	3,946
UTTERFISH			-	-	-	-	5,800	567
ARP	-	-	-	- 1	-	-	36,500	1,876
ATFISH AND BULLHEADS	-	-	10,800	\$756	l -	_	109,500	6,744
op	-	-	32,600	1,304	-	-		
RAPPIE	-	-		ł -	-	-	400	25
ROAKER	1,900	259	-	-	-	-	337,900	46,012
RUM, BLACK	-	-	-	-	-	-	4,600	233
ELS, COMMON	-	-	-	- 1	-	1 -	13,300	1,489
LOUNDERS	2,400	288	-	i -	-	l -	52,600	4,846
IZZARD SHAD	-	-	-	! -	-	i -	6,500	268
ICKORY SHAD	-	-	-	-	i -	- 1	11,300	644
ENHADÉN	-	-	-	! -	-	-	1,551,900	12,389
IKE OR PICKEREL	-	-	-	-	-	-	7,800	1,487
AND PERCH	-	-	-		- 1	-	1,800	86
EA BASS	2,300	184	-	-	-	-	1 -	-
EA TROUT OR WEAKFISH, GRAY	7,100	568	-	- 1	-	-	307,100	41,521
AD			-	i -	-	-	544,600	88,548
HARKS	1,100	22	-	-	-	-	-	-
POT	1,000	80	-	- :	-	i -	33,100	3,681
TRIPED BASS	22,300	3,540	-	-	-	-	722,200	143, 106
TURGEDN	-	-	-	-	-	-	200	62
JCKERS	-		-	-	-	i -	1,000	52
HITE PERCH	400	28	-	-	-	-	100	12
ELLOW PERCH	-	-	-	-	-	- 1	476,300	37,209
NCLASSIFIED, FOR FOOD	-	-	-	-	-	- 1	11,200	1,671
RABS. BLUE:	-	-	- 1		-	-	1,600	73
HARD		_	_					
SOFT AND PEELERS	- 1		, <u>-</u>	-	15,465,100		- 1	-
JRTLES, SNAPPER	2,000	160			158,600	27,382	-	-
	2,000	100				-		-
TOTAL	57,500	7,629	43,400	2,060	15,623,700	631,736	8,928,700	502,946

### MARYLAND: CATCH BY GEAR, 1949 - Continued

SPECIES	FYKE I	IETS	DIP	NETS	OTTER	TRAWLS
	POUNOS	VALUE	POUNOS	VALUE	POUNOS	VALUE
ALEWIVES	36,200	\$981				
BLUEFISH	30,200			_	13,000	\$1,880
BUTTERFISH	_	1 -		_	96,800	4,840
CARP	36,700	2,149			90,000	4,040
CATFISH AND BULLHEADS	95,900	5,714	-			
COD	35,300	3,714	_		1,200	48
CRAPPIE	1,700	108			1,200	_ 40
CROAKER	200	29	_	_	225,400	29,880
DOLPHIN	-			_ i	200	12
DRUM:		1	\ I		200	12
BLACK	-	-	- 1	-	5,500	330
RED OR REDFISH	-	-	- 1	-	1,100	88
EELS:	1		1 1	1		
COMMON	4,000	548	- 1	-	-	-
CONGER	<u> -</u>	-	- 1	-	4,200	126
FLOUNDERS	1,300	169	1	-	724,500	101,200
GIZZARD SHAD	500	27	1	-	-	-
HAKE:			! !			
RED	-	-	-	-	1,600	48
WHITE	-	-	-	-	800	32
HALIBUT	-	-	- 1	-	500	75
HARVESTFISH OR "STARFISH"	-	-	-	-	28,900	1,445
HICKORY SHAO	900	48	-	-		
KING WHITING OR KINGFISH	-	i -	-	-	5,000	450
MACKEREL			- 1		5,600	504
MENHADEN	200	4	-	-	-	-
PIKE OR PICKEREL	5,600	1,301	-	-	-	
SAND PERCH	600	31	-	-	600	18
SCUP OR PORGY	-	-	-		1,524,400	66,683
SEA BASS		i		-	433,300	34,664
SEA TROUT OR WEAKFISH, GRAY	1,000	140	- 1	-	263,600 300	21,088 30
SHAD	200	30			9,600	192
SHARKS	-	_	1 1	_	800	192
SKATES		l		_	29,800	2,980
SPOT	200	16	1 1		6,900	1,044
STRIPED BASS	10,000	2,119		_	4,400	1, 100
STURGEON	1,100	66			4,400	15 100
SUCKERS	100	2	_	_	_ 1	-
SWELLFISH	1 _ 100		_ '	_	800	24
TAUTOG	1 - 1	1 [	_	_	5,100	357
TILEFISH	l _	1 _	- 1	_	100	8
TUNA, LITTLE	_		-	_	700	28
WHITE PERCH	65,200	6,102	_	_	1,200	36
WHITING.	03,200		- 1	_	3,400	68
YELLOW PERCH	104,400	15,648	-	-	2.00	•
CRABS, BLUE:	101,100	10,010		1	1	
	_	-	11,300	\$562	-	-
SOFT AND PEELERS	_	-	153,800	28,410	- 1	-
LOBSTERS, NORTHERN	1 -	-			1,100	235
SHRIMP	-	-	-	-	300	90
CONCHS	-	-	- 1	-	80,600	4,163
SCALLOPS, SEA	-	-	-	-	300	90
SQUID	l -	-	-	-	47,700	3,339
	265,000	35,232	165,100	28,972	3,529,300	277,203
TOTAL	366,000	33,232	100, 100	20,372	3,323,550	277,203

SPECIES	POTS	POTS		APES	DREDGES		
CATFISH AND BULLHEADS EELS, COMMON	. 784,400 . 6,276,400	VALUE \$14,126 106,249 256,560 13,655	POUNDS - - - - - - - - - - - - - - - - - - -	YALUE - - - \$2,870 324,000	POUNDS - 3,300 293,400	\$132 19,100	
HARD: PUBLIC	. ! -	-	=	-	1,400 900 1,600	560 360 225	

MARYLAND: CATCH BY GEAR, 1949 - Continued

SPECIES	P	OTS	SCR	APES	DF	REDGES	
DYSTERS, MARKET:	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	
PUBLIC, SPRING	- - - - - 50,700	- - - - \$4,056	- - - -	- - - -	1,436,500 1,479,000 233,000 237,000 48,500	\$574,600 591,640 100,140 100,930 9,700	
TOTAL	7,391,200	394,646	2,026,800	\$326,870	3,734,600	1,397,387	
SPECIES	TC	DNGS	RA	KES	BY HANO		
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	
LAMS, HARD.  PUBLIC	26,200 45,000	\$10,480 18,000	61,000 52,600	\$24,400 21,040	49,000	\$19 <u>,</u> 600	
PUBLIC, SPRING	4,775,200 4,831,500 386,700 338,800	1,849,660 1,869,800 158,395 141,640	-	-	- - - 187,500	- - - - 37,500	
ERRAPIN, DIAMOND-BACK	_				107,300	37,300	

# VIRGINIA

	OPERA?	TING UNITS B	GEAR, 1949		
	PURSE SEINES.	HAUL SEINES,		GILL NETS	
ITEM	MENHADEN	COMMON	ANCHOR	DRIFT	STAKE
	NUMBER	NUMBER	NUMBER	MUMBER	NUMBER
ON VESSELS	484	95	-	75	-
REGULAR	-	629 683	68 38	334 737	478 351
TOTAL	484	1,407	106	1,146	829
/ESSELS, MOTOR	18 1,090	19 124	-	25 230	-
BDATS:  MOTOR	- - 54	299 336 19	50 6	507 82	447 59 -
NUMBER	18 6,750	318 202,480	56 25,000	617 - 1,093,580	612 - 477,800
		LINES			T
ITEM	HAND	TRAWL OR TROT WITH HOOKS	TROT WITH BAJTS OR SNOODS	POUND NETS	STOP NETS
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
ISHERMEN: ON VESSELS ON BOATS AND SHORE:	-	_	4	-	-
REGULAR	65 98	5 5	500 149	910 685	_ 12

(CONTINUED ON NEXT PAGE)

1,595

# VIRGINIA: OPERATING UNITS 1949 - Continued

TITLE		TOTAL OFFI				
TTEM			LINES	TPOT WITH	POLINOS	STOP NETS
VESSELS, MOTOR	ITEM	HAND	WITH HOOKS	BAITS OR SNOODS	NETS	alor hero
NET TOWNER		NUMBER	NUMBER	NUMBER	NUMBER	
MOTOR   62   9   607   465   5   5	VESSELS, MOTOR	=	-		Ξ	= =
APPARATUS: NUMBER NUMBER  FYKE NETS  CAAB  FISH  CAAB  FISH  COMMON NUMBER  NU	MOTOR					
LENGTH, YARDS	APPARATUS:	555	10	634	1,293	
TITEM	HOOKS, BAITS OR SNOODS	690			-	4,400
CRAB	1750	FYKE	NETS	DIR NETS	OTTER TRAVES	SLAT
FISHERMEN: ON VESSELS. ON BOATS AND SHORE: REQULAR. 169 152 252 66 7 4 TOTAL  224 233 419 267 4  **TOTAL  224 233 419 267 4  **VESSELS, MOTOR.	TIEM	CRAB	FISH			TRAPS
ON POATS AND SHORE: REGULAR		NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
REGULAR	ON VESSELS	-	-	-	261	-
VESSELS, MOTOR.	REGULAR			252 167	- 6	- 4
NET TONNAGE	TOTAL	224	233	4 19	267	4
BOATS: MOTOR   171		=		-		-
APPARATUS: NUMBER   1,051	MOTOR		157		_ 2	- 4
TIEM	NUMBER,	1,051	776 -	4 19 -		- 4
FISHERMEN: ON BOATS AND SHORE: REQUILAR.  1,191  192  125  34  183  TOTAL.  1,191  192  125  34  183  BOATS: MOTOR. 1,028  151  73  21  112  112  112  112  114  101  114  101  115  101  1163  101  101  101  101  101  10			POTS			
FISHERMEN: ON BOATS AND SHORE: REGULAR	ITEM	CRAB	EEL	FISH	TURTLE	SCRAPES
CASUAL . 352 57 37 14 43  TOTAL . 1,191 192 125 34 183  BOATS: MOTOR . 1,028 151 73 21 112  OTHER . 6 5 14 -  APPARATUS: NUMBER . 51,400 2,786 1,628 374 163  YARDS AT MOUTH . 51,400 2,786 1,628 374 163  OREDGES TONGS RAKES  ITEM CRABS CONSER OTHER OYSTER  CRABS CONSER NUMBER NUMBER NUMBER NUMBER NUMBER  FISHERMEN: ON VESSELS . 277 318 186 4 - ON BOATS AND SHORE: REGULAR . 134 507 1,572 304 26  CASUAL . 131 662 199 40  TOTAL . 411 838 2,420 507 66  VESSELS, MOTOR . 95 115 78 2 -  NET TONNAGE . 1,008 1,159 451 12 -  BOATS: MOTOR . 95 115 78 2 -  NET TONNAGE . 1,008 1,159 451 12 -  BOATS: MOTOR . 95 115 78 2 -  NET TONNAGE . 1,008 1,159 451 12 -  BOATS: MOTOR . 95 115 78 2 -  NET TONNAGE . 1,008 1,159 451 12 -  BOATS: MOTOR . 95 115 78 2 -  NET TONNAGE . 1,008 1,159 451 12 -  BOATS: MOTOR . 95 115 78 2 -  NET TONNAGE . 1,008 1,159 451 12 -  BOATS: MOTOR . 95 115 78 2 -  NET TONNAGE . 1,008 1,159 451 12 -  BOATS: MOTOR . 95 115 780 269 16  OTHER . 37 1,500 137 45  MOTOR . 96 166	FISHERMEN: ON BOATS AND SHORE:		NUMBER	NUMBER	NUMBER	NUMBER
BOATS: MOTOR. 1,028 151 73 21 112 OTHER. 6 5 14 12 APPARATUS: NUMBER 51,400 2,786 1,628 374 163 HS5  OREDGES TONGS RAKES  ITEM CRABS COMMON OYSTER OTHER OYSTER NUMBER NUMBER NUMBER NUMBER NUMBER FISHERHEN: ON VESSELS. 277 318 186 4 - ON BOATS AND SHORE: REGULAR 134 507 1,572 304 26 CASUAL 131 838 2,420 507 66  VESSELS, MOTOR 95 115 78 2 - TOTAL 411 838 2,420 507 66  VESSELS, MOTOR 95 1,590 451 12 - BOATS: MOTOR 92 246 1,580 269 16 OTHER 93 175 180 269 16 OTHER 93 175 175 180 269 16 OTHER 93 175 175 180 269 16 OTHER 93 175 175 180 269 16 OTHER 93 175 180 187 455 NUMBER 1000 137 45 APPARATUS: NUMBER 1339 524 2,420 504 66	REGULAR		135 57			140 43
MOTOR.   1,028   151   73   21   112     OTHER.   7   6   5   14     APPARATUS:   51,400   2,786   1,628   374   163     NUMBER   51,400   2,786   1,628   374   163     ITEM		1,191	192	125	34	183
NUMBER   S1,400   2,786   1,628   374   163   195   165   195   105   195   105   195   105   195   105   195   105	MOTOR	1,028				_112
TIEM	NUMBER	51,400	2,786	1,628	374 -	
FISHERMEN: ON VESSELS		DREDO		TONG	s	RAKES
FISHERMEN: ON VESSELS. ON 00ATS AND SHORE: REGULAR. 134 507 1352 662 199 40  TOTAL. 411 838 2,420 507 66  VESSELS, HOTOR. 95 115 78 2 - NET TONNAGE 1,008 1,159 451 12 -  BOATS: MOTOR. 82 246 1,580 269 16 01HER. 37 190 137 45 APPARATUS: NUMBER. 339 524 2,420 504 66	ITEM		OYSTER, COMMON			
ON VESSELS	ETENERAL	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
REGULAR	ON VESSELS				4	-
VESSELS, MOTOR	REGULAR	134 -		1,572 662		
NET TONNAGE	TOTAL		838	2,420	507	66
MOTOR	VESSELS, MOTOR	95 1,008			2 12	=
NUMBER	MOTOR	- 82 -		1,580 190		
	NUMBER			2,420	504	66

### VIRGINIA: OPFRATING UNITS 1949 - Continued

	RAKES - CONT'D.	BY	HAND	TOTAL
ITEM	OTHER	OYSTER	OTMER	EXCULUSIVE CI DUPLICATION
FISHERMEN: ON VESSELS	NUMBER -	NUMBER	NUITBER -	NUMBER 1,618
REGULAR	339 259	389 83	303 114	4,191 3,927
TOTAL	598	472	417	9,736
ESSELS, MOTOR	-	:	-	369 5,045
OATS: MOTOR. OTHER. CCESSORY BOATS PARATUS:	124 358 -	90 307 -	63 258 -	3,841 2,118 73
NUMBER	598	-		-

### VIRGINIA: CATCH BY GFAR, 1949

DIIDSE	PURSE SEINES		SEINES		GILL	NETS	
1 0.102	OL THEO			ANCH	OR	DR	IFT
POUNDS	<u>VALUE</u> - - - - - -	POUNDS 697,900 65,100 44,500 738,200 181,200 6,608,800	VALUE \$13,918 9,131 10,788 42,771 12,591 983,030	700 - 700 - - 20,500	\$102 - 2,969	POUNDS 32,900 1,400 2,600 2,100 2,800	\$660 224 188 175 196
	- - - - - - - - - - - - - - - - - - -	5,000 18,900 16,600 229,600 110,200 111,300 24,800 2,100 2,312,500 30,500	143 1,197 1,502 32,686 2,224 672 652 2,272 88 17,563 1,886			1,000 - 9,600 3,900 2,338,200 6,900 5,500	20 192 156 238,430 53 385
	- - - -	1,000 100 400 1,100	48 24 12 132		-		-
	-	59,900 125,600 22,100 600 4,847,000 1,073,600 700 800 64,200 1,200	8,449 18,472 663 90 235,912 127,394 175 36 1,926	148,600	6,504	727,500 304,500 - 8,200 - -	108,852 9,135 - 1,234 - -
	- - - - -	4,200 4,800 251,700 9,500 1,600 1,100	480 192 12,727 149 320 88		11111	- 6,700 - -	349 - - -
126,430,300	1,466,592	18,176,300	1,577,108	180,400	10,402	3,453,800	360,249
GILL NETS-	CONT 10.						
ST	AKE	на	ND			TROT BAITS OF	
POUNDS 65,400 500 3,700 8,000 3,500	VALUE \$1,308 75 113 540 490	16,500 - 12,000 300 42,700	VALUE \$1,974 - 1,792 24 3,406	POUNDS - - - 17,200	VALUE - - - \$1,203	POUNDS	VALUE - - - -
	POUNDS	POUNDS VALUE	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS

VIRGINIA: CATCH BY GEAR, 1949 - Continued

SPECIES   STAKE   PAND   THAT CONTROL   SATURE   POUNDS   VALUE   VALUE				т		LINES			
POUNDS	SPECIES			HAN	(D	TRAWL OR			
PLOUNDERS   1,200   \$24   27,100   \$4,000   -     -		<del> </del>	1	ļ			T		
STERING SHAD			1						VALUE
HICKORY SHAD WINDERS 11,700 468 -300 -26	GIZZARD SHAD	1		27,100	\$4,000	-			-
MEMBADEN . 41,000 303	HICKORY SHAO		468			-	-	-	-
NULLET SCHOOL MEAKERS STOP NETS STOP NETS DIP NETS DIP NETS SUTTERS SCHOOL SCHOOL STAND STORE STORE STORE AND SULLIFIES SCHOOL S		41.000	303	300	- 26	_	-	_	1 -
SEA BASS	MULLET	5,300		-		-		-	-
SEA TROUT ON VERKETSH:	SEA BASS	] [	-	33,700	3,370	-	-	_	
SPOTIED.	SEA TROUT OR WEAKFISH:	000	54		l .	_	_	_	_
SHAD   SPS   300   67,303   -5.00   105   -   -   -   -     -	SPOTTED	-		600		-	-	-	-
SPOT 0. STRIPEO BASS. 1775,000 20,404 8,900 890	SHAD	595,300	87,303	3,500	105	-	] -	-	-
TUNA AND TUNALIKE FISHES, BONITO. 48,300 2,745 - 100 11	SPOT	140,700	6, 134			-	-	-	-
## BONITO ## 17	TUNA AND TUNALIKE FISHES.	175,000	20,404	-	-	-	_	-	-
CRABS, BLUE: MARD SOFT AND PECLERS	BONITO	40.700	2.745	100	- 11	-	-	-	-
MARD   SOFT AND PEELERS   BOO   128   21,000   1,680   1,600   270   78,700   8,001,800   8,007,801   13,275		48,300	2,745	-	_	-	-	_	-
TOTAL	HARD	- 800	129	1 :	1 :	98,300	\$33,100	8,896,800	
SPECIES   POUND NETS   STOP NETS   FYKE NETS   DIP NETS	TURTLES, SNAPPER		- 120	21,000	1,680	1,000	"	70,700	13,273
POUNDS	TOTAL	1,101,300	120,407	191,400	19,832	117,100	34,573	8,975,500	620,336
POUNDS					<del>! • • • • • • • • • • • • • • • • • • •</del>		<u> </u>		
ALEWIVES	SPECIES				r	<del> </del>			T
BLUEFISH				POUNDS	VALUE			POUNDS	VALUE
CAPP	ALEWIVES	20,591,300	\$361,330 27,493	-	-	601,800	\$12,036		
CATFISH AND BULLHEADS.	BUTTERFISH	765,200	43,738				- :	-	-
GROAKER.	CATFISH AND BULLHEADS	224,700	15,728	71,000	\$3,580	380,000	2,840	_	-
RED DR REDF ISH 14,400 19,009	CROAKER	4,103,800	614,071	-	-	8,300	1,118	-	-
ELLS, COMMON	BLACK	50,800	1,998	-	-	-	-	-	-
FLOUNDERS	EELS, COMMON	14,400 86,200	1 10,498	-	-	22,600		-	-
HARVEST ISH OR "STARFISH" 522,300 29,303	FLOUNDERS	447,400	60,361	-	-	15,400	2,045	-	-
HERRING, SEA . 19,800 396 - 3,800 152 - 3,	HARVESTFISH OR"STARFISH" .	525,300	29,393	] [	-	56,700	1,134		-
KING WHITING OR "KINGFISH" 40,900 3,915		19,800	396		_		- ,	-	-1
MACHREE 103.00 17,203 17,203 - 10,300 81 17,203 - 10,300 81 17,203 - 10,300 323 - 10,300 750 - 5,500 323 - 10,300 132 - 5,500 323 - 10,300 132 - 5,500 323 - 10,300 132 - 5,500 323 - 10,300 132 - 5,500 323 - 10,300 132 - 5,500 323 - 10,300 132 - 5,500 323 - 10,300 132 - 5,500 323 - 10,300 132 - 5,500 323 - 10,300 132 - 5,500 324 17,200 17,200 17,200 17,200 17,200 17,200 17,200 17,200 17,200 17,200 17,200 17,200 183,229 - 10,300 19,991 - 3,400 17,220,600 183,229 - 10,300 19,991 - 3,400 17,220,600 183,229 - 10,300 19,991 - 3,400 17,200 183,229 - 10,300 19,991 - 3,400 17,200 183,229 - 10,300 19,991 - 3,400 17,200 183,229 - 10,300 19,991 - 3,400 19,991 - 3,400 19,991 - 3,400 19,991 - 10,400 19,40	KING WHITING OR "KINGFISP"	40,900	3,815	-	-	3,000	-	-	-
MULLET. 11,900 750 - 5,500 323 - 7,600 312 - 5,500 323 - 7,600 312 - 5,500 323 - 7,600 312	MACKEREL	104,300	17,203		_	10 300		-	-
SAND PERCH . 3,300 312	MULLET	11,900	750	-	-	5,500		-	_
SCUP OR PORGY	PIGFISH	7,600 3,300		-	-	-	- 1		-
SEA TROUT OR WEAKFISH:	SCUP OR PORGY	12,200	982	-	-	-	-	-	-
SPOTTED.	SEA TROUT OR WEAKFISH:	14,400	1,483	-	-	-	-	-	-
SHARKS . 32,300 967	GRAY	4,501,000	282,497	-	-	17,800	1,188	-	-
SHARKS. 32,300 967	SHAO	1,220,600	183,229	-		131,000	18,991	=	_
SPOT	SHARKS	32,300 15.300	967	<u> </u>	-		-	-	-
STURGEON	SPOT	3,246,900	278,552	-	-		362	-	-
SUCKERS	STURGEON	481,200 3,100	59,762 775	- 1	-	167,700			-
TAUTOG. 8,500 537	SUCKERS	-	-	- 1	-			Ξ.,	-
TUNA AND TUNALIKE FISHES: BONITO	TAUTOG		9,217 537	-	-		-	-	-
LITTLE 19,300 772 246,200 13,108 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 246,200 13,108 506 506 246,200 13,108 506 506 246,200 13,108 506 506 506 506 506 506 506 506 506 506				_					
MHTE PERCH	LITTLE	19,300	772	-	-	-		-	-
CRAB_BLUE: HARD	WHITE PERCH	139,800			- 1		13,100	-	-
SOFT AND PEELERS	CRAB, BLUE:				-			-	-
SQUID	SOFT AND PEELERS	15,700	527	- 1	- 1	30,700	1,029		\$133
TIRTLES, LOGGERHEAD 600 18	SQUID	6,100	300	-	-	-	-	- 113,300	19,040
7,500 19,673	TURTLES, LOGGERHEAD		18	-	Ξ.	1,400	280	- :	-
	TOTAL	44,888,600				2,693,100	261,922	119,300	19,673

VIRGINIA: CATCH BY GEAR, 1949 - Continued

SPECIES	OTTER	TRAWLS	SLAT	TRAPS	PC	TS	SCR	APES
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
ALEWIVES		-	13,600	\$272	-	- 1	-	-
BLUEFISH	20,500	\$2,165	-	- 1	-	- 1	_	_
BUTTERFISH	181,000	12 <u>,</u> 876		1	632,600	\$42,910	-	_
CATFISH AND BULLHEADS	3,200	157	_	_	032,000	Ψ-2,910	- 1	-
CROAKER	1,623,800	233,054	- 1	-	- 1	- 1	- 1	-
DRUM:	,,	,						
BLACK	2,400	153	-	-	-	-	- 1	-
RED OR REDFISH	400	28	- 1	- 1	-	- 1	-	-
EELS:	_	_ :	- 1	- 1	373,200	34,154	- (	-
COMMON	25,100	753	-	-		- 12	- 1	-
FLOUNDERS	1.641.800	215,950	- !	-	-	- 1	-	-
HAKE, WHITE,	16,900	676	-	- 1	-	- 1	-	-
HARVESTFISH OR"STARFISH"	35,500	1,830	_ [			- 1		_
HERRING, SEA KING WHITING OR "KINGFISH	52,000 123,100	1,339 11,370	_	_	-	-	- 1	-
MACKEREL	393,400	40,280	-	-	-	-	-	-
PIGFISH	3,600	158	-	- 1	-	-	-	-
POLLOCK	400	16	-	- 1	-	-	-	-
SAND PERCH	15,300	503	_					-
SCUP OR PORGY	5,955,400 4,195,600	408,361 425,822	_ [	Ī.	] ]	-		-
SEA BASS	15,300	608	-	-	_	-	_	-
SEA TROUT OR WEAKFISH,		1						
GRAY	933,000	72,907	i - i	-	-	-	- 1	-
SHAD		38	-	-	-	-	-	-
SHARKS	79,100	2,302 1,144		-			1 1	
STRIPED BASS	13,000	932		_	_	_	_	-
STURGEON	7,300 7,800	1,950	- 1	-	-	-	- '	-
SWELLFISH	51,100	1,356	-	-	-	-	-	-
TAUTOG	2,000	90	- 1	-	-	-	-	-
TILEFISH	3,300	198	-	-	-	-	_	-
TUNA,	100	3	_ :	_ '	-	-	_	-
WHITE PERCH	6,800	204	_	-	-	-	-	-
WHITING	2,900	87	-	-	-	-	-	-
CRABS, BLUE:					05 455 600		40.000	****
HARD	_			_	25,177,600 256,600	42,992	13,000 886,500	\$425 149,770
SOFT AND PEELERS LOBSTERS, NORTHERN	900	265	_	_	250,000	42,992	660,300	149,770
CONCHS	28,500	2,280	- 1	-	-	-	-	_
SCALLOPS, SEA	8,200	3,280	-	-	-	-	-	-
SQUID	139,900	5,778	-	-	-	-		
TERRAPIN, DIAMOND-BACK .	-	1 -	-	-	46.000	2.752	5,900	1,180
TURTLES, SNAPPER		<u> </u>			46,900	3,752		
TOTAL	15,588,900	1,448,913	13,600	272	26,486,900	1,243,655	905,400	151,375
SPECIES	DRET	DREDGES TONGS			(LS	BY F	400	
			ļ		- KAI			· · · · · · · · · · · · · · · · · · ·
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
CRABS, BLUE:								
HARD	6,407,400	\$487,424	} -	- 1	-	- 1		
SOFT AND PEELERS	-	-	-	-	-	-	261,400	\$43,580
PUBLIC	70,400	28,080	333,800	\$138,182	368,700	\$161,871	107,400	44,880
PRIVATE	56,900	22,848	162,600	70, 144	389,900	172,350	7,000	3,000
CONCHS	48,200	3,976		-	-		1,200	96
OYSTERS, MARKET:	100 00-	40.505		705 5:-	J		1	
PUBLIC, SPRING	129,300	43,600 48,730	2,344,700 1,765,600	786,240 577,680	3 ]	[ ]	2,200 4,200	590 1,100
PUBLIC, FALL	145,500 5,597,300	48,730 1,866,440	1,021,200	338,425	61,800	20,540	386,800	117,500
PRIVATE, FALL	5,481,600	1,820,980	876,700	289,620	37,800	12,510	204,300	64,300
TERRAPIN, DIAMOND-BACK .		1 2	1 -	- 1	1 2	<u></u>	8,000	1,600
	17,936,600	4,322,078	6.504.600	2,200,291	858,200	367,271	982,500	276,646
TOTAL	1.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1,522,070	15,555,566	1 -,200,29	1 030,200	307,27	1 302,300	1, 00

### POTOMAC RIVER SHAD AND ALEWIFE FISHERY

The catch of shad in the Potomac River during 1949 amounted to 327,255 fish weighing 909,600 pounds, and valued at \$136,360 to the fishermen. The catch of alewives in the Potomac for the same year was 22,471,100 fish weighing 11,390,400 pounds, valued at \$185,097.

Compared with 1948, the catch of shad showed an increase of 26 percent in poundage and 20 percent in value. Alewives registered an increase of 19 percent in quantity but a decrease of 6 percent in value compared with the previous year.

A total of 754 fishermen were employed in this fishery, 236 more than during the previous year.

Statistics on the yield and operating units of shad and alewives in the Potomac River are also included in the catch and operating unit data for Maryland and Virginia.

### SUMMARY OF CATCH AND OPERATING UNITS, 1949

ITEM	M	ARYLAND		l	VIRGINIA			TOTAL		
OPERATING UNITS		NUMBER		NUMBER			NUMBER			
FISHERMEN, ON BOATS ON SHORE:										
REGULAR		90 122			274 26B			364 390		
TOTAL	212				542			754		
BOATS: MOTOR OTHER	81 35				214 123			295 158		
HAUL SEINES LENGTH, YARDS GILL NETS:		12 4,800			28 14,100		18,900			
DRIFT. SQUARE YARDS STAKE		16 55,100 62			5E, 100 90,400				53 155,500 185 199,700	
POUND NETS		62 290 - 62					352 62			
CATCH	NUMBER	POUNDS	VALUE	NUMBER	POUNDS	VALUE	NUMBER	POUNDS	VALUE	
SHAD CATCH:  HAUL SEINES.  DRIFT GILL NETS.  STAKE HILL NETS.  POUND NETS.  TYKE NETS.	570 5,530 36,700 10,000	1,400 14,600 95,800 27,000	\$177 2,300 12,660 4,411	11,800 84,600 52,200 124,540 1,315	32,400 228,200 150,100 356,400 3,700	\$4,773 35,000 22,711 53,780 548	12,370 90,130 88,900 134,540 1,315	33,800 242,800 245,900 383,400 3,700	37,300 35,371 58,191	
TOTAL	52,800	138,800	19,548	274,455	770,800	116,812	327,255	909,600		
ALEWIVES CAUGHT: HAUL SEINES. ORIFT GILL NETS. STAKE GILL NETS. POUND NETS. FYKE NETS.	7,900 19,700	5,200 3,700 9,200 255,500	140 101 256 5,270	155,300 75,800 1,474 60 21,681,700 11,012,800 177,292 52,000 25,200 504		166,600 14,100 19,700 22,218,700 52,000	81,000 6,700 9,200 11,268,300 25,200	161 256 182,562		
TOTAL	575,900	273,600	5,767	21,895,200	11,116,800	179,330	22,471,100	11,390,400	185,097	



# SECTION 5.- SOUTH ATLANTIC FISHERIES

(Area XXIV)6

During 1949, due to budgetary limitations, no general canvass was conducted in the South Atlantic States (North Carolina, South Carolina, Georgia, and the East Coast of Florida). The catch and operating unit figures used in the following tables for this area are for 1945, with the exception of the Fast Coast of Florida. The catch figures for the East Coast of Florida are for 1945 while the operating units are for 1940.


The total quantity of menhaden used for reduction purposes in the South Atlantic area during 1949 was collected in connection with the annual canned fish and byproducts survey. Since nearly the entire catch of menhaden is used in the manufacture of oil and meal, the poundage used for reduction may be considered the total landings of these fish. During 1949, landings of menhaden in this region totaled 262,446,370 pounds, valued at \$2,349,704. This represented an increase of 5 percent in quantity but a decrease of 6 percent in value compared with the previous year.

The total production of canned fishery products and byproducts in the South Atlantic States during 1949 was valued at \$7,525,117. North Carolina ranked first with products totaling \$4,294,042 to the processor; South Carolina was second with \$1,547,864; followed by the East Coast of Florida with \$1,281,811; and Georgia, with \$401,400. A total of 41 plants was engaged in canning and processing fishery products and byproducts in the South Atlantic area during 1949.

The last complete survey of the fishery transporting, wholesaling and manufacturing industries was made in 1940. In that year, 264 men were employed in the operation of 124 vessels and boats engaged in the transporting trade and 6,897 persons were employed in wholesale and manufacturing establishments. The latter employees received a total of \$1,801,129 in salaries and wages in 1940. (Data on the transporting, wholesaling, and manufacturing industries for both coasts of Florida have been included in this section). Detailed statistics on these branches of the industry for 1940 can be found in 'Frishery Statistics of the United States, 1944' (Statistical Digest No. 16).

Detailed statistics covering the fisheries of the South Atlantic States during 1945 can be found in "Fishery Statistics of the United States, 1945" (Statistical Digest No. 18). Condensed summary data of these figures appear in the following tables.

<sup>6</sup> These numbers were assigned to these areas by the North Atlantic Council on Fishery Investigations. The catch of fishery products in Lake Okeechobee is included in the Florida catch tables.



### SOUTH ATLANTIC FISHERIES

# SECTIONAL SUMMARIES

SUMMARY OF CATCH, 1945

PRODUCT	NORTH CAL	ROLINA		SOUTH CA	ROLINA		GEO	RGIA
	POUNOS	VAL	E	POUNOS	VALUE	POUND:	5	VALUE
FISH	179,177,300 \$3,732,650 18,991,500 1,762,602		3,029,100 7,826,500	\$300,680 598,709	1,176,900 20,220,800		\$129,571 1,219,965	
TOTAL	198,168,800	98,168,800 5,495,252		10,855,600	899,389	21,397,	700	1,349,536
PRODUCT	FLOR	IDA, EAST	COAS	T 1/		тот	AL	
	POUN	DS		VALUE	POUN	IDS .		VALUE
FISH	156,193,500 18,330,500			\$5,35 <b>1,1</b> 70 2,037,003	339,576,800 65,369,300			\$9,514,075 5,618,279
TOTAL	174,524	,000		7,389,173	404,946,100			15,132,350

<sup>1/</sup> INCLUDES DATA ON THE CATCH IN LAKE OKEECHOBEE.

### SUMMARY OF OPFRATING UNITS

ITEM	NORTH CAROLINA, 1945	SOUTH CAROLINA, 1945	GEORGIA, 1945	FLORIDA, EAST COAST 1/, 1940	TOTAL, VARIOUS YEARS
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN:					
ON VESSELS	1,372	190	341	552	2,455
REGULAR	4,771	746	351	1,646	7,514
CASUAL	1,313	553	434	600	2,900
TOTAL	7,456	1,489	1,126	2,798	12,869
VESSELS:					
MOTOR	286	83	148	97	614
NET TONNAGE	3,352	885	1,362	1,361	6,960
NET TONNAGE	45 595		1 -	-	45
HET TONIVAGET	393				595
TOTAL VESSELS	331	83	148	97	659
TOTAL NET TONNAGE	3,947	885	1,362	1,361	7,555
BOATS:		- \			
MOTOR	1,918	138	163	<b>87</b> 7	3,096
OTHER	1,018	561	400	881	2,860
ACCESSORY BOATS	206	-	-	30	236
APPARATUS:	20				
PURSE SEINES, MENHADEN	30	-	-	15	45
LENGTH, YARDS	7,950	-	-	4,290	12,240
COMMON	214	24	_	100	338
LENGTH, YARDS	31,240	5,725	-	84,890	121,855
LONG	163	3,723	_	13	176
LENGTH, YARDS	139,100	-	-	11,600	150,700
GILL NETS:			1	,	150,700
ANCHOR	620	43	16	9	688
SQUARE YARDS	419,350	16,550	1,600	9,000	446,500
DRIFT	139	28	96	37	300
SQUARE YARDS	88,760	22,400	39,921	72,700	223,781
RUNAROUND	323	70	43	431	867
SQUARE YARDS	232,760	20,999	33,000	486,620	773,379
STAKE	1,936	22	122	- 5	2,085
SQUARE YARDS	165,875	13,600	19,470	5,000	203,945
TRAMMEL NETS	-	_	- 1	8	8
LINES:	_	_	_	8,000	8,000
HAND	200	34	_	501	735
NOOKS	200	34	_	551	785
TRAWL OR TROT WITH HOOKS .			20	195	215
HOOKS	_	_	2,300	70,600	72,900
TROLL	11	-	-,000	424	435
HOOKS	11	-	-	424	435
TROT WITH BAITS OR SNOODS.	914	266	175	113	1,468
BAITS OR SNOODS	535,900	133,000	81,300	42,300	792,500
POUND NETS	2,520	-	12 11		2,520
FYKE NETS, FISH	308	-	- 1	45	353
DIP NETS, COMMON	237	1	1	28	267
CAST NETS	-	4	- 1	38	42
OTTER TRAWLS:					
FISH	9	-	-	-	9
YAROS AT HOUTH	196	-			196
SHRIMP	521	194	272	123	1,110
YARDS AT MOUTH	9,356	4,550	6,900	2,811	23,617

SEE FOOTNOTE AT END OF TABLE

SUMMARY OF OPERATING UNITS - Continued

I TEM	NORTH CAROLINA, 1945	SOUTH CAROLINA, 1945	GEORGIA, 1945	FLORIDA, EAST COAST 1/, 1940	TOTAL, VARIOUS YEARS
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
APPARATUS - CONTINUED: POTS:					
SPINY LOBSTER	-	_	-	5,900	5,900
CRAB	-	- 1	1,540	5,790	7,330
EEL	535	-		-	´5 <b>3</b> 5
FISH	250	100	210	9,960	10,520
SPEARS	270	51	-	49	370
DREDGES, OYSTER, COMMON	346	-	-	3	349
YARDS AT MOUTH	346	-	-	5	351
TONGS, OYSTER	69	50	18	22	159
RAKES, OTHER THAN FOR OYSTERS.	262	14	-	4	280
GRABS	-	160	48	-	208
HOOKS, LOBSTER	-	-	-	16	16

<sup>1/</sup> INCLUDES DATA ON THE NUMBER OF FISHERMEN AND FISHING CRAFT, AND THE QUANTITY OF GEAR OPERATED IN LAKE OKEECHOBEE.

### CATCH BY STATES, 1945

SPECIES	NORTH CA	AROL INA	SOUTH CA	AROL I NA	GEORG I A		
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNOS	VALUE	
ALEWIVES AMBERJACK ALUEF 19H BUTTERF 19H CARP CATF 19H AND BULLHEADS, CROAKER.	8,022,100 400 627,000 30,000 882,100 1,171,500 4,214,600	\$176,783 20 75,600 1,800 26,463 75,786 337,208	- 11,000 - 25,000 102,000	- \$1,650 - 2,240 14,620	93,000 10,000	- - - - \$7,440 800	
DRUM: BLACK. RED OR REDFISH EELS, COMMON FLOUNDERS. GIZZARD SHAD HAKE, WHITE. HICKORY SHAD HICKORY SHAD HICKORY SHAD HICKORY SHAD HICKORY SHAD HICKORY SHAD SHADEN HICKORY SHAD HICKORY SHA	141,700 223,900 116,000 1,203,600 3,900 811,700 884,400 1,157,500 141,533,000 480,700 480,700 23,240,900 13,240,900 13,200 113,200 113,200 113,200 112,200 4,100 4,100 4,100 6,264,700	4,332 13,434 5,581 141,232 390 48,902 68,224 974,631 259,965 33,649 9,025 28,590 198,613 72 410 60,804 314,235	25,500 50,000 230,000 	3,810 6,440 31,120 	10,000 10,000 15,000 307,200 - - 17,500 460,700 15,500 - - - 221,500 - 2,000	1,000 1,000 1,000 19,432 - - 1,400 27,644 - - - - - 66,450 - - 240	
STRIPED BASS STURGEON SUCKERS. SWELLFISH TUNA AND TUNALIKE FISHES, BONITO WHITE PERCH YELLOW PERCH	608,500 900 7,000 200 60,100 501,100 9,500	121,156 225 210 6 4,808 60,240 1,140	1,100 36,200 - - - - -	14,020 - - - - - -	4,500 - - - -	1,125	
TOTAL	179,177,300	3,732,650	3,029,100	300,680	1,176,900	129,571	
SHELLFISH, ETC.  CRABS: BLUE:							
HARD	5,696,400 184,300 10,614,300 502,200	284,820 55,290 849,160 151,447	2,364,100 - 4,695,500 1,300 43,000	72,125 403,562 375 5,375	3,566,100	96,630 1,067,684	
PUBLIC, FALL  PRIVATE, SPRING  PRIVATE, SPRING  PRIVATE, FALL	1,079,200 603,100 14,200 10,600	256,840 138,170 2,980 2,220	80,200 41,800 347,000 253,100	11,262 6,578 61,224 38,083	139,000 116,100	- - 27,321 22,705	
TOTAL OYSTERS	1,707,100	400,210	722,100	117,147	255,100	50,026	
	(CONT.	NUED ON NEXT	PAGE )				

CATCH BY STATES, 1945 - Continued


SPECIES NOTH CAROLINA SOUTH CAROLINA CECRGIA  SCALLOPS, BAY. 22,200 97,770		CATCH BI 3			i c i ii d			
SCALIDED   SAY   SOURCE   SO	SPECIES	NORTH CA	ROLINA	SO	UTH C	ROLINA	GE	ORGIA
SQUID.   CLAMPICO-BACK   2,300   230   500   3125   7,500   \$3,625   RECARCO   19,000   13,000   500   3125   7,500   \$3,625   RECARCO   19,000   13,000   500   500   5125   7,500   \$3,625   RECARCO   199,500   199,500   199,500   1,219,966   199,500   199,500   199,500   1,219,966   199,500   199,500   199,500   199,500   1,219,966   199,500	SHELLFISH, ETC CONTINUED	POUNDS	VALUE	POU	NDS	VALUE	PDUNDS	VALUE
TERBARN, OLAMOND-BACK. 2,700 13,000 7,900, 3125 7,500 \$5,625 TOTAL. 18,991,500 1,702,602 7,826,500 599,709 20,220,800 1,219,965 GRAND TOTAL. 198,166,800 5,495,252 10,685,600 899,389 21,397,700 1,346,350 SPECIES FLORIDAR ACTION		22,200	\$7,77	0	-	-	-	-
TOTAL.   18,91,500   1,762,602   7,926,500   598,709   20,220,800   1,219,065	TERRAPIN, DIAMOND-BACK	2,300			500	- \$125	7.500	\$5,625
SPECIES		260,000			-			1 2
SPECIES	TOTAL	18,991,500 1,762		2 7,826	,500	598,709	20,220,800	1,219,965
FISH POUNDS VALUE POUNDS VALUE FISH POUNDS VALUE FISH POUNDS VALUE FISH POUNDS VALUE POUNDS VALUE FISH POUNDS VALUE AMBERIACK. 107,500 2,541 107,900 2,561 107,900 2,561 107,900 2,561 107,900 2,561 107,900 2,561 107,900 2,561 107,900 2,561 107,900 2,561 107,900 2,561 107,900 2,561 107,900 2,561 107,900 2,561 107,900 2,561 107,900 2,561 107,900 107,9		198.168.800	5,495,25	2 10.855	.600	899.389	21,397,700	1,349,536
FISH				<del></del>	,,,,,,	,		
ALEWIVES 428,200 \$8,562 8,450,300 \$195,345 ANBERJACK 107,500 2,544 107,900 2,551 BULEFISH 1,273,600 227,085 1,911,600 304,335 BULEFISH 1,273,600 227,085 1,911,600 304,335 BULEFISH 27,200 2,054 57,200 3,657 CABIO OF CRAB CATER. 32,600 2,090 32,600 2,090 CAFISH AMB BULHERADS. 9,600,300 1,055,952 10,859,600 1,141,418 CARPPIE. 932,900 204,748 10,859,600 1,141,418 CRAPPIE. 122,100 6,105 122,100 6,105 CROAKER. 145,300 13,114 4,471,000 365,742 CROAKER. 145,300 13,114 4,471,000 365,742 CROAKER. 15,300 95,875 1,042,700 116,749 ELIS, COHNON 59,800 95,875 1,042,700 116,749 ELIS, COHNON 59,800 95,875 1,042,700 116,749 ELIS, COHNON 59,800 138,177 1,960 242,630 GRUPTS 75,600 138,177 1,960 239,178 CROWERS 1,416,800 138,177 1,960 3,900 AROUGERS 1,416,800 138,177 1,960 3,900 AROUGERS 1,416,800 138,177 1,960 3,900 AROUGERS 1,416,800 138,177 1,960 3,900 AROUGERS 1,416,800 138,177 1,960 3,900 AROUGERS 1,416,800 138,177 1,960 3,900 AROUGERS 1,416,800 138,177 1,960 1,939,175 AROUGERS 1,416,800 2,750 2,750 2,750 AROUGERS 1,416,800 2,750 2,750 2,750 AROUGERS 1,416,800 2,750 2,750 2,750 AROUGERS 1,416,800 2,750 2,750 2,750 AROUGERS 1,416,800 3,444 522,500 3,939,800 AROUGERS 1,416,800 2,750 2,750 2,750 AROUGERS 1,416,800 3,444 60 2,750 3,760 3,760 AROUGERS 1,416,800 3,444 60 2,750 3,760 3,760 AROUGERS 1,416,800 3,444 60 2,750 3,760 3,760 AROUGERS 1,416,800 3,444 60 2,750 3,760 3,760 AROUGERS 1,416,800 3,444 60 2,750 3,760 3,760 AROUGERS 1,416,800 3,444 60 2,760 3,76								
AMBERJACK 107,500 2,541 107,900 2,561 108 107,900 2,561 108 107,900 2,561 109,900 20,900 20,900 30,9	FISH	POUNT	os	VALUE		POL	INDS	VALUE
BLUE FUNNER ON HARDTAIL  71,373,600  810E FUNNER ON HARDTAIL  71,300  71,41,414  71,414,418  71,41,41	ALEWIVES	428,2	200	\$8,562		8,450	, 300	\$185,345
BLUE FUNNER ON HARDTAIL  71,373,600  810E FUNNER ON HARDTAIL  71,300  71,41,414  71,414,418  71,41,41		40,	700	2,341		40	,700	2,342
BLUE RUNNER OR HARDTAIL. 91,300 5,857 91,300 5,857 1,300 1,854 1,200 2,004 57,200 2,004 57,200 3,854 1,000 1	BLUEFISH			227,085		1.911	-600	304,335
CARP IS AND BULLHEADS. 9,600,300 1,055,952 10,859,500 11,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,149 10,114,148 10,114,149 10,114,148 10,114,149 1		91,	300	5,857		91	,300	5,857
CARP IS AND BULLHEADS. 9,600,300 1,055,952 10,859,500 11,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,148 10,114,149 10,114,148 10,114,149 10,114,148 10,114,149 1		27,4	200	2,054	: 1	57	,200	3,854
CATFISH AND BULLHAOS.	CARP	32,			´	882	,100	26,463
CRAPPIE. 932,900 204,748 932,900 204,748 052,900 204,748 052,900 204,748 052,900 204,748 052,900 204,748 051,0	CATFISH AND BULLHEADS	9,600,3	300	1,055,952	.	10.889	.800	1,141,418
CROAKER. 145,300 13,114 4,471,900 365,742 DOLPHIN. 79,800 7,960 7,960 7,960 7,960 DOLPHIN. 79,800 7,960 7,960 7,960 7,960 DOLPHIN. 79,800 1,960 7,960 7,960 7,960 7,960 DOLPHIN. 501,600 40,318 6,78,800 16,740 116,749 EELS, COMMON 59,800 2,302 160,600 18,373 FLOUNDERS. 345,700 51,895 2,066,500 242,639 GIZZARO SHAO 550,000 11,000 558,000 11,160 GROUPERS 7,5600 5,338 75,600 53,336 HARE, MHITE. 7,5600 5,338 75,600 5,338 HARE, MHITE. 7,5600 5,338 75,600 5,338 HARE, MHITE. 1,100 46,430 1,224 JEWFISH. 216,300 29,750 216,300 29,750 KING MACKEREL 7,761,500 395,800 2,761,500 395,800 KING MACKEREL 7,761,500 395,800 2,761,500 395,800 KING MACKEREL 7,761,500 395,800 2,761,500 395,800 KING MACKEREL 7,761,500 395,800 3,7028 KING MACKEREL 7,761,500 395,800 1144,568 MENHADEN 1114,745,900 739,517 256,279,900 1144,568 MENHADEN 8,761,500 3,344 522,000 36,639 PORTISH 41,600 3,344 522,000 36,639 PORTISH 9,900 4,000 12,000 36,639 PORTISH 9,900 4,000 12,000 36,639 PORTISH 9,900 4,500 12,000 36,639 PORTISH 9,900 4,500 12,000 36,639 PORTISH 9,900 4,500 11,000 960 SEA BASS 100,800 14,652 454,400 66,462 SEA CATETISH 41,600 13,239 161,800 13,239 PORTISH 9,900 42,750 20,000 36,700 37,028 SALT-VATER 161,800 13,239 161,800 13,239 SIKEPSHEAD: 12,700 14,406 112,700 14,406 RED. 2,007,700 30,476 4,770,000 32,277 SINGERSHEAD: 12,700 14,406 112,700 14,406 RED. 12,700 15,420 15,500 15,900,000 121,376 STANDERSH 11,700 11,400 15,420 15,500 15,500,000 121,376 STANDERSH 11,700 11,400 15,500 12,700 30,993 SIKIPED BASS	CRAPPIE	932,9	000	204,748	'	932	,900	204,748
DOLPHIN. 79,800 7,980 79,800 7,980 40,400 80,000 80	CREVALLE	122,	300	6,105		124	2,100	6,105
BILACK.  BILACK.  501,600  BIL	DOLPHIN	79,6	300	7,980	, 1	79	,800	7,980
EELS, COMMON			- 1		ı			
EELS, COMMON	RED OR REDFISH	758.6	300	40,318		1.042	2.700	116.749
FLOUNDERS	EELS, COMMON	59,8	300	2,392	1	180	),8 <b>0</b> 0	8,373
GROUPERS		345,	700	51,855		2,086	,500	242,639
GRUNTS. 75,600 5,338 75,600 3,338 MAKE, WHITE 3,900 300 MARVEST FISH OR "STARFISH" 811,700 48,902 MICKORY SHAD. 84,900 1,224 15,300 1,224 15,300 29,750 216,300 29,750 16,100 29,750 216,300 214,558 216,300 214,558 216,300 214,558 216,300 214,558 216,300 214,558 216,300 214,558 216,300 214,558 216,300 214,558 216,300 214,558 216,300 214,558 216,300 216,	GIZZARD SHAD	550,0	200	11,000	' '	558	,000	11,160
HANES TISHO R "STARFISH"  HAVEST FISH OR "STARFISH"  HAVEST FISH OR "STARFISH"  HAVEST FISH OR "STARFISH"  HOGFISH.  15,300  1,224  15,300  29,750  216,300  29,750  216,300  29,750  216,300  29,750  216,300  395,800  395,800  395,800  395,800  395,800  2,81,500  395,800  395,800  395,800  395,800  395,800  395,800  395,800  395,800  395,800  395,800  395,800  395,800  395,800  396,800  114,745,900  390,8117,900  390,8117,900  390,8117,900  390,8117,900  390,8117,900  390,8117,900  390,8117,900  390,8117,900  390,8117,900  390,8117,900  390,8117,900  390,8117,900  395,800  396,800  390,900  390,901	GRUNTS	75.6	500	5.338		75	5,600	5.338
HICKORY SHAD	HAKE, WHITE,	-21		-2		3	900	390
HOGF ISH.	HARVEST FISH OR "STARFISH"					811	,700	48,902
JEWF ISH.  216,300 29,750 216,300 395,800 395,	HOGE ISH.	15.	300	1 224	' I			1 224
KING MACKEREL	JEWFISH	216,3	300	29,750		216	,300	29.750
MEMHADEN	KING MACKEREL	2,781,5	500	395,800		2,781	,500	395,800
MULTER 7,812,300 640,239 11,577,00 962,285 MUTTONFISH 207,900 37,028 207,900 37,028 207,900 37,028 207,900 37,028 207,900 37,028 207,900 37,028 207,900 37,028 600 45 600	KING WHITING OR KINGFISH	1,511,7	200	45,439	- 1	3,286	,900	144,568
### ACCEPTED AND PRESS 1		7,812,3	300	640,239	- 1	11.957	700	962,285
IGF ISH	MUTTONFISH	207,9	00	37,028	- 1	207	,900	37,028
PINF SH	PICFISH.			3 344		522	600	45 36 003
SCUP ON PBRGY. 130,651 356,000 13,476 30,055 SEA BASS. 100,600 14,682 45,400 66,462 May 113,200 19,056 110,000 180 180 180 180 180 180 180 180 180	PINFISH	9,6	900	490		12	.900	589
SCUP OR PORCY	POMPANO	332,7	00	130,651		356	,000	136,476
SEA CATFISH.         4,500         180         11,000         960           SHAD         842,400         126,365         2,064,900         422,578           SHARNS         2,027,700         32,200         2,028,900         32,272           SHEEPSHEAD:         161,800         13,239         161,800         13,239           SALT-WATER         -         -         12,000         912           SNAPPERS:         -         -         13,239         14,406           REO.         -         246,300         54,440         250,400         54,950           SNON OR SERGEANTFISH.         205,400         26,796         205,400         26,796           SPATISH MACKEREL         5,471,800         659,619         5,978,500         730,423           SPOT         161,500         12,740         7,510,200         399,255           SEA TROUT OR MEARFISH:         33,400         3,476         4,770,200         528,998           SPOTIEC         912,300         181,560         1,580,400         300,931           STRIPEO BASS         -         -         603,600         121,376           STRIPEO BASS         -         -         7,000         28,416           S	SCUP OR PDRGY	100.6	200	14 603		113	,200	9,056
SHARN   SHAR		4.5	500	180	- 1	11	,000	960
SHEEPSHAUTER . 161,800 13,239 161,800 13,239 SALT-WATER . 112,700 14,406 112,700 54,850 FRESH-WATER . 246,300 54,440 250,400 54,850 780,000 78 SERGEANTFISH . 205,400 26,796 205,400 205,200		842,4	100	126,365	1	2,054	,900	422,578
FRESH-MATER		2,027,7	00	32,200	- 1	2,028	,900	32,272
SALT-WATER	FRESH-WATER	161.8	100	13,239	- 1	161	,800	13,239
MANGROVE	SALT-WATER		1			13	,200	912
RED. 246,300 54,340 250,400 54,950 205,400 26,796 205,400 26,796 205,400 26,796 205,400 26,796 205,400 26,796 205,400 26,796 205,400 26,796 205,400 26,796 205,400 26,796 205,400 26,796 205,400 26,796 205,400 26,796 205,400 369,261 205,401 205,261	MANGROVE	112 7	00	14 406		112	.700	14 406
SNOON OR SERGEANTFISH:   205,400   26,796   205,400   26,796   205,400   26,796   205,400   26,796   205,400   26,796   205,400   26,796   205,400   26,796   205,400   26,796   205,400   205,200	RED	246,3	100	54,440		250	,400	54.850
SPANISH WARKEREL   5,471,900   599,519   5,979,500   730,423   7		205,4	.00	26,796		205	,400	26,796
SEA TROUT OR WEAKFISH: GRAY   33,400   3,476   4,770,200   528,898   SPOTTED.   912,300   181,560   1,580,400   306,931   514,976   514,977   51		5,471,8 161 =	:00	059,619	- 1	5,978	,500	720,423
GRAY 33,400 3,476 4,770,200 528,898 SPOTTEO. 912,300 181,560 1,580,400 306,931 STRIPEO BASS 700 50 41,800 15,420 50 50 121,376 STURGEON 200 50 41,800 15,420 50 50 121,376 STURGEON 200 50 14,800 15,420 50 50 14,800 121,376 STURGEON 200 50 14,800 238,416 1,255,100 238,416 1,255,100 238,416 50 50 10 10 10 10 10 10 10 10 10 10 10 10 10	SEA TROUT OR WEAKFISH:							244,522
STRIPEO BASS	GRAY	33,4	00	3,476		4,770	,200	528,898
STURGEON   200   50   41,800   15,420   200		912,3	100	181,560		1,580	,400	306,931
SUCKERS.         7,000         210           SUNFISH.         1,255,100         238,416         1,255,100         238,416           SWELLFISH.         200         6         6           TRIPLETAIL         41,100         3,007         41,100         3,007           TUNA AND TUNALIKE FISHES, BONITO         -         60,100         4,808         4,808         61,200         60,240         62,240         7,100         60,240         7,100         60,240         7,100	STURGEON	2	200	50		41	,800	15,420
SWELLFISH.     200     6       TRIPLETAIL     41,100     3,007     41,100     3,007       TUNA AND TUNALIKE FISHES, BONITO     -     60,100     4,808       WHITE PERCH.     -     501,100     60,240       YELLOW PERCH.     -     9,500     1,140       YELLOW FAIL     265,800     58,180     265,800     58,180       TOTAL.     156,193,500     5,351,170     339,576,800     9,514,071		4 2 4		200 4		7	,000	210
TRIPLETAIL 41,100 3,007 41,100 3,007 TUMA AND TUMALINE FISHES, BONITO 60,100 4,808 WHITE PERCH 501,100 60,240 YELLOW PERCH 9,500 1,140 YELLOWTAIL 265,800 58,180 265,800 58,180  TOTAL 156,193,500 5,351,170 339,576,800 9,514,071	SWELLE ISH.	1,255,1	00	238,416		1,255	,100	
TUNA AND TUNALIKE FISHES, BONITO	TRIPLETAIL	41.1	00	3,007		41		3.007
HHITE PERCH 501,100 60,240 YELLOW PERCH - 9,550 1,140 YELLOW FAIL 265,800 58,180 265,800 58,180  TOTAL 156,193,500 5,351,170 339,576,800 9,514,071	TUNA AND TUNALIKE FISHES.		1					
YELLOW PERCH	BONITO	-		-		60	,100	4,808
YELLOWIALL	YELLOW PERCH	-		-		9	,500	1.140
	YELLOWTAIL	265,8	100	58,180		265	,800	58,180
	TOTAL	156,193,5	000	5,351,170		339,576	,800	9,514,071
	SEE FOOTNOYE AT END OF TACK							

# SOUTH ATLANTIC FISHERIES

CATCH BY STATES, 1945 - Continued

SPECIES	FLORIDA, E.	AST COAST <u>1</u> /	то	TAL
SHELLFISH, ETC.	POUNDS	VALUE	POUNDS	VALUE
CRABS: BLUE: HARD SOFT AND PECLERS STONE. LOBSTERS, SPINY SHRIMP CLAMS, HARD, PUBLIC. CONCHS	5,391,200 2,000 80,500 572,100 11,879,200 3,000 3,900	\$134,910 480 20,935 116,427 1,663,088 1,500 390	17,017,800 185,300 80,500 572,100 43,581,100 506,500 3,900 43,000	\$598,485 55,770 20,935 116,427 3,983,494 153,322 390 5,375
OYSTERS, MARKET: PUBLIC, SPRING PUBLIC, FALL PRIVATE, SPRING PRIVATE, FALL	9,000 9,000 68,000 51,500	5,040 5,040 38,080 28,840	1,168,400 653,900 568,200 431,300	273,142 149,788 129,605 91,848
TOTAL OYSTERS	137,500	77,000	2,821,800	644,393
SCALLOPS, BAY SQUID TERRAPIN, DIAMOND-BACK	- 5,400	- 1,350	22,200 2,300 16,100	7,770 230 7,775
TURTLES: GREEN. LOGGERHEAD. SNAPPER. SOFT-SHELL ROCKWEED.	1,100 15,000 44,600 195,000	110 1,645 3,568 15,600	1,100 15,000 44,600 195,000 260,000	110 1,645 3,568 15,600 13,000
TOTAL	18,330,500	2,037,003	65,369,300	5,618,279
GRAND TOTAL	174,524,000	7,389,173	404,946,100	15,132,350

<sup>1/</sup> INCLUDES DATA ON THE CATCH IN LAKE OKEECHOBEE.



993093 O - 52 - 11

# MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1/

ITEM			ND SOUTH	GEORGIA AND	FLORIDA
BY MANUFACTURING ESTABLISHMENTS: YEAR	UNIT	QUANTITY	VALUE	QUANTITY	VALUE
ALEWIVES:			*00 167	_	_
RDE, CANNED 1949	STANDARD CASES	4,943	\$89,162		
CORNED, SALTED 1940	POUNDS	3,220,150	69,291	250,000	\$10,000
BLUE RUNNER, SALTED 1940	00	-	i -	250,000	\$10,000
GROUPER:			! _	365,767	156,337
FRESH FILLETS 1949	DO		!	245,652	82,424
FROZEN FILLETS AND STEAKS 1949 KING MACKEREL, SMOKED 1940	DO		_	3,500	525
MENHADEN:	1 50			3,500	323
ROE, SALTED 1940	DO	1,000	250	-	-
MEAL AND DRY SCRAP 1949	TONS	2/23,502	3,503,489	6,070	1,006,765
011 1949	GALLONS	751,687	259,901	259,834	93,262
MULLET, SALTED 1940	POUNDS	277,800	23,100	976,500	58,100
MULLET ROE, SALTED 1940	00	-		60,000	14,825
SEA BASS STEAKS, FRESH 1949	DO	-	-	10,000	2,880
SEA TROUT FILLETS, FRESH 1949	DO	-	i -	12,000	7,520
SNAPPER, RED:					
FRESH AND FROZEN FILLETS 1949	DO	-	-	20,700	13, 155
FRESH AND FROZEN STEAKS 1949	DO	-	-	19,000	9,570
SNOOK FILLETS, FRESH 1949	DO	-	-	9,000	5,280
SPANISH MACKEREL FILLETS,					
FRESH AND FROZEN 1949	00	-	-	86,500	30,940
SPOT, SALTEO 1940	DO	159,400	9,580	-	
CLAMS, HARD, FRESM-SHUCKED 1940	GALLONS	2,100	3,040	100	200
CRAB MEAT, BLUE, FRESH-COOKED . 1940	POUNDS	604,336	228,954	883,106	328,922
LOBSTERS, SPINY, FRESH-COOKED . 1940	DO	-	-	49,000	16,400
OYSTERS:				101	(0)
CANNED 1949	STANDARD CASES	67,186	873,123	(3)	(3)
FRESH-SHUCKED 1940	GALLONS	102,234	99,841	92,996	118,978
SCALLOPS, BAY, FRESH-SHUCKED . 1940	DO	2,868	5,449	12,960	36,490
SHRIMP FROZEN, PACKAGED 1940	POUNDS	-	-	155,300	30,756
UNCLASSIFIED PRODUCTS:	STANDARD CASES	4/43,171	4/836,838	5/24,816	E/207 009
CANNED 1949 MISCELLANEDUS	STANDARD CASES	4/43,1/1	6/299,613	J/ 24,810	5/397,908 7/795,045
MISCELLANEDUS 1949	_	_	9/299,013	_	1/195,045
TOTAL			6,301,631		3,216,282
TOTAL		-	0,301,031	_	3,210,282

5/ INCLUDES CANNED CRAB MEAT, OYSTERS, SHRIMP, TERRAPIN SOUP AND MEAT, AND GREEN TURTLE SOUP AND MEAT.
6/ INCLUDES FRESH PACKAGED FILLETS OF CROAKER, FLOUNDER, RED ORUM, SEA BASS, SEA TROUT, SPANISH MACKEREL, AI
STRIPED BASS: AGAR-AGAR: CRAB SMELLS (FOR TABLE USE): CRAB, SMRIMP AND MISCELLAMEDUS DRY SCRAP AND MEAL:

STRIPED BASS; AGAR-AGAR; CRAB SHELLS (FOR TABLE USE); CRAB, SHERIFF AND MISSELLANEOUS DIET SKRAF AND MEAL;
HISCELLANEOUS OIL; AND FISH SOLUBLES,
7/ INCLUDES FROZEN TRIGGERFISH FILLETS, SHARK LIVER DIL, FISH SOLUBLES, CRAB HEAL, AND OYSTER SHELL GRIT AND LIME.
NOTE:—SOME OF THE ABOVE PRODUCTS MAY HAVE BEEN MANUFACTURED FROM PRODUCTS IMPORTED FROM ANOTHER STATE OR A
FOREIGN COUNTRY; THEREFORE THEY CANNOT BE CORRELATED DIRECTLY WITH THE CATCH WITHIN THE STATE.

### SUMMARY OF MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS

								_					
						SU	ммл	_	OF TAT	_	ATES	VALUE	
SOUTH CAROLINA, GEORGIA FLORIDA	:	: :		:	:	:	:	: :	:	: :		\$4,687,027 1,614,604 481,542 2,734,740 9,517,913	
SUMMARY OF PRODUCTS									YE	AR	UNIT	QUANTITY	VALUE
ACKAGED FISM	:		:	:	:	:			19 19 19	49 49 40 40	STANDARD CASES POUNDS DO	823,744 140,116 3,538,499 4,944,850 3,500	\$329,101 2,197,031 5,937,080 869,030 185,146 525
TOTAL												-	9,517,913

<sup>1/</sup> DATA ON THE PRODUCTION OF THE DIFFERENT PRODUCTS ARE FOR THE YEARS INDICATED.
2/ INCLUDES A SMALL QUANTITY OF ACID SCRAP PRODUCED IN NORTH CAROLINA.
3/ OFIS ITEM MAS BEEN INCLUDED UNDER "UNCLASSIFIED PRODUCES".
4/ ITCLIDES CANNED RED DRUM, MENMADEN AND SHAD ROE, CRAB MEAT, DEVILED CRAB, SHRIMP, BARBECUED SHRIMP, AND SHRIMP PASTE.

### SECTION 6.- GULF FISHERIES

(Area XXV)7

During 1949, the fisheries of the Gulf Area (West Coast of Florida, Alabama, Mississippi, Louisiana and Texas), amounted to 524,588,200 pounds, valued at \$49,705,775 to the fishermen. The number of fishermen operating in the Gulf during 1949 totaled 22,861, while the number of fishing vessels of 5 net tons and over, rose to a new high of 2,244. This was the first complete general canvass which has been conducted in the Gulf States since 1940. A survey of the fisheries of Alabama, Mississippi, Louisiana, and Texas was made for 1948, and a canvass of the Gulf, except for the operating units in Florida, was made for 1945.

The year 1949 was marked with several important developments in the field of commercial fisheries in the Gulf of Mexico. The menhaden industry continued its rapid growth with the completion of another new reduction plant in Louisiana. The menhaden catch in the Gulf was far above the figure of the previous year, but most plant operators felt that they expended more effort to obtain the fish during this season than they did in 1948. With a narrowing margin of profits resulting from a depressed fats and oil market, more attention was directed toward the utilization of menhaden stickwater in the production of condensed fish solubles.

The most important development in the Gulf shrimp fishery during the year was the exploitation of the grooved shrimp fishery at Brownsville, Texas, early in April. Fishermen had been taking grooved shrimp in varying quantities for many years, but the pace quickened during 1948, and in April, 1949, the real strike occurred. Craft operating a few hours out of Brownsville, Texas, in 18 to 27 fathoms of water began taking large quantities of the grooved shrimp, and shrimp vessels from as far as North Carolina moved into the area to initiate this new fishery. The exploitation of these new shrimp grounds was apparently the result of two main trends; first, the heavy construction of more modern trawlers of the larger type, capable of going to sea and remaining longer than their less seaworthy predecessors; and second, the movement toward the Mexican Coast in search of migrating schools of the common shrimp, bound for the grounds off Carmen, Mexico. Elsewhere along the coast the grooved shrimp was taken with varying degrees of success. Mississippi fishermen reported a substantial part of their 1949 catch to be the grooved shrimp taken during the summer months. Largest grooved shrimp catches were made at night which necessitated changing the usual method of shrimping in this area.

With shrimp production at a high level during the summer months, the freezers filled to capacity in record time, and by the beginning of the fall shrimping season, most freezers were blocked and the dealers were forced to sell considerable quantities of shrimp on the fresh market. This created a glut, and dealers were caught in a squeeze between wholesale prices in distant cities and a price agreement with fishermen. In many areas the fishermen were forced to take a lower price for their product. The fishermen generally accepted the reduced prices and continued to fish rather than tie up the fleets with strikes.

Imports of shrimp, principally from Mexico, continued to increase. In 1947, these imports totaled 13,275,000 pounds; in 1948, 21,563,000 pounds; and in 1949, 29,673,000 pounds. Many producers became alarmed by this trend and a considerable amount of speculation regarding the ultimate size of these growing imports was indulged in.


During 1949, there was a greater demand by the trade for shrimp of a uniform size and this brought about a trend toward mechanical grading. The same grader which was used by canning plants for grading cooked shrimp meats was put into operation. This type of mechanical grader when used for the grading of uncooked headless shrimp was probably as efficient as hand grading, but the limited capacity of the machine was the outstanding objection to its use. A machine designed to peel raw shrimp was also introduced to the shrimp industry during 1949.

<sup>7</sup> These numbers were assigned to these areas by the North Atlantic Council on Fishery Investigations. The catch of the Mississippi River and tributaries does not appear in this section.

Landings of crabs in 1949 declined generally throughout the Gulf Area. This was due, at least partially, to economic considerations. Fishermen in the Gulf were not willing to fish for crabs at a price that would allow competition with Chesapeake Bay crab meat. Consequently the demand for crabs was poor during the summer months when production is normally high.


The last complete survey of the fishery transporting, wholesaling, and manufacturing industries in Alabama, Mississippi, Louisiana and Texas was made in 1940. In that year 413 men were employed in the operation of 209 vessels engaged in the transporting trade and 12,029 persons were employed in wholesale and manufacturing establishments. The latter employees received a total of \$2,013,213 in salaries and wages in 1940. (Data on the transporting, wholesaling and manufacturing industries for the west coast of Florida, which are also for 1940, have been included in Section 5, under the heading ''South Atlantic Fisheries''). Detailed statistics on these branches of the industry for 1940 can be found in ''Fishery Statistics of the United States, 1944' (Statistical Digest No. 16).

The following tables contain summarized and detailed information on the catch and operating units for the West Coast of Florida, Alabama, Mississippi, Louisiana and Texas for 1949. Condensed summary data of the operating units and catch for these states appearing on the following pages, have been previously published in Current Fishery Statistics. No. 682.




### **GULF FISHERIES**


FLORIDA, WEST COAST: CATCH BY GEAR, 1949




ALABAMA: CATCH BY GEAR, 1949




MISSISSIPPI: CATCH BY GEAR, 1949



LOUISIANA: CATCH BY GEAR, 1949



TEXAS: CATCH BY GEAR, 1949



# GULF FISHERIES SECTIONAL SUMMARIES

### SUMMARY OF CATCH, 1949

PRODU	FLORICA,	VEST COAST	ALA	APANA	MISSISSIPPI			
FISH	PCUNDS 86,788,600 6,631,500	VALUE \$7,893,002 1,85,613	POUNES 3,777,00 6,377,700	\$596,589 1,377,162	POUNDS 45,428,600 7,466,400	\$603,847 1,021,425		
PRODUCT	93,420,100 LOUIS	9,578,615	10,155,100 T	1,973,751 EXAS	52,895,000 1,625,272 TOTAL			
FISH	POUNDS 17',769,300 1:3,817,900	\$3,442,836 23,960,801	POUNDS 45,184,800 34,346,000	\$1,150,072 7,974,428	PCUNDS 355,948,700 168,639,500	\$13,686,346 36,019,429		
TOTAL	288,587,200	27,403,637	79,530,800	9,124,500	524,588,200	49,705,775		

### SUMMARY OF OPERATING UNITS, 1949

ITEM	FLORIDA, 'EST COAST	AMASAJA	MISSISSIPPI	LOUISIANA	TEXAS	TOTAL
	NUMBER	NUMBER	NUMBER	NUMBER	NUN-BER	NUMBER
FISHERMAN: ON VESSELS	1,653	2.7	1,175	2,590	1,731	7,396
REGULAR	4,361 1,397	1,020 254	1,418 96	4,530 265	1,848 175	13,277 2,188
TOTAL	7,411	1,521	2,689	7,486	3,754	22,861
VESSELS: MOTOR	317 - ,225	70 828	307 ,787	910 12,741	640 12,099	2,244 34,680
BOATS: MOTOR. OTHER ACCESSORY BOATS. APPARATUS:	1,840 2,983 126	549 326 3	805 109 2	2,250 1,284 90	1,030 192 15	6,474 4,894 276
PURSE SEINES, MENHADEN	2,250 222 126,100	- - 7 2,125	5, 50 1 60	28 10,425 44 7,105	2,000 21 11,320	53 20,125 295 147,010
CRIFT, SQUARE YARDS RUNAROUND, SQUARE YARDS STAKE, SQUARE YARCS TRAMMEL NETS SQUARE YARCS	2 310 1,921 2,669,803 - 790 604,721	25 10,500 - 67 28,780	- - - - - 53 12,850	- - - 2 330 127 33,00°	- - - 14 3,525 52 25,663	310 1,946 2,680,303 16 3,855 1,089 705,016
LINES: HAND HOOKS, TRAW, OR TROT WITH HOOKS HOOKS, TROLL, HOOKS, TROT WITH BAITS OR SNOCCS, BAITS OR SNOCCS, BAITS OR SNOCCS, EAUTS OR SNOCCS, TOT WITH SAITS STOP NETS, LENLTH, YARDS, FYKE NETS, FISH, UP NETS,	3,093 4,845 23 12,550 399 119 95,200 1 4 2,000	178 300 28 10,270 - - 151 70,100	100 114 - - - 261 120,700 - -	130 167 444 89,620 - - - 856 377,600	401 575 344 44,720 3 3 43 11,075	3,902 6,001 839 157,160 402 402 1,430 674,675 1 4 2,000 1,065
COMMON LIROP  CAST NETS.  OITER TRA LS, SHRINP  YAROS AT MOULD  TRAPS, CRUSH	30 - 38 157 2,4.19	01 6,137	- 52 876 16,231	94 6,800 - 2,6 <i>2</i> 3 48,211 88,500	1,426 30,849	124 6,800 90 5,483 103,877 88,500
POTS: SPINY LOBSTERRAB FISH SPEARS DREDGES:	11,8 0 2,530 55	235 34	-	150	1,340	11,840 4,020 235 132
CLAM YARDS AT MOUTH	3 3 - 36 36	- - - -	- 246 260 - ON NEXT PAGE	122 146	25 29 -	3 393 435 36 36

# SUMMARY OF OPERATING UNITS, 1949 - Continued

ITE::	FLORIDA, WEST COAST	ALABAMA	MISSISSIPPI	LOUISIANA	TEXAS	TCTAL
	NUM8ER_	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
APPARATUS: - CONTINUED: TONGS, OYSTER	358 16	577	254	856	105	2,150 16
GRABS, FROG	- 2	-	-	27 -	-	27 2
HOOKS, SPONGE	29 40	=	-	-	-	29 40

# CATCH BY STATES, 1949

SPECIES		ORIDA, COAST	ALA	BAMA	MISSISSIPPI		
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	
AMBERJACK. BARRACUDA. BLUEFISH BLUERUNNER OR HARDIAIL BUFFALOFISH. CABIO OR CRAB EATER. CATFISH AND BULLHEADS. CERO. CIGARTISH. CREVALLE.	102,800 43,100 564,000 1,092,100 19,900 26,200 2,300 4,000 418,500	\$5,614 2,236 75,229 32,375 1,179 5,230 210 124 14,003	5,300 41,600 68,400 1,500 99,900	\$741 1,664 4,788 210 21,978 -	2,100 800 - 1,300	\$256 40 - 173 -	
CROAKER	120,400 100 186,000	7,569 7	23,800	1,428 - 4,187	9,300	465 - 2,455	
RED OR REDFISH EELS, COMMON FLOUNDERS.	1,670,000 200 289,800	221,210 10 50,957	111,700	22,435 16,770	76,100 - 40,900	15,981 7,775	
GROUPERS	8,052,900 84,600 14,700 177,900	794,810 6,936 1,488	180,000	19,800	29,200	4,060	
KING MACKEREL. KING WHITING OR "KINGFISH" MENHADEN MOJARRA.	1,415,200 137,700 24,879,400 514,500	9,340 185,364 11,635 269,470 30,820	1,600 49,200	160 2,953	75,400 44,578,500	3,770 485,905	
MOONFISH MULLET MUTTONFISH PADOLEFISH OR SPOONBILL CAT.	31,800 29,749,400 45,100	1,590 3,113,332 7,229	950,600 - 4,500	75,740 675	200,300	16,024	
PERMIT	20,700 49,600 10,200 644,900 1,020,300	1,116 3,327 408 336,570 40,902	1,100	528 1,908	- - - - 24,700	- - - 1,235	
SEA TROUT OR WEAKFISH: SPOTTEDWHITESHEEPSHEAD:	4,278,600 279,500	836,920 24,623	143,000 7,900	31,502 5,185	102,900 93,900	74,633 4,695	
FRESH-WATERSALT-WATERSALT-WATERSNAPPER:	9,100 218,300	637 18,236	3,500 45,400	175 4,511	17,800	1,749	
MANGROVE RED. WHITE. SOOK OR SERGEANTFISH.	162,200 5,184,500 31,100 681,400	18,929 1,210,564 3,370 88,180	1,343,200	335,800 - -	135,900	33,975 - -	
SPACEFISH. SPA ISH MACKEREL SPOT STURGEON TENPOUNDER	3,445,000 ?35,500 4,000 679,700	376,204 14,939 480 21,434	42 <sup>-</sup> ,500 5,800 900 8,400	41,778 344 1/5 336	1,200 4,900 - 300	114 245 - 12	
TRIGGERFISH. TRIPLETAIL YELLOWTAIL	14,300 2,700 174,200	710 210 34,626	2,400	336 -	2,400	284	
TOTAL	86,788,600	7,893,002	3,777,400	596,589	45,428,600	603,847	

# **GULF FISHERIES**

### CATCH BY STATES, 1949 - Continued

			т		r	
SPECIES	FLORIDA,	WEST COAST	Al	LABAMA	MISS	ISS IPP I
SHELLFISH, ETC.	POUNOS	VALUE	POUNOS	VALUE	POUNOS	VALUE
BLUE: HARD	2,055,700 53,100	\$90,790 26,555	2,128,000	\$106,400	4,163,000	\$208,150
TOTAL CRABS	2,108,800	117,345	2,128,000	106,400	4,163,000	208,150
LOBSTER, SPINY	1,481,800 1,634,000	188,704 372,272	2,663,900	608,485	2,841,500	674,650
LLAMS: COGUINA	100 84,900	30 29,420	=	-	:	:
TOTAL CLAMS	85,000	29,450		<u> </u>		
CONCHS	500	40	<del> </del>	<del> </del>	<del></del>	<del> </del>
PUBLIC, SPRING	570,200 399,500 115,300 1,400	237,519 160,313 47,473 588	1,198,200 369,000 11,700 6,900	503,244 151,290 4,914 2,829	456,400 5,500	136,424
TOTAL 'OYSTERS	1,086,400	445,893	1,585,800	662,277	461,900	138,625
SCALLOPS, 8AY TERRAPIN, DIAMOND-8ACK TURTLES:	135,900 15,400	58,504 632	=	=	=	=
GREENLOGGERHEAOFROGS.	11,000 2,000 2,000	1,110 200 660	-	=		=
SPONGES: GRASS	6,500	6,530 435,176	-	_	-	-
SHEEPSHEAD YELLOW	6,500 57,700 4,500	4 5,176 9,097		:	-	-
TOTAL	6,631,500	1,685,613	6,377,700	1,377,162	7,466,400	1,021,425
GRANO TOTAL	93,420,100	9,578,615	10,155,100	1,973,751	52,895,000	1,625,272
SPECIES	LOUIS	SIANA	TΕ	XAS	Te	DTAL
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNOS	VALUE
AMSERJACK, BARRACUDA BLUEFISH BLUE RIMBER OR HARDTAIL BUFFALOFISH CABIO OR CRAB EATER CARP CATFISH AND BULLHEADS, CERO. LIGARFISH REVALLE ROOLEHIN, DOLWHIN	5,100 1,100 716,000 2,200 24,000 3,691,700	\$765 44 58,054 278 1,440 785,682	1,600 10,000 2,500 18,400	- \$214 693 177 4,228 - - 869	102,800 43,100 578,100 1,135,600 794,400 24,000 3,836,200 2,300 4,000 421,500 231,300	\$5,614 2,236 77,205 34,123 63,535 2,017 1,440 817,118 210 124 14,123 14,888 7
DRUM: SLACK	206,500 479,900	16,∴98 100,582	747,000 519,900	68,377	1,230,800	104,157
RED OR REDFISH ELES, COMMON -LOUNDERS -SARF ISHROUPERS -ROUPERS	180,900 181,800 5,200 273,600 165,913,400 43,200 43,200 3,900 163,800 69,600	3 ,573 10,299 728 	219,900 130,000 5,300 99,700 41,135,300 421,200 100 121,400 614,400	10 ,116 50,001 15,593 - 98 5,718 - 73,757 - 1,387 - 48 7,912 1 1,387 1 1,387 - 797	7,857,600 820,800 820,800 181,800 8,397,300 14,700 14,700 156,800 1,19,000 276,506,600 31,800 31,800 31,800 45,100 47,700 70,700 49,600 10,200 646,100 34,900 1,372,000 5,831,500	464,324 10 160,176 10,299 834,991 6,936 1,388 10,734 185,672 43,821 3,244,440 30,820 1,7500 3,781,787 7,229 8,850 1,116 3,317 408 3337,61 1,396 62,775

### **GULF FISHERIES**

### CATCH BY STATES, 1949 - Continued

SPECIES	LOUI	SIANA	TE	XAS	1	TOTAL
FISH - CONTINUED	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
SHARKS	42,900	\$1,716	25,000	\$250	67,900	\$1,966
SHEEPSHEAD: FRESH-WATERSALT-WATER	889,400 170,700	69,784 19,337	13,900	- 1,362	902,000 466,100	70,596 45,195
SNAPPER: MANGROVE	169,900	41,523	1,054,400	242,506	162,200 7,887,900 31,100	18,929 1,864,368 3,370
WHITESNOOK OR SERGEANTFISH		-	_⊿00	28	681,800	88,208 10
SPANISH MACKEREL	5,300 18,100 100	599 2,030 10	2,200 1,300	270 71 -	3,876,200 265,600 5,000	418,965 17,629 £35
TENPOUNDER	12,400	496 - 2.003	- - 100	- - 9	700,800 14,300 22,600	22,278 710 2,842
TUNA, LITTLE	-	-	100	10	100 174,200	10 34,626
TOTAL	174,769,300	3,442,836	45,184,800	1,150,072	355,948,700	13,686,346
SHELLFISH. ETC. CRA3S: BLUE:						
HARO	17,873,700 455,300	554,601 192,282	374,100 -	22,422	26,594,500 455,300 53,100	982,363 192,282 26,555
TOTAL CRASS	18,329,000	746,883	374,100	22,422	27,102,900	1,201,200
CRAYFISH, FRESH-WATER LOBSTER, SPINY	39,900 85,706,900	666 19,732,728	33,668,000	- 7,819,074	39,900 1,481,800 126,514,300	666 188,704 29,207,209
CLAMS: COGUINA	-	=	=	-	100 84,900	30 29,420
TOTAL CLAMS					85,000	29,450
CONCHS	-	-	-	-	500	40
OYSTER, MARKET: PUBLIC, SPRING PUBLIC, FALL PRIVATE, SPRING PRIVATE, FALL	3,240,200 19,000 4,999,600 1,428,700	756,165 5,909 2,105,649 591,618	247,300 52,000	110,118 22,584 - -	5,712,300 845,000 5,126,600 1,437,000	1,743,470 342,297 2,158,036 595,035
FOTAL OYSTERS	9,687,500	3,459,341	299,300	132,702	13,120 900	4,838,838
SCALLOPS, BAYSQUID. TERRAPIN, DIAMOND-BACK TURTLES:	4,000	- 160 -	4,600	- 230 -	135,900 8,600 15,00	58,504 390 637
GREEN LOGGERHEAD SNAPPER FROGS.	5,300 500 3,200 41,600	590 40 280 20,113	-	-	16,300 2,500 3,200 43,600	1,700 240 280 20,773
SPONCES: GRASS	-	=	-	-	6,500 57,700 4,500	6,530 455,176 9,097
YELLOW	113,817,900	23,960,801	34,3 6,000	7,974,428	168,639,500	36,019,429
	288,587,200	27,403,637	79,530,800	9,124,500	524,588,200	49,705,775

NOTE:--A TOTAL OF 8,652,600 POUNDS OF SHRIMP AND 1,790,800 POUNDS OF OYSTERS LISTED FOR LOUISIANA WERE TAKEN BY MISSISSIPPI CRAFT IN LOUISIANA WATERS AND LANDED IN MISSISSIPPI.

### AVERAGE WEIGHTS OF CERTAIN SHELLFISH, 1949

ITEM		FLORIDA, WEST COAST	ALACAMA	MISSISSIPP	LOUISIAN	EXAS
		QUANTITY	UANTITY	<b>WUANTITY</b>	QUANTITY	DUANTITY
CRABS: BLUE:						
HARD	NUMEER PER POUND	2.07	2.40	2.00	2.09	1.74
SOFT AND PEELIRS	DO		-	-	2.94	-
STONE	<b>D</b> O	1.00	-	-	-	- 1
CLAMŚ:		i '				l
COQUINA	L8S. MEATS PER U.S. BUSHEL	8.00	-	-	-	-
HARD, PUBLIC	00	8.05	-	-	-	-
CONCHS	00	15.00	-	-	-	-
PUBLIĆ, SPRING	DO	4.14	5.20	3.58	3. 6	4.28
PUBLIC, FALL	DO	3.99	4.50	3.90	3.93	4.00
PRIVAIÉ, SPRING	LO	:.20	5.20	-	4.72	-
PRIVATE, FALL	00	4,20	4.50	-	3.91	-
SCALLOFS, BAY	DO	5.06	-	-	-	-

NOTE: -- BUSHELS REPRESENT U.S. STANDARD BUSHEL OF 2,150.4 CUBIC INCHES CAPACITY.

# SUPPLEMENTARY REVIEW OF THE CATCH OF CERTAIN SHELLFISH, 1949

1 214	FLORIDA,	√EST COAST	AL	AMABA.	MISSI	SSIPPI
	QUANTITY	ALTIE	QUANTITY	VALUE	QUANTITY	VALUE
CRAES: ELUE, HARD N MBER CTO E	4,264,428 53,100	\$90,790 26,555	5,10-,880 -	\$106,400 -	8,325,996 -	\$ <sup>2</sup> 08,150
LAMS: CO.UINAU.S. STANDARD BUSHEL HARD, PIBLIC	12 10,547 33	30 29,420 40	- - -	- -	-	Ē
OYSIERS, MARKET:	137,775 100,156 27,452 333 6,858	237,519 160,313 47,472 588 58,50	230,423 82,000 2,50 1,533	503,244 151,290 -1,914 2,829	127,5 <sub>-2</sub> 1,410 - -	136,424 2,201
I EM		SIANA	TO	XAS	ī	CTAL
	UANTIT	VALUE	QUANTITY	VALUE	QUANTICY	VALUE
RARS: BLUE: HARD NUMBER SCET A P PELERS DC STOYE LO	37,376,256 1,336,584	\$554,601 192,282	651, 108 - -	\$22,422 - -	55,720,668 1,336,584 53,100	\$982,363 192,382 26,555
CLAMS: LOCALIA	-	-	-	- -	12 10,547 33	30 29,420 40
O'S LR., MARKEL! PUBLIC, SPRING . DO PUBLIC, FALL . DO PRIVATE, SPRI'G . DO PRIVATE, FALL . CO S. LLOPS, 2 Y . LO	935,84 4,833 1,184,133 305,147	756,165 5,909 2,105,609 591,618	57,755 13,000 - - -	110,118 22,584 - -	1,489,317 201,399 1,213,835 367,013 26,858	342, 297 2, 158, 036 595, 035

NOTE: -- BUSHELS REPRESENT U.S. STANDARD BUSHEL OF 2,150.4 CUBIC INCHES CAPACITY.





# MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1

I TEM			ABAMA	LDUISTANA AND TEXAS		
BY MANUFACTURING ESTABLISHMENTS: YEAR	UNIT	QUANTIFY	VALUE	QUANTITY	VALUE	
MEAL AND ORY SCRAP 1949 OIL 1949	TONS GALLONS	(2) (2)	(2) (2)	22,038 2,244,269	\$3,786,428 828,505 649	
SEA TROUT, SALTED 1940 CRABS, HARD, BLUE:	POUNDS STANDARD CASES	8,887	\$153,442	3,000	217,241	
CANNED 1949 MEAT, FRESH-CODKED 1940 OYSTERS:	POUNDS	286,051	88,357	1,482,681	393,646	
CANNED	STANDARD CASES GALLONS TONS	92,865 84,284	1,371,009 136,306	177,357 294,924 243,308	2,491,455 446,33 1,473,343	
CANNED 1949 SPECIALTIES, CANNED 1949 SPECIALTIES, CANNED 1949 CODKED, PELLED 1940 FROZEN, PACKAGED 1940 SUN DRIED 1940 MEAL OR BRAN 1949 TURTLE SOUP, CANNED 1949 UNCLASS [FIED PRODUCTS:	STANDARD CASES DO POUNDS DO DD TONS STANDARD CASES	134,174 (2) 211,425 1,986,119 - -	2,264,705 (2) 58,530 263,034 - -	495,800 3,192 863,895 12,403,660 1,930,400 1,208 1,313	8,371,199 86,52 237,580 1,713,015 326,410 109,292 32,420	
BY PRODUCTS 1949 MISCELLANEOUS PRODUCTS 19+9	=	=	3/1,078,888 5/ 45,310	-	<u>6</u> /98,939	
TOTAL	-	-	5,459,581	-	20,613,000	

1/ DATA ON THE PRODUCTION OF THE DIFFERENT PRODUCTS ARE FOR THE YEARS INDICATED.
2/ INCLUDES MENHAGEN MEAL, DRY SCRAP, AND OIL; MISCELLANEOUS MEAL; AND FISH SOLUBLES.

4/ THIS ITEM HAS BEEN INCLUDED WITH MISCELLANEOUS PRODUCTS.

7/ INCLUDES CANNED SPECIALTY PACKS OF GRAD, O'STER, AND SHRIMP, FRESH GROUPER FILLETS; FRESH STEAKS OF GROUPER, RED SNAPPER, AND SEA BASS, AND FROZEN STEAKS OF GROUPER AND RED SNAPPER.

RED SNAPPER, AND SEA BASS, AND FROZEN STEAKS OF GROUPER AND ROTE SHELL GRABS, LOBSTER BISQUE, SMOKED OYSTERS,
DEVILED OYSTERS, OYSTER SOUP, BOUILLABAISSE, AND GUMBD; AND MEMBADEN FISH SOLUBLES.

DEVILED OYSTERS, OYSTER SOUP, BOUILLABAISSE, AND GUMBD; AND MEMBADEN FISH SOLUBLES.

NOTE: --SOME OF THE ABOVE PRODUCTS MAY HAVE BEEN MANUFACTURED FROM PRODUCTS IMPORTED FROM ANOTHER STATE OR A

FOREIGN COUNTRY; THEREFORE THEY CANNOT BE CORRELATED DIRECTLY WITH THE CATCH WITHIN THE STATE.

### SUMMARY OF MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS

MISSISSIPPI		888,615 18,143,176 2,469,824	-
SUMMARY OF PRODUCTS YEAR	UNIT	QUANTITY	VALUE
ITEM CANNED FISH AND SHELLFISH 1949 PACKAGED FISH AND BYPRODUCTS 1949 PACKAGED SHELLFISH 1940 SALTED, DRIED AND PICKLEO 1940	STÄNDARD CASES POUNDS DD	927,179 - 22,481,426 3,000	\$15,072,804 7,335,907 3,663,221 649
TOTAL		-	26,072,581



# **GULF FISHERIES**

# FLORIDA (WEST COAST)

OPERATING UNITS BY GEAR, 1949

	OPERATING	UNITS BY	JEAR,	1949									
ITEM	PURSE SEINES,	HAUL SEINES,			GILL	NETS			TR:MMEL				
TIEN	MENHAGEN	COMMON	ı	OR	FT	RUNAF	RCUND		NETS				
3	NUMBER	MUMBER		NUM	BER .	NUN	18ER		NUMBER				
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	120	132		-			113		38				
REGULAR	<u> </u>	532 136		-	4	2,	475 59		961				
TOTAL	120	800			4	2,	647		999				
VESSELS, MOTOR	6 249	26 235		-			34 276		13 107				
MOTOR	- 18	90 93 36		-	2	1,	882 505 67		357 562 21				
APPARATUS: NUMBER LENGTH, YARDS	6 2,250	222 126,100		_	2	-	921		790				
SQUARE YARDS	<u> </u>			3	310	2,669,	803		504,721				
			LIN	ES									
ITEM	HAND	TRAWL OR TROT WITH HOOKS		TROL	L	FROT WITH BAITS OR SMOODS		BAITS OR		BAITS OR			POUND
	: UMBER	NUMBER		NUME	ER	. UM	18ER		NUMBER				
FISHERMEN: ON VESSELS	1,099	Э			8				-				
REGULAR	1,011 1,012	9 12		1	93 93		82 29	- 4					
TOTAL	3, 22	24		2	203		111	4					
VESSELS, MOTOR	195 2,965	1 9			6 34		-		-				
MOTOR	609 1,123	- 21		_ 1 _	53		24 82		- 2				
NUMBER. HOOKS, BAITS, OR SNOODS.	3,093 4,845	23 12,550			199 199		119 200		1				
	STOP	DIP	С	124		TER		P(	)TS				
ITEM	METS	NETS, OMMON		ETS	SI	RAWLS, IR INIP	CR#	\B	SPINY LOBSTER				
FISHERMEN:	NUMBER	N:UMBER	NU	MBER	11	MBER	NUME	BER	NUMBER				
ON VESSELS	-	-		-		86	-		-				
REGULAR	- 12	25 5		21 17		208 18		27 3	96 15				
TOTAL	12	30		38		312		30	111				
VESSELS, MOTOR	-	-		-		41 373	] =		-				
MOTOR	- 4	- 27		12		113		23 3	107				
NUMBER	2,000	30		38	,	157	2,5	30	11,840				
			L '		L "	,							



SHRIMP TRAWLER

FLORIDA (WEST COAST): OPERATING UNITS BY GEAR, 1949 - Continued

		DREDG	ES			RAK	FS	
ITEM	SPEARS	CLAM	SCALLOP		O"GS, S⊤ER	OTHER	THAN	S-00PS
FISHERME':	NUMBER	N'UMBER_	NUMBER	MU	MBER	MUM	8ER	· UMBER
ON VESSELS	-	-	-		8	-		-
REGULAR	36 19	5 -	39		298 56	-	16	- 3
FOTAL	55	5	39		362		16	3
VESSELS, MOTOR NET TÖNNAGE BOATS:	-	-	=		4 20	-		-
*:OTOR	-	- -	36		3B 276 3	-	16	3
NUMBER	55 -	· 3	36 36		35B		16	3
	HOOKS.	DIVING		SY	HAT D			TOTAL.
I FEM	SPON É	OUTFIT	OY:	STER	0	THER	EXC	LUSIVÉ OF LICATION
FLOUEDUE	NUMBER	NUMBER	MUN	IBER	M	UMBER		NUMBER
ON VESSELS ON BOATS AND SHORE:	7	171		-		- 1		1,653
REGULAR	50 -	52 -		10		47		4,361 1,397
TOTAL	57	223		10		47		7,411
VESSELS, MOTOR NET TONNAGE	3 35	28 245						317 4,225
MOTOR	- 25 -	12 - -	1	.		- 10 -		1,840 2,983 126
NUMBER	29	40		10		-		-

FLORIDA (WEST COAST): CATCH BY GEAR 1949

	FLORIDA	(WEST CO	ASI): CAI	CH BY GE.	AR, 1949	,		
						GILL 1	NETS	
SPECIES	PURSE	SEINES	HAUL	SEINES	ORIE	Ŧ	RUNAR	DUND
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
AMBERJACK	-	-	7,800	\$390	-	-	13,500	\$789
BLUEFISH		_	158,100 797,400	20,362 22,856	_	-	365,800	49,408
CABIO OR CRAB EATER	-	_	600	48	_		79,200 500	3,532 39
CIGARFISH	-	-	4,000	124	-	-	176 600	-
CREVALLE		]	142,400 64,300	4,935 4,178		-	176,600 34,800	5,832 2,220
DRUM:			′			l		•
BLACK	-	-	51,200 394,600	3,292 51,454	-	-	46,300 402,200	2,890 54,599
EELS, COMMON		_	200	10	_		402,200	
FLOUNDERS	-	-	42,600 2,900 500	6,532 202	-	-	70,800	10,288
GRUNTS	_	Ξ	2,900	202 45		-	9,900 6,700	1,296 397
JEWF1SH	-	-	- 1	-	-	-	900	30
KING MACKEREL. KING WHITING OR "KINGFISH" .	-	-	2,100 44,400	210 4,043	-	-	549,800 37,500	71,602
MENHADEN	24,859,700	\$268,485	17,700	885		-	1,000	3,179 50
MOJARRA	-	-	284,800	16,353	-	-	170,000	11,351
MOONFISH	-	1 :	30,200 8,970,500	1,510 965,490			500 15,363,600	25
PERMIT	-	-	3,000	300	-	-	2,100 7,800	108
PIGFISH	-	-	9,400 5,300	682 178	-	-	7,800 4,900	432 230
POMPANO		-	65,400	35,200	_		114,400	62,710
POMPANO	- 1		340,800	13,426	-	-	398,200	15,826
SHEEPSHEAD: FRESH-WATER	_	_ `	_	_	_	_	100	7
SALT-WATER	-	-	55,400	4,980	-	-	53,900	5,276
		ı	1 ′	'		i	i 'I	•

FLOI	RIDA (WEST	COAST):	CATCH BY G	EAR, 1949	9 - C	ontin				
SPECIES	FURSE	SEINES	HAUL	SEINES		CRIFT	ILL	NETS	OLINE	
	POLITIDS	VALUE	POUNDS	VALUE	POU		VALUE	FOUNDS		/ALUE
S'A! PER: MA*GROVE			45,100	\$5,08				12,000	,	1,415
RED	-	-	- 1	-		-	-	100		10
SMOOK OR SERGEANTFISH SPACEFISH			106,200 200	12,636 10	:	-	- 1	38,500		7,882
SPATISH MACKEREL	:	- :	255,900 137,900	36,322 8,558		- 1	- [	2,669,900 46,700	28	3,050
SEA TROUT OR WEAKFISH:					Ì			}		6,093
SPOTTEO			622,900 94,700	121,656 7,342		-	- 1	1,283,500	1	1,033
STURGEON		- :	511,700	16,196	4	,000	<b>\$4</b> 80	146,900		4,405
TRIPLETAIL			1,000	80 42	:	- 1	- 1	1,000		70
TURTLES:			7.50	,-				E00		60
LOGGERHEAD				-		:	-	500 2,000		200
TOTAL	24,859,700	\$268,485	13,271,900	1,365,608	4,	000	480	22,219,400	2,46	0,408
SPECIES		MMEL		HAND		LINE				
SPECIES	N	ETS		HAND	1	RAWL C	R TROT		TRO	LL
	POUMOS	VALUE	POUNDS	VALU	,-	POUNDS	AVEC	- 1		VALUE
AMBERJACK	100	\$5	15,000 38,700	1,9	590 940	-	_	66,	400 400	\$3,840 296
BLUEFISH	27,200 73,500	3,600 2,942	4,800 139,700	2.5	765	-	-	5,	400 200 300	744 255
CABIO OR CRAB EATER	500	40	18,300	1,0	900	21 700	44 3	-		-
CERO	:	-	4,500 2,300	)   2	210	21,700	\$4,33	-		
CROAKER	19,200 7,300	637 468	60,200 5,500	)   4	143	-		20,	100	577
DRUM:	-	-	100	) }	7	-	-	-		-
BLACK	69,400 396,800	5,093 52,223	14,000 453,200	59,6	355	-	-	-		-
FLOUNDERS	. 58,200	9,650	12,500	1,9	961	-	] :	_		-
GRUNTS	82,000 2,500	8,200	7,970,900	5,2	238	-	-			-
HOGFISH	200	18	7,300	1,0	28	-	1 :	1 :		-
JEWFISH. KING MACKEREL. KING WHITING OR "KINGFISH"	5,400 24,200	964	5,100	1,0	28	-	-	852,	800	111,633
MENHADEN	1,000	2,305 50	1,600	-	- 1	-	-	] [		-
MOJARRA	37,400	1,987 25	22,300		30	-	1 :			
MULLET	4,638,000	465,816	239,100 45,100	19,1	30	-	:			-
PERMIT	15,400	698 345	200		10	-	-	-		-
PIGFISH	448,700	228,950	26,900 1,800	9	70	-	_	_		-
SEA CATFISH	72,800	2,921	206,700	8,6	59	-	-	-		-
FRESH-WATER	9,000 94,200	630 6,745	14,800	1,2	35	-	:	-		-
SNAPPER:		1		l.	l l			-		_
RED	15,600 400	1,820 50	89,500 5,184,000	1,210,5	04	-	-	-		-
WHITE	6,400	764	31,100 529,800	1 66.8	38	-	-	-	500	- 60
SPANISH MACKEREL	293,600 32,600	34,239 2,134	131,600	13.7	10	-	:	91,9	900	8,810
SEA TROUT OR WEAKFISH: SPOTTED.	773,600	152,380	1,385,300	1	- 1				200	
WHITE	33,100	2,776	8,600	8	40	-	-	2,0	000	400
TRIGGERFISH	1,100	33	20,000	9	00 10	-	-	-		-
TRIPLETAIL	500 600	40 40	200 172,900		20	-	:	-		-
TURTLES, GREEN	0,500	. 1,050	-	1 27,2		-	-	-		-
	1	1	1		1		1	1		

(CONTINUED ON PEXT PAGE)

989,736

17,129,000 2,516,860 21,700

1,045,600 126,615

7,257,000

#### **GULF FISHERIES**

CATCH BY GEAR, 1949 - Continued FLORIDA (WEST COAST): L MES - ONT'D. STOR F. LP TROT WITE NETS SPECIES NETS BAITS OR SHOODS POU! DS POUNCS POUNDS VALUE POUNDS V:LUE V LUE V LUE 2,900 1,900 \$350 \$200 6,600 DRUM: BLACK. 5,100 23,200 510 RED OR REDFISH . . . . 3,250 FLOU'DERS. . 6,00 800 KI'G WHITING OR "KINGFISH" 3,000 445,900 340 53,510 MULLET . . . . . . . . . . . . POMPANO. 14,600 8,740 POMPANO..... SEA CATFISH.... 1,300 SPANISH MACKEREL 230 SPOT 14,100 987 SEA TROUT OR WEAKFISH: 41,550 30,600 7,040 260 180,700 7,500 SPOTTED. . . . . . 750 2,600 3,300 \$86,205 \$155 1,963,800 49,700 20,874 21,787 102,900 645.300 96,840 53.000 2,029 TO:AL . . . . . . . . . 1,963,800 86.205 CAS OTTER PO S SPEARS SPE IES TRAHLS NETS V:LUE POUr DS VALUE POUNDS VALUE POUNDS V LUE POUNDS FLOUNDERS. 20,400 \$2,264 79,200 \$19,462 KIN - WHITING OR "KIM FISH" 27,000 1,640 92,300 \$10,153 500 20 WHITE. . . . . . . . . 25,700 1,622 CRABS: 88,600 49,700 \$4,430 24,855 188,704 1,481,800 1,285 5,400 1,628,600 370,987 SHRIMP . . . . . . . . . . . . 900 297 FROGS. . . . . . . . . . . . . 19,759 80,100 10TAL . . . . . . . . . . . . . 97,700 11,438 1,702,200 376,533 1,620,100 217,989 COQUENA SPECIES DREDGES TONES R KES SCOOPS POUNE 5 V. LUE POUNDS. V-LUE POUNDS VALUE POU! 'DS VALUE CLAMS: COQUINA.
HARD, PUBLIC
OYSTERS, MARKET:
PUBLIC, SPRING
PUBLIC, FALL
PRIVATE, SPRING
PRIVATE, SPRING
SCALLOPS, BAY. 100 \$30 7,700 \$2,400 561,800 394,500 115,300 1,400 \$233,981 158,313 47,473 588 30,900 14.290 \$19,152 45,600 38,600 19,152 TOTAL . . . . . . 16,690 1,073,000 440,355 45,600 30 HOOKS, DIVING BY HATTD SPO CUTFITS POUNDS VALUE FOU! DS VALUE POUNDS VALUE CLAMS, HARO, PUBLIC.
CONCHS
OYSTERS, MARKET:
PUBLIC, SPRING
PUBLIC, F.L.
SCALLOPS, BAY.
TERRAPING 3,400 \$1,700 77,288 27,020 3,538 2,000 8,400 5,000 9,700 15,400 4,188 632 FROGS. . 1,100 363 SPONGES: \$4,030 52,466 2,027 GRASS. 4,000 5,400 2,500 52,300 3,500 \$2,500 402,710 7,070 1,000 10,400 58 523 58,300 412,280 120,700 39,481

# GULF FISHERIES ALABAMA

# OPFRATING UNITS BY GFAR, 1949

	HAUL				LINES	
JTEM	SEINES, COMMON	GILL NETS, RUNAROUND	TRAMMEL NETS	DIAH	TRAWL OR TROT WITH HOOKS	TROT WITH BAITS OR SNOODS
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	18	-	- ,	122	-	-
REGULAR	12	<b>7</b> 5	61 6	26 30	19 9	129 22
TOTAL	30	75	67	178	28	151
VESSELS, MOTOR	3 23	:	=	14 258	-	-
MOTOR	3 3 3	25 25 -	31 36 -	26 30	7 21 -	121 30 -
NUMBER	7 2,425 -	25 10,500	67 28,780	178 - - 300	28 - - 10,270	151 - 70,100
ITEM	FYKE NETS, FISH	OTTER TRAWLS, SHRIMP	POTS, FISH	SPEARS	TONGS, OYSTER	TOTAL, EXCLUSIVE OF DUPLICATION
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER .
FISHERMEN: ON VESSELS	-	115	-	-	-	247
REGULAR	9 2	658 -	11 10	28 6	423 209	1,020 254
TOTAL	11	773	21	34	632	1,521
VESSELS, MOTOR	-	57 614	-	-	-	70 828
MOTOR	5 6 -	344 -	6 15 -	-	347 216	549 326 3
NUMBER	129 -	401 6,137	235	34	577	:

ALABAMA: CATCH BY GEAR, 1949

SPECIES	HAUL S	EINES	GILL N RUNARO		TRANME	L NETS	LIN	
BLUEFISH BLUE RUNNER OR HARDTAIL CABIO OR CRAB EATER CREVALLE CROAKER DRIM: BLACK RED OR REOFISH FLOUNDERS GROUPERS JEWFISH KING WHITIMG OR "KINGFISH" MULLET POMPANO. SEA CAFFISH SEA CAFFISH SEA CAFFISH SHEEPSHEAD, SALT-WATER SPACE SPOT OR WEAKFISH: SPOT SPOT SPOT STURGEON	500NDS 3000 4,1000 -1 3,600 12,900 6,700 -1 5,900 111,100 10,200 22,300 22,400 7,900 -1 400 -1	\$42 164 - 216 812 2,590 1,270 - 354 8,888 612 4,966 1,565 - 770 - 24	FOUNDS 1, 900 25, 600 1, 900 2, 500 1, 900 1, 600 1, 900 1, 900 1, 900 1, 900 700 415, 500 5500 700 415, 500 5500 1, 900 700 1, 900 1,	VALUE \$266 1,024 98 64 42 - 140 475 - 160 210 1,488 240 1114 1,122 60 65 41,090	POUNTS 3,100 11,900 11,900 1,300 17,600 40,600 68,300 26,000 27,800 820,900 600 15,300 82,900 27,600 33,800 7,000 7,000 5,400 92,600 2,600	VALUE  3433 4433 4112 52 1,056 2,842 13,660 4,914 1,669 65,364 298 1,896 3,968 3,968 668 6320 145	7,400 7,400 29,800 1,600 3,600 3,600 3,300 4,400 32,700 12,600 12,600 13,000	VALUE
TRIPLETAIL	221,200	22,235	1,600	224 47,082	1,195,200	112	1,623,500	371,877

# GULF FISHERIES

ALABAMA: CATCH BY GEAR, 1949 - Continued

		LIES	- 50° F1	UED				
SPECIES	TRAWL TROI W HOCK	TTH		TROT 8A ITS S''C			FYKE ME	TS.
BUFFALOFISH	POUNDS 57,500 800 -	\$12,650 40 12,690	2,1	28,000 28,000	\$106,40	00	68,400 300 4,500 2,700	\$4,788 66 675 135
SPECIES	OTTER		POT		SPE	ــــــــــــــــــــــــــــــــــــــ	<del></del>	ONGS
CATFISH AND BULLHEADS. FLOUNDERS. KING WHITING OR "KINGFISH" SEA TROUT OR WEAKFISH, WHITE. SHRIMP. OYSTERS MARKET: PUBLIC, SPRING PUBLIC, FALL PRIVATE, SFRING. PRIVATE, FALL.	POUNDS 	VALUE \$2,574 522 798 608,485 - -	POUNDS 42,100	VALUE \$9,262 - - - - - - - -	POUNDS - 38,200 - - - - -	\$7,236 - - - - - -	POUNDS - - - 1,198,200 369,000 11,700 6,900	151,290
TOTAL	2,698,300	612,379	42,100	9,262	38,200	7,236	1,585,800	662,277

# MISSISSIPPI

# OPERATING UNITS BY GEAR, 1949

				F1v.	
ITEM :	PURSE SEINES, MENHADEN	HAUL SEINES, COMMON	TRAMMEL NETS	HAND	TROT WITH BAITS OR SNOODS
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	284	-	-	6	-
REGULAR	-	3 -	63 13	46 48	219 42
TOT'L	284	3	76	00	26 :
VESSELS, MOTOR	14 770	-	-	1 11	-
MOTOR	- - 42	1 1	28 35 -	46 44 -	234 27 -
NUMBER	14 5,450	1 60 -	53 - 12,850	100 - - 114	261 - - 120,700
ITEM	CAST NETS	OTTER TRAWLS, SHRIMP	DREDGES, OYSTER, COMMON	TONGS, OYSTER	TOTAL EXCLUSIVE OF DUPLICATION
	MUMBER	NUMBER	NUMBER	NUMBER	NUMPER
FISHERMEN: ON VESSELS	-	640	490	-	1,175
REGULAR	41 11	1,177	23 ~	191 63	1,418 96
TOTAL	52	1,817	513	254	2,689
VESSELS, MOTOR	=	287 3,963	117 1,551	-	307 4,787
MOTOR	=	589 - -	- -	196 57 -	805 109 42
NUMBER	52 -	876 16,231	246 260	254 -	-

MISSISSIPPI: CATCH BY GEAR, 1949

SPECIES	PURSE SEINES		HAUL SEINES		TRAMMEL NETS	
BLUEFISH	PGUNUS -	VALUE	FOUNDS	<u> </u>	2,100 800	\$256 40
CABIO DR CRAB EATER CROAKER		<u> </u>	1,100	\$55	1,000 5,500	131 275
BLACK. RED OR REDFISH FLOUNDERS. KING WHITING OR "KINGFISH"	=	=	1,600 2,800 800	128 588 156 65	18,400 49,200 8,600 22,500	1,472 10,332 1,634 1,125
MENHADEN	44,578,500	\$485,906	1,300 - - 2,000	100	135,400 8,700	10,832
SEA TROUT OR WEAKFISH: SPOTTED. WHITE. SHEEPSHEAD, SALT-WATER	=	-	3,400 1,900 3,300	816 95 325	62,900 36,000 10,300	15,033 1,800 1,010
SPANISH MAĆKEREL	-	-	-	1	1,200 4,900 300 2,300	114 245 12 272
TOTAL	44,578,500	485,906	18,200	2,328	370,100	45,018
	LINES					
SPECIES	HAMD		TROT WITH BAITS OR SHOOOS		CAST METS	
	POUNDS	V-LUE	POU! DS	VALUE	POUNDS	VALUE
CABIO OR CRAB EATER CROAKER DRUM:	2,700	\$42 135	=	-	-	-
BLACK, RED OR REDFISH FLOUNDERS GROUPERS	10,700 24,100 2,700 29,200	855 5,061 513 4,060	-	-	-	-
MULLET	6,400	700	-	-	64,900	\$5,192
SEA TROUT OR WEAKFISH: SPOTTED WHITE SHEEPSHEAD, SALT-WATER	36,600 21,900 4,200	8,784 1,095 414	-	-	-	-
SNAPPER, RÉD TRIPLETAIL CRABS, BLUE, HARD	135,900 100 -	33,975 12	- 4,163,000	- \$208,150	-	=
TOTAL	288,800	55,966	4,163,000	208,150	64,900	5,192
SPECIES	OTTER TRAWLS		DREDGES		TONGS	
FLOUNDERS. OR "KINGFISH" SEA TROUT OR WEAKFISH,	POUNDS 2B,800 45,200	<u>VALUE</u> \$5,472 2,260	POUNDS	VALUE -	POUNDS - -	VALUE - -
WHITE	34,100 2,841,500	1,705 674,650	-	****	-	
PUBLIC, SPRING PUBLIC, FALL	2.040.600	-	336,600	\$93,581	119,800 5,500	\$42,843 2,201
TOT L	2,949,600	684,087	336,600	93,581	125,300	45,044

NOTE:--THE PRODUCTION OF FISHERY PRODUCTS BY MISSISSIPPI CRAFT IN LOUISIANA WATERS HAS BEEN INCLUDED WITH THE CATCH FOR LOUISIANA. THESE CATCHES WERE AS FOLLOWS: BY OYSTER DREDGES, PUBLIC SPRING OYSTERS, 1,774,900 POUNDS OF MEATS, VALUEO AT \$3,225; BY OYSTER TONGS, PUBLIC SPRING OYSTERS, 3,000 POUNDS OF MEATS, VALUEO AT \$720; AND BY SHRIMP TRAWLS, SHRIMP, B,652,600 POUNDS, VALUED AT \$2,069,091.



FYKE NETTING

# **GULF FISHERIES**

# LOUISIANA

# OPERATING UNITS BY GEAR, 1949

	PURSE	HAUL	GILL		LI	ES
ITEM	SEINES, MENHADEN	SEINES, COMMON	NETS, STAKE	TRAMMEL NETS	Очан	TRAWL OR TROT WITH HOOKS
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS ON BOATS AND SHORE:	557	-	-	16	28	-
REGULAR	-	108 7	2 2	271 10	80 22	312 132
TOTAL	557	115	4	297	130	444
VESSELS, MOTOR	28 2,028	-	-	3 28	6 102	Ξ
MOTOR	- 84	27 54	2 2 -	62 157 6	69 13 -	220 214 -
APPARATUS: NUMBER LENGTH, YARDS SQUARE YARDS	28 10,425	7,105	2 - 330	127 - 33,002	130 -	444 - -
HOOKS, BAITS OR SNOODS .	-	<u> </u>			167	89,620
	LINES - CONT'D.	FYKE	DIP NE	TS	OTTER	
ITEM	TROT WITH BAITS OR SNOODS	NETS, FISH	COMMON	DROP	TRAWLS, SHRIMP	BRUSH TRAPS
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	-	-	-		1,891	-
REGULAR	731 125	71 10	84 15	90 32	3,430	125
TOTAL	856	81	99	122	5,321	125
VESSELS, MOTOR	-	-	-	=	866 10,532	-
MOTOR	592 264	62 18	- 69	88 30	1,757 -	. 91 34
NUMBER	856 37 <b>7,</b> 600	913	94	6,800	2,623	88,500 -
YARDS AT MOUTH	ļ <u>-</u>				48,211	
ITEM	POTS, CRAB	DREDGES, OYSTER, COMMON	TONGS, OYSTER	GRABS, FROG	BY HAND, OTHER THAN FOR OYSTER	TOTAL, EXCLUSIVE OF DUPLICATION
ELOUEDUE	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
ON VESSELS	-	169	-	-	-	2,590
ON BOATS AND SHORE: REGULAR CASUAL	3	- 80	856 -	54 -	- 11 -	4,630 266
ΓΟΤΑL	3	249	856	54 .	11	7,486
VESSELS, MOTOR	-	41 506	-	=	-	910 12,741
BOATS: MOTOR. OTHER.	- 1 -	20 - -	60 722	- 27 -	- -	2,250 1,284 90
APPARATUS: NUMBER	150	122 146	B56 -	27	<u>-</u>	<u>-</u>

LOUISIANA: CATCH BY GEAR, 1949

	1	.OUISIANA	t: CAIC	n bi (	iEAR,	1747			
SPECIES	Pt	JRSE SEINES		HAUL	SEINES	GILL	. 'ETS,	TRAMME	L 'ETS
	POUNDS	S VA	LUE F	OUNDS	VALUE			POUNDS	VALUE
ELUEFISH	-		-	-	-	-	-	5,100 1,100	\$765 44
BLUE RUNNER OR HARDTAIL		- 1		71,900	\$14,63	34 5,40	00 \$432	1,100	- "
CABIO OR GRAS EATER	_	- 1	-	300	] 3	38   -	-	1,700	212
CARP	-		- 1	13,000		BO -		-	-
CATFISH AND BULLHEADS	-	- 1	-   1	56,700	32,83	35 1,40	294	100	- 4
CREVALLE	-		-	30,300	2,13	30	1 1	30,100	2,219
CROAKER	_		-	30,300	٠, '	-		50,100	
8LACK	_		-	52,500	4,19	94 -	-	140.300	11,208
RED OR REDFISH	-	- 1	- 1	14,500	24,03	33   -	-	344,500	72,146
LOUNDERS	-		-   .	17,600	3,33	2,50	150	26,300	5,032 342
ARFISH	-		-	60,200	9,00	2,30	_130	5,700 1,100	77
KING MACKEREL			- 1	66,100	5,36	50		49,600	3,905
	165,913,40	0 \$2,018	.307	-	1 -	-	-	-	-
MULLET	1 1	1 ' '	-   1	25,200	9,95	53 -	-	446,200	35,598
PADDLEFISH OR SPOONBILL CAT	-		-	42,100	7.99	99   1.10	00 176		
SEA CATFISH	-		-	83,800	5,38	34 -	- 1	72,000	4,578
SEA TROUT OR WEAKFISH:		Ì	1,	66 000	40 72	2B	_	481 500	120,231
SPOTTED,		1	: '	66,000 50,900 12,900	40,72 4,72 51	20 -	_	481,500 96,300 14,300	7,859
SHARKS	-		-	12,900	51	16 -	-	14,300	572
SHEEPSHEAD:							H		
FRESH-WATER	-		-   2	70,300	19,53	1,50	90		
SALT-WATER	-		- 1	35,400 400	4,01	12 -	-	131,200 4,900	14,838
SPANISH MACKEREL	-		-	7,800	54		1 :	10,300	1,483
SPOT	Ī		_	7,000		·'   _	1 -	100	10
TENPOUNOER			-	9,000	36	50 -	1 -	3,400	136
TRIPLETAIL	-		-	5,500	73	37 -	-	9,400	1,252
CRABS, BLUE:									
HARD	-		-	11,200	34 50		-	-	-
SOFT AND PEELERS	_		: i	82,300 8,400	34,59	77   -	1 -	1 1	
SHRIMP	_		- 1	1,200	60	o -	-	-	-
101aL	65,913,40	0 2,018	,307 1,6	95,500	228,28	37 11,90	0 1,142	1,875,200	283,068
									,
			LIN					FYI	
SPECIES	HAN	n	TRA	WL OR	- 1	TROT BAITS		E	3
	DAG			ooks	- 1	SM0	icds		
	POUNDS	VALUE	POUNDS		UE	POUNDS	VALUE	POUNOS	VALUE
BUF, ALOFISH			-					538,700	\$42,988
ABIO OR CRAS EATER	200	\$28	-	1 -	- 1	-	-	-	-
ARP			<del>-</del>	_		-	-	11,000	660
CATFISH AND BULLHEADS	4,500	9 <b>4</b> 5 208	3,388,00	0 \$721,	319	-	-	40,000	8,501
CRCAKER	2,600	208	-	1 -		-	-	1 -	i -
BLACK	13,700	1,096	_	-	.	-	_	-	-
REO OR REDFISH	20,900	4,403	-	1 -		- 1	-	-	-
FLOUNDERS	2,300	442	-			-	-		-
GARFISH	1,100 5,200	66	6,40	이	504	-	-	3,900	234
GROUPERS	300	728 21	-	1 :		-	1 [		
KING MACKEREL	3,100	279				-	_	-	_
SEA CATFISH	8,000	556	-	-	- 1	-	-	-	-
SEA TROUT OR WEAKFISH:				1					
SPOTTED	45,100	11,248	-	1 -		-	-	-	-
WHITE	9,800	872	-	1 -		-	-	-	-
SHEEPSHEAD: FRESH-WATER		_	179,70	0 15	460	_	-	437,900	34,702
SALT-WATER	4,100	487	1, , ,	1		-	-		
SNAPPER, RED	169,500	41,425	-	-		-	-	-	-
TRIPLETÁIL	100	14	-	-		774 400	\$535 334	-	-
CRASS, SLUE, HARD	- 1	-	2,20	-	180	7,274,400	\$535,324	1,000	100
TURTLÉ, SNAPPER									
TOTAL	290,500	62,818	3,578,30	0 737,	463   17	7,274,400	535,324	1,032,500	87,185

## **GULF FISHERIES**

LOUISIANA: CATCH BY GEAR, 1949 - Continued

SPECIES	DIF	NETS	OTTE	R TRAWLS	BRUSH	ETS	PC	ITS
CATFISH AND BULLHEADS FLOUNDERS . KING WHITING OR "KINGFISH" SAWFISH . SEA TROUT OR WEAKFISH, WHITE . SHARKS .	PCU: DS 101,100	VALUE \$21,788 - - - -	POUNDS - 134,700 154,800 34,900 36,700 15,700	10,201 1,396 2,286	POUNDS - - - - -	<u>VALUE</u> - - - - -	POUNDS	VALUE - - -
SYAPPER, RED. CRABS, BLUE: HARD. SOFT AND PEELERS. CRAYFISH. SQUID. TURLE: GREEN. LOGGERHEAD.	466,200 160,400 39,900	14,320 67,368 666	36,500  85,698,500 4,000 5,300	98 1,195 - 19,730,651 160 590 40	212,600	\$90,324 - -	- B5,400 - - - -	\$3,416 - - - -
TOTAL	767,600	704,142	86,122,000	19,773,307	212,600	90,324	85,400	3,416
SPECIES	DRE	DGES	TC	ONGS	GRABS,	FROG	BY	HAND
OYSTERS, MARKET: PUBLIC, SPRING PUBLIC, FALL PRIVATE, SPRING. PRIVATE, FALL FROGS.	12,900	\$753,465 3,225 694,017 167,625	POUNDS 7,500 6,100 3,348,800 1,019,900	2,684 1,411,632	POUNDS - - - - 36,700	VALUE - - - - \$17,744	POUNDS - - - 3,700	*1,769
TOTAL	5,305,200	1,618,332	4,382,300	1,841,009	36,700	17,744	3,700	1,769

NOTE: --THE PRODUCTION OF FISHERY PRODUCTS BY MISSISSIPPI CRAFT IN LOUISIANA WATERS HAS BEEN INCLUDED WITH THE CATCH FOR LOUISIANA. THESE CATCHES WERE AS FOLLOWS: BY OYSTER DREDGES, PUBLIC SPRING OYSTERS, 1,774,900 POUNDS OF MEATS, VALUED AT \$425,880: AND PUBLIC FALL OYSTERS, 12,900 POUNDS OF MEATS, VALUED AT \$3,225; BY OYSTER TONGS, PUBLIC SPRING OYSTERS, 3,000 POUNDS OF MEATS, VALUED AT \$720; AND BY SHRIMP TRAWLS, SHRIMP, 8,652,600 POUNDS, VALUED AT \$2,069,091.

## TEXAS

#### OPERATING UNITS BY GEAR, 1949

			i I		LINES					
ITEM	PURSE SEINES, MENHADEN	HAUL SEINES, COMMON	GILL NETS, STAKE	TRAMMEL NETS	HAND	TRAWL OR TROT WITH HOOKS	TROLL	TROT WITH BAITS OR SNOODS		
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER		
ON VESSELS ON BOATS AND SHORE:	96	-	-	-	150	-	-	-		
REGULAR	-	47 32	22 2	89 15	150 101	184 40	<b>-</b> 3	30 13		
TOTAL	96	79	24	104	401	224	3	43		
VESSELS, MOTOR	5 238	-	-	-	25 442			=		
MOTOR	- - 15	6 42 -	10 8 -	30 36 -	154 64 -	163 5B	3 - -	31 12 -		
NUMBER	5 2,000	21 11,320	14 3,525	52 25,663	401 - - 575	344 - 44,720	3 - - 3	43 - 11,075		

TEXAS: OPERATING UNITS BY GEAR, 1949 - Continued

ITEM	FYKE NETS, FISH	OTTER TRAVLS, SHRIMP	POTS, CRABS	SPEARS	OREDGES. OYSTER, CONNON	TONGS, OYSTER	BY HANO, OYSTER	TOTAL, EXCLUSIVE OF CUPLICATION
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS	-	1,518	-	-	20	-	-	1,731
ON BOATS AND SHORE: REGULAR	- 4	1,578	29 11	15 28	52	92 13	12	1,848 175
TOTAL	4	3,096	40	43	72	105	12	3,754
VESSELS, MOTOR	-	627 11,678	-	-	5 23	-	:	640 12,099
BOATS: MOTOR	- 4 -	799 -	34 5	=	17 - -	65 14 -	-	1,030 192 15
APPARATUS: NUMBER YAROS AT MOUTH	23	1,426 30,849	1,340	43	25 29	105	-	:


# TEXAS: CATCH BY GEAR, 1949

SPECIES	PURSE	SEINES	HAUL :	SEINES	GILL NETS	, STAKE	TRAMMEL	NETS
	POUNDS	VALUE	POUNOS	VALUE	POUND'S	VALUE	PCUNDS	VILUE
BLUEFISH			1,600	\$214			_	-
BUFFALOFISH		-	1,000	-	-	-	700	\$42
CABIO OR CRAB EATER	-	_	-	_	-	-	200	14
ROAKER	_	-	600	34	-	-	4,800	275
ORUM:								
BLACK	-	-	86,500	8,591	6,100	\$588	60,500	5,518
RED OR REDFISH	-	-	111,300	23,269	19,400	2,751	143,200	28,910
FLOUNDERS	-	-	22,500	5,120	3,200	728	21,600	4,961
JEWFISH	-	-	600	60			100	10
KING WHITING OR "KINGFISH"	-		-	-	200	11	5,400	296
MENHAGEN	41,135,300	\$473,757	-	-	-	-	-	
MULLET	-	-	317,200	23,838	-	-	103,900	7,290
POMPANO		-	100	48		-		
SEA CATFISH	- '	-	1,000	54	15,200	885	68,300	4,056
SEA TROUT OR WEAKFISH:					DE 500	F 04F	101 500	70.
SPOTTED	-	-	128,000	29,440	25,500	5,865 60	181,500	41,794
WHITE	- :	-	1-400	139	1,000	168	5,500 3,800	302 366
SHEEPSHEAD, SALT-WATER	-	-	1,400	391	1,700	108	3,800	300
SNAPPER, RÉD	-		1,700	28	_	-		
SPANISH MACKEREL	-		1,600	202	1 [	1 -	100	10
SPOT			400	20		1 [	600	33
TRIPLETAIL				-		1 -	100	9
TOTAL		473.757	674,900	91,448	72,300	11,056	600,300	93,886

				LINES				
SPECIES .	HA	ND		L OR VITH OKS	TRO	LL	TROT 1: BAITS SNOO	OR
	POUNDS	VALUE	POUNDS	√ALUE_	POUNDS	VALUE	POUNDS	VALUE
CABIO OR CRAS EATER	2,100	\$149	-	-	-			
CATFISH AND BULLHEADS	5,400	1,134	13,000	\$3,094	-	-	-	-
CROAKER	400	20	- 1	1 2	-	-	-	-
DRUM:								
BLACK	193,800	17,522	400,100	36,158	-	- 1	-	-
RED OR REDFISH	93,400	18,566	152,600	30,620	-	-	-	-
FLOUNDERS	37,400	8,541	4,900	120	-	-	-	-
GROUPERS	129,900	15,581	-	-	-	-	-	-
JEWFISH	3,600	330	-	-			-	-
KING MACKEREL		-	-	-	700	\$40	-	-
		115	11 200	-	-	-	-	-
SEA CATFISH	34,700	2,181	11,200	685	-	- 1	-	-
SEA TROUT OR WEAKFISH,	218,400	50,236	61,000	14,052	1			
SPOTTEO	210,400	30,230	25,000	250	_	1 -	-	-
SHEEPSHEAO, SALT-WATER.	5,400	534	1,600	155				
SNAPPER, RED	1,051,700	241,885	1,000	_ , , , ,			_	
SPANISH MACKEREL	400	46			_		_	
TUNA, LITTLE	100	10		-		_		
CRASS, SLUE, HARD	100	8	_	-	_	-	137,800	\$8,407
TOTAL	1,779,000	356,866	669,400	86,134	700	40	137,800	8,407

TEXAS: CATCH BY GEAR, 1949 - Continued

SPEC LES	FYKE	NETS		OTTE	R TRALLS	P	DTS		SPEA	RS
BUFFALOFISH CABIO OR CRAB EATER CROAKER FLOUNDERS BROUPERS JEWFISH KING MACKEREL KING MALTING OR "KINSTISH". MULLET SEA CAFFISH SEA CAFFISH SEA CAFFISH SEA CAFFISH SEA CAFFISH CARAGE SEA CAFFISH SEA	POUNDS 9,300	VALUE \$651	9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	4,600	20,102 12 90 10 5,296 8 51 430 230 12 18 545 7,819,074	POUNDS	\$13,	:		
TOTAL	9,300 LREDG		33,00	,,,,,,,	7,846,662		15,	402	87 HA	9,429
OYSTERS, MARKET: PUBLIC, SPRING PUBLIC, FALL	90,800 9,700	*40,8	360	_	17,600 42,300	VALUE \$52,920 18,29		-	0UNDS 88,900	VALUE \$16,338
TOTAL	100,500	45,	153	1	59,900	71,21	1	3	8,900	16,338



MENHADEN PURSE-SEINING OPERATIONS

## TARPON SPRINGS SPONGE FISHERY

During 1949, a total of 83,947 pounds of sponges, valued at \$470,804 was sold on the Exchange at Tarpon Springs, Florida. This was an increase of 9,483 pounds or 13 percent in volume, and of \$4,867 or 1 percent in value compared with the transactions of the previous year.

Sales of sponges on the Exchange during 1949 were as follows:


	Bunches	Pounds	<u>Value</u>
Large Wool	7 40	8,140	\$101,411
Small Wool	487	3,409	40,527
Wool Rags	9,655	63,366	313,238
Yellow	1,244	5,287	9,097
Grass	899	3,745	6,531

In addition to the sponges shown above, sponges having an estimated value of \$4P,00 were sold outside the Exchange.

The 1949 total poundage was the second lowest recorded in the 36 years for which data are available. The lowest year was reached in 1948 when 74,464 pounds of sponges were sold at the Exchange.

Domestic production of sponges has declined markedly since 1938. This is attributed to three reasons: first, lack of scientific management and control of the sponge beds; second, a fungus blight which began in 1939 and has seriously damaged the beds; and third, increased commercial production of artificial sponges.

Sponges are sold by "the bunch", which consists of a string of sponges (strung) on a cord 60 inches long. As the weight of these bunches varies considerably, an estimated average weight per bunch for each classification is used in calculating the weight landed. These conversion factors may be found in Section 13 under the heading "Conversion Factors."



SPONGE DIVER

During 1949, the production of fish and shellfish in the Pacific Coast States (Washington, Oregon, and California) totaled 1,364,518,500 pounds, valued at \$100,373,114 to the fishermen. This represents an increase of 20 percent in volume, but a decrease of 12 percent in value compared with the landings of the previous year.

Receipts of tuna and tunalike fishes again broke all records in 1949 when over 332 million pounds were landed. These record landings were made even though the clipper fleet suffered a large decline in production as the result of two tie-ups. The first, of about five-weeks duration, occurred in the spring while prices were being negotiated, and the second for 60 to 90 days, was imposed by canners in the fall to prevent piling up of excessive stocks. The fleet of smaller clippers and trollers was exceptionally successful in taking albacore and skipjack. The purse-seine fleet had a good season in the spring fishing for yellowfin and skipjack. With the exception of albacore, the same prices which were paid for raw tuna during 1948 remained in effect until early June, 1949; at that date the fishermen were forced to accept sharp price cuts. The lowered prices per ton were as follows: yellowfin, \$340 to \$310; bluefin, \$330 to \$300; skipjack, \$320 to \$290; bonito, \$235 to \$195; and yellowtail, \$225 to \$185. Albacore prices in 1948 ranged from \$750 down to almost \$500 per ton. Dockside prices for albacore in 1949 were reduced to approximately \$400 per ton from the start of the season in June, and some were reduced to less than \$350 per ton in the latter part of the season.

The 1949 catch of Pacific salmon rose more than 30 million pounds above the take of the previous year. Although 1949 was a cycle year for the pink salmon in Puget Sound, the receipts of this species were still more than 7.5 million pounds below the almost 52 million pound catch of pinks made in 1947. Early runs of chinook or king salmon off Cape Flattery and other Washington Coastal waters were disappointing, but the main migratory run was late, and off-shore catches materially improved during the summer season. The outstanding factor for the noticeable decrease in the catch of chum salmon was caused by a fleet tie-up at the start of the fall fishing, and extending over a period of several weeks. By the time an agreement was reached, the major chum migrations had passed on into the spawning areas. Subsequent fishing failed to produce adequate catches to recoup what would have been taken if fishing had been carried out during the entire season. During this period, great amounts of Canadian and Alaskancaught fish were imported to satisfy the demands of the fresh markets and canneries. The sockeye run was actually much greater than the catch indicated, since the opening of the season was delayed until July 17 by the International Sockeye Commission to allow the early run to escape and was further delayed until July 25 by a price disagreement.

The pilchard fishery of the Pacific Coast recorded a gain of over 260 million pounds compared with the previous year. Although the legal season for pilchard in California began on August 1 at Monterey and San Francisco, fishing was delayed three weeks pending negotiation of a contract which called for a \$40 per-ton price. At the end of

B Data on the operating units and catch of the fisheries of the Pacific Coast States have been taken largely from statistics collected by the various State agencies. Supplementary surveys, compilations, and analyses, have been made by agents of this Service in order that the figures may be presented in a manner comparable with those of other sections. While statistics on the fisheries of California are for the calendar year, those for Oregon and Washington are for the fiscal year ending March 31, 1950, except that statistics of the halibut fishery for Washington are for the calendar year.

August, fishing was again suspended until September 12 at Monterey and 10 days later at San Francisco, when a new price of \$35 per ton was agreed upon. The open season in southern California began on October 1, but a price renegotiation delayed fishing in that area for all but a few small craft until October 9, when a new price of \$32.50 per ton was agreed upon at all ports in the state. Starting on November 9, a disagreement over deviations from the contract price again idled the major portion of the southern fleet for about five weeks. These periods of idleness, occurring at times when fishing conditions appeared very favorable, tended to reduce greatly the potential production of the area.

The 1949 halibut season which extended from May 1 through July 12, was 73 days, compared with 72 days in 1942 and 109 days in 1947. The use of stainless steel ground lines by halibut fishing vessels became more common during the season, and by the end of the year several fishing equipment manufacturers had developed gurdies and other equipment for operating this type of gear.


The mackerel catch in California was another fishery which suffered from price disagreements. Although mackerel production recorded an increase of 26 percent above the previous year, jack mackerel recorded a 30 percent decrease. The seiners caught fewer fish during 1949 while renegotiating sardine price contracts, whereas the small craft, fishing with scoop nets for mackerel only had a much better season than they had experienced in several years. Prices of \$60 and \$50 per ton paid for mackerel and jack mackerel respectively, in the early part of 1949 were changed to \$50 and \$40 per ton in the early fall. The prices remained at the latter level for the remainder of the year.

Razor clam production from the Washington Coastal beaches was limited during 1949 since the state had reduced the quota to 700,000 pounds because of a decline in clam populations of the beaches. A quota of 1,200,000 pounds was allowed the previous year.

Extreme winter weather curtailed crab fishing in many areas of the northwest. Great damage was also done during the winter when productive cyster beds were frozen solid.


The last complete survey of the fishery transporting, wholesaling, and manufacturing industries was made for 1940. In that year 141 men were employed on 5% vessels operating in the transporting trade and 19,109 persons were employed in wholesale and manufacturing establishments. The latter employees received \$11,440,359 in salaries and wages during 1940. Fetailed statistics on these branches of the industry for 1940 can be found in 'Fishery Statistics of the United States, 1944' (Statistical Pigest No. 16).

Condensed summary data of the operating units and catch by states of the Pacific Coast States Fisheries, appearing on the following pages, have been previously published in Current Fishery Statistics No. 653.




#### PACIFIC COAST STATES CATCH, 1949


WASHINGTON: CATCH BY GEAR, 1949



OREGON: CATCH BY GEAR, 1949



CALIFORNIA: CATCH BY DISTRICTS, 1949



# SECTIONAL SUMMARIES

SUMMARY OF CATCH, 1949

	SCHOOL	in or carron, 17	,,		
PRODUCT	'ASHI	NGTON	CR	EGON	
FISH	POUNDS 152,372,100 21,788,700 174,160,800	\$17,114,920 3,688,028 20.802,948	51,093,900 10,002,500 61,096,400	\$6,076,768 988,679 7,065,447	
PRODU T	CALIF		TOTAL		
FISH SHELLFISH, ETC WHALE PRODUCTS TOTAL	POUNDS 1,108,012,700 20,458,500 790,100 1,129,261,300	\$70,183,149 2,253,595 67,975 72,504,719	POUNTS 1,311,478,700 52,249,700 790,100	VALUE \$93,374,837 6,930,302 67,975	

## SUMMARY OF OPERATING UNITS, 1949

	Community of Children's Child, 1949								
		WASHIN							
ITEM	PUGET SOUND DISTRICT	COASTAL DISTRICT	.OLUMBIA RIVER DISTRICT	TOT'L					
	NUMBER	NUMBER	NUMBER	NUMBER					
FISHERMEN: ON VESSELS	4,672 2,742	830 3,566	54 1,089	5,556 7,397					
TOTAL	7,414	4,396	1,143	12,953					
VESSELS, MOTOR	956 20,085	337 4,322	27 243	1,320 24,650					
MOTOR. OTHER OTHER ACCESSORY BOATS. APPARATUS: PURSE SEINES ALD LAMPARA NETS:	1,266 394 296	558 246 	707 32 -	2,531 672 296					
PILCHARD  LEWSTH, YARDS. SALMON  LE "IN, YARDS.  LE GH, YARDS.  LE GH, YARDS.  GILL NETS:	296 185,000 135 12,800	- - - - 4 400	- - - - - 400	296 185,000 143 13,600					
SALMON	696 1,134,750 1,535 1,262,250	504 560,500 110 90,000	490 1,568,000  5 1,875	1,690 3,263,250 1,645 1,352,250 5 1,875					
LINES: TRAWL, SET OR HAND HOOKS	31,618 639,652	40 800	273 27,300	31,931 667,752					
SALMON HOOKS, TUNA HOOKS, POUND NETS ERUSH WEIRS, DIP NETS REF NETS, BELM TRANLS, YAROS AT MOUTH TRAPS; CRAB	3,564 17,820 2,605 605 3,7 7 1 38 137 6 55 162 2,400	2,138 - 10,512 2/264 264 - 54 - 54 - 120 120 19,550	490 2,450 2/6 6 - - 400 - - - - - 1,100	6,192 30,762 2/675 875 3/7 1 492 137 65 170 2,520 38,950					
CRAWFISH OCTOPUS SHRIMP ORCOGES, TONGS AND BY HAND SHOVELS.	350 250 41 375	19,330 - - 122 2,750	60 - - - -	38,950 60 350 250 163 3,125					

SEE FOOTS OTES AT END OF TABLE

# SUMMARY OF OPERATING UNITS, 1949 - Continued

FISHERN:	
TITM	GRAND
FISIERMEN: ON VESSELS ON VESSELS ON BOATS AND SHORE 1,730 1,699 3,419 5,399 10701. 33,139 2,148 5,277 115,600  VESSELS, MOTCR ALT TOMMAGE. 8,658 2,368 11,026 61,428  METOMMAGE. 8,658 2,368 11,026 61,428  MOTOR. OTHER. 829 782 1,611 2,940 101 2,94	TOTAL KCLUSIVE OF DUPLICATION
ON VESSELS, MOTER ON BOATS AND SHORE 1,730 1,699 1,1690 1,1690 1,	NUMBER
VESSELS, MOTOR   Ref	15,579 16,215
NET TONNAGE.	31,794
OTHER ACCESSORY BOATS. APPARATUS: PURSE SEINES AND LAMPARA NETS: PURSE SEINES AND LAMPARA NETS: PILCHARD. LENGTH, YARDS. LENGTH, YARDS. TUMA LENGTH, YARDS.	3,232 84,178
LAMPARA NETS: PILCHARD LENGTH, YARDS. SALMON LENGTH, YARDS. TUNA LENGTH, YARDS. TUNA LENGTH, YARDS. TUNA LENGTH, YARDS. TUNA LENGTH, YARDS. TOTHER LENGTH, YARDS. TOTHER LENGTH, YARDS. TOTHER LENGTH, YARDS. TOTHER LENGTH, YARDS. TOTHER LENGTH, YARDS. TOTHER LENGTH, YARDS. TOTHER TOTHER THE LENGTH, YARDS. TOTHER THE LENGTH, YARDS. TOTHER THE LENGTH, YARDS. TOTHER THE LENGTH, THE LEUT THE LENGTH THE LEUT T	7,082 824 1,193
GILL NETS: BARRACUDA. SQUARE YARDS  'CALIFORNIA HALIBUT" SQUARE YARDS	311 147,275 296 185,000 151 101,875 126 32,723
CAL   FORM   HAL   IBUT	30,750 34
HOOKS. 28,700 7,000 35,700 421,094 TROLL: 35,400 1,454 1,812 3,266 5,608 HOOKS. 6,760 8,150 14,910 25,628 HOOKS. 1,298 2/245 2/1,543 2/15,998 HOOKS. 1,298 2/45 1,543 15,998 HOOKS. 1,298 2/45 1,543 15,998 HOOKS. 1,298 3/35 722 RUSH WEIRS. 3/35 3/35 722 RRUSH WEIRS. 3/35 - 3/35 722 RRUSH WEIRS	264,350 13 48,750 3,556 7,012,725 78 463,398 106 493,218 2,840 3,241,929 75 27,875 10 28,880 133,137,522 54 313,470
HOOKS. 6,760 8,150 14,910 25,628 TUNA 2/1,298 2/245 2/1,543 2/15,998 HOOKS 1,298 245 1,543 2/15,998 THER. 1,343 15,998 HOOKS	43,732 1,102,746
DIP NETS	14, 209 67, 288 16, 174 16, 174 16, 174 27, 172 28, 24 29 42 41, 600 1,045 1,454 1,720 137 25 182 326 4,818 77, 743 1,160 375 6,348 250
HALE	118 2

#### SUMMARY OF OPERATING UNITS, 1949 - Continued

		OREGON		CALIFORNIA	GRANO TOTAL (EXCLUSIVE OF DUPLICATION)	
ITEM	COLUMBIA RIVER DISTRIC	CCASTAL DISTRICT	TOTAL	TOTAL		
APPARATUS - CONTINUED: RAKES:	TUMBER	NUMBER	<u>t'UMBER</u>	NUMBER	NUMBER	
OYSTERS. MUSSELS. DREDGES AND TONGS. SHOVELS.	:	- - 26 744	- - 26 744	8 12 23 93	8 12 212 3,962	

1/ USED ONLY IN THE TUNA FISHERY OFF CENTRAL AMERICA.
2/ USED ONLY BY VESSELS THAT TROLLED OR FISHED EXCLUSIVELY FOR TUNA AND DID NOT TROLL FOR SALMON. ODES NOT INCLUDE TUNA GEAR USED BY VESSELS THAT ALSO TROLLED FOR SALMON.
3/ FISHED O'LY ON INDIAN RESERVATIONS.

NOTE: -- STATISTICS ON THE OPERATION OF VESSELS ARE FOR CRAFT MAKING THEIR HOME PORT IN ONE OF THE DISTRICTS OF WASHINGTON, OREGON, OR CALIFORNIA. VESSELS AS WELL AS ALL TYPES OF GEAR OPERATED, HAVE GEEN INCLUDED IN EACH STATE IN WHICH EACH VESSEL OPERATED, EXCEPT THAT VESSELS OPERATING IN ALEXA ARE NOT INCLUDED ABOVE. THE TOTAL EXCLUSIVE OF DUPLICATION REPRESENTS THE TOTAL OPERATING UNITS IN THE PACIFIC COAST STATES, EXCLUSIVE OF THOSE IN ALBKAR.

## CATCH BY STATES, 1949

SPECIES	WASH	INGTON	OREGON 1/			
FISH	POUNDS	VALUE	POUNDS	VALUE		
ANCHOVIES	402,000 6,245,300	\$6,100 - 231,078	- 600 5,400	\$17 188		
"SOLE" "THER	9,822,800 564,900 10,645,200 64,200 13,465,500 839,800 	594, 776 22, 465 450, 621 2, 423, 589 41, 987 512, 917 17, 289 3, 104 13, 344 591, 538 377, 148	9,261,900 392,700 3,422,700 77,400 609,600 65,400 936,900 936,900 9,000 4,774,000 554,500	462,397 9,541 288,271 99,048 2,776 9,248 96,427 769 234 		
SALMON: CHINOOK OR KING. CHUM OR KETA PINK RED OR SOCKEYE SILVER OR COHO	9,589,200 5,212,800 44,214,800 7,045,600 10,529,000	2,107,488 656,098 4,421,459 1,500,464 1,764,763	9,493,400 726,800 - 12,800 2,604,500	1,668,880 58,145 - 2,571 343,918		
TOTAL SALMON	76,591,400	10,450,272	12,837,500	2,073,514		
SHAD	71,900 617,200 1,005,000	4,837 309,553 14,969	1,392,000 551,000	94,294 300,439 -		
SMELT: EULACHON . SURF OR SILVER . STEELHEAD TROUT . STRIPED BASS . STURGEON .	2,444,600 651,700 198,300  182,900	136,399 65,168 27,320 30,817	833,900 852,100 24,800 269,000	65,244 119,331 1,785 50,450		
TUNA AND TUNALIKE FISHES: ALBACORE SKIPJACK OR STRIPED. YELLOWFIN.	4,433,900	789,3 <b>8</b> 1 - -	6,327,000 1,941,800 5,571,100	1,104,142 269,227 807,868		
TOTAL TUNA	4,433,900	789,381	13,839,900	2,181,237		
TOTAL	152,372,100°	17,114,920	51,093,900	6,076,768		

CATCH BY STATES, 1949 - Continued

SPECIES	WASHINGTON	ES, 1949 - Con	OREGON	1/
SHELLFISH	POUNDS	VALUE	POUNDS	\ ALUE
CRABS, DUNGENESSCRAWFISH, FRESH-WATERSHRIMP	13,142,500 600 67,100	\$1,331,859 121 16,774	9,346,500 45,400	\$836,325 9,847
CL/MS: HARD	373,800 302,700	114,156 193,121	77,200 32,300	48,922 7,681
TOTAL CLAMS	676,500	307,277	109,500	56,603
OCTOPUS	47,300	2,362	-	-
OYSTERS, MARKET: PACIFIC WESTERN OR NATIVE	7,634,600 203,000	1,741,207 278,400	501,100	85,904
TOTAL CYSTERS	7,837,600	2,0 9,607	501,100	85,904
SCALLOPS, 84Y	16,500 600	9,986 42		
TOTAL	21,788,700	3,688,028	10,002,500	988,679
GRAND TO AL	74, 60,800	20,802,948	61,096,400	7,065,447
SPECIES	CALIFO	DRNIA 1/	Tr	OTAL
FISH - CONTINUED	POUNDS	VALUE	POUNDS	VALUE
ANCHOVIES. BARRACUDA CABEZONE CABRILLA CARP CATFISH COD. FLOUNDERS:	3,322,300 2,457,700 16,000 210,100 405,500 201,700	\$56,104 365,594 530 27,792 12,946 38,566	3,724,300 2,457,700 16,000 210,100 406,100 201,700 6,250,700	\$62,204 365,594 530 27,792 12,963 38,566 231,266
FLOUNDERS: "CALIFORNIA HALIBUT" "SOLE" OTHER. FLYINGFISH GRAYFISH GROUPERS HAKE HALIBUT HARCHEAD HERRING, SEA JACK MACKEREL KINGFISH LINGCOD. MACKEREL MULLET PERCH. PICHARD POMPANO. RAFFISH. ROCK BASS. ROCKFISHES SABLEFISH. SALMON:	1,256,400 19,692,800 1,173,900 34,300 (2) 290,600 167,300 177,400 379,300 51,250,100 764,400 1,654,000 49,771,300 772,000 36,600 633,475,000 89,300 192,300 5,937,600 1,737,400	236,997 917,769 58,229 2,652 (2) 49,282 -33,457 4,904 7,210 1,111,123 40,125 125,448 1,285,992 5,410 48,558 10,756,997 25,999 25,790 331,101	1,256,400 38,777,500 2,131,500 34,350 290,360 14,067,900 14,242,400 1,288,500 51,250,100 764,400 369,900 8,009,500 49,771,300 72,000 484,900 633,540,400 89,300 1,471,600 192,300 23,957,600 6,076,200	236,997 1,974,942 90,235 2,652 738,892 49,282 710 2,556,103 4,904 51,973 1,111,123 40,125 9,248 736,792 1,285,892 1,285,892 5,410 66,410 66,235 25,899 13,344 25,790 1,97,264
CHINOOK OR KING	6,429,700 - - - - -	1,509,303 - - - - -	25,512,300 5,939,600 44,214,800 7,058,400 13,133,500	5,285,671 714,243 4,421,459 1,503,035 2,108,681
TOTAL SALMON	6,429,700	1,509,303	95,858,600	14,033,089
SCULPIN	148,400	26,930	148,400	26,930
BLACK. WHITE. SHAD SHARKS SHEEPSHEAD SKATES SMELT:	114,400 1,409,600 735,800 2/1,551,000 61,600 123,400	16,160 290,864 46,983 2/833,347 4,389 2,953	114,400 1,409,600 2,199,700 2,719,200 61,600 1,128,400	16,160 290,864 146,114 1,443,339 4,389 17,922
SMELL : EULACHON SURF OR SILVER SPANISH MACKEREL STELHEAD TROUT STRIPED BASS STURGEON SWORD ISH.	712,000 3,700 - - 198,400	51,681 308 - - 87,506	3,278,500 1,363,700 3,700 1,050,400 24,800 451,900 198,400	201,643 116,849 308 146,651 1,786 81,273 87,506

SEE FOOTNOTES AT END OF TABLE

#### CATCH BY STATES, 1949 - Continued

SPECIES	CALIF	DRNIA 1/	TO	TAL	
FISH - CONTINUED	POUNDS	VALUE	POUNDS	VALUE	
TUNA AND TUNALIKE FISHES: ALBACORE BLUEFIN. BONITO SKIPJACK OR STRIPED. YELLOWFIN.	44,033,500 4,389,400 1,829,500 78,570,400 184,972,300	\$8,144,993 712,702 178,181 11,653,994 30,191,412	54,794,400 4,389,400 1,829,500 80,512,200 190,543,400	\$10,038,516 712,702 178,181 11,923,221 30,999,280	
TOTAL TUNA	313,795,100	50,881,282	332,068,900	53,851,900	
WHITEBAIT	241,800 31,200 7,319,500 241,800	23,690 2,523 686,000 19,208	241,800 31,200 7,319,500 241,800	23,690 2,523 686,000 19,208	
TOTAL	1,108,012,700	70,183,149	1,311,478,700	93,374,837	
SHELLFISH  CRABS: DUNGENESS. ROCK CRAWFISH, FRESH-WATER. LOBSTERS, SPIPY. ABALONE.	3/11,116,300 3/600 834,300 804,400 713,600	3/ 1,294,239 3/ 117 283,325 49,127 398,259	33,605,300 600 46,000 834,300 871,500 713,600	3,462,423 117 9,968 283,325 65,901 398,259	
CLAMS: HARD	4/ 20,400	4/ 11,984	394,200 379,900 32,300	126, 140 242, 043 7, 681	
TOTAL CLAMS	20,400	11,984	806,400	375,864	
O TOPUS	75,100	5,973	122,400	8,335	
OYSTERS, MARKET: EASTERN PACIFIC WESTERN OR NATIVE TOTAL OYSTERS	6,500 28,200 34,700	4,654 21,744 - 26,398	6,500 8,163,900 203,000 8,373,400	4,654 1,848,855 278,400 2,131,909	
SCALLOPS, BAY			16,500	9,986	
SQUID	6,859,100	184,173	6,859,700	184,215	
TOTAL	20,458,500	2,253,595	52,249,700	6,930,302	
WHALE PRODUCTS LIVER	28,000 100,000 100,000	8,000 2,500 5,000	28,000 100,000 100,000	8,000 2,500 5,000	
OIL: WHALE	209,600 352,500	13,975 38,500	209,600 352,500	13,975 38,500	
SPERM					
TOTAL	790,100	67,975	790,100	67,975	

<sup>1/</sup> INCLUDES THE CATCH TAKEN OFF LATIN AMERICA.

CATCH OF GRAYFISH IN CALIFORNIA IS INCLUDED WITH SHARKS.

ROCK CRASS IN SAN PEDRO DISTRICT ARE INCLUDED WITH DUNGENESS CRASS.

<sup>4/</sup> INCLUDES A SMALL QUANTITY OF MUSSELS.

ONTE: --PRIOR TO 1941, THE POUNDAGE OF HALIBUT, SABLEFISH, LINGCOO, AND ROCKFISHES REPORTED FOR WASHINGTON AND OREGON REPRESENTED THE DRESSED WEIGHT OF THE FISH LANDED. BEGINNING WITH THE DATA FOR 1941, ALL CATCH STATISTICS ARE SHOWN IN ROUTD WEIGHTS. THE LANDED WEIGHT OF LINGCOD, SABLEFISH, AND ROCKFISHES (EXCEPT IN THE DITER TRANK FISHERIES IN WHICH THE FISH ARE LANDED ROUND) WAS CONVERTED TO ROUND WEIGHT BY MULTIPLYING THE DRESSED WEIGHT BY THE FACTOR USED TO COVERT HALIBUT FROM MARKETED WEIGHT WAS 1,33. THE FACTOR USED TO COVERT HALIBUT FROM MARKETED WEIGHT WAS 1,33. THE FOUNDAMEN AND OREON 'L-CLUDE 3,058,827 POUNDS OF FISH LIVERS AND VISCERA, VALUED AT \$2,064,806 TO THE FISHERMEN. COMPRISING THIS TOTAL WERE: COD LIVERS, 58,589 POUNDS, 38,005,827,1068; LINGCOD LIVERS, 115,005 POUNDS, \$231,368; LINGCOD LIVERS, 115,005 POUNDS, \$237,633; RAITISH LIVERS, 4,466 POUNDS, \$670; HALIBUT LIVERS, 108,354 POUNDS, \$231,368; LINGCOD LIVERS, 115,005 POUNDS, \$237,633; RAITISH LIVERS, 76,561 POUNDS, \$3,929; ROCKFISH LIVERS, 109,187 POUNDS, \$124,373; SKATE LIVERS, 20,609 POUNDS, \$2,962; SOUPFIN SHARK LIVERS, 133,191 POUNDS, \$00,807; OTHER SHARK LIVERS, 6,996 POUNDS, \$344; AND HALIBUT, LINGCOD, AND SABLEFISH VISCERS, 630,699 POUNDS, \$17,665. SIMILIAR DATA FOR CALIFORNIA ARE NOT AVAILABLE.

MOST OF THE CAR'ASSES OF DOGFISH AND SOUPFIN SHARK MERE NOT LANDED, BUT WERE DISCARDED AT SEA AFTER REMOVAL OF THE LIVERS. A PORTION OF THE TUNA CARCH TAKEN WERE NOT LANDED, BUT WERE DISCARDED AT SEA AFTER REMOVAL OF THE LIVERS.

# MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1

ITEM			WASH	INGTON	OR	EGON	CALIF	ORNIA
	YEAR	UNIT	QUANTITY	VALUE	QUANTITY	VALUE	QU/-NTITY	VALUE
BY MANUFACTURING ESTABLISHMENTS: ANCHOVIES, CANNED	1949	STD. CASES	(2)	(2)	-	-	3,612	\$30,184
BARRACUDA: SALTED, DRY SMOKED CHUB, SMOKEO	1940 1940 1940	POUNDS DO DO	-	-	- - -	-	19,465 1,000 40,000	2,433 200 18,000
FRESH FILLETS FROZEN FILLETS	1949 1949	DO DO	1,285,942 449,029	\$183,761 84,294	(2) (2)	{2} 2}	-	-
SALTED: DRY BONELESS AND	1940	DO	2,163,507	168,444	-	-	357,010	50,764
ABSOLUTELY BONELESS	1940	DO	665,518	106,215	-	-	318,018	65,489
FLOUNDERS: FRESH FILLETS FROZEN FILLETS HALIBUT:	1949 1949	00	2,635,727 1,188,759	649,282 328,477	103,596 1,927,300	\$24,681 514,956	575,429 1,752,315	140,516 479,438
FRESH FILLETS FROZEN FILLETS FROZEN STEAKS HERRING:	1949 1949 1949	1	11,865 157,862 3,393,148	4,709 64,258 1,275,077	{2 {2}	(2) (2)	(2) (2)	(2) (2)
SPICED	1940 1940	DO DO	18,890 66,000	2,614 5,359	-	-	4,406	660
JEWFISH FILLETS, DRY SALTED	1940	<b>D</b> O	-	-	-	-	8,857	1,107
FRESH FILLETS FROZEN FILLETS FROZEN STEAKS	1949 1949 1949	D0 D0 D0	553,106 465,678 253,450	93,835 90,256 44,427	5,016 74,621 10,164	796 15,928 1,220	{2} -	(2) -
MACKEREL: CANNED SALTED, DRY	1949 1940	STD. CASES POUNDS		-	-	:	916,810 8,548	5,766,415 598
PILCHARDS: CANNED	1949 1940 1949 1949	STD. CASES POUNDS TONS GALLONS	-	- - -	- - -	- - -	3,768,212 9,683 39,278 6,123,140	21,334,825 968 6,219,717 2,872,532
ROCKFISHES: FRESH FILLETS FROZEN FILLETS SABLEFISH:	1949 1949	POUNDS DO	2,854,100 936,789	400,986 148,280	172,642 737,282	23,054 130,210	{2} {2}	(2) (2)
FROZEN FILLETS AND STEAKS SALTED	1949 1940 1940	00 00 00	61,381 58,090 223,373	15,730 3,281 37,855	(2)	(2)	(2) 390,496	(2) - 80,116
SALMON: FROZEN STEAKS	1949	DO	1,374,641	573,255	(2)	(2)	(2)	(2)
CANNED: CHINOOK OR KING CHUM OR KETA	1949 1949	STD. CASES	33,890 208,855	752,595 3,023,655	122,858 10,797	3,763,967 167,791	1,113	21,240
PINK	1949 1949 1949 1949	D0 D0 D0 D0	208,855 553,987 107,460 69,548	752,595 3,023,655 8,832,216 3,407,135 1,465,681	341 15,595 8,881	12,166 477,791 243,575	-	-
TOTAL CANNED SALMON	-	DO	973,740	17,481,282	158,472	4,665,290	1,113	21,240
EGGS FOR BAIT, CANNED	1949	DO	10,719	275,744	-	-	-	-
SALTED: MILD CURED HARD SALTED BELLIES	1940 1940 1940	POUNDS DO DO	3,414,675 7,600	707 <b>,</b> 633	27,225 - -	5,296	848,610 28,000	173,412 4,200
EGGS FOR CAVIAR SMOKED KIPPERED	1940 1940 1940	DO DO DO	291,518 400,249 1,118,013	26,856 66,464 224,380	41,012 62,270	12,853 7,771	362,039 2,000	148,388 560
EDIBLE	1949 1949 1940	GALLONS 00 POUNDS	85,800 -	36,116	14,652	25,716 - -	- 11,531	- 1,441
SHAO: CANNED	1949 1949 1949	STO. CASES DO GALLONS	(2) (2) 226,840	(2) (2) 2,100,472	12,159 3,049 (2)	91,667 208,684 (2)	(2) 117,071	(2) (2) 1,889,890

SEE FOOTNOTES AT END OF TABLE (CONTINUED ON NEXT PAGE)

# MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1/- Continued

ITEM			WAS	HINGTON	01	REGON	CAL	IFORNIA
	YEAR	UNIT	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE
BY MANUFACTURING ESTABLISHMENTS - CONTINUED: STURGEON:								
CANNED, SMOKED AND KIPPERED KIPPERED	1940	STD. CASES	-	-	245 1,588	\$11,083 349	-	:
ROE, SALTED TUNA AND TUNALIKE FISHES: CANNED, SOLID, FLAKES	1940	DO	60	120	<del>-</del>	<del></del> -		-
AND GRATED: TUNA: ALBACORE		STD. CASES	<u>3</u> /107,754	3/1,414,288	3/539,964	<u>3</u> /7,788,229	1,022,957 3,753,906	\$15,471,412
YELLCWFIN	1949 1949 1949	DO DO DO	(3)	(3)	(3)	.(3)	76,877 4/1,384,019	\$15,471,412 49,273,930 999,642 4/17,708,064
TONNC TOTAL TUNA	1949 1949	DO	107,754	1,414,288	539,964	7,788,229	168,642	2,579,943 86,032,991
TUNALIKE FISHES:			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3, 3, 3, 3		7, 4, 7	7 7	7 7
YELLOWTAIL	1949 1949	DO DO	-	-	-	-	33,734 126,133	365,444 1,305,084
TOTAL TUNALIKE FISHES	1949	DO		-			159,867	1,670,528
TOTAL TUNA AND TUNALIKE FISHES	S1349	DO	107,754	1,414,288	539,964	7,788,229	6,566,268	87,703,519
DRY SALTED	1940 1940	POUNDS DO	-	-	818	164	140,828	17,513
WHITEFISH, SMOKEO	1940 1940	POUNDS DO	-	-	-		7,000 333,991	3,150 126,716
RAZOR, MINCED, CANNED HARD, CANNED:	1949	STD. CASES	3,704	72,075	(2)	(2)	-	-
WHOLE AND MINCED . NECTAR HARD, FRESH-SHUCKED . CRABS, DUNGENESS:	1949 1949 1940	DO DO GALLONS	22,668 4,088 2,406	276,835 15,753 3,580	=	-	(2) - -	(2)
CANNED: NATURAL COCKTAILS MEAT, FRESH-COOKED. OYSTERS:	1949 1949 1940	STD. CASES DO POUNDS	65,004 221 337,351	1,434,938 6,632 119,320	36,419 323 939,695	829,318 9,685 254,170	-	(2) 38,947
CANNEO:  NATURAL SMOKED COCKTAILS STEW AND SPREAD	1949 1949 1949 1949	STD. CASES DO DO DO	109,141 1,977 46 2,603	1,709,096 176,396 1,336 46,150	(2)	(2) - - -	-	= = =
FRESH-SHUCKED: EASTERN PACIFIC WESTERN OR NATIVE. SCALLOPS, BAY,	1940 1940 1940	GALLONS DO DO	- 344,755 14,667	430,408 109,264	154 114,970 9,322	385 138,669 68,920	18,677 4,178	30,584 37,602
FRESH-SHUCKED SHRIMP COCKTAILS,	1940	GALLONS	1,860	5,580	-	-	-	-
CANNED SQUID, CANNED WHALE:	1949 1949	STD. CASES STD. CASES	110	3,190	295 -	8,872	85,999	341,232
SPERM OIL OTHER OIL	1949 1949	GALLONS DC	-	-	-	= -	47,000 27,950	38,500 13,975
MEAL	1949 1949	TONS DO DO	(2)	(2)	:	=	896,489 45,012,840	16,088 4,222,300 2,248,071
UNCLASSIFIED PRODUCTS: PACKAGED FISH CANNED FISH BYPRODUCTS:	1949 1949	POUNDS STD. CASES	<u>7</u> /19,379	7/86,280	5/88,060 8/5,257	5/33,600 8/70,689	6/727,919 9/6,503	6/141,982 9/77,750,
MEAL	1949 1949	TONS GALLONS	10/2,538 13/162,259	10/333,466 13/3,691,732	11/1,862 (14)	11/226,390 (14)	1 <u>2</u> /20,991 1 <u>5</u> /665,474	12/3,273,909 15/913,636
PRODUCTS	1949	-	-	<u>16</u> /56,650	-	<u>17</u> /104,215	-	<u>18</u> /4,226,792
TOTAL		-	_	35,202,487	-	15,272,860	-	142,775,359

SEE FOOTNOTES ON NEXT PAGE

# MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1/ - Continued

DATA ON THE PRODUCTION OF THE DIFFERENT PRODUCTS ARE FOR THE YEARS INDICATED.
THIS ITEM HAS BEEN INCLUDED UNDER "UNCLASSIFIED PRODUCTS".

THE PRODUCTION OF YELLOWFIN HAS BEEN INCLUDED WITH THE ALBACORE PRODUCTION IN WASHINGTON AND THE PRODUCTION

INCLUDES FRESH OR FROZEN HALIBUT, LINGCOD PROCKETSH, STARKE INCLUDES FRESH OR FROZEN HALIBUT, LINGCOD, ROCKFISH, SABLEFISH AND SMELT FILLETS; AND HALIBUT AND SABLEFISH STEAKS.

JILARS. 7
INCLUDES CANNED ANCHOVIES, SMOKED SALMON, SHAD, SMOKED SHAD, SHAD ROE, SMOKED CRAB MEAT, AND ANIMAL FOOD.

MINCLUDES CANNED KIPPERED SALMON, SMOKED STEELHEAD, KIPPERED SHAD, RAZOR CLAMS, AND CYSTERS.

INCLUDES CANNED MULLET, SHAD, SHAD ROE, FISH CAKES, PISMO CLAMS, AND CRAB MEAT.

MINCLUDES SALMON, CRAB, AND UNCLASSIFIED MEAL.

JI INCLUDES TUNA, CRAB AND UNCLASSIFIED MEAL.

12/ INCLUDES ANCHOYY, SHARK, TUNA AND MACKEREL, CRAB, SQUID, AND UNCLASSIFIED MEAL. 13/ INCLUDES TUNA AND UNCLASSIFIED BODY OIL; TUNA AND MISCELLANEOUS LIVER DIL, AND VISCERA OIL.

14/ THIS ITEM HAS BEEN INCLUDED WITH MISCELLANEOUS PRODUCTS.
15/ INCLUDES ANCHOVY, TUNA, MACKEREL AND UNCLASSIFIED BODY OIL; AND TUNA, WHALE AND UNCLASSIFIED LIVER OIL.

16/ INCLUDES CLAM AND OYSTER-SHELL GRIT AND OYSTER-SHELL LIME.
17/ INCLUDES TUNA, AND UNCLASSIFIED BODY OIL; LINGCOD, ROCKFISH, SOLE, AND SHARK LIVER OIL; VISCERA OIL; AND
OYSTER-SHELL GRIT AND LIME.

18/ INCLUDES OYSTER-SHELL LIME AND GRIT, AGAR AGAR, GLUE, AND KELP PRODUCTS.

NOTE: -- SOME OF THE ABOVE PRODUCTS MAY HAVE BEEN IMPORTED FROM ANOTHER STATE OR A FOREIGN COUNTRY; THEREFORE THEY CANNOT BE CORRELATED DIRECTLY WITH THE CATCH WITHIN THE STATE.

## SUMMARY OF MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS

ITEM	YEAR	UNIT	CUANTITY	VALUE
PACKAGED FISH CANNED FISH AND SHELLFISH FISHERY BYPRODUCTS PACKAGED SHELLFISH SALTED, DRIED AND PICKLED FISH SALTED, DRIED AND PICKLED FISH	1949 1949 1949 1940 1940 1940	POUNDS STANDARD CASES - POUNDS DO DO	21,795,821 14,322,461 6,185,463 8,378,743 2,739,154	\$5,463,008 156,190,213 28,287,867 1,364,145 1,336,290 608,863
TOTAL	-	-	-	193,250,406



# WASHINGTON

CATCH BY DISTRICTS, 1949

SPECIES	PUGET SOUND	DISTRICT	COASTAL	DISTRICT	COLUMBIA RI	VER DISTRICT
FISH	POUNDS	VALUE	POUNOS	VALUE	POUNDS	VALUE
ANCHOVIES	6,243,400	\$231,007	402,000 1,900	\$6,100 71	=	=
FLOUNDERS:  "SOLE"  OTHER.  GRAYFISH 1/	9,776,800 557,100 10,587,000 64,200	592,473 22,284 447,828 239	29,300 2,900 58,200	1,467 81 2,793	16,700 4,900 - -	\$836 100 - -
HALIBUT. HERRING, SEA LINGCOD. PERCH. PILCHARD	13,455,600 838,600 5,091,100 145,300 56,400	2,422,020 41,926 480,579 16,707 3,104	8,900 1,200 298,800 5,300	1,396 61 29,338 582	1,000 26,700	3,000
RATFISH	1,471,600 13,014,100 3,778,300	13,344 583,136 376,529	136,600	4,591	95,300 6,000	3,811 619
CHIMOOK OR KING. CHUM OR KETA PINK RED OR SOCKEYE SILVER OR COHO SHAD SHARKS:	4,107,900 4,290,800 44,196,700 6,164,600 6,886,400 2,600	997,546 582,996 4,419,659 1,232,930 1,121,257	2,000,000 658,800 17,500 869,900 2,879,500	496,030 52,046 1,744 265,311 543,404	3,481,300 263,200 600 11,100 763,100 69,300	613,912 21,056 56 2,223 100,102 4,643
SOUPFIN	569,900 45,500 1,005,000	307,783 820 14,969	1,800	950 - -	-	-
SMELT: EULACHON . SURF OR SILVER . STEELHEAD TROUT. STURGEON . TUNA, ALBACORE .	115,500 22,400 13,400 943,800	11,554 3,070 1,894 167,998	536,200 133,700 22,600 3,343,400	53,614 18,310 3,164 595,128	2,444,600 42,200 146,900 146,700	136,399 - 5,940 25,759 26,255
TOTAL	133,444,000	14,093,846	11,408,500	2,076,181	7,519,600	944,893
SHELLFISH CRABS. CRAWFISH SHRIMP CLAMS:	1,355,100	162,618 16,774	10,837,400	1,083,740	950,000 600 -	85,501 121 -
HARO: BUTTER	68,000 305,400 - 47,300	16,308 97,731 2,362	400 302,700	- 117 193,121	-	=
OYSTERS, MARKET: PACIFIC. WESTERN OR NATIVE. SCALLOPS, BAY. SQUID.	2,286,900 203,000 16,500 600	521,405 278,400 9,986 42	5,347,700	1,219,802		:
TOTAL	4,349,900	1,105,626	16,488,200	2,496,780	950,600	85,622
GRAND TOTAL	137,793,900	15,199,472	27,896,700	4,572,961	8,470,200	1,030,515

17 CAUGHT ALMOST ENTIRELY FOR UTILIZATION OF THE LIVERS IN THE EXTRACTION OF VITAMIN OILS. MOST OF THE CARCASSES WERE DISCARDED.



# PUGET SOUND DISTRICT OF WASHINGTON: OPERATING UNITS, $1949\,^{12}$


	PURSE		GILL NETS			LINES		
ITEM	SEINES,	HAUL SEINES	SALM		SHARK	TRAWL, SET	TROLL	
	SALMON		ORIFT	SET 2/		AND HAND	SALMON	
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	
FISHERMEN: ON VESSELS	2,321 68	342	89 671	- 55	221 135	1,260 133	702 460	
TOTAL	2,389	342	760	55	356	1,393	1,162	
VESSELS, MOTOR NET TONNAGE BOATS:	283 6,904	-	57 <b>4</b> 72	-	62 1,538	19B 6,062	364 3,988	
MOTOR	13 - 296	103 32 -	540 44 -	37 18 -	110 4 -	96 12 -	345 - -	
APPARATUS: NUMBER LENGTH, YARDS SQUARE YARDS	296 185,000	135 12,800	641 1,121,750	55 13,000	1,535 - 1,262,250	31,618 - -	3,564 -	
H00KS	-		<u> </u>		L <u></u>	639,652	17,820	
ITEM	LINES-CONT'	POUND NETS 2/	BRUSH WE1RS	DIP NETS	REEF NETS	BEAM TRAWLS	OTTER TRAWLS	
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	
ON VESSELS ON BOATS AND SHORE	410	- 24	- 4	- 38	- 548	6 8	704 -	
TOTAL	410	24	4	38	548	14	704	
VESSELS, MOTOR	99 3,402	=	-	-	-	2 18	162 5,140	
MOTOR	-	- 7	- 1	13 6	274	- 4	-	
NUMBER	605 - 605	- 7	- 1 	38 - -	137 - -	6 55 -	162 2,400	
	·	<del></del>			i	T	TOTAL,	
ITEM	CRAB	OC OPUS	SHRIMP	DREDGES, OYSTER	TONGS AND BY HANO, OYSTER		EXCLUSIVÉ OF DUPLICATION	
FISHERMEN:	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	
ON VESSELS ON BOATS AND SHORE	43 160	2 6	- 8	6 2	125	- 375	4,672 2,742	
TOTAL	203	8	В	8	125	375	7,414	
VESSELS, MOTOR NET TONNAGE BOATS:	18 247	1 13	-	2 45	-	-	956 20,085	
MOTOR	148 8 -	4 1 -	- -	_ 1 	26 10 -		1,266 394 308	
APFARATUS: NUMBER	18,300	350	250	6 12	35	375 -	<u> </u>	

<sup>1/</sup> STATISTICS IN THIS TABLE INCLUDE ALL CRAFT OPERATING IN THE STATE MAKING THEIR HOME PORT IN THIS DISTRICT, AND ALL CRAFT OPERATING IN THE STATE WHOSE HOME PORT IS NOT WITHIN THE STATE BUT WHO LANDED THE MAJOR PORTION OF THEIR WASHINGTON CATCHIN THIS DISTRICT.

FISHED ONLY ON INDIAN RESERVATIONS.

FISHED ONLY ON INDIAN RESERVATIONS.

INCLUDES ONLY VESSELS THAT TROLLED OR FISHED EXCLUSIVELY FOR TUNA AND DID NOT TROLL FOR SALMON. MANY OF THE SALMON TROLLERS ALSO TROLLED FOR TUNA.



PACIFIC COAST CRAB POT

# PUGET SOUND DISTRICT OF WASHINGTON: CATCH BY GEAR, 1949

							GILL	NETS		
SPECIES	PURSE	SEINES	HAUL	SEINES	1/		SAL	MON		
3, 20123	1 0.102	0211120			-	C	RIFT		SET	3/
FISH	POUNDS	VALUE	POUNDS	VA.	LUE	POUNDS	VALU	JE POU	NDS	VALUE
COD	-	-	10	00	\$3	-	-		-	-
"SOLE"	100	\$6	20		12		-	4.	-	-
OTHER	1,000 1,500	39 62	1,60		34 68	100 74,600	3,1	\$4 157	-	-
HAKE	5,000	- 252	647,80	- 1	- ,390		1 -	7	,400	\$24
LINGCOD	200	10			-	300		14	-	-
PERCH	500	56	140,90 56,40 4,50	10 16	,201 ,104	-	_		-	-
ROCKFISHES	-	-	4,50	0	196	-	-		-	-
CHINOOK OR KING	540,100 3,078,700 33,328,700	67,515 421,782	18,90 40,60	0 2	,364 ,405	439,100	96, 1 94, 5	63 20	,600 ,200	2,576 35,542
CHUM OR KETA	33,328,700	3,332,80/	521,00	0 52	,095	710,800 6,804,200	680,4	20	-	-
REO OR SOCKEYE	4,886,500 3,422,600	977,306 431,243	9,30	n 1	- ,171	790,300 1,217,400	158,0 254,4	065	- ,500	7,746
SMELT, SURF OR SILVER STEELHEAD TROUT 3/	3,400	340	112,10	0 11	,214	-,,			400	-
TOTAL	45,268,300	5,231,478	1,554,20	0 124	, 257	10,036,800	1,286,7		,100	48,958
SHELLFISH			,,,-		,		<del>  '</del>			
SQUID	-	-	60		42	-	-		-	-
OCTOPUS		<u> </u>	1,20		61					
TOTAL	-	-	1,80		103	-		_	-	
GRAND TOTAL	45,268,300	5,231,478	1,556,00	0 124	,360	10,036,800	1,286,7	194 3 79	, 100	48,958
SPECIES	GILL	NETS -			LI	NES		_	PO	UND .
3. 20 723	SHA		TRAWL, SET AND HAND			TR	OLL		NET:	s <u>3</u> /
FISH	POUNDS	VALUE	POUNDS		LUE	POUNDS	VALU		NDS	VALUE
FLOUNDERS, "SOLE"	1,600 800	\$60 49	7,80	° l	\$290 474	3,900 3,900		34	-	-
GRAYFISH 2/	2,042,700	86,405	7,80 754,40 13,379,00	0 31 0 2,408	,912	0,200	13,7	60	-	-
LINGCOD	76,700	9,349	822,50	0 1 100	,348 (	76,600 670,700	81,6	122	-	-
RATFISH	23,900 12,900	179 861	1,50 431,40	0 28.	12 905	50,100	2,5	507		] :
SABLEFISH	400	45	3,092,10	0 327	,763	31,400	3,3	124	-	-
CHINOOK OR KING	-	-	-		-	2,894,000	804,5	33 65	,400	\$8,176
PINK			-		-	80,200	8,0	18 279	400 500 500	27,950
REO OR SOCKEYE		-		1 :	_	1,860,300	386,9	12	,500 800	2,492 8,159
SHARKS:	530 300	286,376	27.00	, , ,,	,907	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	500,5	1.	,000	0,105
SOUPFIN 2/	530,300 12,500	225	22,00 22,60		407	1,600	-	29		-
SKATE	1,200	47 -	1,70	0	71 84		_			-
TUNA, ALBACORE	-		-	<u> </u>		943,800	167,9			-
TOTAL	2,703,000	383,596	18,543,40	0 2,910,	,402	6,622,700	1,469,6	01 434,	600	48,427
SHELLFISH OCTOPUS	400	20	1,30		64	300		13		
TOTAL	400	20	1,30		64	300		13	_	
				+						
GRAND TOTAL	2,703,400	383,616	18,544,70	0 2,910,	466	6,623,000	1,469,6	14 434,	600	48,427
SPECIES	BRUSH WEIR	S DIF	NETS	REEF	NETS	BEAM TR	AWLS	ОТ	TER	TRAWLS
FISH COD	POUNDS VAL	UE POUNDS	VALUE	POUNDS	VAL	POUNOS	VALUE	6, 230,	000	VALUE \$230,510
FLOUNDERS: "SOLE"										-
	:   :		-	-	-	-	-	9,764, 555,	200	591,698 22,207 325,964
GRAYFISH 2/	: :	-	1		-		-	7,706, 56,	800	215
HERRING, SEA LINGCOD	173,800 \$8,	688 11,80	\$588	-	-		-	3,520,	200	289,031
PERCH	-   -	-	-	-	-	-	-	3,	900	450
RATFISH			1:	- :	]			1,446,	200	13,153 550,667

PUGET SOUND DISTRICT OF WASHINGTON: CATCH BY GEAR, 1949 - Continued

SPECIES	BRUSH W	EIRS	DIPN	ETS	REEF	NETS	BEAM TR	AWLS		OTTER	TRAWLS
FISH - CONTINUED	POUNDS	VALUE	POUNDS 1	/ALUE	POUNDS	VALUE	POUNDS	VALUE		POUNDS	VALUE
SABLEFISH		-	-	-	-	-	-	-		654,400	\$45,397
SALMON: CHINDOK DR KING	-	-	-	- 1	129.800	\$16,219	- !	-	l	-	_
CHUM OR KETA	1 - 1	-	-	-	181,100	24,084	.l - i	-		-	-
PINK	-	- 1	_	-	3,183,100 475,300	95.067	1 [ ]	-	1	- 1	-
SILVER OR COHO	i - I		-	-	250,500			-	1		
SHAD	- 1	-	- 1	-	-	l -	-	-	1	2,600	194
SOUPFIN 2/	- 1	·-	-	-	-	-	- 1	-		17,600	9,500
OTHER 2/	- 1	-	-	-	-	-	-	-	١,	8,800 002,100	159 14,851
SKATE	-	-	-	-	_	1 -	1 -	_	۱',	12,800	1,810
TOTAL	173,800	\$8,688	11,800	\$588	4,219,800	485,238	-	-	43,		2,095,B14
SHELLFISH	<del></del>						+		-		
SHRIMP	-	-	-	-	-	_	23,500	\$5,866	1	-	_
OCTOPUS	-	-	-	-	-	-	16,500	<u> </u>		18,800	939
		-				<b>↓</b> -	<u> </u>				
TOTAL	-		-	-	-	-	40,000	15,852		18,800	939
GRAND TOTAL	173,800	8,688	11,800	588	4,219,800	485,238	40,000	15,852	43,	515,200	2,096,753
SPECIES			TRAPS				DREDGE	S. TONG	s.	SHO	VELS
57 267 25	CR	AB	OCT	PUS	SHR	IMP	AND	S, TONG BY HAND	,	Cino	
FISH	POUNDS	VALUE	POUND:	VALUE	POUNDS	VALUE	POUNDS	VAL	<u>UE</u>	POUNDS	VALUE
LINGCOD	100	\$5	5 -	<u> </u>	-	-	-			-	
TOTAL	100		5 -	-	-	-	-			-	
SHELLFISH				1							
CRABS 4/	1,355,100	162,618	3 -	-			-	-		-	-
SHRIMP	-	-	-	-	43,000	\$10,908	-	-		-	-
8UTTER	-	-	l -	-	-	-	-	-			\$16,308
OCTOPUS	_	[	25 300	\$1,265	5 -		]	1 :		305,400	97,731
DYSTERS, MARKET 6/:		1	20,000	1	<b>~</b>					_	1
PACIFIC	-	] [	1 :	_	-	-	2,286,90	0 \$521, 0 278,	405 400		-
TOTAL	1,355,100	162,618	25,300	1,265	5 43,600	10,908	2,489,90			373,400	114,039
GRAND TOTAL	1,355,200	<del>+</del>	<u> </u>	+		10,908	2,489,90				114,039
		1 '	1 '	1 '	1 '	,	1 ' '	1 7		1 1	1

THE SALMON CAUGHT BY HAUL SEINES WERE TAKEN ONLY BY INDIANS ON RESERVATIONS.

<sup>2/</sup> CAUGHT ALMOST ENTIRELY FOR THE UTILIZATION OF THE LIVERS IN THE EXTRACTION OF VITAMIN OILS. MOST OF THE CARCASSES WERE DISCARDED.

<sup>3/</sup> FISHED ONLY ON INDIAN RESERVATIONS.
4/ THE WEIGHT OF CRABS SHOWN IS BASED ON AN AVERAGE OF 22 POUNDS PER DOZEN.

THE STATISTICS ON HARD CLAMS ARE BASED ON YIELDS OF 25 PERCENT OF EDIBLE MEAT.

PACIFIC OYSTERS. THE STATISTICS ON OYSTERS ARE BASED ON 18 PERCENT EDIBLE MEATS FOR NATIVE OYSTERS AND 10 PERCENT FOR

THE WEIGHTS OF BAY SCALLOPS ARE BASED ON 8.5 POUNDS PER GALLON WHEN SHUCKED.

NOTE: -- THE QUANTITIES SHOWN REPRESENT THE ROUND WEIGHT OF THE CATCH OF FISH AND SHELLFISH EXCEPT FOR BIVALVE OTE: --THE QUANTITIES SHOWN REPRESENT THE ROUND WEIGHT OF THE CATCH OF FISH AND SHELLFISH EXCEPT FOR BIVALVE MOLLUNGS, WHICH ARE REPORTED IN POUNDS A WATE. THE POUNDS AND VALUE OF THE CATCH SHOWN ABOVE INCLUDES THE FOLLOWING TIEMS OF LIVERS AND VISCERA: COD LIVERS, 58,534 POUNDS, VALUE \$3,805; GRAYFISH LIVERS, 1,270,434 POUNDS, VALUE \$40,605; GRAYFISH LIVERS, 1,270,434 POUNDS, VALUE \$40,605; HAVE LIVERS, 1,270,434 POUNDS, VALUE \$40,605; HAVE LIVERS, 1,270,434 POUNDS, VALUE \$40,605; HAVE LIVERS, 1,270,434 POUNDS, VALUE \$40,605; HAVE LIVERS, 1,270,605; DOUNDS, VALUE \$40,605; HAVE LIVERS, 1,270,605; DOUNDS, VALUE \$40,605; MALIBUT, LIVERS OB, 396 POUNDS, VALUE \$10,457; SKATE LIVERS, 2,9,609 POUNDS, VALUE \$2,962; SOUPFIN SHARK LIVERS OB, 396 POUNDS, VALUE \$307,763; OTHER SHARK LIVERS, 5,460 POUNDS, VALUE \$320,405; HALIBUT, LINECOD AND SABLEFISH VISCERA 570,686 POUNDS, VALUE \$113,439.

# COASTAL DISTRICT OF WASHINGTON: OPERATING UNITS, 1949 1/

			SILL NETS			LINES	
ITEM	HAUL SEINES		MON	SHARK	TRAWL		TROLL
	SETNES	ORIFT	SET 2/	SHARK	OR SET	SALMON	TUNA 3/
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
FISHERMEN: ON VESSELS. ON BOATS AND SHORE.	12	7 308	200	B 2	- 4	494 253	112 7
TOTAL	12	315	200	10	4	747	119
VESSELS, MOTOR NET TONNAGE BOATS:	-	5 46	=	3 <b>7</b> 5	1 8	241 2,556	41 828
MOTOR	2 2	28 <b>4</b> 15	65 118	- 1	-	172	- 3
NUMBER	4	304	200	110	40	2,138	264
LENGTH, YARDS	400	516,500	44,000	90,000	-		
HOOKS	-		-	1 2	B00	10,512	264
ITEM	DIP NETS	OTTER TRAWLS	TRAPS, CRAB	TONGS, AND BY HAND, OYSTER	DREDGES, OYSTER 4/	SHOVELS	TOTAL, EXCLUSIVE OF DUPLICATION
FISHERMEN:	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
ON VESSELS ON BOATS AND SHORE	54	32	229 35	180	54 15	- 2, <b>7</b> 50	830 3,566
TOTAL	54	32	264	180	69	2,750	4,396
VESSELS, MOTOR	-	8 208	82 1,083	=	18 320	-	337 4,322
MOTOR	15 8	-	23 -	56 107	- 6		558 246
NUMBER	54	8 120	19,550	75 -	47 94	2 <b>,7</b> 50	:

<sup>1/</sup> STATISTICS IN THIS TABLE INCLUDE ALL CRAFT OPERATING IN THE STATE MAKING THEIR MOME PORT IN THIS DISTRICT, AND ALL CRAFT OFERATING IN THE STATE WHOSE HOME PORT IS NOT WITHIN THE STATE BUT WHO LANDED THE MAJOR PORTION OF THEIR WASHINGTON CATCH IN THIS DISTRICT.
2/ FISHED ONLY ON INDIAN RESERVATIONS.
3/ INCLUDES ONLY VESSELS THAT TROLLEED OR FISHED EXCLUSIVELY FOR TUNA AND DID NOT TROLL FOR SALMON. MANY OF THE SALMON TROLLERS ALSO TROLLED FOR TUNA.
4/ INCLUDES ONE SUCTION DREDGE.

## COASTAL DISTRICT OF WASHINGTON: CATCH BY GEAR, 1949

					GILL	NETS		
SPECIES	HAUL S	EINES		SA	LMON		SH	ARK
			ORI	FT	SI	ET 2/	POUNDS 1,400 5,600 5,200 3,100 	
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
ANCHOVIES	402,000	\$6,100		_		-	1 400	\$70
GRAYFISH 1/	-	-	9,400	\$452	_	-	5,600	271
HERRING, SEA	1,200	61		-	-	-	-	-
LINGCOD		-	- 1	-	-	- /	5,200	524
PERCH	5,100	556 -	-			=	3,100	108
CHINOOK OR KING CHUM OR KETA	-	-	319,000 567,600	49,442 44,842	168,600 91,200	\$26,131 7,204	-	-
PINK	-	_	100	44,042 B		7,204	- 1	
RED OR SOCKEYE	-	-	-	-	B69,900	265,311	-	-
SILVER OR COHO SMELT, SURF OR SILVER.	367,B00	36,777	587,300	89,859	423,200	64,745	-	-
SHARK, SOUPFIN 1/	307,000	30,777		-			1 000	549
STEELHEAD TROUT 2/	-	-	-	-	133,700	18,310	-,,,,,,	-
STURGEON	-	-	22,100	3,091	100	14	200	28
TOTAL	776,100	43,494	1,505,500	187,694	1,686,700	381,715	16,500	1,550
GRAND TOTAL	776,100	43,494	1,505,500	187,694	1,686,700	381,715	16,500	1,550
SEE FOOTNOTES AT END OF	TABLE	(c	ONTINUED ON	NEXT PAGE)				

LINES

193,238

303,100

OTTER TRAWLS

COASTAL DISTRICT OF WASHINGTON: CATCH BY GEAR, 1949 - Continued

DIP NETS

SPECIES	TRAWL	OR SET		TROLL	DIP	NEIS	0111	.N TRAWES
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALU		
COD. FLOUNDERS: "SOLE" OTHER. GRAYFISH 1/. HAL IBUT. LINGCOD. PERCH. ROCKF ISHES	- 3,200 400 - -	- \$153 67 - -	1,300 - 100 8,500 275,900 95,700	- - 4 1,329 27,587	- - - - - 200	- - - - - \$	27,90 2,90 39,90 - 13,10 37,70	00 1,397 00 81 1,913 00 996
SALMON: CHINDOK OR KING. PINK PINK SILVER OR CDHO SMELT, SURF OR SILVER SHARK, SOUPFIN 1/ STURGEON TUNA, ALBACORE	- - - - 600	- - - 297	1,512,400 17,400 1,869,000 200 200 3,343,400	1,736 388,800 104 31	168,400	16,8		
TOTAL	4,200	517	7,124,100	1,438,575	168,600	16,8	163 122,10	5,540
GRAND TOTAL	4,200	517	7,124,100	1,43B,575	168,600	16,8	122,10	5,540
SPECIES		TRAPS, C	RAB	DREDGI AND	ES, TONGS, BY HAND		SHO	OVELS
FISH LINGCOD ROCKFISHES	<u>PDUN</u> 4,	600 100	<u>VALUE</u> \$231 2	POUNDS - -	VAL	.UE	POUNDS - -	VALUE -
TOTAL	4,	700	233	-			-	
SHELLFISH CRABS 3/	10,837,	400	1,083,740	-		-	-	-
HAROSHELLRAZOR 4/OYSTERS, MARKET, PACIFIC 5/	:		-	- - 5,347,700	\$1,219	. 802	302,700 -	\$117 193,121 -
TOTAL	10,837,	400	1,083,740	5,347,700	1,219,		303,100	193,238

CAUGHT ALMOST ENTIRELY FOR THE UTILIZATION OF THE LIVERS IN THE EXTRACTION OF VITAMIN OILS. MOST OF THE CARCASSES WERE DISCARDED.

5,347,700

1,219,802

FISHED ONLY ON INDIAN RESERVATIONS.

GRAND TOTAL. . .

3/ THE WEIGHT OF CRABS SHOWN ABOVE IS BASED ON A WEIGHT OF 24 POUNDS PER DOZEN.


10,842,100

THE WEIGHT OF RAZOR CLAMS IS BASED ON A YIELD OF 42 PERCENT OF EDIBLE MEAT.

THE STATISTICS ON DYSTERS USED IN THIS TABLE ARE BASED ON YIELDS OF 12 PERCENT EDIBLE MEATS.

1,083,973

NOTE: --THE QUANTITIES SHOWN REPRESENT THE ROUND WEIGHT OF THE CATCH OF FISH AND SHELLFISH EXCEPT FOR BIVALVE MOLLUSKS, WHICH ARR REPORTED IN POUNDS OF MEATS. THE POUNDAGE AND VALUE OF THE CATCH SHOWN ABOVE INCLUDES THE FOLLOWING ITEMS OF LIVERS AND VISCERA: GRAYFISH LIVERS, 6,980 POUNDS, VALUE \$2,793; HALIBUT LIVERS, 113 POUNDS, VALUE \$145; LINGCOD LIVERS, 2,2021 POUNDS, VALUE \$4,042; ROCKFISH LIVERS, 102 POUNDS, VALUE \$51; SOUPFIN SHARK LIVERS, 211 POUNDS, VALUE \$590; AND HALIBUT AND LINGCOD VISCERA, 2,701 POUNDS, VALUE \$790.



WEST COAST PURSE SEINER

# COLUMBIA RIVER DISTRICT OF WASHINGTON: OPERATING UNITS, 1949 $^{1}$

LTEM	HAUL	GILL NET	rs	TRAWL	LINES		OIP	TRA	PS	TOTAL EXCLUSIVE OF
I I EM	SEINES 2	SALMON	SMELT	OR SET	SALMON	TUNA 3/	NETS	CRAB	CRAWFISH	DUPLICATION
FISHERMEN:	NUMBER	NUMBER	NUMPER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
ON VESSELS ON BOATS AND SHORE.	- 12	2 566	- 5	- 52	51 138	- 2	400	14	- 2	54 1,089
TOTAL	12	568	5	52	189	2	400	21	2	1,143
VESSELS, MOTOR NET TONNAGE		1 10		1 1	27 243	-	-	62 62		27 243
MOTOR	4 4	4 <b>7</b> 5 15	5	42 10	82 -	۱ - ۱	16B 9	- 4	- 2	707 32
PPARATUS: NUMBER LENGTH, YARDS SOUARE YAROS HOOKS	400	490 1,568,000	1,875	273 - 27,300	490 - 2,450	6 - 6	400 - -	1,100 - -	60 - -	-

<sup>1/</sup> STATISTICS IN THIS TABLE INCLUDE ALL CRAFT OPERATING IN THE STATE MAKING THEIR HONE PORT IN THIS DISTRICT,
AND ALL CRAFT OPERATING IN THE STATE WHOSE HOME PORT IS NOT WITHIN THE STATE BUT WHO LANDED THE MAJOR PORTION
OF THEIR WASHINGTON CATCH IN THIS DISTRICT.

2/ CATCH SOLD IN OREGON.
3/ INCLUDES ONLY VESSELS THAT TROLLED OR FISHED EXCLUSIVELY FOR TUNA AND DID NOT TROLL FOR SALMON. MANY OF THE SALMON TROLLERS ALSO TROLLED FOR TUNA.

COLUMBIA RIVER DISTRICT OF WASHINGTON: CATCH BY GEAR, 1949  $^{1/2}$ 

		GILL NET	S			LIN		
SPECIES	SALMON,	DRIFT	SME	LT	TRAWL	OR SET	TRO	LL
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
FLOUNDERS, OTHER	3,100	\$46	-	-		<del>-</del>	-	-
HALIBUT	-		-	-	1,000	\$182	22,300	\$2,679
LINGCOD	100	4		-	1,000	42	36,600	1,463
ROCKFISHES		-	-	-	6,000	619		
SALMON:							500,600	116,128
CHINOOK OR KING	2,752,600 261,400	459,687 20,914	_			_	300,000	110,120
CHUM OR KETA PINK	201,400	20,914			_	-	600	56
RED OR SOCKEYE	6,700	1,335	-	-	-	-		
SILVER OR COHO	224,800	30,129	-	-	-	-	538,300	69,973
SMELT, EULACHON	62,600	4,195	479,900	\$47,987		_		_
STEELHEAD TROUT	40,900	5,760	479,900	4-1,507		-	-	-
STURGEON	128,100	22,287	-	-	9,200	1,793	300	57
TUNA, ALBACORE	-	-				-	146,700	26,255
TOTAL	3,480,300	544,357	479,900	47,987	17,200	2,636	1,245,400	216,611
GRAND TOTAL	3,480,300	544,357	479,900	47,987	17,200	2,636	1,245,400	216,611
		.5.7.0				TRAP	s	
SPECIES	DIP	1612	OTTER 1	RAWLS	CR	AB	CRAW	FISH
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
FLOUNDERS:	1	[	15 700	*026	Ì			
"SOLE"		-	16,700 1,800	\$836 54		1 - [	-	
LINGCOD		_	3,600	288	700	\$29	-	-
ROCKFISHES	-	-	57,700	2,306	-	-	-	-
SALMON: CHINOOK OR KING	228,100	\$38,097		_	_	_	_	_
CHUM OR KETA	1,800	142				_	_	_
RED OR SOCKEYE	4,400	888	-	-	- :	-	-	-
SHAD	6,700	448	-	-	- 1	-	-	-
SMELT, EULACHON STEELHEAO TROUT	1,964,700	88,412 180	-	-	- 1	-	-	-
STURGEON	9,300	1,622	]	1 -	] [ ]	_	_	_
TOTAL	2,216,300	129,789	79,800	3,484	700	29	-	-
SHELLFISH								
CRABS 2/	-	-	-	-	950,000	85,501		ī
CRAWFISH	-	-	-	-	-	-	600	\$121
TOTAL	-		-		950,000	85,501	600	121
		129,789			950,700	85,530	600	121

THE FOLLOWING SPECIES LANDED IN THE COLUMBIA RIVER DISTRICT WERE CAUGHT OFF THE COAST: SOLE, HALIBUT, INCOOR, ROCKFISHES, SABLEFISH, ALBACORE TUNA, CRABS, AND MOST OF THE TROLL CAUGHT SALMON.

2 THE WEIGHT OF CRABS SHOWN IS BASED ON A WEIGHT OF 24 POUNDS PER DOZEN.

GO THE WEIGHT OF CHARDS SHOWN IS BASED ON A WEIGHT OF 24 POUNDS PER DOZEN.

NOTE:--THE QUANTITIES SHOWN REPRESENT THE ROUND WEIGHT OF THE CATCH OF FISH AND SHELLFISH. THE POUNDAGE AND

VALUE OF THE CATCH SHOWN ABOVE INCLUDES THE FOLLOWING ITEMS OF LIVERS: LINGCOD LIVERS, 240 POUNDS, VALUE \$288,

AND SABLEFISH LIVERS, 820 POUNDS, VALUE \$1,640.

## CATCH BY DISTRICTS, 1949

SPECIES	COLUMBIA RIVE	ER DISTRICT	COASTAL	DISTRICT
FISH	POUNDS	VALUE	POUNDS	VALUE
OD	600 5,400	\$17 188	-	Ξ
"SOLE": "SOLE": OTHER RAYFISH 1/ AKE.	7,750,200 375,100 3,270,800 - 352,000	388,343 9,099 276,232 - 55,257	1,511,700 17,600 151,900 77,400 257,600	\$74,054 442 12,039 471 43,791
ERRING, SEA. MMPREY INGCOD ERCH LCHARD.	369,900 505,200	9,248 48,528	69,400 - 433,700 7,700 9,000	2,776 49,899 769 234
OCKFISHESABLEFISHALBUMON:	3,075,500 203,000	119,992 16,350	1,698,500 351,500	54,633 28,105
CHINOOK OR KING CHUM OR KETA. RED OR SOCKEYE. SILVER OR COHO. HAO.	8,017,900 281,600 12,600 838,300 367,400	1,361,810 22,545 2,571 115,107 24,625	1,475,500 445,000 - 1,766,200 1,024,600	307,070 35,600 - 228,811 69,669
HARKS: SOUPFIN. OTHER. MELT, EULACHON. TEELHEAD TROUT TRIPEO BASS.	432,200 11,500 833,900 771,700	241,213 110 65,244 108,805	105,900 1,400 - 80,400 24,800	59,102 14 - 10,526 1,786
URGEON. NA: ALBACORE. SKIPJACK 2/ YELLOWFIN 2/.	267,700 4,553,200 1,941,800 5,571,100	50,326 815,019 269,227 807,868	1,300 1,773,800	7130 289,123
TOTAL	39,809,000	4,807,724	11,284,900	1,269,044
SHELLFISH RAGS	4,484,100 45,400	403,569 9,847	4,862,400	432,756
AMS: RAZOR MIXED STERS, MARKET, PACIFIC.	=	- - -	77,200 32,300 501,100	48,922 7,681 85,904
TOTAL	4,529,500	413,416	5,473,000	575,263
GRAND TOTAL	44,338,500	5,221,140	16,757,900	1,844,307

<sup>1/</sup> CAUGHT ALMOST ENTIRELY FOR THE UTILIZATION OF THE LIVERS IN THE EXTRACTION OF VITAMIN OILS. MOST OF THE CARCASSES WERE DISCARDED.
2/ THE CATCH OF SKIPJACK AND YELLOWFIN WAS TAKEN BY PURSE SEINES AND LINES SOUTH OF THE INTERNATIONAL BOUNDARY. ALL OR PART OF THIS CATCH MAY BE DUPLICATED IN IMPORT STATISTICS.

# COLUMBIA RIVER DISTRICT OF OREGON: OPERATING UNITS, 19491

	PURSE				GILL NETS		LINES	
ITEM	SEINES.	HAUL	SALMON		SHARK	SMELT	TRAWL	TROLL
, , <del>_</del> ,	TUNA 2	SEINES	DRIFT	SET			TRAWL AND SET NUMBER 263 24 287 666 902 18 3	SALMON
FISHERMEN:	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
ON VESSELS	23		2		160	-		361
ON BOATS AND SHORE		201	703	73	-	70	24	179
TOTAL	23	201	705	73	160	70	287	540
VESSELS, MOTOR	2	_	1	-	41	-	66	139
NET TONNAGE	114	-	11	-	654	-	902	2,263
BOATS:								
MOTOR	-	14	628	53	- 1	70	18	107
OTHER		23	-	10	-	-	3	-
ACCESSORY BOATS	2	-	-	-	-	-	-	-
APPARATUS:								
NUMBER	2	23	629	152	1,215	70	1,287	1,454
LENGTH, YARDS	1,300	13,800	<del>-</del>				-	-
SQUARE YARDS	-	-	2,013,000	42,500	1,037,150	26,000	-	4 760
HOOKS	-	-	-	-	-	-	28,700	6,760

SEE FOOTNOTES AT END OF TABLE

# COLUMBIA RIVER DISTRICT OF OREGON: OPERATING UNITS, 19491 - Continued

	LINES - CONT'O.	POUND	DIP	OTTER	TRAP	S	TOTAL,
I T EM	TROLL - CONT 'O.	NETS	NETS	TRAWLS	CRAB	CRAWFISH	EXCLUS: VE OF DUPLICATION
FISHERMEN: ON VESSELS ON BOATS AND SHORE.	NUMBER 556 7	MUMBER 65	NUMBER 487	<u>NUMBER</u> 250	NUMBER 102 24	NUMBER 22	<u>NUMBER</u> 1,409 1,730
TOTAL	563	65	487	250	126	22	3,139
VESSELS, MOTOR NET TONNAGE BOATS:	152 4,033	-	-	64 1,866	36 514	:	414 8,658
MOTOR	3 -	24 31 -	=	- -	12	10	829 72 3
NUMBER	1,298 - 1,298	35 -	487 -	64 960 -	8,700	1,100	- -

<sup>1/</sup> STATISTICS IN THIS TABLE INCLUDE ALL CRAFT OPERATING IN THE STATE MAKING THEIR HOME PORT IN THIS DISTRICT, AND ALL CRAFT OPERATING IN THE STATE WHOSE HOME PORT IS NOT WITHIN THE STATE BUT WHO LANGED THE MAJOR PORTION OF THEIR OREGON CATCH IN THIS DISTRICT.

# COLUMBIA RIVER DISTRICT OF OREGON: CATCH BY GEAR, 19491

						GILL		
SPECIES	PURSE	SEINES	HAUL	SEINES	L		ALMON SI	
					<u> </u>	DRIFT	51	
FISH	POUNOS	VALUE	FOUNDS	VALUE	FOUNDS	VALUE	FOUNDS	VALUE
CARP	-	1	600	\$17	-		- 1	-
FLOUNDERS, OTHER.	-	- 1	-	-	94,400	\$1,5		-
LINGCOD	-	1	-	-	100		4 -	-
CHINOOK OR KING	! -	-	948,500	158,396	5,610,200	936,89	46,700	\$7,795
CHUM OR KETA	-	-	29,900	2,389	233,500	18,68	30 1,100	90
RED OR SOCKEYE.	-	-	900	187	1,900	37	72 1,000	207
SILVER OR COHO.	! :		112,400 33,300	15,067 2,233	451,600 333,600	60,51		600
STEELHEAD TROUT .			202,800	28,595	225,600	31,81		926
STURGEON	-	-	1,300	250	206,700	38,84	16,300	3, 191
TUNA:				1				1
SKIPJACK 3/ YELLOWFIN 3/	565,000 2,409,300	\$62,709 283,007	-	-	-	-	-	-
TOTAL	2,974,300	345,716	1,329,700	207,134	7,157,600	1,110,98	76,200	12,809
				<del></del>		<del></del>		
GR-NO TOTAL	2,974,300	345,716	1,329,700	207,134	7,157,600	1,110,98	76,200	12,809
		GILL NETS	- CONTINUED			LIN	ES	
SPECIES	SHA	RK	SME	LT		, SET	TRO	LL
	POLINOS	1 VALUE	DOUNDS	V21.05		HAND	50111110	
COD	POUNDS	VALUE	POUNDS	VALUE	POUNDS 300	VALUE \$7	POUNUS	VALUE
FLOUNDERS . "SOLE"	300	\$23	1 [ ]	-	2,600	179	1 -	-
GRAYFISH 2/	6,500	515	-	-	16,800	1,334		_
HALIBUT	<u></u>		-	-	351,700	55,216	300	\$41
ROCKFISHES	2,700	342 129	-	-	135,900	17,265	17,000	1,885
SABLEFISH	3,100	129	1 : 1		34,500 138,100	1,413 12,287	11,800	431
SALMON:	1	_	_	-	130,100	12,207	-	-
CHINDOK OR KING	-	-	- 1	-	-	-	223,900	60,229
SILVER OR COHO. SHARKS:	-	-	-	-	-	-	163,400	24,673
SOUPFIN 2/	429,600	239,740	_		800	465	400	202
OTHER 2/	10,900	104	] [ ]		- 800	403	400	232
SMELT, EULACHON .		-	531,400	\$53,143	-	_	-	_
STEELHEAD TROUT .			-	-		-	100	14
STURGEON TUNA:	100	5	-	-	17,400	3,350	-	-
ALBACORE		_	l - 1	_	_	_	4,553,200	815,019
SKIPJACK 3/	-	-	-	-	1,376,800	206,518	-,000,200	-
YELLOWFIN 3/		-	-	-	3,161,800	524,861	-	-
TOTAL	453,200	240,858	531,400	53,143	5,236,700	822,895	4,970,100	902,524
GRAND TOTAL	453,200	240,858	531,400	53,143	5,236,700	822,895	4,970,100	902,524
SEE FOOTNOTES AT EN	OF TABLE		(CON	TINUED ON N	EXT PAGE)			

<sup>2/</sup> TUNA PURSE SEINES WERE OPERATED ONLY IN WATERS OFF CENTRAL AMERICA.
3/ INCLUDES ONLY VESSELS THAT TROLLED OR FISHED EXCLUSIVELY FOR TUNA AND DID NOT TROLL FOR SALMON. MANY OF THE SALMON TROLLERS ALSO TROLLED FOR TUNA.

# COLUMBIA RIVER DISTRICT OF OREGON: CATCH BY GEAR, 19491/- Continued

							•	TRAP	S	
SPECIES	POUND	NETS	DIP N	ETS !	OTTER	TRAWLS	CR.		CRAW	FISH
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNOS !	VALUE	POUNDS	VALUE
COD	-	-	-	-	5,100	\$181	-	-	-	-
"SOLE"		-	-	-	7,747,300	388,141	-	-		-
OTHER	22,500	\$361	-	-	258,200	7,228	-	-	-	-
GRAYFISH 2/	_	[	369,900	\$9,248	3,247,500	274,383		[		_
LINGCOO	100	4			345,000	28,807	4,400	\$221	-	-
ROCKFISHES	-	-	-	-	3,026,100	118,019		-	-	-
SABLEFISH	-	-	-	-	64,900	4,063	-	~	-	-
SALMON: CHINOOK OR KING	398,500	66,543	790,100	131,950	_	_	_		_	-
CHUM OR KETA	17,300	1,386	-	_	-	-	-	-	-	-
RED OR SOCKEYE.	900	177	8,100	1,628	-	-	-	-	- :	-
SILVER OR COHO.	104,800	14,046	1,600	209	_	1 -				_
SHARKS:	300	20		, ,	_	[				
SOUPFIN 2/	-	-	-	-	1,400	776	-	-	- 1	-
OTHER 2/	-	-	302,500	12,101	600	6	-	-	- 1	_
SMELT, EULACHON . STEELHEAD TROUT .	126,300	17,806	210,300	29,650	1 - 1	1 -				1 - 2
STURGEON	2,700	518	19,900	3,905	3,300	263	-	-	- 1	-
TOTAL	673,400	100,864	1,702,600	188,706	14,699,400	821,867	4,400	221	-	
SHELLFISH										
CRABS 4/ CRAWFISH,	-	-	-	-	-	-	4,484,100	403,569	-	-
FRESH-WATER	_	-	-			-		-	45,400	\$9,847
TOTAL	-	-	-			-	4,484,100	403,569	45,400	9,847
GRAND TOTAL.	673,400	100,864	1,702,600	188,706	14,699,400	821,867	4,488,500	403,790	45,400	9,847

<sup>1/</sup> THE FOLLOWING SPECIES ARE TAKEN OFF THE OREGON AND WASHINGTON COASTS BUT LANDED IN THE COLUMBIA RIVER OISTRICT: COD, SOLE, GRAFFISH, HALIBUT, LINGCOD, ROCKPISHES, SABLEFISH, SHARK, JUNA, CRABS AND SOME OF THE STURGEON, AND MOST OF THE FLOUNDERS AND TROLL CAUGHT SALMON.

# COASTAL DISTRICT OF OREGON: OPERATING UNITS, 19491/

			GILL NE	TS		LINES		
ITEM	HAUL SEINES	SAL	MON		TRAWL	TROLL		
,	SEINES	DRIFT	SET	SHARK	AND SET	SALMON	TUNA 2	
FISHERMEN:	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	
ON VESSELS ON BOATS AND SHORE	- 36	- 420	143	56 8	15 14	304 331	115 6	
TOTAL	36	420	143	64	29	635	121	
VESSELS, MOTOR NET TONNAGE BOATS:	-	-	-	15 262	5 64	132 1,192	36 749	
MOTOR	12 12	401 10	104 37	- 4	- 7	255 -	- 3	
NUMBERLENGTH, YARDSSQUARE YARDS	2,000 -	411 586,000	445 129,000	390 - 342,000 -	350 - - 7,000	1,812 - - 8,150	245 - - 245	

SEE FOOTNOTES AT END OF TABLE

<sup>2/</sup> CAUGHT ALMOST ENTIRELY FOR THE UTILIZATION OF THE LIVERS IN THE EXTRACTION OF VITAMIN OILS. MOST OF THE CARCASSES WERE DISCARDED.

<sup>3/</sup> CAUGHT IN WATERS OFF CENTRAL AMERICA, BUT SHIPPED TO OREGON AS PRODUCTS OF AMERICAN FISHERIES. 4/ THE WEIGHT OF CRABS SHOWN IS BASED ON AN AVERAGE OF 25 POUNDS PER DOZEN.

THE MEIGHT OF CRABS JANUARY IS DESCRIBED IN AN AVERAGE OF 25 FOUNDS FOUNDED.

NOTE:--THE QUANTITIES SHOWN REPRESENT THE ROUND WEIGHT OF THE CATCH OF FISH AND SHELLFISH. THE POUNDAGE AND VALUE OF THE CATCH SHOWN ABOVE INCLUDES THE FOLLOWING ITEMS OF LIVERS AND VISCERA: COD LIVERS, 55 POUNDS, VALUE \$3; GRAYFISH LIVERS, 925, 503 POUNDS, VALUE \$3; HALBUT LIVERS, 4,710 POUNDS, VALUE \$3,533; LINGCOD LIVERS, 8,886 POUNDS, VALUE \$21,149; ROCKFISH LIVERS, 935 POUNDS, VALUE \$37; SABLEFISH LIVERS, 4,448 POUNDS, VALUE \$3,433; SOUPPIN SHAKE LIVERS, 51,374 POUNDS, VALUE \$241,213; OTHER SHARK LIVERS, 1,376 POUNDS, VALUE \$110; AND HALIBUT, LINGCOD AND SABLEFISH VISCERA, 25,132 POUNDS, VALUE \$3,493.

## COASTAL DISTRICT OF OREGON: OPERATING UNITS, 19491/- Continued

ITEM	OTTER TRAWLS	TRAPS, CRAB	DREDGES, OYSTER	TONGS AND BY HAND, OYSTER	SHOVELS	TOTAL, EXCLUSIVE OF DUPLICATION
	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
ON VESSELS	64 5	119 155	3 6	47	744	459 1,689
TOTAL	69	274	9	47	744	2,148
VESSELS, MOTOR NET TONNAGE	17 507	43 487	1 15	-	-	187 2,368
MOTOR	- 2	126	- <sup>2</sup>	6 12	-	782 68
AFPARATUS: NUMBER YARDS AT NOUTH	19 285	16,400	6 12	20	744	-

<sup>1/</sup> STATISTICS IN THIS TABLE INCLUDE ALL CRAFT OPERATING IN THE STATE MAKING THEIR HOME PORT IN THIS DISTRICT, AND ALL CRAFT OPERATING IN THE STATE WHOSE HOME PORT IS NOT WITHIN THE STATE BUT WHO LANDED THE MAJOR PORTION OF THEIR OREGON CATCH IN THIS DISTRICT.

## COASTAL DISTRICT OF OREGON: CATCH BY GEAR, 1949

SPECIES	L	SEINES	L			GILL NETS				LINES	
0. 20. 40	HAUL .	SEINES		SAL	MON		SI	HARK		TRAWL	OR SET
FISH	POUNDS	VALUE	POL	INDS		VALUE	POUNDS	VAL	JΕ	POUNDS	VALUE
LOUNDERS: "SOLE" OTHER RAYFISH 1/	5,000 3,800	\$225 96 -		,800		\$69 -	1 <u>,</u> 900 3 <u>,</u> 100	-	93	3,100 1,000 1,600 249,700	\$15 2 12 42,44
ERRING, SEA INGCOD ERCH	69,400 6,700 9,000	2,776 669 234	1	- - - -		100	6,900		338	78,800	9,61
OCKFISHES	74,900	2,772		-		- - 62,643	2,100 100		76 B	315,200	25,84
CHUM OR KETA	=	=	445	,000		02,043 35,600 83,133 69,618	=	=		-	-
SOUPFIN	-	=	24	- ,400 ,800		- 10,526 1,786	103,200	57,6	514	600 -	- - -
TURGEON	168,800	6,772		,000	2	114	117,300	58,8	77	650,800	78,68
GRAND TOTAL	168,800	6,772				63,589	117,300	58,8		650,800	78,68
SPECIES	LINES - C		OTTER	TRAWLS	5	TRAP	S, CRAB	DREDGES, AND BY	TONGS,	SHOVE	LS
FISH	POUNT-S	VALUE	POUNDS	V: LU	JΕ	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
LOUNDERS: "SOLE" OTHER RAYFISH 1/	100 200 400	\$4 5 33	1,501,600 9,700 146,800 77,400	11,6	244	- 100 -	- \$3 -	-	-	:	:
ALIBUT	7,900 191,200 51,600	1,351 20,361 1,547	156,200 1,569,900 36,200	19,0 50,2 2,2	38	- 600 -	24	-	=	=	-
HAD	1,126,700	244,427 145,678	800	l .	51	-	-	-	-	-	-
SOUPFIN	2 <b>0</b> 0 500	93 5	1,700	9	30	-	1 : :		-		

<sup>2/</sup> INCLUDES ONLY VESSELS THAT TROLLED OR FISHED EXCLUSIVELY FOR TUNA AND DID NOT TROLL FOR SALMON. MANY OF THE SALMON TROLLERS ALSO TROLLED FOR TUNA.

COASTAL DISTRICT OF OREGON: CATCH BY GEAR, 1949 - Continued

SPECIES	LINES -	CONT 'D.	O. TER	TRAVLS	TRAPS,	CRAB	DREDGES, AND BY		SHOVE	LS
FISH - CONT'D STURGEON TUNA, ALBACORE.	POUNDS 1,773,800	VALUE - \$289,123	900NDS 300	<u>VALUE</u> \$16	POUNDS -	VALUE - -	POUNDS -	VALUE	POUNDS	<u>VALUE</u> - -
TOTAL	4,289,500	702,627	3,500,900	158,470	700	\$27	-	-	-	
SHELLFISH CRABS 2/ CLAMS: RAZOR 3/ MIXEO 4/	-	1 , 1	-	-	4,862,400 - -	432,756 - -		- - -	- 77,200 32,300	- \$48,922 7,681
OYSTERS, MARKET, PACIFIC 5	_	-	-	٠ -	_	-	501,100	\$85,904	-	
TOTAL	-	-	-	-	4,862,400	432,756	501,100	85,904	109,500	56,603
GRAND TOTAL	4,289,500	702,627	3,500,900	158,470	4,863,100	432,783	501,100	85,904	109,500	56,603

CAUGHT ALMOST ENTIRELY FOR THE UTILIZATION OF THE LIVERS IN THE EXTRACTION OF VITAMIN OILS. MOST OF THE CARCASSES WERE DISCARDED.
THE WEIGHT OF CRASS SHOWN IS BASED ON AN AVERAGE OF 25 POUNDS PER DOZEN.


THE WEIGHT OF RAZOR CLAMS IS THAT OF EDIBLE MEATS, BASED ON A YIELD OF 42 PERCENT OF THE ROUND WEIGHT.

4/ MIXED CLAMS CONSIST PRINCIPALLY OF EASTERN SOFT SHELL CLAMS. THE WEIGHT SHOWN IS THAT OF EDIBLE MEATS,
8ASED ON A YIELD OF 21 PERCENT OF THE ROUND WEIGHT.

5/ THE STATISTICS ON OYSTERS USED IN THIS TABLE ARE BASED ON A YIELD OF 12 PERCENT OF EDIBLE MEATS.

NOTE: --THE QUANTITIES SHOWN REPRESENT THE ROUND WEIGHT OF THE CATCH OF FISH AND SHELLFISH, EXCEPT FOR BIVALVE MOLLUSKS, WHICH ARE REPORTED IN POUNDS OF MEATS. THE POUNDAGE AND VALUE OF THE CATCH SHOWN ABOVE INCLIDES THE FOLLOWING ITEMS OF LIVERS AND VISCERA: GRAYFISH LIVERS, 18,241 POUNDS, VALUE \$11,669; HAKE LIVERS, 2,478 POUNDS, VALUE \$47,748; HALIBUT LIVERS, 3,448 POUNDS, VALUE \$45,865; LINGCOD LIVERS, 11,659 POUNDS, VALUE \$47,748; ROCKFISH LIVERS, 1,615 POUNDS, VALUE \$64,55; SABLEFISH LIVERS, 9,205 POUNDS, VALUE \$89,961; OTHER SHARK LIVERS, 12,710 POUNDS, VALUE \$89,961; OTHER SHARK LIVERS, 160 POUNDS, VALUE \$14, AND HALIBUT, LINGCOD AND SABLEFISH VISCERA, 31,971 POUNDS, VALUE \$3,943.

#### VALUE OF PACIFIC COAST STATES CATCH, 1949



# PACIFIC COAST STATES FISHERIES CALIFORNIA

CATCH BY DISTRICTS, 1949

SPECIES						
SPECIES	NORTHERN	DISTRICT	SAN FRANCISCO	DISTRICT	MONTEREY	DISTRICT
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
ANSHOVIES	100 92,200	\$15 922	216,500 4,600 241,200 201,700	\$4,091 113 9,735 38,566	1,482,700 10,400	\$17,496 272 -
"CALIFORNIA HALIBUT" "SOLE" OTHER. HALIBUT HARDHEAD	13,830,700 332,000 86,100	578,123 14,673 19,679	9,000 4,504,100 671,500 81,200 17,400	1,531 258,984 31,824 13,778 4,904	97,800 720,600 135,400	19,310 43,45 <b>4</b> 8,474
HERRING, SEA	2,700	68	274,600	6,334	100,100 4,179,500 210,600	761 92,785 11,919 8,084
LINGCOD	1,130,400 77,700	84,210 8,799 522	2,300 382,600 3,000 100,900	28,504 49 14,574	233,800 33,000	8,084 4,115 3,291 4,565,331
PILCHARO	14,800	-	33,879,200	-	262,375,400 62,800 2,600 1,347,500	20,813
SABLEFISH	3,267,000 1,277,200 2,601,400 700	118,269 109,312 617,574 173	521,100 50,800 3,354,600 8,700 735,800	34,756 1,876 772,596 1,993	329,300 468,700 53,100	101,876 11,424 117,612 9,020
SHARKS, INCLUDING GRAYFISH SKATES SMELT SWOROFISH	147,^00 1,600 26,400	193,712 17 1,855	1/178,900 77,200 436,700	46,983 1/512,415 1,158 32,971 90	608,300 23,400 1 6,700 300	11,496 549 6,479 86
TUNA AND TUNALIKE FISHES: ALBACORE BLUEFIN. WHITEBAIT. UNCLASSIFIED	2,817,500 211,400 42,100	427,697 - 19,579 1,730	1,505,100 2/222,700 29,900 43,300	231,032 2/36,746 4,043 1,439	5,125,400 2/7,800 500 2,200	804,687 2/1,714 68 60
TOTAL	25,959.200	2,196,929	47,754,900	2,668,699	277,823,100	5,861,488
SHELLFISH CR:BS, OUNGENESS SHRIMP ABALONE CLAMS, HARD O. TOPUS OVSTERS, MARKET:	7,255,200 - 1,600 20,500	806,055 - - 568 1,025	3,790,300 800,400 4,300 - 24,200	479,082 47,546 3,040	24,300 4,000 15,100 4/1,900 25,600	4,008 1,581 9,060 4/708 3,037
OYSTERS, MARKET: EASTERN. PACIFIC. SQUID.	-	- - -	6,500 13,400	4,654 13,053	6,816,000	- 181,987
TOTAL	7,277,300	807,648	4,639,100	546,851	6,886,900	200,381
WHALE PRODUCTS	28,000	8,000	_			_
MEAL: BONE	100,000 100,000	2,500 5,000	-	-	-	=
OIL: WHALESPERM	209,600 352,500	13,975 38,500	] [	-		Ξ
TOTAL	790,100	67,975	-	-	-	-
		3,072,552	52,394,000	3,217,550	284,710,000	6,061,869
GRAND TOTAL	34,026,600	3,072,332				0,001,009
GRAND TOTAL	34,026,600	3,072,332	SAN PEORO (	DISTRICT		0,001,009
	0FF CALIF		SAN PEDRO (		тот.	
					POUNDS 1,614,900 1,856,700	

# CALIFORNIA: CATCH BY DISTRICTS, 1949 - Continued

SPECIES		SAM PEORO DISTRICT - CONTINUEO									
	OFF CAL	IFORNIA .	OFF LATIN	AMER : CA	тот	AL					
FISH CONTINUED	POUNDS	VALUE	POUNOS	VALUE	POUNDS	VALUE					
FLY INGF ISH  GROUPERS  JACK MICKEREL  KINGF ISH  LINGCOD  MACKEREL  MULLET  PERCH  PILCHARD  POMPANO  ROCK BASS  ROCKF ISHS  SABLEF ISH  SALMON  SCULPIN  SCULPIN	34,300 47,044,600 533,600 36,900 49,084,300 36,200 3115,000 26,500 109,900 707,100 80,000 5,000 124,800	\$2,652  1,017,961 26,582 3,736 1,260,749 3,083 21,894 5,554,266 15,368 67,877 9,126 1,521 23,702	249,400 	\$44,163 26 - - 5,733 99	34,300 249,400 47,044,600 533,600 37,200 49,084,300 36,200 331,502,300 26,500 149,000 708,200 80,000 5,000 125,900	\$2,652 44,163 1,017,961 26,552 3,762 1,260,749 3,083 21,994 5,554,263 5,086 21,101 67,976 9,126 1,521 23,917					
BLACK SHAMIE INCLUDING GRAYFISH. SHEAPSHEAD SHEEPSHEAD SKATES SHELT SPANISH MACKEREL. SVOROFISH TUNA AND TUNALIKE FISHES:	7,800 745,400 502,500 41,400 20,900 119,600	1,157 161,154 105,933 2,942 1,203 9,371 55,232	74,000 256,200 8,500 7,600 - - 900 9,500	10,403 57,089 1,742 556 - 86 4,247	81,800 1,001,600 511,000 49,000 20,900 119,600 900 134,100	11,560 218,243 107,675 3,498 1,203 9,371 86 59,479					
ALBACORE, BLUEFIN BONITO. SKIPJACK OR STRIPEO YELLOWFIN HITEFISH YELLOWTAIL UNCLASSIFIED.	4,023,900 2,238,500 84,200 15,300 4,500 10,600 9,400 58,900	729,881 363,529 8,184 2,232 728 914 869 6,581	5,712,000 1,826,700 1,590,900 23,910,800 70,049,800 1,800 5,276,600 1,700	1,061,286 296,654 154,475 3,493,368 11,390,100 490,725 201	9,735,900 4,065,200 1,675,100 23,926,100 70,054,300 12,400 5,286,000 60,600	1,791,167 660,183 162,659 3,495,600 11,390,828 1,074 491,594 6,782					
TOTAL	441,262,500	9,795,283	110,512,700	17,238,045	551,775,200	27,033,328					
SHELLFISH											
CRABS, OUNGENESS. LOBSTERS, SPINY ABALONE LLAMS, HARD. DOTOPUS SYSTERS, MARKET, PACIFIC. SOULO	3/46,500 692,400 672,900 300 4,700 14,800 43,100	3/5,094 222,626 376,561 59 424 8,691 2,186		111111	3/46,500 692,400 672,900 300 4,700 14,800 43,100	3/5,094 222,626 376,561 59 424 8,691 2,186					
TOTAL	1,474,700	615,641	-	-	1,474,700	615,641					
GRAND TOTAL	442,737,200	10,410,924	110,512,700	17,238,045	553,249,900	27,648,969					
SPEC IES			SAN DIEGO	DISTRICT	<del></del>						
	OFF CAL	IFORNIA	OFF LAT	IN AMERICA	ТОТ	AL					
FISH ANCHOVIES	8,200 290,700 800	VALUE \$258 39,829	900NOS 310,300 17,500	\$42,513 1,825	8,200 601,000 17,500 800	<u>VALUE</u> \$258 82,342 1,825 80					
FLOUNDERS:  "CALIFORNIA HALIBUT".  "SOLE". SROUPERS. HERRING, SEA. JACK MACKEREL. (INGETISH. INGCOD. MACKEREL. MULLET. PILCHARO. ROCK BASS. SABLEFISH.	128,800 1,700 26,000 26,000 17,900 8,300 450,200 35,800 5,703,300 25,600 80,800	22,739 255 - 47 377 1,477 853 20,979 2,327 59,314 2,752 7,084	118,700 41,200 - 300 - 15,100 13,000	20,955 5,119 - - 35 - 1,625 1,140	247,500 1,700 41,200 1,900 26,000 17,900 8,600 450,200 35,800 5,703,300 40,700 93,800	43,694 255 5,119 47 377 1,477 888 20,979 2,327 59,314 4,377 8,224					

993093 O - 52 - 14

## CALIFORNIA: CATCH BY DISTRICTS, 1949 - Continued

		5	SAN DIEGO DIST	RICT - CONTINUI	EO	
SPECIES	OFF CAL	IFORNIA	OFF LAT	IN AMERICA	тот	AL
FISH - CONTINUED	POUNDS	VALUE	POUNOS	VALUE	POUNDS	VALUE
SCULPIN	22,300	\$2,992	200	\$21	22,500	\$3,013
SEA BASS: BLACK WHITE SHARKS, INCLUDING GRAYFISH. SHEEPSHEAD. SKATES. SHEET SPANISH MACKEREL SWORDFISH LUNA AND TUNALIKE FISHES:	9,400 137,600 97,500 7,100 200 12,600	1,330 24,476 7,432 501 16 1,005 7,279	23,200 207,900 8,100 5,500 100 - 2,800 47,100	3,270 36,959 617 390 10 - 222 20,572	32,600 345,500 105,600 12,600 300 12,600 2,800 63,700	4,600 61,435 8,049 691 26 1,005 222 27,851
UNA AND UNAL THE FISHES: ALBACORE. BLUEFIN BONITO. SKIPJACK OR STRIPED YELLOWFIN WHITEFISH YELLOWTAIL. UNCLASSIFIED.	6,984,700 27,700 15,000 11,400 5,400 2,100 8,300 88,600	1,374,587 4,151 1,511 1,710 885 160 796 8,701	17,864,900 66,000 139,400 54,632,900 114,912,600 16,700 2,025,200 5,000	3,515,823 9,908 14,011 8,156,684 18,799,699 1,289 193,610	24,849,600 93,700 154,400 54,644,300 114,918,000 18,800 2,033,500 93,600	4,890,410 14,059 15,522 8,158,394 18,800,584 1,449 194,406 9,197
TOTAL	14,226,600	1,595,912	190,473,700	30,826,793	204,700,300	32,422,705
SHELLFISH						
CRABS, ROCK	600 141,900 21,300 4/16,600 100	117 60,699 9,598 4/10,649	- - - -		600 141,900 21,300 4/16,600 100	117 60,699 9,598 4/10,649
TOTAL	180,500	81,074	-		180,500	81,074
GRAND TOTAL	14,407,100	1,676,986	190,473,700	30,826,793	204,880,800	32,503,779

INCLUDES 12,200 POUNDS, VALUED AT \$34,899, TAKEN OFF LATIN AMERICA.
TAKEN OFF LATIN AMERICA.
INCLUDES ROCK CRABS.
INCLUDES A SMALL AMOUNT OF MUSSELS.

## CALIFORNIA: CATCH BY WATERS, 1949

	CIT CAL	1FORM LA	OFF LATIN AMERICA		
FISH	POUNDS	VALUE	POUNDS	VALUE	
CHOVIES	3,322,300	\$56,104	-	-	
RRACUDA	903,600	133,775	1,554,100	\$231,819	
BEZONE	16,000	530	- 1		
BRILLA	<u>-</u>	-	210,100	27,792	
RP	405,500	12,946		-	
TFISH	201,700	38,566	-	-	
OUNDERS:	ĺ	,			
"CALIFORNIA HALIBUT"	1,079,500	204,603	176,900	32,394	
"SOLE"	19,692,700	917,764	100	5	
OTHER	1,173,900	58,229	-	-	
YINGFISH	34,300	2,652	- ]	-	
OUPERS	<u> </u>	-	290,600	49,282	
LIBUT	167,300	33,457	- 1	-	
RDHEAD,	17,400	4,904	-	-	
RRING, SEA	379,300	7,210	-	-	
CK MACKEREL	51,250,100	1,111,123	- 1	-	
NGF ISH	764,400	40,125	-	-	
NGCOD	1,653,400	125,387	600	61	
CKEREL	49,771,300	1,285,892	-	-	
LLET	72,000	5,410	-	-	
RCH	326,500	48,558	-	-	
LCHARD	633,475,000	10,756,897	-	-	
MPANO	89,300	25,899	-	-	
CK 8ASS	138,100	18,432	54,200	7,358	
CKFISHES,	5,923,500	329,862	14,100	1,239	
BLEFISH	1,737,400	131,747	-	-	
LMON	6,429,700	1,509,303			
ULPIN	147,100	26,694	1,300	236	
BLACK	17,200	2,487	97,200	13,673	

CALIFORNIA: CATCH BY WATERS, 1949 - Continued

SPECIES	OFF CAL	IFORNIA	OFF LATIN	AMERICA
FISH - CONTINUED	POUNDS	VALUE	POUNDS	VALUE
SEA BASS, CONTINUED: WHITE. SHAD SHARD, INCLUDING GRAYFISH SHEEPSHEAD SKATES SKATES	945,500 735,800 1,522,200 48,500 123,300 712,000	\$196,816 46,983 796,089 3,443 2,943 51,681	28,800 13,100 100	\$94,048 
SPANISH MACKEREL	141,800	62,687	3,700 56,600	308 24,819
AL BACOPE BLUEFN BONITO SKIPJACK OR STRIPED YELLOWF IN. WHITEENIT. WHITEFISH VELLOWTAIL UNCLASSIFIED	20,456,600 2,266,200 99,200 26,700 9,900 241,800 12,700 17,700 235,100	3,567,884 367,680 9,695 3,942 1,613 23,690 1,074 1,665 18,511	23,576,900 2,123,200 1,730,300 78,543,700 184,962,400 18,500 7,301,800 6,700	4,577,109 345,022 168,486 11,650,052 30,189,799 1,449 684,335
TOTAL	806,783,600	22,044,952	301,229,100	48,138,197
CRABS, DUNGENESS AND ROCK LOBSTERS, SPINY SHRIMP ABALONE CLAMS, HARD ]/ OCTOPUS OYSTERS, MARKET: EASTERN. PACIFIC. SQUID.	11,116,900 834,300 804,400 713,600 20,400 75,100 6,500 28,200 6,859,100	1,294,356 283,925 49,127 396,259 11,984 5,973 4,654 21,744 184,173	-	- - - - - -
TOTAL	20,458,500	2,253,595	-	-
WHALE PRODUCTS			-	
LIVER.  MEAL:  GONE  MEAT  OIL:  WHALE.  SPERM.	28,000 100,000 100,000 209,600 352,500	8,000 2,500 5,000 13,975 38,500	- - -	- - -
TOTAL	790,100	67,975	-	-
GRAND TOTAL	828,032,200	24,366,522	301,229,100	48,138,197
		1	1	1

<sup>1/</sup> INCLUDES A SMALL QUANTITY OF MUSSELS.

NOTE: --COMPLETE DATA ON THE GEAR WERE NOT OBTAINED FOR 1949. INFORMATION ON THE CATCH OF CERTAIN SPECIES BY GEAR CAN BE FOUND IN SECTION 12. THE CATCH BY DISTRICT AND GEAR IS TABULATED IN THAT SECTION FOR PACIFIC MACKEREL, PILCHARD, SALMON, TUNA, AND WHALES.



GILL NET DRYING

# LANDINGS BY HALIBUT FLEET AT SEATTLE, WASH.

During 1949, landings of halibut, lingcod, rockfishes, and sablefish at Seattle, Washington, by the United States halibut fleet amounted to 11,623,000 pounds, valued at \$2,157,000 to the fishermen. In addition, a total of 762,841 pounds of assorted fish livers and viscera, valued at \$432,634 was landed by these vessels. The combined landings were 4 percent larger than in 1948. However, the value was 1 percent less than in the previous year.

A summary of the 1949 landings at Seattle by the United States halibut fleet is contained below. The landings represent the dressed weight of the catch, and are not directly comparable with data contained in the sectional and State catch tables. For additional information on the Pacific Coast halibut fishery, the reader is referred to Section 12 of this Digest entitled "Peview of Certain Major Fisheries".

## LANDINGS BY HALIBUT FLEET AT SEATTLE BY FISHING GROUNDS, 19491

		HALIBUT										
FISHING GROUNDS	TRIPS		N	o. 1			NC	. 2			LIN	IGCOD
	NUMBER		POUNOS		VALUE		POUNDS		VALUE	POUN	os	VALUE
WEST OF CAPE SPENCER SOUTH OF CAPE SPENCER	154 330		574,995 378,131		784,443 334,964		52,136 13,933		37,739 62,146	497,1	83 11	\$4 47,550
TOTAL,1949	484	4,	953,126	1,	119,407	4,1	66,059	_ 7	99,835	497,1	94	47,554
TOTAL,1943	461	4,	977,532	1,	132,984	4,1	02,106	7	46,601	491,6	83	53,744
FISHING GROUNDS	RO	CKF	ISHES			SABL	EFISH			Ţ	OTAL	
	POUNDS		VALUE		POUR	NDS	VALU	E_	POL	JNDS		VALUE
WEST OF CAPE SPENCER	265 196,836		\$1: 13,11		12 1,797	,145 ,707	\$8 176,6	02 03		9,624 3,718	\$1	,423,001 734,380
TOTAL,1949	197,101		13,12	1	1,809	,852	177,4	11	11,62	3,342	2	, 157, 381
TOTAL,1948	229,698		14,38	,	1,372	,309	227,9	47	11,173	3,428	2	,175,663

<sup>1/</sup> IN ADDITION, VESSELS OF THE SEATTLE HALIBUT FLEET LANDED THE FOLLOWING QUANTITIES OF FISH LIVERS AND VISCERA: - GRAFFISH (DOGFISH) LIVERS, 55,300 POUNDS, VALUED AT \$11,060: HALIBUT LIVERS AND VISCERA 472,375 POUNDS, VALUED AT \$49,222: SABLEFISH LIVERS AND VISCERA, 162,887 POUNDS, VALUED AT \$5,522: ROCKFISH LIVERS, 7,644 POUNDS, VALUED AT \$7,644: SOUPFIN SHARK LIVERS, 239 POUNDS, VALUED AT \$1,076: AND MISCELLANEOUS LIVERS AND VISCERA, 18,655 POUNDS, VALUED AT \$2,798 TO FISHERMEN.

# LANDINGS BY HALIBUT FLEET AT SEATTLE BY MONTHS, $1949^{1/3}$

			HALIE	BUT			
монтн	TRIPS	NO.	0. 1	4	10. 2		INGCOD
	NUMBER	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
JANUARY FERUARY ARCH ARCH APRIL MY JUNE JUNE AUGUST SEPTEMBER OCTOBER NOVEMBER DECEMBER	16 7 13 9 83 92 97 31 48 50 27	1,773,115 1,462,982 1,524,883 38,245 78,448 53,188 22,265	\$378,726 362,600 320,556 11,474 23,571 15,790 6,680	1,045,553 1,275,145 1,820,231 2,758 19,918 2,364	\$197,637 256,955 337,792 916 5,975 709	132,837 53,910 65,489 48,947 26,926 11,462 658 1,312 6,568 31,733 37,880 79,472	\$12,476 5,978 7,784 5,429 1,512 540 33 67 328 2,388 2,898
TOTAL,1949	494	4,953,126	1,119,407	4,165,059	799,835	497,194	8,121 47,554
TOTAL, 1948	461	4,977,632	1,132,934	4,102,106	745,601	491,683	53,744
1949 COMPARED WITH 1948	+5%	-1%	- 1%	+2%	+ 7%	+ 1%	-12%

# LANDINGS BY HALIBUT FLEET AT SEATTLE BY MONTHS, $1949^{1/2}$ Continued

монтн	ROCK	ISHES	SABL	EFISH	TOTAL		
	POUNDS	VALUE	POUNOS	VALUE	POUNOS	VALUE	
JANUARY FEBRUARY MARCH MARCH APRIL MAY JUNE JULY AUGUST SEPTEMBER OCTOBER NOVEMBER COCCMBER	18,831 9,732 14,804 3,196 4,118 9,114 1,586 23,213 53,669 38,134 15,722 4,992	\$1,777 964 1,605 302 204 462 80 1,155 2,683 1,845 1,796 251	- 1,614 - 2,229 3,635 94,613 401,336 544,763 508,831 246,647 6,184	- \$202 - 191 365 10,417 41,661 53,763 48,151 21,963 698	151,668 63,642 81,907 52,143 2,952,041 2,762,338 3,441,971 466,854 703,366 634,250 322,514 90,638	\$14,253 6,942 9,591 5,731 578,270 620,923 668,888 55,173 86,320 68,863 33,337 9,070	
TOTAL,1949	197,101	13,124	1,809,852	177,411	11,623,342	2,157,381	
TOTAL, 1948	229,698 -14%	14,387 -9%	1,372,309 +32%	227,947 -22%	11,173,428 +4%	2,175,663 -1%	

<sup>1/</sup> IN ADDITION, VESSELS OF THE SEATTLE HALIBUT FLEET LANDED THE FOLLOWING QUANTITIES OF FISH LIVERS AND VISCERA: - GRAYFISH (DOGFISH) LIVERS, 55,300 POUNDS, VALUED AT \$11,060; HALIBUT LIVERS AND VISCERA 472,375 POUNDS, VALUED AT \$264,972; LINGCOD LIVERS AND VISCERA, 45,741 POUNDS, VALUED AT \$25,252; SABLEFISH LIVERS AND VISCERA, 162,897 POUNDS, VALUED AT \$7,644; SOUPFIN SHARK LIVERS, 239 POUNDS, VALUED AT \$7,644; SOUPFIN SHARK LIVERS, 239 POUNDS, VALUED AT \$1,076; AND MISCELLANEOUS LIVERS AND VISCERA, 18,655 POUNDS, VALUED AT \$2,798 TO THE FISHERMEN.

NOTE: THE 1949 HALIBUT FISHING SEASON OPENED ON MAY 1. GROUNDS SOUTH OF CAPE SPENCER (AREA 2) CLOSED ON JUNE 3, AND GROUNDS WEST OF CAPE SPENCER (AREA 3) CLOSED ON JULY 12, A TOTAL OF 73 FISHING DAYS. IN 1948, THE FISHING SEASON LASTED 72 DAYS AND IN 1947, 109 DAYS.



HALIBUT SCHOONER

## RECEIPTS BY SEATTLE WHOLESALE DEALERS

The total quantity of fresh and frozen fish, shellfish, livers, and viscera received by Seattle wholesale dealers during 1949 from all sources totaled 88,520,910 pounds. This represented an increase of 7 percent compared with the amount received during the previous year.

The waters of Washington and Oregon were again the principal sources of supply, contributing 57 percent of the total receipts. Alaska was second, supplying 26 percent; and British Columbia third, with 16 percent. Other sources supplied the remaining 1 percent.

The following table contains information on the receipts by species, origin, and condition of the various species for 1949. More detailed information on these receipts can be obtained from the daily and monthly reports issued by the Service's Smattle Market News Office.

#### FISHERY PRODUCTS RECEIVED BY SEATTLE WHOLESALE DEALERS, 1949

ITEM			POUNDS	VALUE
FISH				
CARP, LOCAL·········	OTHER	ROUND	27,685	\$1,938
OD, TRUE, LOCAL	EX-VESSEL	DRESSEO	629,487	35,251
OD, TRUE, LOCAL	EX-VESSEL	ROUND	1,252,650	42,590
OD, TRUE, LOCAL	OTHER		43,815	1,972
OD, TRUE, ALASKA, FROZEN	DO		3,050	153
TOTAL, COD, TRUE			1,929,002	79,966
OLLY VAROEN TROUT, ALASKA, FROZEN	DO		15,235	3,199
LOUNDER, LOCAL	EX-VESSEL	ROUND	102,617	4,113
LOUNDER, LOCAL	OTHER		17,013	581
TOTAL FLOUNDER			119,830	4,794
MALIBUT, LOCAL, NO. 1	EX-VESSEL	DRESSED	4,953,126	1,119,407
IALIBUT, LOCAL, NO. 2	00	DO	4,156,069	799,895
ALIBUT, LOCAL, UNCLASSIFIED	OTHER		413,696	86,462
IALIBUT, ALASKA	DO		13,692	2,151
ALIBUT, ALASKA, FROZEN	DO		12,528,461	1,976,991
ALIBUT, BRITISH COLUMBIA	DO		515,301	97,095
ALIBUT, BRITISH COLUMBIA, FROZEN	00		1,151,193	181,658
TOTAL HALIBUT			23,841,538	4,263,659
ERRING, LOCAL	oa	ROUND	26,835	1,342
ERRING, ALASKA, FROZEN	00		63,100	3,324
ERRING, BRITISH COLUMBIA, FROZEN	DO		82,914	3,317
TOTAL HERRING			192,949	7,993
INGCOD, LOCAL	EX-VESSEL	DRESSED	1,775,023	134,902
INGCOD, LOCAL	DO	ROUND	489,579	24,479
INGCOD, LOCAL	OTHER		444,562	28,007
INGCOD, ALASKA, FROZEN	00		82,256	4,113
INGCOD, BRITISH COLUMBIA	00		147,441	11,795
INGCOD, BRITISH COLUMBIA, FROZEN	DO		52,213	4,17/
TOTAL LINGCOD			2,991,074	207,473
ERCH, LOCAL	00	BOUND	116,784	13,430
ERCH, BRITISH COLUMBIA	00		9,7/7	1,009
TOTAL PERCH			125,561	14,439
ILCHARO, LOCAL	99	00	43,275	2,710
OCKFISHES, LOCAL	EX-VESSEL	DRESSED	194,544	10,700
OCKFISHES, LOCAL	00	QNUCR	7,980,124	351,522
OCKFISHES, LOCAL	OTHER		151,772	8,003
DCKFISHES, ALASKA, FROZEN	00		4,076	163
OCKFISHES, BRITISH COLUMBIA	DO		16,020	541
OCKFISHES, BRITISH COLUMBIA, FROZEN	00		900	36
TOTAL ROCKFISHES			8,366,436	371,070
ASLEFISH, LOCAL	EX-VESSEL	DRESSED	1,884,511	166,577
ABLEFISH, LOCAL	DO	ROUND	178,591	9,930
ABLEFISH, LOCAL	OTHER		245,557	19,369
ABLEFISH, ALASKA, FROZEN	DO		1,373,242	92,395
ABLEFISH, BRITISH COLUMBIA	ОО		13,925	836
TOTAL SABLEFISH			3 606 076	207 107
TOTAL SASLETISH			3,696,926	297,107

### PACIFIC COAST STATES FISHERIES

### FISHERY PRODUCTS RECEIVED BY SEATTLE WHOLESALE DEALERS, 1949 - Continued

ITEM	POUNOS	VALUE
FISH - CONTINUED		
SALMON:  CHINDOK, LOCAL, LARGE.  CHINDOK, LOCAL, SMALL.  DD DO  CHINDOK, LOCAL, WHITE.  DD DO  CHINDOK, UNCLASSIFIED.  CHINDOK, UNCLASSIFIED.  CHINDOK, CALIFORNIA.  DO  CHINDOK, CALIFORNIA.  DO  CHINDOK, ALASKA, FROZEN.  DO  CHINDOK, BRITISH COLUMBIA, FROZEN.	345,335 278,832 190,774 57,981 3,153,543 7,908 270,328 244,912 1,439,465 4,127,331 313,548	\$130,191 85,830 46,930 7,364 834,115 1,509 51,362 59,979 352,669 994,687 75,555
TOTAL CHINOOK SALMON	10,429,857	2,640,248
CHUM, LOCAL. EX-VESSEL ROUND CHUM, LOCAL. OTHER CHUM, ALASKA, FROZEN DO CHUM, BRITISH COLUMBIA. DO CHUM, BRITISH COLUMBIA, FROZEN DO	492,877 906,631 847,720 1,997,987 3,567,437	71,467 131,452 93,249 219,779 392,413
TOTAL CHUM SALMON	7,812,652	908,375
PINK, LOCAL	433,095 983,609 372,331 184,482 29,896	43,310 98,361 29,787 14,759 2,392
TOTAL PINK SALMON	2,003,413	188,609
SILVER, LOCAL	294,402 162,311 3,110,496 45,378 245 2,628,504 15,080 52,978	70,951 32,787 688,975 10,051 49 525,701 3,016 10,596
TOTAL SILVER SALMON	6,309,394	1,342,126
SOCKEYE, LOCAL DO ROUND SOCKEYE, ALASKA, FROZEN DO	248,399 565,895	49,580 113,179
TOTAL SOCKEYE SALMON	814,294	162,859
UNCLASSIFIEO, ALASKA, FROZEN	2,575 33,486	412 5,358
TOTAL UNCLASSIFIED SALMON	36,061	5,770
TOTAL ALL SALMON	27,405,671	5,247,987
HAD, CALIFORNIA DO	8,929	1,473
MELT, EULACHON, LOCAL	191,087 12,840 20,830 576,432	18,459 1,240 2,009 57,643
TOTAL SMELT	801,159	79,351
OLE, ENGLISH, LOCAL       EX-VESSEL       ROUND         OLE, ENGLISH, LOCAL       OTHER         OLE, PETRALE, LOCAL       EX-VESSEL       DO         OLE, DETRALE, LOCAL       OTHER         OLE, UNCLASSIFIED, LOCAL       EX-VESSEL       DO         OLE, UNCLASSIFIED, BRITISH COLUMBIA       OTHER	2,597,024 74,895 2,984,131 27,558 60,165 27,009	129,851 3,745 208,889 1,929 3,008 1,621
TOTAL SOLE	5,770,782	349,043
WORDFISH, JAPAN, FROZEN DO	56,081	11,216
TUHÀ, ALBACORE, LOCAL	404,056	71,922

### FISHERY PRODUCTS RECEIVED BY SEATTLE WHOLESALE DEALERS, 1949 - Continued

ITEM	POUNDS	VALUE
FISH - CONTINUED  TUNA, ALBACORE, LOCAL	169,804 111,903 174,127 438,452 7,783	\$30,225 18,285 28,452 54,891 1,129
TOTAL TUNA	1,305,125	214,904
FILLETS, SOLE, LOCAL	65,361 39,289 5,557 351,952 64,672 11,487 520 13,850 108,964	16,340 9,822 1,279 80,949 12,934 2,297 104 2,770 21,793
TOTAL FILLETS	661,651	143,287
UNCLASSIFIED, LOCAL EX-VESSEL UNCLASSIFIED, LOCAL, OTHER	4,189 47,455 5,415 3,412	419 3,796 1,218 171
TOTAL UNCLASSIFIED	60,471	5,604
# ALL FISH EX-VESSEL FRESH, LOCAL OTHER OTHER FRESH, LOCAL OTHER OTHER FRESH, ALSKKA DO FRESH, BRITISH COLUMBIA OO FRESH, OTHER SOURCES DO	31,920,793 11,167,936 258,749 7,297,503 287,165	3,621,325 2,110,580 62,189 1,368,811 54,344
TOTAL FRESH	50,932,145	7,217,249
FROZEN, LOCAL. DO FROZEN, ALASKA DO FROZEN, BRITISH COLUMBIA DO FROZEN, OTHER SOURCES. DO O	101,568 19,949,842 5,940,408 502,316	23,388 3,185,610 808,720 77,236
TOTAL FROZEN	26,494,134	4,094,954
TOTAL FRESH AND FROZEN FISH	77,426,280	11,312,203
SHELLFISH (MEATS)		
CLANS, BUTTER, LOCAL CLANS, LITTLE NECK, LOCAL CLANS, SAZOR, LOCAL CLANS, RAZOR, LOCAL CLANS, WICLASSIFIED, ALASKA, FROZEN. CLANS, UNCLASSIFIED, BRITISH COLUMBIA.	27,094 120,465 1,151 6,797 203,881	7,559 38,308 459 1,733 51,990
TOTAL CLAMS	359,368	100,049
CLAM MEAT, LOCAL	234 16,524 38,947 4,000	50 4,247 10,009 800
TOTAL CLAM MEAT	59,705	15,116
CRASS, DUNGENESS, LOCAL, IN SHELL	1,126,271 15,190	132,900 1,823
TOTAL CRABS	1,141,451	134,723
CRAB MEAT, LOCAL	120,360 337,533	99,905 280,152
TOTAL CRAS MEAT	457,901	380,057
LOBSTER, CALIFORNIA	17,741 54,351 7,275	9,758 29,893 4,001
TOTAL LOSSTER	79,367	43,652

### PACIFIC COAST STATES FISHERIES

#### FISHERY PRODUCTS RECEIVED BY SEATTLE WHOLESALE DEALERS, 1949 - Continued

ITEMS	POUNDS	VALUE
SHELLFISH (MEATS) - CONTINUED		
OCTOPUS, LOCAL	14,030	\$561
OYSTERS, EASTERN SHUCKED	4,261 13,750 1,681,313	3,528 31,350 781,813
TOTAL OYSTERS	1,699,329	816,691
SCALLOPS, BAY, LOCAL, SHUCKED. SCALLOPS, BAY, ADPAN, FROZEN SCALLOPS, BAY, NOVIÁ SCOTIÁ, FROZEN.	7,825 5,886 40,015	4,742 2,943 22,009
TOTAL SCALLOPS	53,727	29,694
SHRIMP, LOCAL. SHRIMP, MEXICO SHRIMP, GULF SHRIMP, GULF, FROZEN SHRIMP, GULF, FROZEN SHRIMP, ALSKA, FROZEN	935 21,990 200 4,900 22,500	234 10,995 100 2,450 11,250
TOTAL SHRIMP	50,525	25,029
SHRIMP MEAT, GULF, FROZEN	15,364 492,972	11,523 369,729
TOTAL SHRIMP MEAT	508,336	381,252
SQUID, LOCAL	615 71,335	42 5,707
TOTAL SQUID	71,950	5,749
ALL SHELLFISH		
FRESH, LOCAL	3,114,056 265,293 159,978	1,097,933 67,823 59,981
TOTAL FRESH	3,549,227	1,225,737
FROZEN, ALASKA	876,326 70,156	667,111 39,725
TOTAL FROZEN	946,492	706,836
TOTAL FRESH AND FROZEN SHELLFISH	4,495,719	1,932,573
ALL FISH AND SHELLFISH		
FRESH	54,481,373 27,440,626	8,442,986 4,801,790
TOTAL FRESH AND FROZEN FISH AND SHELLFISH	81,921,999	13,244,776
LIVERS AND VISCERA		
GRAYFISH (DOGFISH), LOCAL. GRAYFISH (DOGFISH), ALASKA, FROZEN HALIBUT AND VISCERA, ALASKA, FROZEN. LINGCOD, LOCAL SABLEFISH AND VISCERA, ALASKA, FROZEN. SOUPFIN SHARK, LOCAL. UNCLASSIFIED, LOCAL. UNCLASSIFIED, LASKA, FROZEN. UNCLASSIFIED, BRITISH COLUMBIA, F->ZEN UNCLASSIFIED, JRAN, FROZEN. UNCLASSIFIED, JRAN, FROZEN.	1,625,391 105,958 1,055,212 136,254 254,062 236,139 2,543,697 362,100 107,721 96,382 22,945	
TOTAL LIVERS AND VISCERA	6,598,911	
GRAND TOTAL ALL FISH, SHELLFISH, LIVERS AND VISCERA	83,520,910	

<sup>1/</sup> FROM ARGENTINA, PORTUGAL AND GUATEMALA.

### SECTION 8.- LAKE FISHERIES

Furing 1949, the commercial catch of fish and shellfish in the Great Lakes and the International Lakes of Northern Minnesota amounted to 85,692,600 pounds, valued at \$11,458,418 to the fishermen. This represented an increase of 2 percent in quantity but a decrease of 10 percent in value compared with the previous year. In addition, the Canadian catch in these lakes amounted to 29,204,324 pounds. Lake Erie was the leading producer, with United States fishermen taking 34,249,300 pounds and Canadian fishermen, 18,652,500 pounds. Lake Michigan was second in production with 25,573,200 pounds, the entire amount being taken by United States fishermen.

The total 1949 fisheries production in the Great Lakes area was maintained at a normal level and prices for some species held up exceptionally well. However, a marked decrease in demand was reflected in the catch of certain other species. Yellow pike production recorded a substantial increase over the previous year, with good prices prevailing at various periods. Whitefish production was down over 3 million pounds compared with 1948, and the prices paid for this species during the year ranged widely but averaged approximately 34 cents per pound. Herring prices ranged from 2 to 12 cents per pound and maintained an average of approximately 3-1/2 cents per pound. The November and December runs of herring in Lake Michigan and Lake Superior were the most productive, with large quantities of this catch going to fur ranches for animal food. Sucker "mullet" production held up well and prices averaging 4 cents per pound were received during 1949. Large quantities of this species were shipped to the nearby metropolitan areas during certain religious holidays. The catch of lake trout continued to decrease and the 1949 take of this species (3,308,800 pounds) was the smallest since 1913 when continuous records first became available. The consistent decrease in lake trout production is believed to have been at least partially caused by the sea lamprey in the Great Lakes. Fxtensive studies and practices on methods of lamprey control were carried out by the United States Fish and Wildlife Service in the Great Lakes during 1949.


The most recent data available on operating units employed in the fisheries of the Great Lakes and the International Lakes of Northern Minnesota are for 1940. In that year, 5,142 United States fishermen were employed. If the lakes fisheries have followed the same trend as the fisheries of other areas, it may be assumed that the number of fishermen employed was considerably greater for 1949.


The last complete survey of the fishery transporting, wholesaling, and manufacturing industries was made for 1940. In that year, 33 men were employed in the sessels operating in the transporting trade, and 3,030 persons were employed in the wholesale and manufacturing establishments. The latter employees received \$2,842,680 in salaries and wages in 1940. Detailed statistics on these branches of the industry for 1940 can be found in "Fishery Statistics of the United States, 1944" (Statistical Digest No. 16), and in the Digests for the years from 1940 to 1943 inclusive.

<sup>9</sup> The statistics of the catch were obtained principally from records of the various state agencies and from the Dominion Bureau of Statistics, Ottawa, Canada. In all cases, the statistics collected are for the calendar year. The season opens on May 15 on Rainy and Namakan Lakes and on Lake of the Woods the season opens on June 1. Since 1941, on Lake of the Woods, and since 1947 on Rainy and Namakan Lakes, there has been but one season which ends on December 31. Actually the season ends with the freeze-up, and few, if any, fishermen fish under the ice.

The following tables contain a summary of the United States and Canadian catch in the Great Lakes and International Lakes of Northern Minnesota as well as detailed data on the catch by gear. Condensed summary data on the catch by states of the Lake Fisheries have been previously published in Current Fishery Statistics No. 662. Historical data on the fisheries of the Great Lakes can be found in the Peport of the International Board of Inquiry for the Great Lakes, which can be purchased from the Superintendent of Documents, Washington 25, D. C.

UNITED STATES AND CANADA: LAKES CATCH, 1949





GREAT LAKES TRAP NET

	SUMMARY	OF UNITED	STATES A	ND CA	ANADI A	IN CATCH	, 1949	
		LAKE ONTARI	0				LAKE ERIE	
SPECIES ,	UNITED STATES	CANADA	TOTAL			TED ATES	CANADA	TOTAL
	POUNDS	POUNDS	POUNDS		POI	JNDS	POUNDS	POUNDS
LUE PIKE  OWFIN OF MAN  UFFALOF 18H  ULLHEAGS .  UBBOT AFP  AFF 18H  HUBS .  1SCO .  ELS .  AFF 18" .  1ZZARD SHAD .  OLDF 18H RE RING .  AKE HERR ING .  KKE TROUT .  UILLBACK .  OOK PASS .  AUGER .  UILLBACK .  OOK BASS .  AUGER .  UILLBE .  HITE FISH .  COMHON .  ULLIBEE .  HITE ISH .  COMHON .  ELLOW PIKE .	85,700 (2) 87,200 300 20,500 -500 45,900 (2) -(2) -(2) -(2) -(3) -(4) -(4) -(5) -(6) -(7) -(6) -(7) -(7) -(7) -(7) -(7) -(7) -(7) -(7	46,300 (1) 400 136,900 582,600 (1) 36,900 (1) 167,600 (6) 20,000 (1) 20,000 (1) 20,000 (1) 20,000 (1) 3,100 46,900 (1) 87,800 (1) 87,800 (1) 87,800 (1) 195,200 (1) 195,200 (1) 195,200 (1) 195,300 (1) (1) (1) (1) (1) (1) (1) (1)	132,00	000000000000000000000000000000000000000	30.2,23.3 866 81 31.77	9,500 2,600 5,400 4,700 4,700 4,700 7,200 8,400 -0,000 0,500 (2) 7,400 7,400 7,400 7,400 7,200 8,100 1,7	9,471,100 11	23,470,600 1,600 15,400 404,500 2,438,000 1,022,700 88,400 170,500 259,300 170,500 259,300 17,400 10,500 7,400 14,400 17,76,76,776,760 17,76,776,776,776,776,776,776,776,776,77
TOTAL	351,000	1,942,100	240,70	-+	34,24	3.300	524,200 18,652,500	524,200
			2,233,10	<del>- '</del> -	AKE	,,,,,,	.5,552,500	22,701,000
	· L/	AKE HURON		MICH	IIGAN		LAKE SUPERIO	R
SPECIES	UNITED STATES	CANADA	TOTAL		ATES	STATES	CANADA	TOTAL
	POLINOS	POUNDS	POUNDS	PO	UNDS	POUNDS	POUNOS	POLINDS

	· L	AKE HURON		MICHIGAN		LAKE SUPERIO	PR
SPECIES	UNITED STATES	CANADA	TOTAL	UNITED STATES	UNITED	CANADA	TOTAL
BLUE PIKE. BOWFIN. BUFFALOFISH. BUFFALOFISH. BURDOT . CARP . CATFISH. CHUBS. CISCO. EELS. GARTISH. GIZZARO SHAO. GOLOFISH. LAKE HERRING. LAKE HERRING. LAKE TROUT. MOONEYE. PIKE OR PICKEREL (JACKS) GUILBACK. ROCK BASS. SAUGER. SHEEPSHEAD. SHEEPSHEAD. SHEEPSHEAD. SHEEPSHEAD. STURGEON. SUKER "MULLET". SUNFISH.		CANADA  POUNDS {1} {1} {1} {1} {1} 85,600 58,700 21,100 {1} {1} {1} {1} {1} {1} {1} {1} {1} {1}	POUNDS  8,300 18,400 86,200 1,011,100 187,800 147,900 - 1,600 2,109,900 57,400 57,400 12,100 3,300 12,600 12,600 12,900 12,900 1,231,000			POUNOS  (1) (1) (1) (23,500 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	POUNDS  29,600 100  162,600  14,474,900 4,150,700 4,600 15,400 1,000 500 125,600
SUNFISH	400	345,200 14,700	345,200 15,100	=	=	74,200 200	74,200 200
COMMON	530,200 21,800 517,600 200,000	1,268,300 (1) 202,500 466,900 (1) 16,300	1,798,500 21,800 720,100 666,900 - 16,300	3,491,900 106,200 1,377,500 1,119,900 1,700	1,283,700 15,800 300 26,400	251,600 (1) 400 130,700 (1) 2,200	1,535,300 15,800 700 157,100 - 2,200
TOTAL	5,580,500	3,235,200	8,815,700	25,573,200	17,730,300	3,020,100	20,750,400

SUMMARY OF UNITED STATES AND CANADIAN CATCH, 1949 - Continued

		NAMAKAN LAK	E		RAINY LAKE	
SPECIES	UNITED STATES	CANADA	TOTAL	UNITED STATES	CANADA	TOTAL
	POUNDS	POUNOS	POU: IDS	POUNDS	POUNDS	POUNDS
BLUE PIKE		(1)	- 1	-	(1)	_
BOWFIN	-	{i}	-	-	(1)	
BUFFALOFISH	-	(1)	-	-	(1)	-
BULLHEADS	-	(1)		-	521	27,000
BURBOT	5,100	327	5,100	37,200	} {{ } { }	37,200
ARP	-	}!{			};{ 1	_
ATFISH		· }{{	_	-	133	-
ISCO	_	}i{	-	-	{i} {	-
ELS	-	(1)	- 1	- 1	(1)	-
ARFISH	-	(1)	-	-	\$11	•
IZZARD SHAD	-	{!}	-	-	}!{	
OLDFISH	-	\{\!\	1 1		};{	_
AKE HERRING	_	};{		_	111	-
AKE TROUT	_	{ i}	-	-	} i	-
IKE OR PICKEREL (JACKS)	-	2,988	2,988	19,200	128,695	147,895
UILLBACK	-	(1)	- 1	(1)	(1)	
OCK BASS	-	(1)	-	·-·	(1)	-
AUGER	-	(1)	-		{!}	-
HEEPSHEAD		{1}	- 1	_ [	<b>}</b> ;}	_
MELT	_	(1) 504	504		(1) 684	684
STURGEON	5,200	(1)	5,200	41,300	(1)	41,300
SUNFISH	-	\ \i\	- 200		(1)	,500
TULLIBEE	12,900	5,200	18,100	25,100	71,624 (1)	96,724
WHITE BASS	<u>-</u>		- 1		(1)	-
WHITEFISH:						*** ***
COMMON	7,600	2,251 {1}	9,851	40,300	73,849 (1)	114,149
MENOHINEE	_	\ \{\dagger{\dagger}{		200	2,670	2,870
YELLOW PERCH	_	1.490	1,490	34,500	160,414	194,914
CRAWFISH	-	1,490 (1)			(1)	-
UNCLASSIFIED	-	5,000	5,000	-	176,377	176,377
TOTAL	30,800	17,433	48,233	197,800	614,313	812,113
TOTAL		E OF THE WOO		<del></del>	STAL, ALL LAKES	
	UNITED			UNITED		
SPECIES	STATES	CANADA	TOTAL	STATES	CANADA	TOTAL
	POUNDS	POUNDS	POUNDS	POUNOS	POUNDS	POUNDS
						1001103
SLUE PIKE	-	(1)		14.085.200	9,517,400	23,602,600
30WFIN	-	-{1} 1}	-	14,085,200 21,900	9,517,400 (1)	23, <u>602,60</u> 0 21,900
BOWFIN	-	-{:}	=	14,085,200 21,900 5,600	9,517,400 (1) (1)	23, <u>602,60</u> 0 21,900 5,600
BOWFIN	- - 28,900	-{1} 11} 11}	28,900	14,085,200 21,900 5,600 353,800	9,517,400 (1) (1) (1)	23,602,600 21,900 5,600 353,800
BOWFIN	-	11 11 11 11 11	28,900 458,800	14,085,200 21,900 5,600 353,800 840,700	9,517,400 (1) (1) (1) (1) 299,300	23,602,600 21,900 5,600 353,800 1,140,000
BOWFIN	- - 28,900	(1) (1) (1) (1) (1) (1) (88)	28,900 458,800 88	14,085,200 21,900 5,600 353,800 840,700 4,568,100	9,517,400 (1) (1) (1) (1) 299,300 459,788	23,602,600 21,900 5,600 353,800 1,140,000 5,027,888
SOWFIN SUFFALOFISH	- - 28,900	11 11 11 11 11	28,900 458,800	14,085,200 21,900 5,600 353,800 840,700 4,568,100 1,061,800	9,517,400 (1) (1) (1) (1) 299,300 459,788	23,602,600 21,900 5,600 353,800 1,140,000 5,027,888 1,852,577 7,731,700
BOWFIN	- - 28,900	(1) (1) (1) (1) (1) (1) (88)	28,900 458,800 88	14,085,200 21,900 5,600 353,800 840,700 4,568,100 1,061,800	9,517,400 (1) (1) (1) (299,300 459,788 790,7777 (1) (1) (1)	23,602,600 21,900 5,600 353,800 1,140,000 5,027,888 1,852,577 7,731,700 134,300
SOWF IN SUFFALOF ISH BULLHE ADS BULLHE ADS SUFFALOF ISH CARP CATF ISH CHUBS CISCO EELS	- - 28,900	(1) (1) (1) (1) (1) (1) (88)	28,900 458,800 88	14,085,200 21,900 5,600 353,800 840,700 4,568,100 1,061,800	9,517,400   (1) (1) (1) (1) (29,300 459,788 790,777 (1)	23,602,600 21,900 5,600 353,800 1,140,000 5,027,888 1,852,577 7,731,700
SOWFIN SUFFALORISM SULLHEADS SURBOT SAFF ISA SAFF ISA HUBS CIUSO C	- - 28,900	(1) (1) (1) (1) (1) (1) (88)	28,900 458,800 88	14,085,200 21,900 5,600 353,800 840,700 4,568,100 1,061,800 7,731,700 134,300 19,500 (2)	9,517,400 (1) (1) (1) (299,300 459,788 790,7777 (1) (1) (1)	23,602,600 21,900 5,600 353,800 1,140,000 5,027,888 1,852,577 7,731,700 134,300 56,400
SOWF IN SUFFALOR ISH SULLHEADS. SURBOT ARP ART ISH HUBS ISCO EELS SARRISH SARRISH SARRISH SIZZARO SHAD	- - 28,900	88 31,577 (1)	28,900 458,800 88	14,085,200 21,900 5,600 353,800 840,700 4,568,100 1,061,800 7,731,700 134,300 19,500 (2) 31,600	9,517,400 (1) (1) (1) 299,300 459,788 790,777 (1) (1) 36,900 (1)	23,602,600 21,900 5,600 353,800 1,140,000 5,027,888 1,852,577 7,731,700 134,300 56,400
SOWFIN SUFFALORISH SULLHEADS SURBOT JATFISH HUBS CIUS CIUS CIUS CIUS CIUS CIUS CIUS CIU	- - 28,900	88 31,577 (1) (1) (1) (1) (1) (1)	28,900 458,800 88	14,0e5,200 21,900 5,600 353,800 44,508 4,568,100 1,061,800 7,731,700 134,300 19,500 (2) 31,600 1770,500	9,517,400 (1) (1) (1) 299,300 459,788 790,777 (1) 36,900 (1)	23,602,600 21,900 5,600 353,800 1,140,000 5,027,888 1,852,577 7,731,700 134,300 55,400 170,500
SOWF IN SUFFALOR IN SUFFALOR ISH SULLER ADS. SURBOT LARP ATF ISH HUBS ISCO EELS SARTISH SIZZARO SHAD SOLOFISH AKE HERRING	28,900 458,800 	88 31,577 (1) (1) (1) (1) (1) (1) (1)	25,900 458,800 88 31,577 - - - -	14,085,200 21,900 5,600 353,800 840,700 4,568,100 1,061,800 7,731,700 134,300 (2) 31,600 170,500 21,934,300 33,308,600	9,517,400 (1) (1) (299,300 459,788 790,777 (1) (1) (1) (1) (1) (1) (1) (1)	23,602,600 21,900 5,600 353,800 1,140,000 5,027,888 1,852,577 7,731,700 134,300 55,400 170,500
SOWFIN SUFFALORISH SUFFALORISH SURENT JARP JATFISH HUBS JISCO JISC	- 28,900 458,800 - - - - - - - -	31,577 (1) (1) (1) (1) (1) (1) (1) (1) (2,228 (1)	28,900 456,800 88 31,577 - - - - 2,228	14,085,200 21,900 5,600 353,800 840,700 4,568,100 1,061,800 7,731,700 134,300 19,500 (2) 31,600 21,934,300 3,308,800	9,517,400 (1) 299,300 459,788 790,777 (1) 36,900 (1) 1,956,100 1,533,428	23,602,600 21,900 5,600 353,800 1,140,000 5,027,888 1,852,577 7,731,700 134,300 55,400 170,500
SOWF IN SUFFALOR IN SUFFALOR ISH SULLHE AGS. SURROT AAFF ISH. HUBS ISCO EELS SIZZARO SHAD SOLOF ISH AKE HERRING AKE TROUT FUNCONEYE F	28,900 458,800 	31,577 (1) (1) (1) (1) (1) (1) (1) (1) (2,228 (1)	28,900 458,800 88 31,577 - - - 2,228	14,085,200 21,900 5,600 840,700 4,568,100 1,061,800 19,500 (2) 31,600 (2) 31,000 21,934,300 19,500 21,934,300 10,500 21,934,300 10,500	9,517,400 {1} {1} 299,300 459,788 790,777 {1} 36,900 {1} 1,856,100 1,533,428	23,602,600 5,600 353,800 1,140,000 5,027,888 1,852,577 7,731,700 55,400 31,600 170,500 23,790,400 4,842,228 7,500 752,483
SOWF IN SUFFALOR IN SUFFALOR ISH SULFALOR ISH SURBOT ARP ART ISH CHUBS ISCO ISCO ISCO ISCO ISCO ISCO ART ISH SARTISH SARTISH ARE HERRING ARE HERRING ARE TOULT (CONEYE VIKE OR PICKEREL (JACKS)	28,900 458,800 	31,577 (1) 88 31,577 (1) (1) (1) (1) (1) (1) (1) (2),228	28,900 456,800 88 31,577 - - - - 2,228	14,0es,200 21,900 5,600 840,700 4,568,100 1,061,800 7,731,700 134,300 (2) 31,600 170,500 21,934,300 3,308,800 165,700 2,100	9,517,400 (1) 299,300 459,788 790,777 (1) 36,900 (1) 1,856,100 1,533,428 (1) 586,783	23,602,600 5,600 5,600 353,800 1,140,000 5,027,888 1,852,577 7,731,700 134,300 56,400 170,500 23,790,400 4,842,228 4,842,228 7,500 752,483 2,100
SOWF IN SUFFALOR IN SUFFALOR ISH SULLHE AGS. SURROT ATF ISH HUBS ISCO ELS SIZZARO SHAD SIZZARO SHAD SIZZARO SHAD AKE HERRING AKE TROUT HERRING HERRING HERRING HERRING HERRING AKE TROUT SOONEYE HILL GORPER SUILLBACK SOUCK BASS	28,900 458,800 	31,577 (1) (1) (1) (1) (1) (1) (1) (1) (2,228 (1)	28,900 458,800 88 31,577 	14,085,200 21,900 5,600 840,700 4,568,100 1,061,800 19,500 (2) 31,600 (2) 31,600 21,934,300 3,308,800 7,500 2,100 40,600	9,517,400 (1) 299,300 459,788 790,777 (1) 36,900 (1) 1,656,100 1,533,428 (1) 586,783	23,602,600 5,600 5,500 33,800 1,140,000 5,027,888 1,852,577 7,731,700 56,400 31,600 23,790,400 4,842,228 7,500 752,483 2,100 40,600
SOWF IN SUFFALOR IS A SUFFALOR IS A SURPORT SU	28,900 458,800 	31,577 (1) (1) (1) (1) (1) (1) (1) (1) (2,228 (1)	28,900 458,800 88 31,577 - - - 2,228	14,0es,200 21,900 5,600 840,700 4,568,100 1,061,800 7,731,700 134,300 (2) 31,600 170,500 21,934,300 3,308,800 165,700 40,600 507,600	9,517,400 1) 299,300 459,788 790,777 1) 36,900 1,533,428 1) 586,783 1) 369,703	23,602,650 5,600 5,600 53,600 1,140,000 5,027,688 1,852,577 7,731,700 134,300 56-40 170,500 23,790,400 4,842,228 7,842,248 7,842,248 7,940 4,942,248 7,940 4,942,248 7,940 7,950 7,952,483 2,100 40,600 811,300
SOWF IN SUFFALOR IS A SUFFALOR IS A SUFFALOR IS A SURBOT	28,900 458,800 	31,577 (1) (1) (1) (1) (1) (1) (1) (1) (2,228 (1)	28,900 458,800 88 31,577 	14,085,200 21,900 5,600 840,700 4,568,100 1,061,800 19,300 19,500 (2) 31,000 1770,500 21,934,300 7,500 21,934,300 165,700 2,100 40,600 507,600 3,127,800	9,517,400 (1) 299,300 459,788 790,777 (1) 36,900 (1) 1,855,100 1,533,428 (1) 586,783 (1) 303,700	23,602,600 5,600 5,500 33,800 1,140,000 5,027,888 1,852,577 7,731,700 134,300 5,400 23,790,400 4,842,228 7,500 752,483 2,100 40,600 811,300 811,27,800
SOWE IN SUFFALOR IS A SUPERATOR IS A SURPORT A	28,900 458,800 	31,577 (1) (1) (1) (1) (1) (1) (1) (1) (2,228 (1)	29,900 459,800 88 31,577 - - - 2,228 474,000 2,100 116,900	14,085,200 21,900 5,600 840,700 4,568,100 1,061,800 17,731,700 134,300 19,500 (2) 31,600 3,308,800 7,500 2,100 40,600 507,600 1,556,600	9,517,400 (1) 299,300 459,788 790,777 (1) 36,900 (1) (1) (1) (1) (1) (1) (1) (1)	23,602,600 5,600 5,600 1,140,000 1,140,000 5,027,888 1,852,577 7,731,700 134,300 5,400  31,600 23,790,400 4,842,228 7,500 40,600 811,300 811,300 811,774,900 50,388
SOWE IN SUFFALOR IS A SUPERATOR IS A SURPORT A	28,900 458,800 	88 31,577 11 11 12 12 12 12 12 13 14 14 15 17 18 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18	29,900 459,800 88 31,577 - - - 2,228 474,000 2,100 116,900	14,0es,200 21,900 5,600 840,700 4,568,100 1,061,800 7,731,700 134,300 170,500 21,934,300 3,308,800 165,700 40,600 507,600 3,127,800 21,730 3,675,600	9,517,400 1) 299,300 459,788 790,777 1) 36,900 1,533,428 1) 586,783 1) 586,783 1) 10,300 20,688 391,700	23,602,650 5,600 5,600 1,140,000 1,140,000 5,027,888 1,852,577 7,731,700 134,300 56-400 170,500 752,483 2,100 40,600 811,300 1,774,900 50,388 4,067,300
SOWF IN SUFFALOR IS A SUFFALOR IS A SURFALOR IS A SURBOT	28,900 458,800 	31,577 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	29,900 458,800 88 31,577 	14,085,200 21,900 5,600 840,700 4,568,100 1,061,800 1,731,700 134,300 19,500 (2) 31,600 7,731,700 2,100 40,600 507,600 3,127,800 1,556,600 21,700 3,675,600 3,675,600	9,517,400 (1) 299,300 459,788 790,777 (1) 36,900 (1) (1) (1) (1) (1) (1) (1) (1)	23,602,600 5,600 353,800 1,140,000 5,027,688 1,852,577 7,731,700 55,400 170,500 23,790,400 4,842,220 752,443 60,600 811,200 811,200 1774,900 1774,900 1774,900 1774,900 1774,900 1774,900 1,03,388 4,067,300
SOWFIN SUFFALORISM SURFATORISM	28,900 458,800 	31,577 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	29,900 459,800 88 31,577 - - - 2,228 474,000 2,100 116,900	14,0es,200 21,900 5,600 840,700 4,568,100 1,061,800 7,731,700 134,300 170,500 21,934,300 3,308,800 165,700 40,600 507,600 3,127,800 1,556,600 21,730 3,675,600 8,900	9,517,400 1) 299,300 459,788 790,777 1) 36,900 1,533,428 1) 586,783 1) 586,783 1) 216,300 28,688 391,700	23,602,650 5,600 5,600 53,600 1,140,000 5,027,888 1,852,577 7,731,700 134,300 56-400 170,500 23,790,400 4,842,228 7,822,483 2,100 40,600 811,300 3,127,800 611,300 1,774,900 50,388 4,067,300 8,800 1,411,791
SOWFIN SUFFACE IN SUFFACE IN SURFACE IN SURBOT SAFE IN SURBOT SAFE IN SURBOT SAFE IN SURBOT SUBJECT SU	28,900 458,800 	88 31,577 11 11 12 12 12 12 12 13 14 14 15 17 18 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18	29,900 458,800 88 31,577 	14,085,200 21,900 5,600 840,700 4,568,100 1,061,800 1,731,700 134,300 19,500 (2) 31,600 7,731,700 2,100 40,600 507,600 3,127,800 1,556,600 21,700 3,675,600 3,675,600	9,517,400 (1) 299,300 459,788 790,777 (1) 36,900 (1) (1) (1) (1) (1) (1) (1) (1)	23,602,600 5,600 353,800 1,140,000 5,027,688 1,852,577 7,731,700 55,400 170,500 23,790,400 4,842,220 752,443 60,600 811,200 811,200 1774,900 1774,900 1774,900 1774,900 1774,900 1774,900 1,03,388 4,067,300
SOWFIN SUFFACE STATE STA	28,900 458,800 	(1) (1) (1) (1) (8) (3),577 (1) (1) (1) (1) (1) (2),228 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	29,900 458,800 88 31,577 	14,085,200 21,900 5,600 840,700 4,568,100 1,061,800 7,731,700 134,300 170,500 21,934,300 3,308,800 165,700 40,600 507,600 3,127,800 1,556,600 1,556,600 809,600 807,700	9,517,400 1) 299,300 459,788 790,777 1) 36,900 1,533,428 1) 586,783 1) 586,783 1) 10,300 216,300 28,688 391,700 1) 602,191 996,200	23, 602, 600 5, 600 5, 600 1, 140,000 5, 027, 688 1, 852, 577 7, 731, 700 134, 300 50,000 170, 500 170, 500 752, 463 2, 100 40, 600 31, 127, 600 611, 300 811, 300 811, 300 811, 300 1, 774, 900 6, 600 1, 411, 791 1, 803, 900
SOWFIN SUFFACE TISM SURFACE SURFACE TISM SUR	28,900 458,800 	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	29,900 458,800 88 31,577 	14,085,200 21,900 5,600 840,700 4,568,100 1,061,800 7,731,700 134,300 19,500 (2) 31,600 21,934,300 3,308,800 45,700 65,700 4,500 3,127,800 1,555,600 3,127,800 1,555,600 8,837,100 8,837,100	9,517,400 (1) 299,300 459,788 790,777 (1) 36,900 (1) 1,856,100 1,533,428 (1) 586,783 303,700 216,300 26,688 391,700 (1) 602,191 602,191 996,200 5,478,370	23,602,600 5,600 5,600 5,027,688 1,852,577 7,731,700 134,300 170,500 23,790,400 4,842,228 6,802,577 6,903 6,903 8,127,900 1,774,900 1,774,900 1,774,900 1,774,900 1,812,900 1,774,900 1,812,900 1,812,900 1,813,9
SOWFIN SUFFACE TO SEE SEE SEE SEE SEE SEE SEE SEE SEE SE	28,900 458,800 	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	29,900 458,800 88 31,577 - - 2,228 474,000 2,100 116,900 - 71,400 769,367 221,070 34,257	14,085,200 21,900 5,600 840,700 4,568,100 1,061,800 7,731,700 134,300 19,500 (2) 31,600 21,934,300 3,308,800 165,700 27,500 45,700 3,675,600 8,607,700 8,837,100 143,800 4,599,200	9,517,400 299,300 459,788 790,777 1,36,900 1,533,428 1,856,100 1,533,428 1,300 28,688 301,700 28,688 301,700 602,191 996,200 5,478,370	23,602,650 5,600 5,600 5,600 1,140,000 5,027,688 1,852,577 7,731,700 134,300 56,400 170,500 23,790,400 4,842,228 7,920 40,600 1,174,900 50,388 4,107,300 6,800 1,174,900 6,800 1,411,791 1,803,900 14,315,470 143,500
SOWF IN SUFFALOR IN SUFFALOR ISH SULLHE AGS. SURROT ATF ISH HUBS ISCO ELS SIZZARO SHAD SULLF ISH MONEYE HE SHAD MONEYE HE OF PICKEREL [JACKS] SULLEACK SULLEACK SULLEACK SULLEACK SULLEACK SULLEACK SULLET SULLET SUCKE BASS. SAUGER SUCKER MULLET SUCKER SUCKER SUCKER SUCKER MULLET SUCKER SU	28,900 458,800 	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	29,900 458,800 88 31,577 - - 2,228 474,000 2,100 116,900 - 71,400 769,367 221,070 34,257	14,0es,200 21,900 5,600 840,700 1,061,800 1,061,800 1,731,700 134,300 177,500 21,934,300 3,308,800 165,700 40,600 507,600 3,127,800 1,555,600 21,700 8,800 807,700 8,871,00 143,800 4,595,200 7,115,700	9,517,400 299,300 459,788 790,777 11 36,900 1,533,428 11 11,656,100 1,533,428 11 11,656,100 1,533,428 11,656,100	23, 602, 650 5, 600 5, 600 5, 600 5, 607, 688 1, 852, 577 7, 731, 700 134, 300 56, 400 170, 500 23, 790, 400 4, 842, 228 7, 600 7, 52, 483 2, 100 40, 600 811, 300 50, 388 40, 67, 300 8, 800 1, 774, 900 50, 388 4, 107, 300 1, 714, 900 1, 714, 900 1, 714, 900 1, 714, 900 1, 714, 900 7, 61, 127 9, 488, 900
SOWFIN SUFFACE IN SURFACE 8,900 458,800 	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	29,900 458,800 88 31,577 - - 2,228 474,000 2,100 116,900 - 71,400 769,367 221,070 34,257 1,170,969	14,085,200 21,900 5,600 840,700 4,566,100 1,061,800 7,731,700 134,300 170,500 21,934,300 3,308,800 40,600 507,600 3,127,800 1,556,600 1,556,600 1,556,600 8,807,700 8,807,700 8,837,100	9,517,400 (1) 299,300 459,788 790,777 (1) 36,900 (1) 1,856,100 1,533,428 (1) 586,783 303,700 216,300 28,688 391,700 602,191 996,200 5,478,370 5,478,370 2,465,927 2,373,273	23,602,600 21,900 5,600 5,33,800 1,140,000 5,027,888 1,852,577 7,731,700 134,300 23,790,400 4,842,228 7,000 752,483 2,100 81,217,900 17,749,000 17	
OWFIN UUFFALOFISH UULHEADS UURFALOFISH UULHEADS UURBOT ARP ATFISH HUBS	28,900 458,800 	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	29,900 458,800 88 31,577 - - 2,228 474,000 2,100 116,900 - 71,400 769,367 221,070 34,257	14,0es,200 21,900 5,600 840,700 1,061,800 1,061,800 1,731,700 134,300 177,500 21,934,300 3,308,800 165,700 40,600 507,600 3,127,800 1,555,600 21,700 8,800 807,700 8,871,00 143,800 4,595,200 7,115,700	9,517,400 299,300 459,788 790,777 11 36,900 1,533,428 11 11,656,100 1,533,428 11 11,656,100 1,533,428 11,656,100	23,602,650 5,600 5,800 1,140,000 1,140,000 5,027,888 1,852,577 7,731,700 134,300 5,000 170,500 23,700,400 4,842,228 7,040 40,600 811,300 50,388 40,670 50,388 4,107,300 1,774,900 50,388 4,067,300 1,411,791 1,803,900 14,315,470 1,803,900 14,315,470 7,481,900 7,061,127 9,488,900

<sup>1/</sup> WHERE THERE IS A CANADIAN CATCH OF THESE SPECIES, IT IS SHOWN UNDER "UNCLASSIFIED". LESS THAN 50 POUNDS.

UNITED STATES: CATCH BY STATES, 1949

SPECIES	N	EW YORK	• PENNSYLV	ANIA	C	HIO
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
SLUE PIKE.  BOWF IN.  BUFFALOFISH-  BULLHEADS  BURBOT  CARP  CATFISM  CISCO  EELS  CARF ISM	990,300 (1) 87,200 4,700 20,500 1,300 49,400 (1)	\$94,536 1 16,241 106 414 134 9,406 1,731	2,479,100 - - 1,400 900 100 27,600	\$210,258 - - - 73 19 6 8,258	10,615,800 4,400 5,400 84,800 298,800 1,677,700 839,100 57,300	\$1,263,190 133 856 10,175 17,0.1 50,675 150,693 19,079
GIZZARD SHAD	(1) 5,400	5 5 523	-	-	30,000 170,500 (1) 7,300 3,800	900 8,526 4 362 489
ROCK BASS. SAUGER SHEEPSHEAD SMELT STURGEON SUCKER "MULLET".	20,100 - 4,100 2,500 33,500 8,800	986 - - 605 2,147 1,913	9,100 (1) 5,600	1,700 18 165	378,800 3,010,800 19,200 585,200	48,563 120,433 19,517 11,781
SUMFISH. WHITE BASS WHITEFISH, COMMON. YELLOW PERCH YELLOW PIKE.	4,800 4,800 1,015,200 29,900 7,500	663 422 268,444 3,142 1,502	49,500 1,728,400 108,300 26,000	4,201 472,642 11,082 4,111	723,900 737,400 2,507,600 4,924,300	93,597 253,595 362,829 1,030,806
TOTAL	2,304,700	402,923	4,436,000	712,532	26,682,100	3,464,034
SPECIES	міс	CHIGAN	INDIANA		ILLINOIS	
BOWF IN. BUFFALOF ISH BULLHEADS BULLHEADS BURBOT CARP ISH CAPPER CAPPER GIZZARO SHAO LAKE HERRING LAKE HERRING LAKE TROUT MOCNEYE PIKE OR PICKEREL (JACKS) ROCKE BASS SAUGER SHEEPSHEAD. SMELT "MULLET" WHITE BASS. WHITE ISH: COMMON. MENOMINEE YELLOW PERCH. YELLOW PERCH. YELLOW PERCH.	POUMDS 16,500 71,500 1,545,600 1,545,600 1,545,600 2,575,500 8,470,900 20,500 11,900 00,500 11,900 2,773,500 2,773,500 2,273,500 2,500 1,635,700	VALUE \$529 7,079 47,701 44,701 44,705 47,701 44,925 470,752 299,184 949,647 4,692 2,415 1,781 2,112 90,272 106,918 3,342 1,503,550 24,476 134,261 414,109 4,116,399	POUNDS - 2,000 - 2,000 - 19,200 - 200 - 500 1,500 - 400 6,300 - 30,400	VALUE  \$333 - 56 - 713 - 21 - 55 69 - 158 - 954 - 2,059	POUNDS	\$246,870 1,760 1,394 
SPECIES	W150	CONSIN	MINNE	SOTA		OTAL
BLUE PIKE 30W IN. BUFFALOFISH BULLHEADS BURBOT CARP CATFISH	90UNDS 1,000 81,400 27,600 1,321,400 26,200 3,803,200	\$35 11,393 52,856 5,765 565,834 (1)	28,900 503,200 	VALUE - - \$4,630 5,810 - 10,730	POUNDS 14,085,200 21,900 5,600 353,800 840,700 4,568,100 1,061,800 7,731,700 134,300 19,500 (1) 31,600	VALUE \$1,567,964 698 889 49,518 24,647 151,720 200,853 1,294,196 36,743 1,731 1,930

SEE FOOTNOTE AT END OF TABLE (CONTINUED ON NEXT PAGE)

UNITED STATES: CATCH BY STATES, 1949 - Continued

SPECIES	WISCONSIN		MINNES	MINNESOTA		TOTAL	
GOLDFISH LAKE HERRING LAKE TROUT MOONEYE. PIKE OR PICKEREL (JACKS) JOUILLBACK. ROCK BASS. SAUGER SHEEPSHEAD SMELT. STURGEON SUCKER "MULLET". JUNFISH. TULLIBEE. WHITE BASS. WHITEFISH COMMON MENOMINEE. FELLOW PERCH.	9,365,200 629,400 12,300 - 33,000 489,000 657,900 - 1,251,200 12,400 824,400 66,500 1,700	\$324,326 304,967 1,231 - 3,301 46,899 32,895 - - 524,440 1,242 123,667 17,123 520	POUNDS  4,053,900 270,400 105,900 2,100 116,900 - 118,400 809,600 63,600 900 21,900 453,700	\$162,160 98,663 7,990 - 9,350 - 2,417 47,440 16,700 1,700 2,850 86,540	POUNDS 170,500 21,934,300 3,306,800 105,700 2,100 40,600 507,600 3,127,800 1,556,600 21,700 3,675,600 809,600 807,700 6,837,100 1,43,800 4,595,200 7,115,700	VALUE \$8,526 788,143 1,354,680 40 3,401 59,694 127,546 148,832 21,682 21,682 21,682 3,039,597 25,888 674,420 11,554,191 52,888	
TOTAL	18,605,800	2,019,045	6,603,100	455,490	85,692,600	11,458,418	

1/ LESS THAN 50 POUNDS OR 50 CENTS.

	UNITED STA	TES: CATC	H BY LAKES	, 1949			
SPECIES		ONTARIO		LAKE ERIE			
	NEW	YORK	NEV	√ YORK	PENNS	/LVANIA	
BLUE PIKE. BOWF IN BULLHADS. BULRDT CARP CATF ISH. CISCO. EELS GARR ISH. LAKE TROUT PIKE OR PICKEREL (JACKS) ROCK BASS. SHEEPSHEAO SMELT STURGEON SUCKER "MULLET" SUMFISH WHITE BASS WHITEFISH, COMMON YELLOW PIKE.	POUNDS 85,700 (1) 87,200 20,500 45,900 19,500 (1) 5,400 20,100 2,500 4,100 2,500 100 2,500 100 2,400 11,900	VALUE \$16,251 16,241 5 414 49 8,351 1,731 5 523 986 - 006 2,109 1,738 663 5 1,133 1,894 462	POUNDS 904,600 - 4,400 (1) 800 3,500 - - - (1) 6,100 4,700 1,012,800 5,600	VALUE \$78,185 - 101 (1) 85 1,055 - - - - - - - - - - - - - - - - - -	POUNCS 2,479,100 -1,400 900 100 27,600 	VALUE \$210,258 - 73 18 6 8,258 1,700 18 165 - 4,201 472,642 11,062 4,111	
TOTAL	351,000	53,268	1,953,700	349,655	4,436,000	712,532	
SPEC IES		LAKE	ERIE - CONTIN	NUED			
SPECIES		OHIO	м	ICHIGAN	1	TOTAL	
BLUE PIKE. BOWF IN. BUFFALOF ISH. BULLHEADS. BURROT CARP CAFF ISH. CISCO. GIZZARD SHAD GOLDFISH LAKE TROUT MOONEYE.	POUNDS 10,615,800 4,400 5,400 84,800 298,800 1,677,700 839,100 57,300 30,000 170,500 (1) 7,300	VALUE \$1,263,190 133 856 10,175 17,831 50,675 150,693 19,079 900 8,526 4	8,200 39,800 100 555,400 27,200	VALUE \$284 4,247 3 17,226 4,274 - - - - -	POUNDS 13,999,500 12,600 5,400 124,600 304,700 2,234,000 867,200 88,400 30,000 170,500 (1) 7,400	VALUE \$1,551,633 417 856 14,422 18,008 67,919 155,058 28,392 900 8,526 4 369	
SEE FOOTNOTE AT END OF TABLE	(con	TINUED ON NEX	T PAGE)		'		


### UNITED STATES: CATCH BY LAKES, 1949 - Continued

SPECIES		LAKE	ERIE - CONT	NT INUEO			
SPECIES		OHIO	N	TICHIGAN	тот	AL	
PIKE OR PICKEREL (JACKS).  ROCK BASS. SAUGER. SHEEPSHEAO. STURGEON. SUCKER "HULLET" HHITE BASS. HHITEFISH, COMMON. VELLOW PIKE	POUNOS 3,800 378,800 3,010,800 19,200 585,200 723,900 737,400 2,507,600 4,924,300	VALUE \$489 48,563 120,433 19,517 11,781 93,597 253,595 362,829 1,030,806	POUNDS 6,700 7,600 11,300 64,800 37,200 29,100 32,100 357,900	VALUE \$889 966 1,689 1,464 - - 984 3,265 - 5,701 50,886	POUNDS 10,500 7,600 390,100 3,084,700 19,200 634,100 807,200 3,478,600 2,659,200 5,313,800	VALUE \$1,378 966 50,252 123,597 19,573 13,105 101,480 993,548 380,860 1,086,843	
TOTAL	26,682,100	3,464,034	1,177,500	91,885	34,249,300	4,618,106	
0050150	LAI	KE HURON		LAKE	MICHIGAN		
SPECIES	М	ICHIGAN	м	ICHIGAN	IN	DIANA	
	POUNDS	VALUE	POUNOS	VALUE	POUNOS	VALUE	
SOWFIN SUFFALOFISH SULLHEADS SULHEADS SULHEADS SURBOT ARP ATFISH HUBS GIZZARO SHAD AKE HERRIND AKE TROUT SOONEYE. FIKE OR PICKEREL (JACKS) SOUCK BASS SUBJER SHEEPSHEAD SMELT HITTER BASS HITTER HITTE	8,300 18,400 600 957,400 166,700 147,900 1,951,900 1,951,900 13,500 11,600 11,600 11,022,300 11,600 20,700 55,580,500	\$245 -1,936 21 29,348 39,764 34,719 30 86,520 1 1,690 1,3777 47 104 461 54,142 77 217,0620 52,360  594,862  LAKE	(1) 13,300 2,900 37,800 1,200 2,410,800 2,397,000 223,200 17,500 800 1,051,300 1,180,000 378,500 1,075,200 111,900,300		200 2,000 19,200 200 - 600 1,500 400 6,300	\$33 - 56 - 713 - 21 - 55 - 69 - 158 - 954	
SPECIES	IL	LINOIS	W	ISCONSIN		TOTAL	
BOWFIN BUFFALOFISH BUFFALOFISH BUFFALOFISH BULLHEADS BURBOT LARP LATFISH CHUBS GARFISH LAKE HERRINS LAKE HERRINS LAKE HERVIT LAKE HERVIT SAUGER SAUGER SAUGER SHEEPSHEAN SMELT SUCKER "MULLET" MHITEFISH COMMON MENOMINEE YELLOW PERCH YELLOW PERCH YELLOW PERCH YELLOW EVELLOW  FOUNDS 1,299,300 25,100 3,700 200 168,300	\$245,870 1,760 1,394 	POUNDS 1,000 61,400 25,000 1,321,400 26,200 3,711,100 4,337,000 115,200 27,000 28,800 628,800 628,800 628,4,600 824,4,000 824,4,000	VALUE \$35 11,393 52,855 550 55,765 552,040 173,480 53,005 1,198 - - 3,301 48,797 3,439 203,419 1,040 123,667 11,180	POUNDS 1,000 20,000 21,000 27,900 1,361,200 27,400 6,778,300 342,100 41,200 41,200 1,539,900 1,610,300 3,491,900 3,491,900 1,777,500	YALUE \$35 12,289 693 54,038 54,938 1,233,584 (1) 264,492 150,807 72 165 147,663 82,225 1,304,104 19,412 218,375 321,239		
TOTAL	1,496,600	285,936	1,700		1,700 25,573,200	3,822,719	

UNITED STATES: CATCH BY LAKES, 1949 - Continued

UNITED STATES: CAICH BY LAKES, 1949 - Continued							
SPECIES			LAKE SUP	ERIOR			
Jr EC123	MICHIGAN		WISC	CONSIN	MINNESOTA		
BURBOT. CARP. CHURS. LAKE HERRING. LAKE TROUT. PIKE OR PICKEREL (JACKS). SAUGER. SMELT. SUCKER "MULLET" WHITEFISH:	7,400 (1) 16,600 4,122,000 2,181,200 400 200 34,000	VALUE \$59 (1) 1,869 124,125 852,846 37 29 1,075	2,600 (1) 92,100 5,028,200 514,200 300 -1,000 29,100	VALUE \$51 1 13,794 150,846 251,962 33 - 102 1,456	90UNDS 2,100 53,700 4,053,900 270,400	VALUE \$20 	
COMMON. MENOM INEE YELLOW PERCH YELLOW PIKE	503,800 12,900 300 2,600	186,006 1,682 30 804	766,600 2,000 (1) 23,800	321,021 202 (1) 5,943	13,300 900 - -	4,390 170 - -	
TOTAL	6,875,600	1,168,562	6,459,900	745,411	4,394,800	276, 138	
SPECIES	LAKE SUPERIO	OR - CONTID.	LAKE OF THE WOODS, RAINY LAKE, AND NAMAKAN LAKE		TOTAL, ALL LAKES		
BLUE PIKE BOWF IN BUFFALOFISH BUFFALOFISH BULFHEADS. BURBOT CARP CATFISH. CHUBS. CISCO. EELS GARPISH GIZZARO SHAO GOLOFISH LAKE HERRING LAKE TROUT MOONEYE. BACK. BACK. SALOESS. SALOESS. SALOESS. SALOESS. SALOESS. SUMFISH TULLIBEE WHITE BASS WHITEFISH: COMMON MENDMINET. YELLOW PIKE COMMON	POUNDS	VALUE \$130 1 26,993 437,131 1,203,471 70 (1) 29 - 102 2,536 511,417 2,054 30 6,747	POUNDS	VALUE - \$4,630 5,790	POUNCS 14,085,200 5,600 355,800 84,566,100 1,061,800 19,500 11,500 21,934,300 21,934,300 21,934,300 3,302,300 3,302,300 3,127,800 11,556,600 807,700 8,837,100 143,800 60,700 8,837,100 4,595,200 7,115,700	VALUE \$1,567,984 698 889 49,518 24,647 151,720 200,853 1,294,196 36,743 1,731 1,731 1,334,680 14,946 3,401 59,904 149,832 21,862 156,158 47,440 101,562 3,039,597 25,588 674,629 1,554,191 1,554,191	
TOTAL	17,730,300	2,190,111	2,208,300	179,352	85,692,600	11,458,418	

1/ LESS THAN 50 POUNDS OR 50 CENTS.



### UNITED STATES: CATCH BY LAKE, STATE, AND GEAR, 1949

			LAKE ONTAR	110		
SPECIES			NEW YORK			
	GILL 1	NETS	TRAP	NETS	FYKE AND	HOOP NETS
SLUE PIKE. BOWFIN BULHEADS. BURSOT	POUNDS 77,200 3,500	<u>VALUE</u> \$14,492 - 944 -	POUNDS 8,500 (1) 49,600 300	VALUE \$1,859 1 8,724	POUNDS 34,100	\$6,573
CARP. CATFISH. CISCO. EELS JARFISH. LAKE TROUT	1,000 45,700 - (1)	30 8,317 - 5	16,700 500 200 19,100 (1)	343 49 34 1,695 1	2,800	36
PIKE OR PICKEREL (JACKS) ROCK BASS. SMELT. STURGEON. SUCKER "MULLET". SUNFISH. WHITE BASS. WHITEFISH, COMMON.	200 4,100 2,500 6,700 100	48 606 2,109 1,028 9	4,100 19,900 - 18,000 8,300 100 1,300	379 938 - 610 604 5 766	1,300 - - - 2,700 400	144 - - 100 50
YELLOW PERCH YELLOW PIKE	7,500 200	1,044 50	10,300 1,700	773 412	900	- 77
TOTAL	149,800	29,049	158,600	17,198	42,600	7,021
	LAKE ONTAR	O - CONTINUED		LAK	E ERIE	
SPECIES		- CONTINUED			YORK	
	TOTAL			LL NETS	TRAP N	
BLUE PIKE	POUNDS 85,700 (1)	\$16,351 1	POUNDS 851,600	\$73,786	90UNDS 53,000	\$4,399
BULHEADS BURBOT. CARP. CATFISH CISCO EELS GARFISH	87,200 300 20,500 500 45,900 19,500 (1)	16,241 5 414 49 8,351 1,731	4,400 (1) 100 3,500	101 (1) 4 1,055	- - 700 - -	81
PIKE OR PICKEREL (JACKS). ROCK BASS SMELT STURGEON. SUCKER "MULLET"	(1) 5,400 20,100 4,100 2,500 27,400 8,800	5 523 986 606 2,109 1,738 663	- - - (1) 700	38 20	- - - 5,400	- - - - 155
SUNFISH WHITE BASS. WHITEFISH, COMMON YELLOW PERCH YELLOW PIKE	100 2,400 18,700 1,900	5 1,133 1,894 462	4,100 1,012,800 8,400 1,800	376 267,311 877 312	600 - 2,800 3,800	371 728
TOTAL	351,000	53,?68	1,887,400	343,880	66,300	5,775
		LAK	E ERIE - CONT	INUED		
SPECIES	NEW YORK -	CONTINUED		FENNSY	LVANIA	
	тот	AL.	GILL NE	TS	POUNDS	NETS
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
BLUE PIKE. BURBOT CARP CATF IS. CATF IS. CISCO. SHEEPSHEAD STURGEON	904,600 4,400 (1) 800 3,500 (1)	\$78,185 101 (1) 85 1,055	2,447,000 1,400 - 27,300 700	\$207,693 73 - 8,190 27	32,100 900 100 300 8,400 (1)	\$2,565 18 6 68 1,673 18
SUCKER "MULLET". WHITE BASS. WHITEFISH, COMMON. YELLOW PERCH YELLOW PIKE.	6,100 4,700 1,012,800 11,200 5,600	175 417 267,311 1,248 1,040	5,000 27,300 1,690,000 87,300 14,200	153 2,200 460,358 8,672 2,524	600 22,200 38,400 21,000 11,800	12 2,001 12,284 2,210 1,587

4,300,700

690,090

349,655

22,442

135,800

1,953,700

UNITED STATES: CATCH BY LAKE, STATE, AND GEAR, 1949 - Continued

			LAKE ERIE	- CONTINUED		
SPECIES	PENNSYLVANIA	- CONTINUED		ОН	10	
	TO	AL	GILL	NETS	TRAF	NETS
BLUE PIKE	POUNDS 2,479,100	\$210,258	POUNDS 356,700	\$32,102	POUNDS 10,258,700 (1) 200	\$1,231,040 1 27
BULLHEADS	1,400 900 100 27,600	- 73 18 6 8,258	400 4,800 34,400 5,700 48,600	54 190 1,376 681 16,049	34,600 280,500 255,600 323,500 8,500 16,500	4,150 16,830 7,666 58,236 2,958 826
GOLDFISH	-	- - -	{ 1 } -	(1) 2	1,900	- 89 3
SAUGER SHEEPSHEAO STURGEON SUCKER "MULLET" WHITE BAS SOMMON YELLOW PECH YELLOW PIKE	9,100 (1) 5,600 49,500 1,728,400 108,300 26,000	1,700 18 165 4,201 472,642 11,082 4,111	148,800 5,600 17,800 7,600 12,800 395,700 443,700 110,000	16,369 226 17,769 228 1,157 130,577 53,249 19,807	216,500 2,013,800 1,400 557,200 558,800 341,400 2,053,900 4,610,600	30,315 80,551 1,717 11,144 72,645 122,913 308,089 968,226
TOTAL	4,436,000	712,532	1,592,700	289,842	21,533,500	2,917,426
		_	LAKE ERIE -			
SPECIES			OH10 -	CONT INUEO		
		HOOP NETS		SEINES	L	OTAL
BLUE PIKE. BOW'IN BUFFALOFISH. BULHACAOS. BURBOT. CARP. CATF ISH. C1SCO. G1ZZARO SHAO GOLOFISH. LAKE TROUT MOONEYE. PIKE OR PICKEREL (JACKS) SAUGER SHEEPSHEAO STURGEON STURGEON SUCKER "MULLET". WHITE BASS WHITEFISH, COMMON. YELLOW PERCH YELLOW PERCH YELLOW PIKE.	POUNDS 100	VALUE \$12 	POUNOS 300 4,400 5,200 43,300 13,50,200 503,100 30,000 153,800 (1) 5,500 10,000 10,000 10,000 10,000 10,000 10,000 10,000 2,800 10,900 2,800 3,385,800 3,285,800	VALUE \$36 \$36 \$329 \$5,191 \$40,777 90,549 72 900 7,692 272 456 1,397 38,580 185 14,413 416 13,925 216,666	POUNOS 10, 615, 800 4, 400 84, 800 296, 800 1, 677, 700 30, 000 170, 500 (1) 7, 300 378, 800 378, 800 378, 800 773, 900 19, 200 723, 900 2, 507, 600 4, 924, 300 26, 682, 100	VALUE \$1,263,190 1633 10,175 17,831 50,675 150,693 19,079 900 8,526 48,563 120,433 120,433 11,781 93,597 253,595 362,829 1,030,606
SPEC IES				- CONTINUED		
SEC (ES	GIL	L NETS		NETS	FYKE AND	HOOP NETS
BOWFIN	POUNOS	VALUE -	POUNDS 2,300 13,200	VALUE \$80 1,412	POUNOS 5,900 20,200	VALUE \$204 2,152
SURBOT	=	-	129,100 16,400 100	4,004 2,585 7	100 63,100 5,400	1,957 B53
MOONEYE. PIKE OR PICKEREL (JACKS) ROCK BASS. SAUGER SHEEPSHEAO SUCKER "MULLET" WHITE BASS YELLOW PERCH		-	3,000 5,800 10,300 54,500 32,700 23,100 24,200	394 732 1,545 1,232 864 2,596 4,310	2,400 1,300 1,000 6,100 4,500 5,500 7,900	319 171 144 138 120 612 1,387
YELLOW PIKE	400 400	\$63 63	322,800 637,500	45,880 65,641	31,500 154,900	4,477 12,537

SEE FOOTNOTE AT ENO OF TABLE

(CONTINUED ON NEXT PAGE)

UNITED STATES: CATCH BY LAKE, STATE, AND GEAR, 1949 - Continued

	T			CONTINUED				
SPEC LES			MICHIGAN -	- CONTINUED				
3520123	HAUL S	FINES		LINES	IC	rAL		
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE		
BOWFIN	5,900	\$629	500	\$54	8,200 39,800	\$284 4,247 3		
CATFISH	363,100 2,900	11,261 448 -	100 2,500	388 -	555,400 27,200 100	17,226 4,274 7		
PIKE OR PICKEREL (JACKS). ROCK BASS	1,300	176 63	-	=	6,700 7,600 11,300	966 1,689		
SHEEPSHEAD SUCKER "MULLET" WHITE BASS	3,000 (1) 500	(1) <sup>68</sup> 57	1,200		11,300 64,800 37,200	1,464 984 3,265		
WHITE BASS YELLOW PERCH YELLOW PIKE	(1) 3,200	2 461	{;}	2 5	29,100 32,100 357,900	5,701 50,886		
TOTAL	380,400	13,165	4,300	479	1,177,500	91,885		
	1		LAKE	HURON				
SPEC LES		MICHIGAN						
	GILL	NETS	POUNDS	NETS	TRAP	NETS		
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE		
BULLHEADS	-	:	-	:	7,300 9,300	\$215 977		
BURBOT	3,800	\$116	200	\$6	600 2 <b>1</b> 2,100	21 6,536		
CATFISH	700 147,900	181 34,215	{;}	9	113,200	26,996		
LAKE HERRING LAKE TROUT	53,900 400	2,389 154	163,900	7,264 1	1,600 1,734,000 500	76,864 238		
PIKE OR PICKEREL (JACKS). ROCK BASS	100	- 6	(1)	(1)	100 10,300 8,800	1,296 1,002		
SAUGER	(1)	(1)	\ `:'	\='	300	47 104		
SMELT	- 200	]	10.000		1,900	7		
WHITEFISH:	6,800	361 -	10,800	571 -	827,700 400	43,857 77		
COMMON	37,600 21,300	15,380 4,315	10,700	4,391 11	481,900 400	197,314 96		
YELLOW PERCH YELLOW PIKE	31,100 200	4,236 56	5,200 100	711 23	409,500 195,700	55,873 51,242		
TOTAL	303,800	61,409	191,000	12,991	4,015,800	462,793		
	Ĭ .	·	LAKE HURON -	- CONTINUED	· <del></del>			
SPECIES			MICHIGAN -	CONT INUED				
	FYKE AND H		HAUL SE	INES	SET LI	NES		
80WFIN	1,000	VALUE \$29	POUNOS (1)	VALUE \$1	POUNDS -	VALUE		
BULLHEADS	7,500	792	),600 (1)	167 (1)	-	-		
CARP	25,600 1,000	790 237	710,300 44,500 100/	21,888 10,607	400 7,300	\$12 1,734		
PIKE OR PICKEREL (JACKS).	2,400 3,100	299 350	700 200	89 25		-		
SMELT	-	-	11,400	454	-	-		
YELLOW PERCH	116,400 67,000 200	6,167 9,146 43	60,600 4,600 3,800	3,186 632 996	200			
TOTAL	224,200	17,853	837,800	38,048	7,900	1,768		

SEE FOOTNOTE AT END OF TABLE

(CONTINUED ON NEXT PAGE)

#### UNITED STATES: CATCH BY LAKE, STATE, AND GEAR, 1949 - Continued

	LAKE HURON -	CONTINUED		LAKE MI	CHIGAN		
SPECIES	MICHIGAN -	CONTINUED		місні	GAN		
	TO	OTAL	FYKE, AND	HOOP NETS	HAUL	SEINES	
· · · · · · · · · · · · · · · · · · ·	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	
BOWFIN	8,300 18,400	\$245 1,936	- 1,800	± \$119	:	-	
BURBOT	600	21	200	- 6	_	- \$1 09	
CATFISH	166,700	29,348 39,764	100	10	3,700	-	
GIZZARD SHAO	147,900	34,219	-		. <del>.</del> .		
LAKE HERRING	600 952,400 166,700 147,900 1,600 1,951,900 900	86,520 393	2,000	73	(1)	(1)	
MOONEYE	100 13,500	1,690	5,300	633	-		
ROCK BASS	12,100	1,377	2300	25	-	_	
SHEEPSHEAD	1,900	104 461	600	41	Ξ	-	
SMELT	1,900 11,600 1,022,300 400	54,142	32,000	1,376	(1)	2	
WHITE BASS		777			-	-	
COMMON	530,200 21,800	217,085 4,422	(1)	15	-	[ <u> </u>	
YELLOW PERCH YELLOW PIKE	530,200 21,800 517,600 200,000	217,085 4,422 73,620 52,360	4,200 33,400	634 9,619	-	=	
	5,580,500	594,862	79,900	12,551	3,700	111	
TOTAL	,			<u></u>		l	
			IICHIGAN - CONTINUED CHIGAN - CONTINUED				
SPECIES	SET L		GILL NETS POUNDS NETS				
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	
8ULLHEADS	-	-	100	\$9	100	\$5	
BURBOT, .'	-	_	1,700	111 83	600	- 18	
CATFISH	-	-	2 410 800		100	23	
LAKE HERRING	-	-	1,700 2,800 (1) 2,410,800 1,546,700 219,400	434,674 57,131 94,759	756,300	27,936 1,519	
PIKE OR PICKEREL (JACKS)	-	-	1,000	118	3,500 400 (1)	(1)	
ROCK BASS	=	Ξ.	100	16	200	- 14	
SHEEPSHEAO	Ξ (	-	140,800 446,300	13,237	910,200	85,545	
WHITEFISH:	-	-	1	19,176	77,200	3,319	
COMMON	-	<u> </u>	1,931,100 94,500	706,795 18,120	1,007,200 500	368,629 94	
YELLOW PERCH YELLOW PIKE	. (1)	\$1 -	1,931,100 94,500 342,000 437,000	706,795 18,120 52,329 126,030	4,200 160,700	645 46,347	
TOTAL	(1)	1	7,574,300	1,522,591	2,921,200	534,144	
		<u></u>	<u> </u>	AN - CONTINUEO		<u> </u>	
		<del> </del>		N - CONTINUED			
SPECIES	TRAP N	ETS		AND TROLL LINE	s To	TAL	
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	
BOWFIN	(1)	(1)		-	(1)	(1)	
BULLHEADS	11,300 1,200 30,500	\$763 82	(1)	(1)	13,300 2,900 37,800	\$896 193	
CARP	30,500 1,000	911 182		-	37,800	1,127 217	
CHU85	92,000	3,399	-	-	1,200 2,410,800 2,397,000 223,200 17,500	434.674	
LAKE HERRING	300	130	-	=	223,200	88,539 96,408	
ROCK BASS	10,800 500	1,275 46	-	:	000	2,076 72	
SHEEPSHEAO	7,400	489	-		100 8,200	16 544	
SMELT	300 624 <b>,5</b> 00	29 26,844	(1)	(1)	1,051,300	98,811 50,717	
WHITEFISH:	68,400	25,020		_	ł	1	
MENOMINEEYELLOW PERCHYELLOW PIKE	800 27,800	158 4,257	300	\$44	3,006,700 95,800 378,500 1,075,200	1,100,459 18,372 57,910 310,059	
YELLOW PIKE	432,200	124,641	11,900	3,422	1,075,200	310,059	
TOTAL	1,309,000	188,226	12,200	3,466	11,900,300	2,261,090	
			<del></del>	<del></del>		<u> </u>	

### INITED STATES: CATCH BY LAKE, STATE, AND GEAR, 1949 - Continued

	TES: CATCH		STATE, AND GE			
			LAKE MICHIGAN -	CONTINUED		
SPEC LES			INDIAN	4		
	GILL	NETS	POUND:	S NETS	FYKE AND I	HOOP NETS
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
NUFFALOFISH			200	\$33 23	100	- \$1
ARP	1,000 15,700	\$30 580	800 3,400	127	(1)	Ťi
IKE OR PICKEREL (JACKS) .	15,700	-	200	21	(3)	- 3
MELT	1,100	- 51	400	- 17	(1)	-
HITEFISH, COMMON	f - I	- 1	400	158	-	- 42
'ELLOW PERCH	5,100	787	600	86	300 400	47
TOTAL	22,900	1,448	6,000	465	400	47
			LAKE MICHIGAN -	CONTINUED		
SPEC IES			- CONTINUED		ILLIN	
	DIP		тот		GILL	
	POUNOS	VALUE	POUNDS	<u>AUJAV</u>	POUNDS	VALUE
BUFFALOFISH	100	- \$2	200 2,000	\$33 56	-	-
HUBS	-	- 1	-	- 713	1,299,300	\$246,870
AKE HERRING	100	5	19,200	- 1	25,100 3,700	1,760 1,394
IKE OR PICKEREL (JACKS) .	-		200	21	- 1	<u>-</u>
MELT	(1)	52 1	600 1,500	55 69		-
HITEFISH, COMMON	-	- '	400	158	200	68
ELLOW PERCH	300	39	6,300 30,400	954 2,059	168,300	35,844 285,936
TOTAL	1,100	99 1			1,430,000	
SPECIES			LAKE MICHIGAN -			
			WISCONS		TRAP	UF T C
	GILL	,		VALUE_	POUNDS	VALUE
ULLHEADS	POUNDS 1,700	<u>VALUE</u> \$234	POUNDS 1 300	\$177	F001103	VACOL
URBOT	I 3.300 I	66	1,300 17,300	345	-	-
ARP	1,900	75 32	5,000 100	200 18	-	-
ATFISH	3,592,500	535,267	118,600	16,771	[	Ξ
AKE HERRING	1,617,600	64,703	2,667,800	106,713	- 1	-
AKE TROUT	72,000 3,500	31,864 349	43,100 1.800	21,119	]	
HEEPSHEAD	200	18	1,800 3,300	333	-	_
SMELT	339,300 339,500	33,927 16,973	144,800 24,400	14,475 1,219		
HITEFISH:					1 1	
COMMON	221,500 9,500 397,900	93,033 946	262,200 900	109,992 94	_ [	
'ELLOW PERCH	397,900	59,679	34,600	5,198	- 1	-
ELLOW PIKE	3,200	796	12,600	3,149	1,000	\$297
TOTAL	6,603,700	837,962	3,337,800	279,980	1,000	297
	77		LAKE MICHIGAN		. <del></del>	
	<del>-</del>		WISCONSIN -			
SPECIES	CAAC VAID	HOOP NETS	HAUL S		SET	LINES
SPECIES					POUNDS	VALUE
SPECIES		VALUE	POUNDS	VALUE	PUUNUS I	
	POUNDS (1)	<u>V4LUE</u> (1)	POUNDS 1,000	<u>VALUE</u> \$35	- POUNDS	-
BOWF IN	POUNDS (1) 78,400	(1) \$10,982	POUNDS 1,000		:	=
BOWFIN	POUNDS (1) 78,400 4,000	(1) \$10,982 80	1,000	<b>\$</b> 35 -	400	=
BOWFIN. BULLHEADS BURBOT CARP CATFISH	POUNDS (1) 78,400	(1) \$10,982	1,000   - 1,196,500 23,900	\$35 - 47,860 5,263	:	-
BOWF IN. BULLHEADS BURBOT CARP CATF 15H CHUBS	POUNDS (1) 78,400 4,000 118,000	(1) \$10,982 80 4,720	1,000 - 1,196,500 23,900 (1)	\$35 - 47,860 5,263	:	-
BOWF IN. BULLHEADS BURBOT CARP CATFISH CHUBS GARFISH LAKE HERRING	POUNDS (1) 78,400 4,000 118,000 2,100	(1) \$10,982 80 4,720 452 - 2,061	1,000   - 1,196,500 23,900	\$35 - 47,860 5,263	:	=
BOWF IN. BULLHEADS BURBOT CARP CATF ISH CHUBS GARF ISH LAKE HERRING.	POUNDS (1) 78,400 4,000 118,000 2,100 51,500	(1) \$10,982 80 4,720 452 - 2,061 22	1,000 - 1,196,500 23,900 {1} (1)	\$35  47,860 5,263 2 (1) 3	400	-
BOWF IN. BULLHEADS BURBOT CARP CATFISH CHUBS GARF ISH	POUNDS (1) 78,400 4,000 118,000 2,100	(1) \$10,982 80 4,720 452 - 2,061	1,196,500 23,900 {1}	\$35 - 47,860 5,263 2 (1)	:	*

SEE FOOTNOTE AT END OF TABLE

(CONTINUED ON NEXT PAGE)

UNITED STATE: CATCH BY LAKE, STATE, AND GEAR, 1949 - Continued

			LAKE MICHIGAN	N - CONTINUED		
SPECIES			WISCONSIN -	CONTINUED		
37.237.23	FYKE AND	HOOP NETS	HAUL	SEINES	SET L	INES
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
SUCKER "MULLET" WHITEFISH, COMMON YELLOW PERCH YELLOW PIKE CRAWFISH	259,500 (1) 391,500 25,900 (1)	\$12,977 10 58,733 6,489 1	5,400 900 (1) 3,000 700	\$270 384 1 746 222	- 400 - -	- - \$56 -
TOTAL	955,800	99,009	1,246,800	56,321	800	65
		IIGAN - CONTINUE		LAKE SUPE	RIOR	
SPECIES	WISCON	SIN - CONTINUED		MICHIG		
	TO:	TAL	FYKE AND	HOOP NETS	BEINES	
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
BOWF IN BULLHEADS. BURNOT CARP CATF 15H. CHUBS GARF 15H LAKE HERRING LAKE TROUT PIKE OR PICKEREL (JACKS) ROCK BASS SHEEPHEAD SMELT. SUCKER "MULLET". WHITEF 15H: COMMON. MENOMINEE. YELLOW PERCH YELLOW PERCH YELLOW PIKE. CRAWFISH.	1,000 81,400 25,000 1,321,400 26,200 3,711,100 115,700 12,000 33,000 488,000 628,600 10,400 824,400 1,700 1,700	\$35 11,393 50,052,855 5,765 552,040 (1) 173,480 53,005 1,198 3,301 48,797 31,439 203,419 1,040 123,667 11,180 1,273,634	200	- \$6 - (1) (1) (1) - 93 - (1) 59 - 159	15,900	\$479 
						<del>-</del>
SPEC IES	SET L		IIGAN - CONTINUI		POUND	NETS
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
BURBOT . CHUBS . LAKE HERRING . LAKE TROUT . PIKE OR PICKEREL (JACKS) SAUGER . SUCKER "MULLET" . WHITEFISH: . COMMON . MENOMINEE YELLOW PERCH .	402,100	\$45 - 157,222 - - -	200 16,800 4,091,100 1,670,800 200 21,000 186,300 12,000 300	\$8 1,867 123,194 653,262 11 29 665 68,781 1,560 30	(1) (1) 14,800 28,100 	(1) \$2 446 10,968 - 38 66,573 3
YELLOW PIKE	(1)	2	200	66 849,473	1,500	455 78,485
TOTAL	403,100	157,269	5,999,000	049,473	223,900	70,400

SEE FOOTNOTE AT END OF TABLE (CONTINUED ON NEXT PAGE)

UNITED STATES: CATCH BY LAKE, STATE, AND GEAR, 1949 - Continued

ONTIED	STATES. CA	ICI DI LAIC	, SINIE, MI	o object, 171			
			LAKE SUPERIOR	- CONTINUED			
SPECIES			MICHIGAN	- CONTINUED			
	TRAP	NETS	HAND LINES A	NO TROLL LINES	тот	AL	
BURBOT	POUNDS (1) (1)	<u>VALUE</u> { 1 } { 1 }	POUNDS - -	VALUE - -	POUNDS 1,400 (1)	\$59 (1)	
CHUBS LAKE HERRING LAKE TROUT PIKE OR PICKEREL (JACKS) ROCK BASS	200 5,000 300 (1)	\$6 1,971 26 (1)	- 75,200	\$29,423	16,800 4,122,000 2,181,200 400 (1)	1,869 124,125 852,846 37	
SAUGER	8,400	265	-	Ξ.	200 34,000	(1) 29 1,075	
COMMON	137,200	50,651 (1) - 222	-	-	503,800 12,900 300 2,600	186,006 1,682 30 804	
TOTAL	151,800	53,141	75,200	29,423	6,875,600	1,168,562	
			LAKE SUPERIOR	- CONTINUED			
SPECIES							
	GILL	NETS	POUND	S NETS	HAUL SEINES		
BURBOT	POUNDS 600	<u>VALUE</u> \$11	2,000 (1)	<u>VALUE</u> \$40 1	POUNDS	VALUE	
CHUBS	92,100 4,937,500 431,900 (1)	13,794 148,125 211,607 6	(i) 90,700 60,300 300	(1) 2,721 29,569 27		:	
SMELT	200 6,800	22 340	(1) 22,300	(1) 1,116	800	\$80	
COMMON	204,800 1,900	85,987 188	561,700 100 (1)	234,996 14 (1)	=	=	
YELLOW PIKE	600	139	23,200	5,804			
TOTAL	5,676,400	460,219	760,600	274,288	800	80	
			LAKE SUPERIOR	- CONTINUED			
SPECIES		WISCONSIN -			MINNES	ATO	
	SET	LINES	TO	TAL	GILL	NETS	
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	
BURBOT	:	:	2,600 (1)	<b>\$</b> 51	2,100	\$20	
CHUBS LAKE HERRING LAKE TROUT PIKE OR PICKEREL (JACKS)	22,000	\$10,786	92,100 5,028,200 514,200 300	13,794 150,846 251,962 33	53,700 4,053,900 205,200	10,730 162,160 74,875	
SMELT	=	=	1,000 29,100	102 1,456	500	- 5	
WHITEFISH: COMMON. MENOMINEE YELLOW PERCH. YELLOW PIKE	100 - -	38 - -	766,600 2,000 (1)	321,021 202 (1) 5,943	13,300 900 -	4,390 170 -	
TOTAL	22,100	10,824	23,800 6,459,900	745,411	4,329,600	252,350	

SEE FOOTNOTE AT END OF TABLE-

(CONTINUED ON NEXT PAGE)

### LAKE FISHERIES

UNITED STATES: CATCH BY LAKE, STATE, AND GEAR, 1949 - Continued

	·			,			
	L.	AKE SUPERIO				LAKE OF TH	
SPECIES		MINNESOT	A - CON	IT INUED		MINNESC	ATC
•	SET I	INES		TO	TAL	GILL	NETS
	POUNDS	VALUE		POUNDS	VALUE	POUNDS	VALUE
BULLHEAOS	- - - 65,200	- - - \$23,788	4	2,100 53,700 ,053,900 270,400	\$20 10,730 16?,160 98,663	1,700 48,900 - - - 59,400	\$267 490 - - - - 4,157
OUILLBACK	-	-		- - 500 -	- - 5	85,600 43,300 321,800	6,845 867 19,308
COMMON	-	-		13,300 900 -	4,390 170 - -	700 - 16,600 303,600	108 - 2,155 57,684
TOTAL	65,200	23,788	4	,394,800	276,138	881,700	91,883
			LA	KE OF THE W	OODS - CONTIN	UED	
SPECIES					- CONTINUEO		
	POUND NETS			TRAP	NETS	FYKE AND HOOP NETS	
	POUNDS	VALUE		POUNDS	VALUE	POUNDS	VALUE
BULLHEADS	300 345,600 14,100 300	\$46 3,457 987 6		900 63,500 6,800 1,700 14,800 7,800	\$154 635 477 32	26,000 860 6,400	\$4,163 8 449
SAUGER SUCKER "MULLET" TULL18EE. WHITEFISH, (OMMON YELLOW PERCH.	14,000 14,900 266,500 1,400 700	1,118 298 15,995 208 90		14,800 7,800 183,300 300 2,000 45,900	1,182 157 10,997 44 264	2,500 5,400 - - 2,400	205 108 - - 311
YELLOW PIKE	63,800	12,117	_	45,900	8,720	5,900	1,119
TOTAL	721,600	34,322		327,000	22,662	49,400	5,363
	LAKE OF THE WOODS- CONTI					RAINY	
SPECIES	MINNESOTA	- CONTINU	JED	MINNESOTA		MINNESOTA	
	TOTAL			GILL	,	GILL	NETS
2.11.1.2.2.2	POUL ES	VALUE	-	POUNOS	VALUE	POUNDS	VALUE
SULLHEADS BURBOT PIKE OR PICKEREL (JACKS) QUILLBACK SAUGER SUCKER "MULLET"	28,900 458,800 86,700 2,100	\$4,63 4,59 6,07 4 9,35	n O	5,100	\$100 - -	32,800 16,800	\$970 1,684
SUCKER "MULLET"  FULLIBEE.  WHITEFISH, COMMON  YELLOW PERCH.  YELLOW PIKE	11c,900 71,00 771,600 2,400 21,700 419,200	1,43 46,30 36 2,83 79,64	0 0 0	5,200 12,900 7,600 -	150 390 1,890 -	36,000 24,100 36,900 200 30,600	726 719 9,208 30 6,110
TOTAL	1,979,700	155,?3	0	30,800	2,530	177,400	19,447
						- CONTINUED	
SPECIES		l I		POUNO		- CONTINUED	
				POUNOS	VALUE	POUNDS	AL VALUE
BURBOT PIKE OR PICKEREL (JACKS) OUILLBACK. SUCKER " MULLET" TULLIBEE WHITEFISH, COMMON. YELLOW PERCH YELLOW PIKE.				4,400 2,400 - 5,300 1,000 3,400 (1) 3,900	\$130 236 106 31 852 (1) 790	37,200 19,700 (1) 41,300 25,100 40,300 200 34,500	\$1,100 1,920 (1) 832 750 10,060 30 6,900
TOTAL				20,400	?,145	197,800	21,592

<sup>1/</sup> LESS THAN 50 POUNDS OR 50 CENTS.

# MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1

ITEM			NEW YOU		ОН	0	місн	IGAN
	YEAR	UNIT	QUANTITY	·	QUANTITY	VALUE	QUANTITY	YALUE
BY MANUFACTURING ESTABLISHMENTS: ALEWIVES, SPICED	1940 1949 1940	POUNOS DO DO	405,000 1,077,566		75,000 1,160,987	\$7,500 467,982	5,000 162,705	\$700 92 <u>,</u> 162
BUTTERFISH, SMOKED	1940 1940 1940 1940	DO DO DO	75,000 19,500	23,140 4,890	1,000 42,000	200 8,600	19,000 2,300 225,000	5,700 5,750 74,330
HERRING, LAKE: FRESH FILLETS. FROZEN FILLETS SALTED. SMOKED.	1949 1949 1940 1940	DO DO DO	(2) - 22,000	(2) - 6,200	- - -		201,200 76,268 1,624,574 130,542	7,172 11,803 47,786 19,840
HERRING, SEA: SPICED	1940 1940	D0	200,000 24,000	20,000 1,680	-	:	10,000	1,000
LAKE TROUT: FRESH AND FROZEN FILLETS SMOKED MACKEREL, SMOKED MOONEYE, SMOKED SABLEFISH, SMOKED	1949 1940 1940 1940 1940	DO DO DO DO	6,900 - - -	3,475 - - - -	(2) 5,000 46,000	(2) - 600 11,500	(2) 143,000 5,200 222,000	(2) 43,440 1,300 51,710
SALMON: SMOKED. KIPPERED. SAUGER, FRESM AND FROZEN FILLETS. SHAB SMOKED. SHEPPSHEAD, SMOKED. STURGEON, SMOKED.	1940 1940 1949 1940 1940	DO DO DO DO DO	20,000 39,000 276,274 - 1,000	130,508	73,000 19,350 8,000	25,550 8,990 1,000	97,000 245,000 (2) -	32,400 61,450 (2)
WHITEFISH, COMMON: FRESH AND FROZEN FILLETS SMOKED WHITEFISH, MENONINEE, SMOKED	1949 1940 1940	DO DO DO	27,555 34,578	13,756 9,758	59,000 10,000	29,420 3,000	7,700 109,500 10,000	4,500 30,670 2,500
YELLOW PERCH, FRESH AND FROZEN FILLETS	1949 <b>3</b> 1949	DO DO	23,851 121,398	11,028 64,452	133,286 101,552	59,585 45,249	23,872 20,048	13,345 11,746
UNCLASSIFIED PRODUCTS: PACKAGED FISH	1949 1949	DO DO	<u>3</u> /7,100	<u>3</u> /2,795	<u>4</u> /26,759	<u>4</u> /10,118	<u>5</u> ,156,764	<u>5</u> /33,829
TOTAL			-	812,524		679,294	- ]	553, 135
ITEM			ILLINO		WISCO	NS I N	M I NNE	SOTA
NY MANUFACTURING ESTABLISHMENTS: ALEWIVES, SPICED	YEAR 1940 1949 1940 1940 1940 1940 1940	UNIT POUNDS DO DO DO DO DO	QUANTITY 3,012,349 381,915 10,000 5,000 30,000 1,789,647 30,455	\$301,750 148,143 2,500 1,500 4,000 552,796 7,626	QUANTITY 241,150 132,500 - 10,000 273,307	\$23,160 49,520 - 900 80,580	40,000 	\$5,500 - - 22,373
HERRÍNG, LAKE: FRESH FILLETS	1949 1949	DO					-	-
SALTED	1940	00 00 00	(2) - 246,515	(2) - 33,700	(2) 51,500 1,264,000 597,400	(2) 7,700 42,800 66,170	110,000	4.000
SALTEO	1340	00 00	-	-	(2) 51,500 1,264,000 597,400 271,750	7,700 42,800	110,000	4,000 8,552
SALTED. SMOKED. HERRING, SEA: SPICED. SMOKED. LAKE TROUT: FRESH AND FRDZEN FILLETS. SMOKED. MACKEPEL. SMOKED.	1940 1940 1940 1940 1940 1940 1940	00 00 00	246,515	33,700 111,397 15,240 (2) 61,458	1,264,000 597,400	7,700 42,800 66,170	110,000	4,000 8,552 14,000
SALTED. SMOKED. HERRING, SEA: SPICED. SMOKED. LAKE TROUT: FRESH AND FRDZEN FILLETS. SMOKED. MACKEREL, SMOKED. MOONEYE, SMOKED. SABLEFISH, SMOKED. SABLEFISH, SMOKED	1940 1940 1940 1940 1940 1940 1940 1940	DO DO DO DO DO DO DO DO DO DO DO DO DO D	246,515 962,229 62,400 (2) 194,755	33,700 111,397 15,240 (2) 61,458	76,900 291,096	7,700 42,800 66,170 21,740 - 45,470 81,262 - 24,900	110,000 81,740 140,000	4,000 8,552 14,000
SALTED. SMOKED. HERRING, SEA: SPICED. SMOKED. LAKE TROUT: FRESH AND FROZEN FILLETS. SMOKED. MACKEREL, SMOKED. HONEYE, SMOKED. SALLETISH, SMOKED SALLETISH, SMOKED SALLON: SMOKED. KIPPERED. KIPPERED. SAUGER, FRESH AND FROZEN FILLETS.	1940 1940 1940 1940 1940 1940 1940 1940	DO DO DO DO DO DO DO DO DO DO DO DO DO D	246,515 962,229 62,400 (2) 194,755 - 32,495 607,886 195,415 248,283	33,700 111,397 15,240 (2) 61,458 - 9,054 252,669 66,740 104,103	76,900 291,096	7,700 42,800 66,170 21,740 45,470 81,262	110,000 81,740 140,000 	4,000 8,552 14,000 3,632
SALTED. SMOKED. HERRING, SEA: SPICED. SMOKED. LAKE TROUT: FRESH AND FRDZEN FILLETS. SMOKED. MACKEREL, SMOKED. HONNEYE, SMOKED. SALLETISH, SMOKED. SALLETISH, SMOKED. SALLON: SMOKED. KIPPERED. SALGE, FRESH AND FROZEN FILLETS. SHAD, SMOKED. STURGEON, SMOKED. STURGEON, SMOKED. STURGEON, SMOKED. STURGEON, SMOKED. STURGEON, SMOKED. STURGEON, SMOKED. STURGEON, SMOKED. STURGEON, SMOKED. STURGEON, SMOKED.	1940 1940 1940 1940 1940 1940 1940 1940	DO DO DO DO DO DO DO DO DO DO DO DO DO D	246,515 962,229 62,400 (2) 194,755 - 32,495 607,886 195,415 246,283 12,000 15,000	33,700 111,397 15,240 (2) 61,458 - 9,064 252,669 66,740 104,103 3,000 13,500	76,900 291,096 - 106,500 29,000 20,000 86,406 357,000	7,700 42,800 66,170 21,740 45,470 81,262 - 24,900 5,000 19,407 143,600	110,000 81,740 140,000 110,920 	4,000 8,552 14,000 3,632
SALTED. SHOKED. SHOKED. SHOKED. SHOKED. SHOKED. SHOKED. SHOKED. SHOKED. SHOKED. HAKE TROUT: FRESH AND FRDZEN FILLETS. SHOKED. HAKKEREL, SHOKED. SHOKED. SALETISH, SHOKED. SALETISH, SHOKED. SALETISH, SHOKED.	1940 1940 1940 1940 1940 1940 1940 1940	DO DO DO DO DO DO DO DO DO DO DO DO DO D	244,515 962,229 62,400 (2) 194,755 - 32,495 607,866 195,415 248,283 12,000 15,000 33,000 17,091	33,700 111,397 15,240 (2) 61,458 - 9,064 252,669 66,740 104,103 3,000 13,500 15,100 4,784	1,264,000 597,400 271,750 - 76,900 291,096 - 106,500 20,000 86,406 357,000 	7,700 42,800 66,170 21,740 81,262 	110,000 81,740 140,000 - 17,920 - 18,000 10,000	3,632 3,632 3,240
SALTED. SMOKED. HERRING, SEA: SPICED. SMOKED. LAKE TROUT: FRESH AND FRDZEN FILLETS. SMOKED. HACKEREL, SMOKED. HACKEREL, SMOKED. SABLEFISH, SMOKED. SABLEFISH, SMOKED. SALMON: SMOKED. HIPPERED. SAUGER, FRESH AND FROZEN FILLETS. SHAD, SMOKED. HIPTISH, SMOKED. SHEPSHEAD, SMOKED. HITTIFISH, COMMON: FRESH AND FROZEN FILLETS.	1940 1940 1940 1940 1940 1940 1940 1940	DO DO DO DO DO DO DO DO DO DO DO DO DO D	240,515 962,229 62,400 (2) 194,755 	33,700 111,397 15,240 (2) 61,458 - 9,054 252,669 66,740 104,103 3,000 15,100 4,784 - 17,566 168,626	1,264,000 597,400 271,750 76,900 291,996 - 106,500 20,000 86,406 357,000	7,700 42,800 66,170 21,740 45,470 81,262 24,900 5,000 19,407 143,600	110,000 81,740 140,000 117,920 	3,632 3,240 2,250

### MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1/- Continued

DATA ON THE PRODUCTION OF THE VARIOUS PRODUCTS ARE FOR THE YEARS INDICATED.

THIS ITEM HAS BEEN INCLUDED WITH UNCLASSIFIED PRODUCTS.

- 1/2/3/4 INCLUDES FRESH FILLETS OF LAKE HERRING AND WHITE BASS.
  INCLUDES FRESH AND FROZEN FILLETS OF LAKE TROUT, SHEEPSHEAD, WHITE BASS, AND UNCLASSIFIED SPECIES; AND FROZEN SALMON STEAKS.
- 5/ INCLUDES FRESH AND FROZEN FILLETS OF LAKE TROUT, SAUGER, SMELT, STURGEON, AND PICKEREL; AND FROZEN SALMON
- INCLUDES FRESH FILLETS OF LAKE HERRING AND LAKE TROUT, FRESH AND FROZEN FILLETS OF SALMON AND UNCLASSIFIED STEAKS.

THIS ITEM IS INCLUDED WITH MISCELLANEOUS PRODUCTS.

INCLUDES FRESH FILLETS OF LAKE HERRING AND SMELT, AND CANNED WHITEFISH CAVIAR.

INCLUDES UNCLASSIFIED FISH MEAL.

NOTE:--SOME OF THE ABOVE PRODUCTS MAY HAVE BEEN IMPORTED FROM ANOTHER STATE OR A FOREIGN COUNTRY; THEREFORE THEY CANNOT BE CORRELATED DIRECTLY WITH THE CATCH WITHIN THE STATE.

#### SUMMARY OF MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS

STATES	SUMMARY OF STATES	VALUE
PENNSYLVANIA OHIO MICHIGAN ILLINOIS INDIANA		\$724,917 67,607 679,294 553,135 2,166,702 12,000
MINNESOTA		663,274 71,549 5,158,478
ITEM  RESH AND FROZEN PACKAGEO FISH ANNED AND BYPRODUCTS	. 1949 - . 1940 POUNDS	QUANTITY         YALUE           6,438,168         \$2,658,349           -         62,663           8,361,052         641,835           6,526,266         1,795,631
TOTAL		- 5,158,478



#### SECTION 9.- MISSISSIPPI RIVER FISHERIES

The most recent complete catch statistics of the fisheries of the Mississippi River and its tributaries are those collected for the year 1931. The yield of fishery products in that year amounted to 82,882,523 pounds, valued at \$2,897,357, which was a decrease of 22 percent in quantity and 36 percent in value compared with the quantity and value of the catch of 1922, when the most recent preceding survey was made. Data for 1931 are presented in the General Review Section as complete data are not available for any year since.

Shown below are two supplementary tables which were supplied by the Upper Mississippi River Conservation Commission, which list the commercial catch statistics of the five upper Mississippi River states (Illinois, Iowa, Minnesota, Missouri, and Wisconsin) for the year 1949. In 1931, the five states recorded 15,427,389 pounds of finfish; in 1949, the catch in these states was reported as 8,890,771 pounds. The production of shellfish in this area in 1931 amounted to 13,684,254 pounds. The catch of shellfish was not reported in 1949.

Detailed statistics on the fisheries of the Mississippi River and its Tributaries for 1931 were published in Appendix III, to Peport of Commissioner of Fisheries for the fiscal year 1933 entitled 'Fishery Industries, of the United States, 1932.''

A summary of these fisheries in 1931 was published in the Bureau of Fisheries annual reports entitled "Fishery Industries of the United States," for the years 1933 to 1939, inclusive and in Statistical Bulletin No. 994. Information regarding the production of cured fishery products in the Mississippi River area in 1931, and byproducts in 1949 is shown.

#### CATCH BY SPECIES, UPPER MISSISSIPPI RIVER, 1949

SPECIES	MISSOURI	ILLINOIS	IOWA	WISCONSIN	MINNESOTA	TOTAL	VALUE
	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	
CARP	155,586	863,366	373,390	2,778,850	591,251	4,762,443	\$214,310
SUFFALO	74,427	828,422	171,020	556,937	124,565	1,755,371	228, 198
SHEEPSHEAD	39,534	211,009	77,268	437,211	67,991	833,012	66,641
CATFISH	49,142	307,396	117,666	605,132	53,354	1,132,690	249, 192
BULLHEAD	645	5,498	8,664	1,275	591	16,673	2,384
TURGEON	6,941	2,539	106	2,609	-	12,195	1,707
AOOLEFISH	7,233	24,491	-	-	-	31,724	4,759
UCKERS	2.094	6,348	4,994	59,027	4,239	76,702	3,452
DUILLBACK	7,921	25,251	4,623	68,331	5,891	112,017	5,041
ORTHERN PIKE			8,367	-	<u> </u>	8,367	1,673
OONEYE	-	2,630	7,778	6,294	441	17,143	669
EL	513	740	160	´ 9	-	1,422	171
OGFISH	724	4,142	1,024	7,392	4,046	17,328	450
AR	10,200	73,140	3,571	9,406	1,610	97,927	3,232
URTLE		2	1,271	3,446	2	4,717	236
THER	-	-	1,131	9,909	-	11,040	430
TOTAL	.354,960	2,354,971	781,033	4,545,828	853,979	8,890,771	782,545

NOTE: --THESE FIGURES WERE FURNISHED BY THE UPPER MISSISSIPPI RIVER CONSERVATION COMMISSION. SPECIES NAMES ARE THOSE USED BY THE COMMISSION IN ITS REPORT.

#### CATCH BY GEAR, UPPER MISSISSIPPI RIVER, 1949

SPECIES	MISSOURI	ILLINOIS	IOWA	WISCONSIN	MINNESOTA
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT
ET LINES	9.5	1.4	-	10.4	8.9
EINES	8.8	20.2	-	63.7	46.8
ILL NETS	-	-	-	22.4	43.8
RAMMEL NETS	27.8	15.2	-	-	-
OOP NETS	53.9	57.0	-	1,3	-
ASKET TRAPS	-	6.2	-	2.2	-
INKNOWN	-	-	100.0	-	0.5
TOTAL	100.0	100.0	100.0	100.0	100.0


NOTE: -- THESE FIGURES WERE FURNISHED BY THE UPPER MISSISSIPPI RIVER CONSERVATION COMMISSION.


### MANUFACTURED FISHERY PRODUCTS, VARIOUS YEARS 1

ITEM	STATES OF MANUFACTURE	YEAR	UNIT	QUANTITY	VALUE
BY MANUFACTURING ESTABLIS	HMENTS:				
SMOKED FISH:					
	IOWA AND PENNSYLVANIA	1931	POUNDS	25,700	\$3,24
CARP	PENNSYLVANIA	1931	DO	700	24
BUTTERFISH	PENNSYLVANJA	1931	DD	2,400	60
CHUBS	OHIO, TENNESSEE, PENNSYLVANIA	1931	DO	106,600	26,65
EELS		1931	DO	31,300	8,13
LAKE TROUT	PENNSYLVANIA	1931	1 00	2,100	31
PADDLEFISH		1931	00	20,000	5,00
SABLEFISH		1931	00	30,000	10,50
	IOWA, MINNESDTA, OHIO,			,	
	PENNSYLVANIA	1931	l oo l	312,400	71,73
STURGEON	IOWA, NEBRASKA	1931	00	183,300	46.59
	IOWA, OHIO, PENNSYLVANIA	1931	DO	108,600	21,36
	MINNESDTA, NEBRASKA, TENNESSEE	1931	DO	275,000	52,20
MUSSELL-SHELL PRODUCTS:	The state of the s			2.0,000	02,20
	ARKANSAS, JOWA, MISSOURI	1949	GROSS	4,354,016	3,251,82
LIME, GRIT AND CUTSHEL		1949	TONS	4, 155	71,25
MISCELLANEOUS 2/		1949	10110	7,100	171,68
MISCELLANGOUS Z	IOWA AND ONTO	15-5			171,00
TOTAL			1	_	3,741,33

<sup>1/</sup> DATA FOR MUSSELL-SHELL PRODUCTS, MARINE PEARL-SHELL BUTTONS AND CANNED TURTLE SOUP ARE FOR 1949. ALL OTHER DATA ARE FOR 1931.
2/ INCLUDES THE VALUES OF MARINE PEARL-SHELL BUTTONS IN IOWA AND CANNED TURTLE SOUP IN OHIO.

NOTE:--SOME OF THE ABOVE PRODUCTS MAY HAVE BEEN MANUFACTURED FROM PRODUCTS IMPORTED FROM ANOTHER STATE OR A FOREIGN COUNTRY; THEREFORE, THEY CANNOT BE CORRELATED DIRECTLY WITH THE CATCH FROM WITHIN THE STATE.





FYKE NET WITH WINGS

FYKE OR HOOPS NETS

# SECTION 10.- ALASKA FISHERIES 10

During 1949, the commercial catch of fishery products in Alaska totaled 472,889,281 pounds, valued at \$39,299,005 to the fishermen. This represented a decrease of 17 percent in quantity but an increase of 25 percent in value compared with the previous year.

The 1949 season in Alaska produced 388,345,000 pounds of salmon with a value of \$32,662,000. This was an increase of 49,975,000 pounds or 15 percent in quantity and \$9,519,000 or 41 percent in value compared with the salmon receipts during 1948. The noticeable increase in the salmon catch during 1949 was caused by the unusually heavy run of pink salmon in southeastern Alaska. The 175,683,000 pound catch of pinks in this area was the largest yearly production since 1941 when 240,245,000 pounds were landed.

Puring 1949, there were 125 plants canning fish and shellfish in Alaska, 6 less than in 1948. Fmployment in the Alaskan fisheries during 1949, was given to 28,603 persons, as compared with 30,767 in 1948. The majority of these employees were engaged in the salmon canning industry, while others worked in the canned shellfish, fresh, frozen, cured, and byproducts industries. These industries have become so interrelated in recent years that a detailed employment segragation by industries would be most difficult.

The total pack of canned salmon was 4,391,601 cases, valued at \$81,263,171. This was an increase of 9 percent in quantity and a decrease of 16 percent in value compared with the production in 1949 when 4,014,891 cases, valued at \$96,528,730 were packed.

There was a noticeable increase in the marketing of fresh salmon in Alaska during 1949. Pink and chum salmon, normally used almost exclusively for canning, comprised more than 40 percent of the total output. This resulted mainly from the sale of these two species to British Columbia canneries during the peak of the southeastern Alaska season when catches far exceeded the capacity of the Alaska canneries.

During 1949, the herring quota was reduced in the Kodiak area from 390,000 to 250,000 barrels; the Prince William Sound area from 180,000 to 150,000 barrels; and the southeastern Alaska area from 400,000 to 200,000 barrels. A barrel of herring weighs 250 pounds. The catch of herring in Alaska during 1949 totaled 33,061,172 pounds. This represents a decrease of 141,388,082 pounds compared with the 1948 season.

Because of a price disagreement between fishermen and plant operators, only 4 herring reduction plants operated in Alaska during 1949, compared with 17 plants the previous year. This caused the herring catch to fall far short of the lowered quotas.


There were 833 seines used in the Alaska fisheries during 1949. Of this amount, 701 were purse seines and 132 were haul seines. The number of gill nets used was 4,924. In addition to the above, there were 353 traps of which, 116 were driven or pile traps and 237 floating traps. These figures are exclusive of duplication which occurred when purse seines and beach seines were used in more than one field.

Since the success of the Alaska salmon fisheries depends to a great degree upon the success of the parent spawning run, a determined effort was carried out in that area during 1949 to provide new grounds and to improve the accessible spawning areas then in use. The removal of such obstructions as log jams and beaver dams was only a part of the program to increase and improve spawning conditions. Other projects included the operation of 15 weirs for counting the escapement of salmon enroute to the spawning grounds. These were used to determine the proportion of the total runs being taken for commercial purposes and to ascertain the time of arrival and duration of the runs.


 $<sup>{\</sup>it 10}$  Statistics on the fisheries of Alaska are collected and compiled by the Alaska Branch of the Service.

Continued exploratory fishing operations were carried out in the Bering Sea during 1949, by the Branch of Commercial Fisheries of the Fish and Wildlife Service. The activities of the chartered research vessel Deep Sea were directed primarily toward the location of king crabs and bottom fish in the Bering Sea. During the summer, trawl drags were made in the vicinity of Nome, St. Lawrence Island, St. Matthew Island, and Nunivak Island. The Alaskan and the purple species of king crab were taken, but they were of small size and widely scattered. These trawls also yielded five species of shrimp, however the gear in use was not particularly well suited to the shrimping operations. Cod and flatfish catches of numerical significance were made in the vicinity of Nunivak Island. Other exploratory operations were carried out by the Fish and Wildlife Service research vessel Oregon which operated in Alaskan waters as far north as Sitka in search of the pelagic albacore. Scattered albacore were located off southeastern Alaska, but this species was not found in quantities of commercial importance.





#### VALUE OF ALASKA CATCH, 1949



#### SUMMARY OF DISTRICT, 1949

	ITEM			SOUTH		CENTRAL ALASKA	WESTERN ALASKA	TOTAL 1/
	PERSONS EN	IGAGED		NUME	9ER	NUMBER	NUMBER	NUMBER
IN FISHING IN TRANSPORTING IN WHOLESALE A	3	ING INOUSTRI	ES	•	,261 829 ,104	3,276 819 4,938	2,220 546 3,616	10,757 2,194 15,658
TOTAL 1/				. 13	,185	9,033	6,382	28,603
	CRAFT EMPL	OYED.						
VESSELS FISHING. BOATS FISHING. VESSELS TRANSPOR BOATS TRANSPOR BOATS USED OTHE SCOWS, HOUSEBO.	ORTING TING ER THAN IN FI	SHING DR TRA			,281 ,135 167 120 13 159	342 1,077 193 90 12 196	14 1,390 142 44 13 139	1,601 3,473 502 254 38 484
TOTAL <u>1</u> /				. 2	2,872		1,742	6,349
WHOLESALE AND I	MANUFACTURING	ESTABLISHME	NTS		91	97	39	227
ITEM	SOUTHE	ST ALASKA	CENTRA	L ALASKA	WESTER	N ALASKA	тот	NL .
CATCH	POUNOS	VALUE	POUNOS	VALUE	POUNDS	VALUE	POUNDS	VALUE
FISH: SALMON OTHER SHELLFISH	231,896,520 69,842,119 2,710,063	\$22,561,784 5,319,672 208,132	111,652,376 5,838,198 2,711,249	\$7,723,397 722,250 259,398	2,185,5	\$2,377,316 47 54,639 45 72,417	77,915,854	\$32,662,497 6,096,561 539,947
TOTAL .	304,448,702	28,089,588	120,251,823	8,705,045	48,188,7	56 2,504,372	472,889,281	39,299,005
PRODUCTS AS PREPARED FOR MARKET								
SALHON HERRING	139,236,778 14,758,370 23,306,839	45,029,966 935,908 4,670,960	63,463,276 323,042 4,206,405	25,801,425 8,198 754,794		04 15,281,275 - 64 74,680	15,081,412 27,513,244	86,112,666 944,106 5,425,754 74,680
TROUT	13,056 4,265,033 10,167 130,000	3,254 527,920 2,584 12,354	1,193 16,738 - -	227 2,015 - -	-	-	14,249 4,281,771 10,167 130,000	3,481 529,935 2,584 12,354
(CHIEFLY DOGFISH) SKATE LIVERS.	143,581 7,995	40,889 800	2,201	330	=	=	145,782 7,995	41,219 800
UNCL. LIVERS AND OIL CLAMS CRABS SHRIMP OYSTERS	21,614 	4,168 101,546 473,790 934	1,523 621,828 264,871 -	228 683,960 249,897 -	495,6	271,155	23,337 621,828 875,029 521,703 1,594	4,396 683,960 622,598 473,790 934
FUR-SEAL BYPRODUCTS .	-	-	-	-	1,062,7	50 76,219	1,062,750	76,219
TOTAL .	182,531,457	51,805,073	68,901,077	27,501,074	32,135,3	39 15,703,329	283,567,873	95,009,476

<sup>1/</sup> EXCLUSIVE OF DUPLICATION.
NOTE:--DATA ON CATCHES AND PRODUCTS AS PREPARED FOR MARKET INCLUDE FARES OF VESSELS OF U. S. REGISTRY LANDED
AT ALASKAN AND BRITISH COLUMBIA PORTS, AND FARES OF COD AND KING CRAB FISHING VESSELS OPERATING ON THE HIGH
SEAS OFF THE ALASKAN COAST AND LANDED IN PACIFIC COAST PORTS.

#### SUMMARY OF OPERATING UNITS, 1949

ITEM	SOUTHE AST ALASKA	CENTRAL ALASKA	WESTERN ALASKA	TOTAL 1/	ITEM - CONTINUED	SOUTHEAST ALASKA	CENTRAL ALASKA	WESTERN ALASKA	TOTAL 1/
_	HUMBER				APPARATUS-CONTINUED:	NUMBER 399	NUMBER 3,106		NUMBER 4,924
FISHERMEN VESSELS FISHING:	5,261	3,276	2,220	10,757	GILL NETS	107,124			843,324
MOTOR	1,281	342			BEAM TRAVES	7	-	-	7
NET TONNAGE.	15,168	4,326	996	19,861	HAND LINES (COD)	2	_	50	52
MOTOR	1,021	892		1,790	SKATES OF LINES	6,628	-	-	6,628
OTHER	114	185	1,387	1,683	(HALIBUT) HDOKS (SABLEFISH,				
APPARATUS:	216	137	-	353	ETC.	22,761	-	-	22,761
PURSE SEINES .	266	447		701	TROLI (SALMON) .	26,004 340	18	-	26,022
YARDS HAUL SEINES	106,076 12	126,218 119		220,156 132	CRAB POTS	- 340	997 289	-	1,337
YAROS	1,980				OTTER TRAVES				
GILL NETS.	4.0		_		(BOTTOHFISH)	_ 1	- 1	- 3	1
(DDGF1SH)	3,400	-		10 3,400	(King onns /			, ,	,

<sup>1/</sup> EXCLUSIVE OF DUPLICATION.

# SUMMARY OF CATCH, 1949 1

			ND WEIGHT AN					
ITEM	SOUTHEAS	T ÁLASKA	CENTRAL	ALASKA	WESTERN	ALASKA	то	TAL
FISH	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	PDUNDS	VALUE
SALMON:	_							
CHINOOK OR KING.	9,601,260	\$1,786,799	2,581,960		1,892,480			\$2,219,205
CHUM OR KETA	23,154,752	1,591,889	20,256,680		3,322,568	132,903	46,734,000	
PINK	175,682,704	16,470,253	53,266,700	3,062,835	200	5	228,949,604	
RED OR SOCKEYE .	2,938,794	391,839			39,102,000		70,928,892	
SILVER OR COHO .	20,519,010	2,321,004	6,658,938	480,923	479,016	17,032	27,656,964	
HERRING	32,738,130	409,227	323,042	4,845	-	-	33,061,172	
HALIBUT	29,676,538	4,442,741	5,519,805	715,161	- 40		35,196,343	
TROUT:	-	_	-	-	2,185,547	54,639	2,185,547	54,639
DOLLY VARDEN	13,730	1,030	1,591	119	-	-	15,321	1,149
STEELHEAD	4,275	415	-	-	-	-	4,275	415
SABLEFISH	5,728,306	425,807	25,418	1,567	-	-	5,753,724	
ROCKFISHES	13,353	2,302		-	-	-	13,353	2,302
LINGCOD	178,804	9,979	-	-	-	-	178,804	9,979
SHARK	1,289,108	23,203	18,342	330	-	- B	1,307,450	
SKATE	199,875	800	-	-	-	=	199,875	800
UNCL. LIVERS AND	· ·							
VISCERA 2/		4,168	-	228	-	-	-	4,396
TOTAL	301,738,639	27,881,456	574,540,574	8,445,647	46,981,811	2,431,955	466,261,024	38,759,058
SHELLFISH								
CLAMS:								
BUTTER	-	-	5,652	339	-	-	5,652	339
COCKLES	_	-	8,316	499	-	-	8,316	
RAZOR	_	-	1,699,695	203,693	-	-	1,699,695	203,693
CRABS:				,				
DUNGENESS	430,815	25,849	997,586	54,867	-	-	1,428,401	80,716
KING	-		-	<u> -</u>	1,206,945	, 72,417	1,206,945	
SHRIMP	2,267,934	181,434	-	-	-	-	2,267,934	
DYSTERS	11,314	849	-	-	-	-	11,314	849
TOTAL	2,710,063	208,132	2,711,249	259,398	1,206,945	72,417	6,620,257	539,947
GRAND TOTAL.	304,448,702	28,089,588	120,251,823	8,705,045	48,188,756	2,504,372	472,889,281	39,299,005

1/INCLUDES CATCHES OF HALIBUT, SABLEFISH, LINGCOD, AND ROCKFISHES LANDED BY VESSELS OF U. S. REGISTRY INREITISH COLUMBIA PORTS. ROUND WEIGHTS OF FISH TAKEN BY HALIBUT VESSELS WERE OBTAINED BY MULTIPLYING REPORTED
REIGHTS, REPRESENTING POUNDAGE OF FISH EVISCERATED AND WITH HEADS OFF, BY THE FOLLOWING FACTORS: HALIBUT,
1.33; AND SABLEFISH, LINGCOD, AND ROCKFISHES, 1.43. VALUES INCLUDE PAYMENTS RECEIVED FOR LIVERS AND VISCERA
AS FOLLOWS: HALIBUT, \$797,299; SABLEFISH, \$165,701 LINGCOD, \$6,939 AND ROSHISHES, \$700.
2/ UNGLASSIFIED LIVERS AND VISCERA ARE LISTED FOR VALUE ONLY AS IT IS ASSUMED THAT ROUND WEIGHTS OF THE

FISH ARE REPORTED ELSEWHERE.

#### TRANSPORTING, WHOLESALE AND MANUFACTURING, 1949

ITEM	SOUTHE AST ALASKA	CENTRAL ALASKA	WESTERN ALASKA	TOTAL <u>1</u> /
	NUMBER	NUMBER	NUMBER	NUMBER
TRANSPORTING: PERSONS ENGAGED	829	819	546	2,194
VESSELS, MOTOR	167 6,708	193 9,026	142 6,592	502 22,326
BOATS, MOTOR	30 90	17 73	25 19	72 182
LIGHTERS, AND SCOWS	113	141	104	358
PERSONS ENGAGED	7,104	4,938	3,616	15,658
ESTABLISHMENTS:  HANDLING FRESH AND FROZEN FISH AND SHELLFISH  CURING FISH	52 26 37	23 11 68	8 10 23	80 47 125
MANUFACTURING BYPRODUCTS	6	4	1	11
TOTAL 1/	91	97	39	227

<sup>1/</sup> EXCLUSIVE OF OUPLICATION.

NOTE: -- IN ADDITION 38 BOATS AND 126 SCOWS, HOUSEBOATS, PILE DRIVERS, AND PULLERS WERE USED FOR PURPOSES OTHER THAN FISHING AND TRANSPORTING.

### MANUFACTURED FISHERY PRODUCTS, 1949

FPESH	ITEM	SOUTHEAS	T ALASKA	CENTRAL	ALASKA	WESTERN	ALASKA	TO	TAL
FOOD .		POUNDS	VALUE	POUNOS	VALUE	POUNOS	VALUE	POUNDS	`VALUE
## SALE LIVES 1/ 10,000		2,625,298	\$499,639	33,589	\$5,226	-	-	2,658,887	\$504,865
HERBING FOR BAIT   1,537,000   19,055   168,042   1,923   -	BAIT	4,650	46	14,900	1,158	1		4,650 14,900	1,158
LINGGOD - VERSE	HERRING FOR BAIT	1,537,000	19,055	108,042	1,923	- 1	-	1,645,042	20,978
LINGGOD - VERSE	HALIBUT 1/	4,698,177	870,307	12,148	2,648	_	-	4,710,325	872,955 570,205
LINGGOD - VERSE	HALIBUT LIVERS 1/	767,776	201.518	36,758	10.084	<u> </u>	-	804,534	211,602
LINERS . 4,995	LINGCOD	10,570	317				-	10,570	317
ROCET SHESS: LIVERS	LINGCOO LIVERS	4,885	7,690	-	:		-	4,685	23
VISCERA   36,020   2,767   3	ROCKFISHES:								
SABLEFISH LIVERS L					1 :		-		
SABLEFISH LIVERS 1/, 101,473 101,174 30 140,930	SARIFFISH 1/	36,020	2,787	-	_		-	36,020	2,787
SHARK LIVERS (CHIEFLY ORDER) 58,751   1228045   35,751   500   1,522   228   -     125,146   35,751   500   1,522   228   -     1,7528   2,991   1,7528   2,991   1,528   2,99	SABLEFISH LIVERS 1/.	1 109.473	161,143	34	53		-	109,507	161,196
ODGETISM) 1/	SHARK LIVERS (CHIEFLY	1/4,851	40,930	-	-	-	-	174,051	
UNCLASS FIED FISH LIVERS, CROWGENESS, COLO- PACKEO.  52,939  46,332  1,005  1,005  34,500  34,	OOGFISH) 1/		35,421	2,201	330	-	-	125,146	35,751
CHRES	SKATE LIVERS	7,995	800	-	-	-	-	7,995	800
CARBSI OUNCINESS, COLO-PACKED.  NEING, COLO-PACKED.  KING, COLO-PACKED.  KING, COLO-PACKED.  KING, COLO-PACKED.  KING, COLO-PACKED.  KING, COLO-PACKED.  KING, COLO-PACKED.  MAILEUT.  COLO-PACKED.  1,584  934  1,595  111,436  1,241,705  280,052  12,152,569  2,540,551  1,696  1,649  1,64	LIVERS	16,005	2,663	1,523	228	-	-	17,528	2,891
FARCECOLO-PACKED.  KING, COLO-PACKED.  KING, C	CRABS:			•					
RING, COLO-PACKED. SRIP MEAT: COLO-PACKED. 491,327 41,118 3,322	PACKEO	52,938	46,332	1,005	1,005	-	-	53,943	47,337
COLO-PACKED	KING, COLO-PACKED.		-,	-	-	34,500	\$37,950	34,500	37,950
OYSTERS, SHUCKEO. 1,984 934 1,584 934  TOTAL. 11,094,426 2,898,753 229,618 48,842 34,500 37,950 11,358,544 2,985,545  FROZEN SALMONI:  10,255,785 2,149,063 655,079 111,436 1,241,705 280,052 12,152,569 2,540,551 51,600 2,515 74,422,300 74,422 215,000 6,275 4,432,300 20,517 40,180 T 1,7261,301 2,943,064 4,073,441 699,384 21,334,742 3,642,448 41,818 T 1,707 246 1,1070 246 1,100,000 1,144,668 1,324 11,408 4,324 30,305 1,708 2,943,393 31 1,144,68 4,324 3,393 391 3,39	COLO-PACKED	401 327	461.225	_	-	_	_	491.327	461,225
TOTAL	IN BULK	4,118	3,322	-	-	-	-	4,118	3,322
FROZEN SALMON: FOOD	OYSTERS, SHUCKED	1,584	934	-	-	-	-	1,584	934
FROZEN SALMON: FOOD	TOTAL	11,094,426	2,898,753	229,618	48,842	34,500	37,950	11,358,544	2,985,545
SAME   10,255,785   2,149,063   655,079   111,436   1,241,705   280,052   12,152,569   2,510   51,800   2,515   4,217,300   74,422   215,000   6,275   4,432,300   30,697   3,642,448   1,100   1,000   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,642,448   1,000   3,000		=====		=					
BAIT	SALMON:						200 052		2 540 551
HALIBUT FILLETS AND STEAKS	F00D	10,255,785	2,149,063	655,079	111,436	1,241,705	280,052	12,152,569	
HALIBUT FILLETS AND STEAKS		4,217,300	74,422	215,000	6,275	-	-	4,432,300	80,597
AND STEAKS	HALIBUT	17,261,301	2,943,064	4,073,441	699,384	-	-	21,334,742	3,642,448
HALLBUT CHEEKS . 1,070		138,396	34,599	64,640	16,491	-	-	203,036	51,090
ROCKFISHES	HALIBUT CHEEKS	1,070	246	<u>-</u>	-		-	1,070	246
SABLEFISH		114,468	4,324	-			-	9,338	391
OOLY VARDEN 10,300 2,480 1,193 227 11,493 2,707 STEELHEAD 1266 27 12,016 504 RAZDR: BUTTER, MEAT 2,016 504 2,016 504 RAZDR: MEAT 300 150 300 150 IN SHELL 39,510 19,755 39,510 19,755 IN SHELL 39,510 19,755 39,510 19,755 IN SHELL 39,510 117,520 129,708 117,520 REAT 129,708 117,520 129,708 117,520 IN SHELL 3,363 868 3,363 868 3,363 868 1,368 181RI MP; MEAT 1,328 1,660 3,363 868 3,363 1868 1,3660 IN SHELL 24,930 7,583 1,328 1,660 IN SHELL 24,930 7,583 24,930 7,583 100 14,817 331,550 116,567 117,510 117	SABLEFISH	3,873,790		14,018	1,562	-	-	3,887,808	
STEELHEAD		10 300	2 480	1 103	227	_	_	11.493	2.707
BUTTER, MEAT		206	27	1,193		-	-	206	27
RAZOR: MEAT 300 150 300 150 IN SHELL 45,687 10,692 45,687 10,692 CARASS: OUNGENESS: WEAT 39,510 19,755 39,510 19,755 IN SHELL 129,708 117,520 129,708 137,520 IN SHELL 129,708 117,520 129,708 33,363 868 3,363 868 1,3660 LEGS AND CLAWS 3,500 1,750 328,050 114,817 331,550 116,567 SHRI MP! HEAT 1,328 1,660 1,328 1,660 IN SHELL 24,930 7,593 1,328 1,660 IN SHELL 35,969,123 5,523,726 5,130,350 871,121 1,702,826 513,257 42,802,299 6,908,104  CURED SALMON: MILD CURED		_	_	2 016	504	_	_	2.016	504
MEAT		-	-	2,010	304	-			304
CRABS:	MEAT	-	-			-	-		
ONDERNESS:  WEAT		-	-	45,687	10,692	-	-	45,687	10,692
IN SHELL						,			
N SHELL	MEAT	-,,,	1 556	39,510	19,755	-		39,510	19,755
IN SHELL	KING:	",""	1,550	13,900	,095		-		
LEGS AND CLAWS. SHR IMP! SHR IMP: SHR IMP: SHR IMP: SHEAT		1 : 1		-	-	129,708	117,520	129,708	117,520
SHR IMP:	LEGS AND CLAWS.	-	-	3,500		328,050		331,550	116,567
TOTAL 35,769,123 5,523,726 5,130,350 871,121 1,702,826 513,257 42,802,299 6,908,104  CURED  SALMON: MILD CURED	SHRIMP:	1 220	1 660						
TOTAL 35,769,123 5,523,726 5,130,350 871,121 1,702,826 513,257 42,802,299 6,909,104  CURED  SALMON: MILD CURED	IN SHELL	24,930			-	-		24,930	7,583
CURED SALMON:				5 130 350	871 121	1 702 826	513 257		
SALINON: MILD CURED		00,707,123	0,040,720	5,150,550	1216170	,,,,,,,,,,	3.3,237	,00_,299	0,500,107
MILO CUREO									
SMOKEO 8,803 2,755 7,443 6,269 - 16,246 9,044 11,511 9,108 115,511 9,108 115,511 9,108 115,511 9,108 115,511 9,108 115,511 9,108 15,000 2,000 5,000 5,000 5,000 5,000 5,000 5,000 5,000 5,000 5,	MILD CURED	3,493,794	1,400,361	23,925	6,115	157,575	62,975	3,675,294	1,469,451
RIPEREO   -   11,511   9,108   -   11,511	PICKLEO	8.803	2.755	91,925	6.289	186,800	6/,242	16,246	9,044
COO: ORY-SALTEO.	KIPPERED		-,.55	11,511	9,108	-	-	11,511	9,108
TONGUES, SALTED . SABLEFISH: SALTED			_	_		655 664	72 680	655 664	72 680
SAULEF I SH: 63,181 8,730 2,686 400 65,867 9,130 SHOKEO - 5,458 1,364 5,458 1,364 SHOKEO - 150 47 150 47		] [	-	-	-	5,000	2,000	5,000	2,000
SMOKEO 5,458 1,364 5,458 1,364 TROUT, STEELHEAD, 150 47 150 47	SABLEFISH:	60.40.	0 -20	2 606	400				
TROUT, STEELHEAD, SMOKED 150 47 150 47	SALTED		1.364	2,686	- 400	-		5.458	
SMOKED 150 47 150 47	TROUT, STEELHEAD,								
TOTAL 3,571,386 1,413,257 137,490 43,252 1,005,039 204,897 4,713,915 1,661,406	SMOKED	150	47	-	-	-	-	150	47
	TOTAL	3,571,386	1,413,257	137,490	43,252	1,005,039	204,897	4,713,915	1,661,406

MANUFACTURED FISHERY PRODUCTS, 1949 - Continued

ITEM .	SOUTHEAS	T ALASKA	CENTRAL	ALASKA	WESTERN	ALASKA	то	TAL
CANNED	POUNDS	VALUE	POUNOS	YALUE	POUNDS	VALUE	POUNOS	VALUE
RED OR SOCKEYE. SILVER OR COHO.	48,720 11,687,184 100,991,136 1,898,496 5,996,112	\$23,740 3,594,161 33,493,760 1,080,210 2,627,716	1,680,960 10,547,712 27,760,704 18,850,512 3,018,048	\$849,809 3,414,396 9,427,948 10,605,060 1,285,347	670,752 1,742,352 25,698,000 219,120	\$385,064 572,829 13,820,804 92,309	23,977,248 128,751,840	
SCRAPS FOR DOG FOOD	- 2,400	700	3,600	450	-	-	3,600 2,400	450 700
BUTTERBUTTERCOCKLESCAZORCRABS, DUNGENESS.	- - - - 52,488	- - - - 53,658	540 3,360 2,772 567,153 204,890	415 300 2,570 669,329 224,492	- - - -	-	540 3,360 2,772 567,153 257,378	415 300 2,570 669,329 278,150
TOTAL			62,640,251	26,480,116	28,330,224	14,871,006	211,647,011	82,225,067
BYPRODUCTS								
OIL: SALMON HERRING	375,000 4,506,765		123,930	7 <u>,</u> 596	-	-	498,930 4,506,765	37,596 332,723
HALIBUT: LIVER VISCERA ROCKFISH LIVER.	6,326 5,553 332		=	-	=	= =	6,326 5,553 332	52,028 25,090 1,700
SABLEFISH: LIVER VISCERA	1,688 572	8,570	=	=	=	=	1,688 572	
SHARK LIVER (CHIEFLY DOGFISH UNCL. FISH LIVER FUR-SEAL	20,636 5,809		- -,	=	- - 369,400	20,592	20,636 5,809 369,400	
HEAL: SALMON HERRING FUR-SEAL	1,800,000 4,497,305		639,438	50,147 -	693,350	- - 55,627	2,439,438 4,497,305 693,350	509,708
TOTAL	11,219,986	1,095,392	763,368	57,743	1,062,750	76,219	13,046,104	1,229,354
	182,531,457	51,805,073	68,901,077	27,501,074	32,135,339	15,703,329	283,567,873	95,009,476

<sup>1/</sup> INCLUDES LANDINGS OF ALASKA FLEET IN BRITISH COLUMBIA PORTS.

R	EVIEW OF	THE PRODU	CTION OF	CANNED FI	SHERY P	RODUCTS,	1949 🛂	
ITEM	SOUTHEAS	ST ALASKA 2/	CENTRAL A		WESTERN			DTAL
FISH	CASES	VALUE	CASES	VALUE	CASES	VALUE	CASES	VALUE
SALMON: CHINOOK OR KING. CHUM OR KETA PINK RED OR SOCKEYE SILVER OR COHO SCRAPS (DOG FOOD) TROUT, STEELHEAD	1,015 243,483 2,103,982 39,552 124,919	3,594,161 33,493,760 1,080,210	35,020 219,744 578,348 392,719 62,876 75	10,605,060	13,974 36,299 535,375 4,565	\$385,064 572,829 13,820,804 92,309	499,526 2,682,330	42,921,708 25,506,074
TOTAL	2,513,001	40,820,287	1,288,782	25,583,010	590,213	14,871,006	4,391,996	81,274,303
SHELLFISH								
CLAMS: BUTTER BUTTER, JUICE . COCKLES RAZOR CRABS, DUNGENESS.	- - - 2,692	- - - 53,658	36 140 185 37,846 10,507	2,570 669,329	-	-	36 140 185 37,846 13,199	669,329
TOTAL	2,692	53,658	48,714	897,105	-	-	51,406	950,764
GRAND TOTAL .	2,515,693	40,873,945	1,337,496	26,480,116	590,213	14,871,006	4,443,402	82,225,067

<sup>1/</sup> THE PACKS OF SALMON AND TROUT HAVE BEEN CONVERTED TO "STANDARD CASES" OF 48 ONE-POUND CANS; CLAMS TO
"STANDARD CASES" OF 48 10-OUNCE CANS CONTAINING 5 OUNCES OF MEAT FER CAN AND CRABS TO THE EQUIVALENT OF 48 1/2POUND CANS TO THE CASE, EACH CAN CONTAINING 6 1/2 OUNCES OF MEAT.
2/ INCLUDES 300 CASES OF BRABECUED CHUM SALMON, VALUED AT \$9,000.
3/ INCLUDES THE FOLLOWING SMOKED SALMON; 8 CASES COHO, VALUED AT \$428; 2 CASES KING, VALUED AT \$150; AND 20 CASES
TRED, VALUED AT \$1,107.

#### SUPPLEMENTARY REVIEW OF THE PRODUCTION OF FISHERY BYPRODUCTS, 1949

ITEM	SOUTHEAS	T ALASKA	CENTRAL	ALASKA	WESTERN ALASKA		TOTAL	
	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE
MEAL:								
SALMON TONS	900	\$126,000	320	\$50,147	-	-	1,220	\$176,147
HERRING DO	2,249	509,708	-	-	-	- 1	2,249	509,708
FUR-SEAL DO	-	-	-	1 - 1	347	\$55,627	347	55,627
OIL:								
SALMON GALLON	50,000	30,000	16,524	7,596	-	-	66,524	37,596
HERRING DO	600,902	332,723	_	-	-	1 - 1	500,902	332,723
HALIBUT LIVER DO	844	52,028	-	-	-	-	844	52,028
HALIBUT VISCERA . DO	740	25,090	-	- 1	_	- 1	740	
SABLEFISH LIVER . DO	225	8,570	l -		_	-	225	8,570
SABLEFISH VISCERA DO	76	2,600	_	- 1	_	- 1	76	2,600
ROCKFISH LIVER . DO	44	1,700	l -	- 1	_	- 1	44	1,700
SHARK (DOGFISH) . DO	2,751	5,468	_	l -	-	- 1	2,751	5,468
UNCL. FISH LIVER. DO	774	1,505	_		_		774	1,505
	1 - 1/4	1,500		- '	49,253	20,592	49,253	20,592
FUR-SEAL 00					+9,233	20,392	49,633	20,092
TOTAL	-	1,095,392	-	57,743	-	76,219	-	1,229,354

#### SUPPLEMENTARY REVIEW OF THE CATCH OF SALMON, 1949

SPECIES	SOUTHEAST ALASKA		CENTRAL ALASKA		WESTER	N ALASKA	то	TAL
	NUMBER	VALUE	NUMBER	VALUE	NUMBER	VALUE	NUMBER	VALUE
CHINDOK OR KING CHUM OR KETA. PINK RED OR SOCKEYE SILVER OR COMO	480,063 2,894,344 43,920,676 489,799 2,279,890	\$1,786,799 1,591,889 16,470,253 391,839 2,321,004	2,532,085 13,316,675 4,814,683	\$290,470 759,625 3,062,835 3,129,544 480,923	94,624 415,321 50 6,517,000 53,224	\$141,936 132,903 5 2,085,440 17,032	703,785 5,841,750 57,237,401 11,821,482 3,072,996	\$2,219,205 2,484,417 19,533,093 5,606,823 2,818,959
TOTAL	50,064,772	22,561,784	21,532,423	7,723,397	7,080,219	2,377,316	78,677,414	32,662,497

NOTE:-THE SALHON CATCH IS REPORTED HERE IN NUMBERS OF FISH; ESTIMATED ROUND WEIGHTS ARE SHOWN IN THE CATCH TABLE.

#### SUMMARY OF CATCH, 1930 - 1949

(EXPRESSED IN THOUSANDS OF POUNDS AND THOUSANDS OF DOLLARS)

YEAR	SALF	ION	HERRI	NG	SHELLF	ISH	OTHER	FISH	WHALE PR	ориста	TO	DTAL
	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE
1930	426,442	8,041	145,672	1,093	1,980	108	37,192	3,044	9,415	470	620,702	12,756
1931	467,664	7,758	103,567	777	2,170	120	24,724	1,398	-	-	598,125	10,043
1932	452,536	5,766	127,578	548	2,913	156	15,829	501	7,664	91	606,520	7,062
1933	467,349	7,498	140,580	703	2,709	147	16,757	741	3,378	69	630,773	9,158
1934	624,652	9,831	165,637	828	2,732	166	16,894	832	9,354	251	819,269	11,958
1935	434,004	6,970	189,287	946	2,542	147	12,503	640	10,374	390	648,710	9,093
1936	726,853		172,829	864	2,550	152	21,297	1,019	8,814	334	932,343	14,226
1937	593,384		206,446	1,032	3,058	219	22,895	1,110	9,036	479	834,819	14,717
1938	589,706	9,943	179,735	899	2,526	159	21,982	1,039	4,874	180	798,823	12,220
1939	452,166	9,256	185,462	927	2,241	129	22,673	1,009	3,855	137	666,397	11,458
1940	439,182	8,420	94,158	471	2,547	154	27,801	1,567	-	-	563,688	10,612
1941	543,024	12,609	163,467	535	2,988	148	26,790	1,747	-	-	736,269	15,039
1942	430,867		43,833	328	2,500	107	44,979	4,101	-	-	522,179	17,934
1943	457,307	14,588	90,549	530	3,222	166	43,567	5,222	-	-	594,645	20,506
1944	393,318	14,527	113,279	1,142	3,965	185	50,637	4,560	-	-	561,199	20,414
1945	402,635		139,769	1,356	5,578	216	48,070	5,152	-	-	596,052	22,288
1946	391,689		198,231	1,982	6,955	390	54,571	9,415	-	-	651,446	28,876
1947	381,808	19,571	187,889	2,077	4,444	377	39,668	6,665	-	-	613,809	28,690
1948	338,369		174,449	1,853	7,436	516	46,645	5,981	-	-	566,899	31,494
1949	388,345		33,061	414	6,628	540	44,855	5,683	-	-	472,889	39,299
				1				l .				



#### SECTION 11.- HAWAII

The following tabulation of the catch of fish and shellfish in the Territory of Hawaii has been compiled from monthly reports submitted by the Board of Commissioners of Agriculture and Forestry of the Territory of Hawaii, Division of Fish and Game. The catch listed has not been included in the tabulations of the catch of the United States and Alaska listed in the sections entitled "General Review" or "Review of Certain Major Fisheries".

The commercial catch of fishery products in the Hawaiian Islands during 1949 totaled 15,042,755 pounds valued at \$3,718,474. This represents an increase of 3 percent in quantity but a decrease of 10 percent in value compared with the landings of the previous year.

HAWAII: CATCH BY MONTHS, 1949

		JAN	UARY	FEBR	UARY	MAR	MARCH		PRIL
ENGLISH	HAWALIAN	POUNDS	VALUE	POUNDS	VALUE	POUNOS	VALUE	POUNDS	VALUE
OCEAN CATCH:			Į.					•	
AMBERJACK	KAHALA	17,808	\$7,937	24,767	\$7,293	26,719	\$9,534	30,886	\$10,492
BIG-EYEO SCAO.	AKULE	36,352	25,761	26,803	16,504	28,400	20,146	32,024	23,260
BLUE CREVALLE.	OMILU	3,104	2,048	4,563	2,361	4,083	2,013	3,569	1,759
BONE FISH OR			i		1	1		1	
LADYFISH	010	9,940	3,786	6,505	2,824	4,086	1,589	2,444	997
CONVICT TANG .	MANINI	1,850	1,101	2,053	1,233	1,769	1,032	3,230	1,720
DOLPHIN	MAHAMAHI	2,914	1,340	7,549	3,214	16,899	6,161	24,177	8,036
GOATFISH (M.									
AURIFLAMMA)	WEKE-ULA	1,932	1,459	1,336	1,154	1,633	1,273	1,883	1,482
GOATFISH (M.									
SAMOENS(S)	WEKE	2,565	1,822	3,781	2,692	4,096	2,630	7,536	4,989
GOATFISH (P.				2 000			2 4=0	2 22-	
FRATERCULUS	MOANO	1,486	1,333	2,099	1,845	2,593	2,158	2,827	2,415
GOATFISH (P.									
PORPHYREUS)	KUMU	1,137	1,418	1,865	2,139	1,425	1,572	1,401	1,690
JACK CREVALLE	ULUA	9,463	5,001	17,669	7,313	16,455	7,446 2,220	15,915	6,943
LOBSTER, SPINY	ULA	2,330	1,766	2,192	1,526	3,078	2,220	4,170	3,026
MACKEREL	OPELU	37,990	13,602	28,965	11,127	24,749	11,249	19,058	9,317
HILKFISH	AWA	1,656	564	1,045	303	1,636	410	3,212	1,088
MULLET	AMAAMA	2.04-	1	4 00-	-	9,071	6,453	2,866	2,392
OCTOPUS	HEE	2,913	1,711	1,325	773	523	336	757	494
SEA BASS	HAPUUPUU	3,280	1,733	5,888	2,200	4,904	2,295	4,636	2,132
SNAPPER:		2 201	1	4 =40	2	2 -2-	1 70.	2 222	1 405
GRAY	UKU	3,201	1,884	4,540	2,176	3,525	1,794	2,920	1,401
PINK	KALEKALE	1,794		2,089	1,345	3,205	2,185	3,561	2,326
PINK	OPAKAPAKA .	17,760	10,231	19,192	9,139	21,748	11,217 4,186	13,142	6,686
RED	EHU	2,024	1,632	3,028	2,519	5,547	4,186	4,462	3,954
RED	ULAULA	3,710	3,047	11,877	8,497	15,166	9,733	11,532	8,455
SQUIRREL OR		0.000		0.074	2 =40				0 -00
BIG-EYED FISH	UU	2,255	1,754	3,871	2,713	4,938	3,113	3,417	2,523
SWORDFISH	A 1U	55,491	24,726	141,503	44,824	109,415	43,813	108,725	44,702
THREADFISH	MOI	519	379	1,808	1,879	478	402	1,257	1,017
TUNA:									
ALBACORE	AHIPALAHA .)								
BIG-EYED }	}	109,226	55,464	173,554	70,360	124,633	64,571	125,259	60,661
BLUEFIN	AHI		1		/	,	,	,,	00,00
YELLOWFIN	,		1		1			!	
SKIPJACK	AKU	64,870	20,525	104,877	27,331	109,422	33,637	215,977	65,562
BONITO	KAWAKAWA	2,062	855	8,181	2,296	8,903	2,711	6,302	1,912
						-			L
TOTAL TUNA	· · · · · · ·	176,158	76,854	286,612	100,487	242,958	100,919	347,538	128,135
		1,614	650	3,184	1	1 000		2.750	
WAHOO	ONO						720		1.302
WAHOO	ONO				1,071	1,998	720 6,979	3,759 23,344	1,302 6,810
UNCLASSIFIED .	ONO	17,185	6,341	36,184	11,344	24,648	6,979	23,344	1,302 6,810
UNCLASSIFIED .		17,185	6,341	36,184	11,344	24,648	6,979	23,344	6,810
					1,0/1 11,344 250,495			23,344	
TOTAL OCEAN CA		17,185	6,341	36,184	11,344	24,648	6,979	23,344	6,810
UNCLASSIFIED .  TOTAL OCEAN CAPOND CATCH: 1/	ATCH	17,185 418,431	6,341 200,871	36,184 652,293	11,344 250,495	24,648	6,979	23,344	6,810
UNCLASSIFIED .  TOTAL OCEAN CA  POND CATCH: 1/ BARRACUDA		17,185	6,341	36,184	11,344	24,648	6,979	23,344	6,810
UNCLASSIFIED .  TOTAL OCEAN C.  POND CATCH: 1/ BARRACUDA BONETISH OR	ATCH	17,185 418,431	6,341 200,871	36,184 652,293	11,344 250,495	24,648	6,979 263,578	23,344 684,248 53	6,810 289,543 52
TOTAL OCEAN CO POND CATCH: 1/ BARRACUDA BONEFISH OR LADYFISH	ATCH	17,185 418,431 59	6,341 200,871 55	36,184 652,293 36	11,344 250,495 31	24,648 585,745	6,979	23,344	6,810
TOTAL OCEAN C.  POND CATCH: 1/ BARRACUDA BONEFISH OR LADYFISH CLAM (V.	ATCH	17,185 418,431 59 530	6,341 200,871 55 344	36,184 652,293 36 448	11,344 250,495 31 198	24,648 585,745 - 44	6,979 263,578 - 29	23,344 684,248 53 808	6,810 289,543 52 525
TOTAL OCEAN CO POND CATCH: 1/ BARRACUDA BONEFISH OR LADYFISH CLAM (V. PHILLPPINARUM)	KAKU	17,185 418,431 59	6,341 200,871 55	36,184 652,293 36	11,344 250,495 31	24,648 585,745	6,979 263,578	23,344 684,248 53	6,810 289,543 52
TOTAL OCEAN CO COND CATCH: 1/ BARRACUDA BONEFISH OR LADYFISH CLAM (V. PHILLPPINARUM) CRABS:	KAKU	17,185 418,431 59 530	6,341 200,871 55 344	36,184 652,293 36 448 1,210	11,344 250,495 31 198 390	24,648 585,745 - 44	6,979 263,578 - 29	23,344 684,248 53 808 1,115	6,810 289,543 52 525 357
UNCLASSIFIED .  TOTAL OCEAN C.  OND CATCH: 1/ BARRACUDA BONEFISH OR LADYFISH . CLAM (V. PHILLPPINARUM) CRASS: WHITE	KAKU	17,185 418,431 59 530 971	6,341 200,871 55 344 311	36,184 652,293 36 448 1,210 60	11,344 250,495 31 198 390 18	24,648 585,745 - 44 1,015	6,979 263,578 - 29 325	23,344 684,248 53 808 1,115 119	6,810 289,543 52 525 357 53
TOTAL OCEAN C. OND CATCH: 1/ BARRACUDA BONEFISH OR LADYFISH C. CLAM (V. PHILLPPINARUM) CRABS: WHITE SAMOAN	KAKU  O10  OLEPE PAPAI KUAHONU	17,185 418,431 59 530 971 139 602	6,341 200,871 55 344 311 63 238	36,184 652,293 36 448 1,210 60 513	11,344 250,495 31 198 390 18 234	24,648 585,745 - 44	6,979 263,578 - 29	23,344 684,248 53 808 1,115	6,810 289,543 52 525 357
TOTAL OCEAN C.  DOND CATCH: 1/ BARRACUDA BONEFISH OR LADYFISH CLAM (V. PHILLPPINARUM) CRABS: WHITE SAMOAN REO	KAKU  OIO  OLEPE PAPAI KUAHONU	17,185 418,431 59 530 971 139	6,341 200,871 55 344 311 63	36,184 652,293 36 448 1,210 60 513 110	11,344 250,495 31 198 390 18	24,648 585,745 - 44 1,015	6,979 263,578 - 29 325	23,344 684,248 53 808 1,115 119 367	52 525 537 53 163
UNCLASSIFIEO .  TOTAL OCEAN C.  POND CATCH: 1/ BARRACUDA  BONEFISH CR LADYFISH . CLAM (V. PHILLPPINARUM) CRABS: WHITE SAMOAN . REO. JACK CREVALLE.	KAKU  O10  OLEPE PAPA1 KUAHONU  MOALA	17,185 418,431 59 530 971 139 602 10	55 344 311 63 238 5	36,184 652,293 36 448 1,210 60 513 110 2	11,344 250,495 31 198 390 18 234 39 2	24,648 585,745 - 44 1,015 - 544	6,979 263,578 - 29 325 - 234	23,344 684,248 53 808 1,115 119 367 - 29	52 525 537 53 163
UNCLASSIFIED . TOTAL OCEAN C. FOND CATAL O. BARRACUDA . BONEFISH OR LADYFISH . CLAM (V. PHILLPPINARUM) CRABS: WHITE SAMOAN . REO JACK CREVALLE. MILKFISH	KAKU  OIO  OLEPE PAPAI KUAHONU	17,185 418,431 59 530 971 139 602	6,341 200,871 55 344 311 63 238	36,184 652,293 36 448 1,210 60 513 110	11,344 250,495 31 198 390 18 234 39	24,648 585,745 - 44 1,015	6,979 263,578 - 29 325	23,344 684,248 53 808 1,115 119 367	52 525 537 53 163
UNCLASSIFIEO .  TOTAL OCEAN C.  POND CATCH: 1/ BARRACUDA  BONEFISH OR LADYFISH . CLAM (V. PHILLPINARUM) CRABS: WHITE SAMOAN .  REO JACK CREVALLE. MILKFISH . MOUNTAIN BASS	KAKU  OIO  OLEPE PAPAI KUAHONU MOALA	17,185 418,431 59 530 971 139 602 10	55 344 311 63 238 5 323	36,184 652,293 36 448 1,210 60 513 110 2 718	11,344 250,495 31 198 390 18 234 39 2 447	24,648 585,745 - 44 1,015 - 544 - 936	6,979 263,578 - 29 325 - 234 - 410	23,344 684,248 53 808 1,115 119 367 - 29 1,508	52 525 525 357 53 163 - 17 622
TOTAL OCEAN C.  TOTAL OCEAN C.  TOTAL OCEAN C.  BARRACUDA. BARRACUDA. BONETISH OR  LADYFISH CLAM (V.  PHILLEPINARUM)  CRABS:  WHITE . SAMOAN  ACC CREVALLE.  MOUNTAIN BASS  OR SESELE.	KAKU  O10  OLEPE  PAPA1  KUAHONU  MOALA  AHOLEHOLE	17,185 418,431 59 530 971 139 602 10 632 16	55, 344 311 63 238 5 323	36,184 652,293 36 448 1,210 60 513 110 2 718	11,344 250,495 31 198 390 18 234 39 2 447 387	24,648 585,745 - 44 1,015 - 544 - 936 539	6,979 263,578 - 29 325 - 234 - 410 451	23,344 684,248 53 808 1,115 119 367 - 29 1,508 286	52 525 527 537 53 163 17 622 228
UNCLASSIFIEO .  TOTAL OCEAN C.  POND CATCH: 1/ BARRACUDA  BONEFISH OR LADYFISH . CLAM (V. PHILLPPINARUM) CRABS: WHITE SAMOAN . REO JACK CREVALLE. MILKFISH . MOUNTAIN BASS OR SESELE. MULLET .	KAKU 010 0LEPE PAPAI KUAHONU MOALA ULUA AHOLEHOLE AMAAMAA	17,185 418,431 59 530 971 139 602 10 632 16 3,245	6,341 200,871 55 344 311 63 238 5 323 10 3,130	36,184 652,293 36 448 1,210 60 513 110 2 718 462 2,632	11,344 250,495 31 198 390 18 234 39 2 447 2,583	24,648 585,745 - 44 1,015 - 544 - 936 539 866	6,979 263,578  - 29 325 - 234 - 410 451 798	23,344 684,248 53 808 1,115 119 367 - 29 1,508 286 959	52 52 525 357 53 163 - 17 622 228 928
UNCLASSIFIED . TOTAL OCEAN C. FOND CATCH: 1/ BARRACUDA. BONEFISH OR LADYFISH . CLAM (V. PHILLPPINARUM) CRABS: WHITE . SAMOAN . REO JACK CREVALLE. MILKFISH . MOUNTAIN BASS OR SESELE. MULLET . TEN POUNDER.	KAKU  O10  OLEPE  PAPA1  KUAHONU  MOALA  AHOLEHOLE	17,185 418,431 59 530 971 139 602 10 632 16 3,245 355	6,341 200,871 55 344 311 63 238 5 323 10 3,130 224	36,184 652,293 36 448 1,210 60 513 110 2 718	11,344 250,495 31 198 390 18 234 39 2 447 387	24,648 585,745 - 44 1,015 - 544 - 936 539 866 46	6,979 263,578 - 29 325 - 234 - 410 451 798 35	23,344 684,248 53 808 1,115 119 367 - 29 1,508 286 959 68	52 525 525 357 53 163 17 622 228 928 50
UNCLASSIFIEO .  TOTAL OCEAN C.  POND CATCH: 1/ BARRACUDA  BONEFISH OR LADYFISH . CLAM (V. PHILLPPINARUM) CRABS: WHITE SAMOAN . REO JACK CREVALLE. MILKFISH . MOUNTAIN BASS OR SESELE. MULLET .	KAKU 010 0LEPE PAPAI KUAHONU MOALA ULUA AHOLEHOLE AMAAMAA	17,185 418,431 59 530 971 139 602 10 632 16 3,245	6,341 200,871 55 344 311 63 238 5 323 10 3,130	36,184 652,293 36 448 1,210 60 513 110 2 718 462 2,632	31 198 390 18 234 39 2 447 2,587 2,587 2,587	24,648 585,745 - 44 1,015 - 544 - 936 539 866	6,979 263,578  - 29 325 - 234 - 410 451 798	23,344 684,248 53 808 1,115 119 367 - 29 1,508 286 959	52 52 525 357 53 163 - 17 622 228 928
UNCLASSIFIED . TOTAL OCEAN C. POND CATCH: 1/ BARRACUDA . BONEFISH OR LADYFISH . CLAM (V. PHILLPPINARUM) CRABS: WHITE SAMOAN . REO JACK CREVALLE. MILKFISH . MOUNTAIN BASS OR SESELE. MULLET . TEN POUNDER. UNCLASSIFIED .	KAKU O10 OLEPE PAPAI KUAHONU MOALA ULUA AWA AHOLEHOLE AWAAWA	17,185 418,431 59 530 971 139 602 10 632 16 3,245 355 29	6,341 200,871 55 344 311 63 238 5 - 323 10 3,130 224 25	36,184 652,293 36 448 1,210 60 513 110 2 718 462 2,632 20	31 198 390 18 234 39 2 447 2,583 12	24,648 585,745 - 44 1,015 - 544 - 936 539 866 46 83	6,979 263,578  - 29 325 - 234 - 410 451 751 755 55	23,344 684,248 53 808 1,115 119 367 - 29 1,508 286 959 68 33	52 525 525 357 53 163 - 17 622 228 928 50 10
UNCLASSIFIED . TOTAL OCEAN C. POND CATCH: 1/ BARRACUH: 1/	KAKU  O10  OLEPE PAPAI KUAHONU  MOALA ULUA AWA  AHOLEHOLE AMAAWA  TCH,	17,185 418,431 59 530 971 139 602 10 632 16 3,245 355	6,341 200,871 55 344 311 63 238 5 323 10 3,130 224	36,184 652,293 36 448 1,210 60 513 110 2 718 462 2,632	31 198 390 18 234 39 2 447 2,587 2,587 2,587	24,648 585,745 - 44 1,015 - 544 - 936 539 866 46	6,979 263,578 - 29 325 - 234 - 410 451 798 35	23,344 684,248 53 808 1,115 119 367 - 29 1,508 286 959 68	52 525 525 357 53 163 17 622 228 928 50

HAWAII: CATCH BY MONTHS, 1949 - Continued

SPECIES		M	AY	JUI	NE	JUI	LY	AUGU	IST
ENGLISH	HAWA11AN	POUNDS	VALUE	POUNDS	VALUE	POUNOS	VALUE	POUNDS	VALUE
OCEAN CATCH:									
AMBERJACK .	KAMALA .	12,735	\$3,352	12,655	\$2,960	9,618	\$2,236	6,965	\$2,50
BIG-EYED SCAD .	AKULE	68,850	42,557	41,644	23,100	41,984	26.800	40,281	24,55
BLUE CREVALLE.	OMILU	2,668	990	1,676	700	9,551	3,257	8,349	3,8
BONEFISH OR				}					
LADYFISH	010	6,635	2,779	5,543	1,921	6,429	2,513	4,658	2,00
CONVICT TANG .	MANINI .	1.355	665	2,121	389	1.541	707	1,139	6
DOLPHIN	I HAMAHAM	27,994	7,770	23,102	5,954	17,435	5,171	6,894	2,6
GOATFISH (M.		_							
AURIFLAHHA).	WEKE-ULA	1,155	786	1,045	706	1,325	921	1,258	8
GOATFISH (M.									
SAMOENSIS) .	WEKE	7,549	4,230	4,077	2,049	3,674	2,193	5,738	3,9
GOATFISH (P.			1						
FRATERCULUS)	HOANO	3,536	2,511	3,164	2,393	2,659	2,044	3,416	2,6
GOATFISH (P.		· '							
PORPHYREUS)	KUMU	1,745	1,960	1,203	1,210	1,313	1,388	1,032	1,0
JACK CREVALLE	ULUA	20,884	7,637	14,104	5,084	19,538 223	7,009	17,467	7,4
LOBSTER, SPINY	ULA	10,312	6,057	1,559	1,099	223	189	196	1
MACKEREL	OPELU	10,356	4,557	4.381	2,261	4,789	2,958	21,241	10,2
MILKFISH	AWA	2,690	917	2.711	679	3,555	760	1.240	. 2
MULLET	AMAAMA .	2,952	2,003	3,834	2,876	6,646	4,737	2,765	2,2
OCTOPUS	HEE	554	328	704	377	605	344	1,206	7
SEA BASS	HAPUUPUU	8,991	2,472	6,060	2,142	2,442	1,011	4,295	1,7
SNAPPER:	11A1 001 00	0,951	/ '	0,000	,		,,,	.,-,0	.,,
	HVII	3,850	1,404	12,794	5,031	17,172	6,425	6,972	3,0
GRAY	UKU	3,000	1,103	2 005	1 170	1,5172	925	3 504	3,0
PINK	KALEKALE	2,247	5,647	2,085	1,179	1,542		2,594	1,3
P1 NK	OPAKAPAKA	15,420	4,162	15,156	4,847	15,136	5,697	10,034	4,6
RED	EHU	6,720	9,809	6,985	4,509	5,733	4,190	5,070	3,7
RED	ULAULA .	19,272	9,009	8,676	3,867	8,980	4,527	5,538	3,4
SQUIRREL OR				l					
BIG-EYED FISH	υ <b>υ</b>	5,579 108,278	4,102	6,441	5,049 23,221	9,498	7,183	10,000	7,2
SWORDFISH	A 1U	108,278	30,493	90,009	23,221	79,758	29,662	103,621	39,1
THREADFISH	HO1	1,530	972	2,593	1,709	3,560	6,015	3,352	2,4
TUNA:									
ALBACORE	AHI PALAHA	)							
BIG-EYED	1	142,824	50,345	168,177	53,421	151,555	48,798	126,384	44,6
BLUEFIN	- AHI	' ' ' '	,-	,	,	,		. ,	,
YELLOWFIN	,,,,,,,	i )							
SKIPJACK	AKU	928,626	138,758	2,162,251	258,019	1,504,119	186,199	2,187,272	264,0
BONITO	KAWAKAWA	4,725	1,050	3,307	892	4,690	1,247	5,455	1,4
	MANAMAN		.,			1,000	.,	0,.00	
TOTAL TUNA.		1,076,175	190,153	2,333,735	312,332	1,660,364	236,244	2,319,111	310,1
WAHOO	ONO	6,524	1,880	5,757	1,574	6,263	1,943	6,078	2,0
UNCLASSIFIED .		31,612	8,387	31,250	7,519	30,859	7,406	26,943	7,7
ONCERSSITTED .		31,012	0,507	31,230	7,375		7,100	-0,5.5	.,,.
TOTAL OCEAN	ATCH	1,467,168	349,683	2,645,064	427,237	1,977,393	374,455	2,628,043	452,8
ONO CATCH: 1/		44	20	100	140			200	
BARRACUDA	KAKU	44	38	182	149	61	60	201	1
BONEFISH OR		40	1 25			1			
LADYFISH	010	40	26	24	16	96	56	124	
CLAM (V.						ł			
PHILLPPINARUM		989	316	982	314	-	-	3,461	1,1
CRABS:	PAPAI		1	Į		}			
WHITE	KUAHONU.	218	98	349	145	136	61	240	
SAMOAN		365	162	303	134	121	52	101	
RED	MOALA	-	-	61	45	-	i - !	90	
JACK CREVALLE.	ULUA	267	149	-	-	-	- 1		
MILKFISH	AWA	502	214	1,482	572	1,274	493	1,319	5
HOUNTAIN BASS		1	1					· ·	
OR SESSELE .	AHOLEHOLE	190	107	128	64	4	2	12	
HULLET	AMAAMA .	99	106	22	23	226	192	461	4
SHRIMP	OPAE	l - ´´	1 -			50	57	62	
SINTAL		38	31	l -	-	241	152	277	1
		_ 50	1 - 3'	13	3		,52	56	
TENPOUNDER			1	13	3	_	-	30	
UNCLASSIFIED .								6 404	2 6
	CATCH	2,752	1,247	3,546	1,465	2,209	1,135	6,404	2,6
UNCLASSIFIED .		2,752 1,469,920	1,247 350,930	3,546 2,648,610	1,465	1,979,602	1,135	2,634,447	455,5

SEE FOOTNOTE AT ENO OF TABLE

(CONTINUED ON NEXT PAGE)

HAWAII: CATCH BY MONTHS, 1949 - Continued

SPECIES	SPECIES			ОСТОЕ	BER	NOVEMBER		
ENGLISH	MAWATIAN	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	
OCEAN CATCH:								
AMBERJACK	KAHALA	7,664	\$2,795	7,259	\$2,323	11,904	\$3,498	
BIG-EYED SCAD	AKULE	57,234	31,938	32,441	20,782	61,381	34,674	
BLUE CREVALLE	OMILU	4,713	1,703	4,862	1,756	3,403	1,473	
BONEFISH OR	010	9,912	4,003	9,044	3,626	10,033	3,542	
CONVICT TANG	OIO	1,678	832	2,362	1,032	1,734	840	
DOLDULLU	MAHAMAHI	9,423	4,173	14,679	5,901	11,444	4,089	
GOATFISH (M.	MANAGAMIT * *	, ,,,,,,,,	7,1/2	14,079	3,501	11,5	,009	
AURIFLAMMA)	WEKE-ULA	1,883	1,507	975	682	3,134	2,067	
GOATFISH (M.			1 1					
SAMOENS(S)	WEKE	6,223	3,602	5,696	3,294	3,724	2,187	
GOATFISH (P.								
FRATERCULUS)	MOANO	3,834	2,774	2,659	1,854	1,832	1,334	
GOATFISH (P.		1 050	1 142	987		1 040	1 160	
PORPHYREUS)	KUMU	1,069 17,987	1,142 7,332	15,545	1,100 6,099	1,048 12,052	1,169 4,562	
JACK CREVALLE LOBSTER, SPINY	ULUA ULA	7,015	3,791	3,891	2,377	1,983	1,079	
MACKEREL	OPELU	23,736	9,064	15,942	6,736	23,976	11,070	
MILKFISH	AWA	2,805	590	1,166	272	1,590	711	
MULLET	AMAAMA	4,220	3,192	3,703	2,841	3,902	2,708	
OCTOPUS	HEE	2,795	1,687	3,489	1,911	1,915	977	
SEA BASS	HAPUUPUU.	3,943	1,586	6,479	2,071	5,307	1,873	
SNAPPER:		!						
GRAY	UKU	4,855	2,209	4,810	2,108	2,835	1,231	
PINK	KALEKALE	1,881	1,047	2,651	1,367	2,445	1,310	
PINK	OPAKAPAKA .	20,875	8,960	16,390	6,655	24,987	9,035	
RED	EHU	4,748	3,354	4,177	2,600	4,131	2,374	
RED	ULAULA	5,002	3,519	8,797	5,551	7,543	4,765	
SQUIRREL OR								
BIG-EYEO FISH .	UU	15,781	10,543	4,532	3,312	5,140	3,284	
SWORDFISH	A 7U	66,597	30,733	91,045	39,503 871	66,835 624	22,582 431	
THREADFISH	MOI	2,156	1,491	1,366	0/1	024	431	
TUNA: ALBACORE	AHIPALAHA .							
BIG-EYED )	AUTUALADA .							
BLUEFIN	AHI	110,534	46,783	199,070	63,098	219,865	60,650	
YELLOWFIN				<b>'</b>	1		· 1	
SKIPJACK	AKU	963,083	125,257	458,235	69,717	215,891	39,541	
BON1TO	KAWAKAWA	5,898	1,326	3,089	556	2,244	477	
TOTAL TUNA		1,079,515	173,366	660,394	132,371	438,000	100,668	
		- 000	2 200	4.435	1 201	1.546	486	
WAH00	000	5,805	2,269	4,475	1,381	1,546		
UNCLASSIFIED		29,379	8,250	25,569	6,713	16,463	4,747	
TOTAL OCEAN CATCH		1,402,743	327,452	955,385	267,109	730,912	228,766	
POND CATCH: 1/		-						
BARRACUDA	KAKU	17	14	164	164	9	4	
BONEFISH OR	NANU	l ''	,	,,,,	,,,,	,		
LADYFISH	010	290	150	585	319	320	192	
CLAM (V.								
PHILLPPINARUM)	OLEPE	727	232	369	130	515	169	
CRABS:	PAPAI				i			
WHITE	KUAHDNU	64	29	34	15	-	-	
SAMOAN		207	78	159	64	52	17	
JACK CREVALLE	ULUA	-	-	230	161	-	-	
MILKFISH	AWA	786	286	1,188	471	424	172	
MULLET	AMAAMA	213	195	437	388	1,426	1,285	
SHRIMP	OPAE	55	55	37	37	20	20	
TENPOUNDER	AWAAWA	60	9	18	9	79	40	
UNCLASSIFIED		-	-	20	20	-	-	
TOTAL POND CATCH		2,419	1,048	3,241	1,778	2,845	1,899	
TOTAL POND CATCH								
		1,405,162	328,500	958,626	268,887	733,757	230,665	

SEE FOOTNOTE AT END OF TABLE

(CONTINUED ON NEXT PAGE)

HAWAII: CATCH BY MONTHS, 1949 - Continued


SPECIES	DECE	IBER	TOTAL		
ENGLISH	HAWALIAN	POUNOS	VALUE	POUNDS	VALUE
OCEAN CATCH:	KAHALA	21,355	\$5,412	190,335	\$60,335
AMBERJACK	AKULE	33,697	19,646	501,091	309,721
	OMILU	1,725	570	52,866	22,497
BLUE CREVALLE	010	9,344	3,474	84,573	33,115
CONVICT TANG	MANINI	1,718	876	22,550	11,550
	MAHAHAHI	8,227	3,612	170,737	58,292
GOATFISH (M. AURIFLAMMA)	WEKE-ULA	3,336	2,346	20.895	15,246
GOATFISH (M. SAMDENSIS)	WEKE	6,879	3,914	61,738	37,598
GOATFISH (P. FRATERCULUS)	MOANO	2,836	2,034	32,941	25,375
GOATFISH (P. PORPHYREUS)	KUMU	1,895	1,832	16,121	17,639
JACK CREVALLE	ULUA	15,510	5,568	193,589	77,445
LOBSTER, SPINY	ULA	5,195	3,009	42,134	26,269
MACKEREL	OPELU	29,276	10,028	244,459	102,235
WILKEISH	AWA	222	52	23,528	6,597
MULLET	AMAAMA	-	- 1	39,959	29,472
OCTOPUS	HEE	2,094	1,151	18,681	10,813
SEA BASS	HAPUUPUU	7,604	2,424	63,834	23,671
SNAPPER:		<b>'</b>	· 1	,	,
GRAY	UKU	4,152	1,878	71,626	30,575
PINK	KALEKALE	3,647	1,831	29,741	17,005
PINK	OPAKAPAKA	35,738	13,398	225,578	96,198
RED	EHU	6,109	4,083	58,734	41,286
REO	ULAUEA	13,340	8,435	118,433	73,661
SQUIRREL OR BIG-EYEO FISH	UU	5,914	4,095	77,366	54,882
SWORDFISH	A*U	80,338	23,928	1,101,616	397,359
THREADFISH	MOI	473	´334	24,726	17,944
TUNA:					
ALBACORE	AHIPALAHA				
BIG-EYED					
BLUEFIN	AH1	362,011	95,787	2,013,092	715,100
YELLOW-IN		) ´	· ·		·
SKIPJACK	AKU	151,705	27,007	9,066,328	1,254,641
BONITO	KAWAKAWA	2,903	681	57,759	15,436
•				· · · · ·	
TOTAL TUNA		516,619	123,475	11,137,179	1,985,177
WAHOO	000	1,954	541	48,957	15,982
UNCLASSIFIED		22,518	7,030	315,954	89,229
TOTAL OCEAN CATCH		842,716	255,086	14,990,141	3,687,169
OND CATCH: 1/					
BARRACUDA	KAKU	69	69	895	783
BONEFISH OR LADYFISH	010	787	441	4,096	2,354
CLAM (V. PHELLPPINARUM)	OLEPE	- "	-	11,354	3,649
CRABS:	PAPAI	1			
WHITE	KUAHONU	-	-	1,359	574
SAMOAN		60	19	3,394	1,425
REO	MOALA	-	-	271	130
JACK CREVALLE	ULUA	102	41	630	370
MILKFISH	AWA	756	319	11,525	4,850
MOUNTAIN BASS OR SESSELE	AHOLEHOLE	96	64	1,723	1,323
MULLET	AMAAMA	4,619	4,432	15,205	14,514
SHRIMP	OPAE	50	50	274	281
TENPOUNDER	AWAAWA	322	177	1,524	849
UNCLASSIFIED		130	34	364	203
TOTAL POND CATCH		6,981	5,645	52,614	31,305
TOTAL POND CATCHE ! ! ! !		849,697	260,731	15,042,755	3,718,474

<sup>1/</sup> SALT-WATER



## SECTION 12.- REVIEW OF CERTAIN MAJOR FISHERIES

There are presented in this section of the Digest complete data on the catch of certain of the major species of fish and shellfish taken commercially in the United States and Alaska. Although these data are included in the detailed catch tables for the various states, they have been republished in individual fishery tables in this portion of the report to provide readers with a single source of catch data for cod, haddock, halibut, mackerel, menhaden, ocean perch (rosefish), pilchard, salmon, tuna, and whales. Statistics on the oyster and shrimp fisheries are being omitted this year since data were not collected in the South Atlantic States for 1949, and a substantial portion of the catch of these items comes from that area. Most of the above species are taken by fishermen operating in several states or districts, and a number are taken by several types of fishing gear. Because of this, the casual reader of the Digest often experiences difficulty in locating complete data on the catch of the species in individual state catch tables. The information contained in this section includes the volume and value of the catch by individual types of gear and by states and districts.



### UNITED STATES AND ALASKA COD FISHERY

During 1949, the fishermen of the United States and Alaska caught 71,011,847 pounds of cod valued at \$4,029,563 to the fishermen. This was a decrease of 11 percent in quantity and 21 percent in value compared with the previous year.

Otter trawls accounted for 75 percent of the cod catch; lines, 20 percent; and gill nets, 4 percent. Other types of gear, principally floating traps and pound nets made up the remaining 1 percent.

Massachusetts, with a catch of 50.4 million pounds of cod, led in the production of this species, followed by Washington, (6.2 million pounds), and Maine, (6.1 million pounds).

In all areas, except Alaska, the major portion of the catch was taken with otter trawls. Lines accounted for the entire Alaska catch.

### SUMMARY OF COD CATCH, 1949

STATE	DTTER TRAWLS		LINES			GILL	NETS	FLOA	FLOATING TRAPS		
	POUNDS V		ALUE POUNDS			/ALUE	POUNDS	VALU	E POUNDS	VALUE	
NEW ENGLAND: MAINE NEW HAMPSHIRE. MASSACHUSETTS . RHOOE ISLAND CONNECTICUT .	2,324,9 42,230,7 488,6 589,8		4,042 9,548 8,772 0,000	2,151,70 2,70 6,883,30 705,60	0   3	37,160 784 31,599 34,771 121	1,598,800 1,276,600	\$124, <b>7</b> 89,5	-	396 25,043	
TOTAL	45,634,0		2,582,362		9,744,200 554		2,875,400 214,		18 521,100	25,439	
MIDDLE ATLANTIC: NEW YORK NEW JERSEY DELAWARE	1,547,4 66,2	00 14	0,708 7,286 40	799,70 1,190,00	0 1	37,337 14,158	7,000 200 -		46 - 20 -	=	
TOTAL	1,614,0	00 14	8,034	1,989,700 201		01,495	7,200 766		66 -	-	
CHESAPEAKE: MARYLAND VIRGINIA	YLAND 1,200		48 32,60 157 -		0	1,304	:	:	-	-	
TOTAL	4,4	00	2D5	32,60	0	1,304	-	-	-	-	
PACIFIC CDAST: WASHINGTON OREGON	6,230,6 5,1	00 23	0,532 181	13,00 30	0	483 7	1,600	_	60 -	<u>-</u>	
TOTAL	6,235,7	00 23	0,713	13,30	0	490	1,600		60 -		
ALASKA	-		-	2,185,54	7 54,639		-	-	-	-	
GRAND TOTAL	53,488,1	00 2,96	1,314	13,965,34	7 8	12,363	2,884,200	215,0	44 521,100	25,439	
STATE	DRED	GES	POUN	D NETS PURSE S		SEINES	HAUL SEINES		TO	TOTAL	
	POUNOS	VALUE	POUNOS	VALUE	POUNOS	VALUE	POUNDS	VALUE	POUNDS	VALUE	
NEW ENGLAND: MAINE	- 6,200	- \$273 -	13,700	- - \$511 - -	200	\$12		:	6,075,400 2, <b>7</b> 00 50,418,700 1,707,300 590,700	\$315,918 784 2,921,841 78,586 60,121	
TOTAL	6,200	273	13,700	511	200	12	-		58,794,800	3,377,250	
MIDDLE ATLANTIC: NEW YORK NEW JERSEY DELAWARE	-	= -	2,400 130,200	250 14,322	=	:	300	\$32 -	2,356,800 1,386,600 400	229,073 135,786 40	
TOTAL	-	-	132,600	14,572	-	-	300	32	3,743,800	364,899	
CHESAPEAKE: MARYLAND VIRGINIA	-	-	-		:	:	-	-	33,800 3,200	1,352 157	
TOTAL	-	-	-		1	-	-		37,000	1,509	
PACIFIC CDAST: WASHINGTON OREGON	-	-			:		100	3	6,245,300 5,400	231,078 188	
TOTAL	-		-	1 1-1	-		100	3	6,250,700	231,266	
ALASKA	-		-		1				2,185,547	54,639	
				-			-				
GRAND TOTAL	6,200	273	146,300	15,083	200	12	4D0	35	71,011,847	4,029,563	



# ATLANTIC COAST HADDOCK FISHERY

The production of haddock in the United States during 1949 amounted to 134,970,400 pounds, valued at \$9,250,400 to the fishermen. This was a decrease of 14 percent in quantity and 26 percent in value compared with the previous year. Scrod haddock accounted for nearly 40 percent of the total haddock catch.

Otter trawls accounted for 96 percent of the total production. The remaining 4 percent was taken with hand and trawl lines, gill nets and dredges.

Of the total catch, 99 percent was landed in the New England States. The remaining leprcent was taken in New York and New Jersey. Massachusetts accounted for 94 percent of the total landings.

### LINES, HAND AND TRAWL OTTER TRAWIS GILL NETS DREDGES TOTAL STATE POUNOS VALUE POUNDS VALUE POUNDS VALUE POUNDS VALUE POUNDS VALUE NEW ENGLAND: MAINE . . . . . . . NEW HAMPSHIRE 524,100 \$36,125 6,474,300 \$416,563 186,400 \$16,077 7,184,800 \$468,765 1,400 126,496,700 69,600 1,400 4,652,200 142 142 121,661,500 8,326,949 3,407 13,557 8,697,596 MASSACHUSETTS 355,840 157,500 25,500 \$1,250 RHODE ISLAND. CONNECTICUT . 69,600 12,100 3,407 1,000 1,000 12,100 TOTAL. . . 5,177,700 392,107 128,217,500 8,747,919 343,900 29,634 25,500 1,250 133,764,600 9,170,910 MIDDLE ATLANTIC: 1,197,300 78,768 722 NEW YORK. . . NEW JERSEY. . 1,197,300 78,768 722 8,500 8,500 TOTAL. . . 1,205,800 79,490 1,205,800 79,490 \_ GRAND TOTAL 5, 177,700 392,107 129,423,300 8,827,409 343,900 29,634 25,500 1,250 134,970,400

### SUMMARY OF HADDOCK CATCH, 1949

# PACIFIC COAST HALIBUT FISHERY

The total North Pacific halibut catch by both United States and Canadian craft during 1949 totaled 53,622,000 pounds, a decrease of a half million pounds compared with the previous year.

The 1949 halibut season which extended from May 1 through July 12, was 73 days, compared with 72 days in 1948 and 109 days in 1947.

Landings of halibut in Alaska ports, which has steadily risen from 7 million pounds in 1939 to a record high of almost 24 million pounds in 1948, declined to 22.3 million pounds in 1949. This decrease in Alaska landings of halibut was reflected in a marked increase in the landings of United States fishing craft at British Columbia ports. It is believed that the diversion to Canadian ports was in protest against new licenses imposed on fishermen during the year by the Alaska Territorial Legislature.

Data on landings of halibut listed in the following tables represent the dressed weight of the fish, which is the weight upon which the quota is based, while those in the various state and sectional tables represent the round weight of the catch. In the sectional tables, halibut landed in Canada by vessels of United States registry is credited to Alaska. The dressed weight can be converted to round weight by multiplying by 1.33.

### SUMMARY OF UNITED STATES HALIBUT FLEET OPERATING UNITS, 1949

I TEM	WASHINGTON FLEET	ALASKA FLEET	TOTAL
	NUMBER	NUMBER	NUMBER
REGULAR HALIBUT VESSELS: NUMBER. NET TONNAGE CREW. SKATES OF LINES.	185 6,024 1,265 5,692	296 4,089 1,174 5,283	481 10,113 2,439 10,975
REGULAR HALIBUT BOATS: NUMBER CREW SKATES OF LINES	1 2 7	45 92 345	46 94 352
BOATS PRIMARILY IN OTHER FISHERIES BUT LANDING SMALL FARES OF HALIBUT 1/: NUMBER	= =	125 250 1,000	125 250 1,000

<sup>1/</sup> DOES NOT INCLUDE TROLLERS OR OTHER BOATS CATCHING HALIBUT INCIDENTAL TO OTHER FISHING OPERATIONS.

"NOTE: "-THE FLEET CLASSIFICATION IS THAT OF THE INTERNATIONAL FISHERIES COMMISSION, NODER WHICH CRAFT LISTED
BY THE COMMISSION AS HAVING THEIR HOME PORT IN ALASKA ARE INCLUDED IN THE "ALASKA FLEET" AND ALL OTHER CRAFT
OF UNITED STATES REGISTRY ARE INCLUDED IN THE "WASMINGTON FLEET" IF THEY LAND HALIBUT IN SEATTLE, BRITISH
COLUMBIA, OR ALASKA.

# SUMMARY OF UNITED STATES AND CANADIAN HALIBUT CATCH, 1949

(EXPRESSED IN THOUSANDS OF POUNDS AND THOUSANDS OF GOLLARS)

		TOTAL						
FLEET CLASSIFICATION	SEATTLE.	WASHINGTON	BRITISH	COLUMBIA	ALASKA		TOTAL	
	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE	QUANTITY	VALUE
UNITED STATES AND ALASKA FLEET BRITISH COLUMBIA FLEET	9,119 42	1,918 8	4,208 17,997	785 3,090	21,628 628	3,474 102	34,955 18,667	6,177 3,200
TOTAL	9,161	1,926	22,205	3,875	22,256	3,576	53,622	9,377

NOTE: -- STATISTICS IN THE ABOVE TABLES ARE COMPILED FROM DATA COLLECTED BY THE INTERNATIONAL FISHERIES COMMISSION FOR MASHINGTON AND BRITISH COLUMBIA, AND BY THE FISH AND WILDLIFE SERVICE FOR ALASKA. THIS TABULATION DOES NOT INCLUDE LANDINGS AT PORTS SOUTH OF SEATTLE, WASHINGTON, WHICH AVERAGE LESS THAN 3 PERCENT OF THE ANNUAL PACIFIC COAST CATCH.

### CATCH BY UNITED STATES HALIBUT FLEET, 1949

ITEM			LANDED	IN			то:	TAL
	SEATTLE, V	VASHINGTON	BRITISH	COLUMBIA	ALASKA		1071112	
	POUNOS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
ALL VESSELS AND BOATS:	0 110 105	\$1 017 74E	4 207 007	\$785 DE6	21,627,525	\$3 473 770	34 054 627	\$6 176 571
SABLEFISH	1,819,613	178,398	36,020	2,787	3,929,783	280,414	5,785,416	461,599
ROCKFISHES	497,674 197,526	47,578 13,145		-	2,415 33,499		500,089 231,025	
TOTAL	11,634,008	2,156,866	4,243,927	787,843	25,593,222	3,755,484	41,471,157	6,700,193

NOTE: -- IN ADDITION TO THE ABOVE, THERE WERE 1,149,567 POUNDS OF HALIBUT, SABLEFISH, LINGCOD, ROCKFISHES, GRAFFISH (DOCFISH), SOUPFIN SHARK AND MISCELLANEOUS FISH LIVERS VALUED AT \$1,255,823 LANDED BY THE UNITED STATES HALIBUT, LEET AT PACIFIC COAST POPTS DURING 1949. THESE VESSELS ADOLDANCE 1,502,832 POUNDS OF HALIBUT, SABLEFISH, LINGCOD AND ROCKFISH VISCERA VALUED AT \$429,871. VESSELS OF THE CANADIAN HALIBUT FLEET LANDED A TOTAL OF 18,666,765 POUNDS OF HALIBUT VALUED AT \$3,946 WERE LANDED AT SEATTLE, AND 627,984 POUNDS VALUED AT \$9,346 WERE LANDED AT SEATTLE, AND 627,984 POUNDS VALUED AT \$101,807 WERE LANDED IN ALASKA. VALUED AT \$8,736 WERE LANDED AT SEATTLE, AND 627,984 POUNDS VALUED AT \$101,807 WERE LANDED IN ALASKA. CONNISSION FOR WASHINGTON AND BRITISM COUNDIA, AND BY THE FISH AND WILDLIFE SERVICE FOR ALASKA. THIS TABULATION DOES NOT INCLUDE LANDINGS AT PORTS SOUTH OF SEATTLE, WASHINGTON, WHICH AVERAGE LESS THAN 3 PERCENT OF THE ANNUAL PACIFIC COAST CATCH.

# REVIEW OF CERTAIN MAJOR FISHERIES

# ATLANTIC COAST MACKEREL FISHERY

During 1949, the mackerel catch on the Atlantic Coast amounted to 42,070,100 pounds, valued at \$2,308,037 to the fishermen. This represented a decrease of 1R percent in quantity and 38 percent in value compared with the previous year. The largest decrease occurred in purse seine landings in Massachusetts which totaled only 6.2 million pounds, a decline of 17.6 million pounds compared with the mackerel landings by purse seines in that area in 1948. The pound net catch, taken principally in Massachusetts, decreased 29 percent compared with 1948.

New Jersey accounted for 45 percent of the 1949 mackerel catch, while Massachusetts and Maine recorded 33 and 8 percent respectively. Landings in Rhode Island, Connecticut, New York, Maryland and Virginia yielded the remaining 14 percent.

# SIMMARY OF ATLANTIC MACKEREL CATCH, 1949

STATE	PURSE S	EINES	HAUL S	EINES	STOP S	EINES	GILL	NETS
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
NEW ENGLAND: MAINE MASSACHUSETTS RHODE ISLAND	2,051,700 6,165,800 60,400	\$96,284 338,382 5,437	-	=	61,900	\$3,097	100	- \$29 -
TOTAL	8,277,900	440,103			61,900	3,097	100	29
MIDDLE ATLANTIC: NEW YORK NEW JERSEY	160,200 16,830,400	20,000 233,477	8,600	\$1,317	-	-	-	=
TOTAL	16,990,600	253,477	8,600	1,317				<del></del>
CHESAPEAKE, VIRGINIA	-	-	2,100	88	-			<u> </u>
TOTAL			2,100			3,097	100	29
GRAND TOTAL	25,268,500	693,580	10,700	1,405	61,900	3,097		
STATE	DRIF		L NETS - C	ONT I NUED	STA	KE	LINES	ND
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
NEW ENGLANO: MAINE MASSACHUSETTS	352,200 303,200	\$25,055 26,256	=	-	<u>-</u>		6,900	\$517 -
RHODE ISLAND CONNECTICUT	8,500	780	-	-	-	1.1	91,200	11,157
TOTAL	663,900	52,091		-	-		98,100	11,674
MIDDLE ATLANTIC: NEW YORK NEW JERSEY	28,000 454,700	4,629 36,483	11,800	- \$944	21,600	\$1 <b>,</b> 782	1,464,500 1,069,800	223,260 86,024
TOTAL	482,700	41,112	11,800	944	21,600	1,782	2,534,300	309,284
CHESAPEAKE: MARYLAND	357,600 2,338,200	32,184 238,430	-	-	-	-	-	=
TOTAL	2,695,800	270,614			-	-		-
GRAND TOTAL	3,842,400	363,817	11,800	944	21,600	1,782	2,632,400	320,958
STATE	LINES - CO	ONT I NUED		POUND	NETS		FLOATING	TRAPS
	POUNDS	VALUE		POUNDS	VALUE	PC	DUNDS	VALUE
MAINE MASSACHUSETTS RHODE ISLAND	- - 57,100	- \$4,875	5,	574,400	\$580,957 -	1,54	84,500 40,800 86,900	\$16,427 80,756 26,082
TOTAL	57,100	4,875	5,	574,400	580,957	2,21	2,200	123,265
MIDDLE ATLANTIC: NEW YORK		-		171,800 505,000	32,884 48,400		-	-
NEW JERSEY	<u> </u>	<del></del>		776,800	81,284		-	
CHESAPEAKE, VIRGINIA	-			104,300	17,203			
TOTAL				104,300	17,203			
GRAND TOTAL	57,100	4,875		555,500 ED ON NEXT	679,444	2,2	12,200	123,265

SUMMARY OF ATLANTIC MACKEREL CATCH, 1949 - Continued

STATE	WEI	RS	OTTER	TRAWLS	TOTAL		
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	
NEW ENGLAND: MAINE MASSACHUSETTS RHOOE ISLAND CONNECTICUT	544,700 - - -	\$16,189 - - -	285,100 39,700 1,000	\$39,100 4,330 100	3,351,900 13,969,400 502,600 92,200	\$157,569 1,065,480 41,504 11,257	
TOTAL	544,700	16, 189	325,600	43,530	17,916,100	1,275,810	
MIDDLE ATLANTIC: NEW YORK NEW JERSEY	-	-	53,200 73,200	8,482 5,856	1,886,300 19,066,500	290,572 412,966	
TOTAL	-	-	126,400	14,338	20,952,800	703,536	
CHESAPEAKE:  MARYLAND  VIRGINIA	-	-	5,600 393,400	504 40,280	363,200 2,838,000	32,688 296,001	
TOTAL	-	-	399,000	40,784	3,201,200	328,689	
GRAND TOTAL	544,700	16,189	851,200	98,652	42,070,100	2,308,037	

# PACIFIC COAST MACKEREL FISHERY

The catch of Pacific mackerel during 1949 amounted to 49,771,300 pounds, valued at \$1,285,892 to the fishermen. This represented an increase of 26 percent in quantity but a decrease of 7 percent in value compared with the previous year.

The entire Pacific mackerel catch was taken in California. The San Pedro District accounted for 99 percent of the 1949 catch with the San Diego, Monterey, and San Francisco Districts contributing the remaining 1 percent.

Mackerel taken by brail or scoop nets accounted for 56 percent of the 1949 catch will purse seines caught 43 percent. The remaining 1 percent was taken with lines and gill and tranmel nets.

SUMMARY OF PACIFIC MACKEREL CATCH, 1949

DISTRICT	PURSE SE	INES	GILL AND TR	AMMEL NETS		LINES
	POUNOS	VALUE	POUNOS	VALUE	POUNDS	VALUE
ALIFORNIA: SAN FRANCISCO MONTEREY SAN PEDRO SAN DIEGO TOTAL	3,000 233,600 21,114,200 98,000 21,448,800	\$49 4,112 541,930 4,566 550,657	- 200 9,800 9,200	- \$3 250 427 680	249,900 340,000 589,900	\$6,411 15,843 22,254
DISTRICT	BRAIL OR	SCOOP NETS			TOTAL	
ALIFORNIA: SAN FRANCISCO	POUNDS.	VAI	LUE -	90UNOS 3,000 233,800		VALUE \$49
MONTEREY	27,710,400 3,000	\$712	,158 143	49,084,300 450,200		4,115 1,260,749 20,979
TOTAL	27,713,400	712	,301	49,771,300		1,285,892

# ATLANTIC AND GULF COAST MENHADEN FISHERY

The catch of menhaden in 1949 established a new record of 1,081,741,400 pounds, valued at \$11,540,313 to the fishermen. The catch was far larger than that of any other species taken by United States and Alaska fishermen. Practically the entire 1949 menhaden production was used in the manufacture of oil and meal, with only small quantities being used for bait.

No survey was made of the fisheries of the South Atlantic States (North Carolina, South Carolina, Georgia, and the East Coast of Florida) for 1949. However, in conducting the canned fish and byproducts survey for that year, information was obtained on the total quantity of menhaden used for reduction purposes in these states. Since nearly the entire catch is used for the manufacture of oil and meal, the poundage utilized for reduction has been listed as the landings in those states which were not canvassed for 1949 data.

# SUMMARY OF MENHADEN CATCH, 1949

STATE	PURSE	SEINES	HAUL SE	NES	GILL N	ETS
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
NEW ENGLAND:  MAINE  MASSACHUSETTS  CONNECTICUT	5,019,000 6,961,800	\$44,942 83,424	=	=	7,900	\$92
TOTAL	11,980,800	128,366	-	-	7,900	92
MIDDLE ATLANTIC: NEW YORK	89,488,700 129,822,000 159,748,100	939,631 1,453,999 1,677,355	=	-	=	=
TOTAL	379,058,800	4,070,985	-	-	-	-
CHESAPEAKE: MARYLAND	126,430,300	1,466,592	119,400 2,312,500	\$1,198 17,563	8,800 47,900	88 356
TOTAL	126,430,300	1,466,592	2,431,900	18,761	56,700	444
SOUTH ATLANTIC:  NORTH CAROLINA  SOUTH CAROLINA  EAST COAST OF FLORIDA	227,679,400 4,706,750 30,060,220	1,980,811 44,243 324,650		:	=	- -
TOTAL	262,446,370	2,349,704	-	-	-	-
GULF: WEST COAST OF FLORIDA HISSISSIPPI LOUISIANA TEXAS	24,959,680 44,578,500 165,913,400 41,135,300	268,485 485,906 2,018,307 473,757	17,700 - - -	885 - -	1,000	50 - - -
TOTAL	276,486,880	3,246,455	17,700	885	1,000	50
GRAND TOTAL	1,056,403,150	11,262,102	2,449,600	19,646	65,600	586
STATE	POUND	S NETS	FLOATI	NG TRAPS	FYKE N	ETS
NEW ENGLAND:  MAINE  MASSACHUSETTS  RHODE ISLAND  CONNECTICUT	458,400 16,000	\$4,977 - 116	6,500 34,100 36,100	\$65 324 457	<u>FOUNDS</u>	VALUE - - - -
TOTAL	474,400	5,093	78,700	864	-	-
NEW JERSEY	13,351,600	185,208	-	-	-	-
TOTAL	13,351,600	185,208	-	-	-	-
CHESAPEAKE: MARYLAND	1,551,900 7,330,800	12,389 54,005	-	-	200 10,300	\$4 81
TOTAL	8,882,700	66,394	-	-	10,500	85


(CONTINUED ON NEXT PAGE)

# REVIEW OF CERTAIN MAJOR FISHERIES

SUMMARY OF MENHADEN CATCH, 1949 - Continued

STATE	OTTER T	RAWLS	WEIR	3	TRAMMEL	NETS	то	TAL
	POUNOS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
NEW ENGLAND: MAINE MASSACHUSETTS RHODE ISLAND CONNECTIUCT	19,200	\$231 39	1,800 - -	\$33 - - -	-	-	5,027,300 7,473,500 38,100 27,100	\$45,040 88,956 457 247
TOTAL	22,400	270	1,800	33	-	-	12,566,000	134,700
MIODLE ATLANITC:  NEW YORK  NEW JERSEY  DELAWARE	- - -	-	- - -		-	-	89,488,700 143,173,600 159,748,100	939,631 1,639,207 1,677,355
TOTAL	-	-	-	-	-	-	392,410,400	4,256,193
CHESAPEAKE:  MARYLAND	-	-	-	-	-	-	1,680,300 136,131,800	13,679 1,538,597
TOTAL	-	-	-	-	-	-	137,812,100	1,552,276
SOUTH ATLANTIC: NORTH CAROLINA SOUTH CAROLINA EAST COAST OF FLORIDA		-	- - -		-	-	227,679,400 4,706,750 30,060,220	1,980,811 44,243 324,650
TOTAL	-	-	-	-	-	-	262,446,370	2,349,704
GULF: WEST COAST OF FLORIDA HISSISSIPPI LOUISIANA TEXAS	- - -	-	- - -	- - - -	1,000	\$50 - -	24,879,380 44,578,500 165,913,400 41,135,300	269,470 485,906 2,018,307 473,757
TOTAL	-	-	-	-	1,000	50	276,506,580	3,247,440
GRAND TOTAL	22,400	\$270	1,800	33	1,000	50	1,081,741,450	11,540,313

NOTE: -- TO CONVERT WEIGHT IN POUNDS TO NUMBER OF FISH DIVIDE BY 0.67.



TROLLER

# OCEAN PERCH FISHERY

The 1949 catch of ocean perch (rosefish) totaled 236,986,700 pounds, valued at \$9,819,266 to the fishermen. This represents a decrease of less than 1 percent in quantity but an increase of 2 percent invalue compared with the previous year. Seventy-seven percent of the 1949 catch was landed at Massachusetts ports, and the remaining 23 percent was landed in Maine, principally Rockland and Portland. Gloucester accounted for over 93 percent of the poundage landed in Massachusetts.

The entire ocean perch (rosefish) catch is used for producing fillets, most of which are frozen. Waste from filleting is used in the manufacture of rosefish meal and oil.

### SUMMARY OF OCEAN PERCH (ROSEFISH) CATCH, 1949

STATE	LINE TRAWL O	R TROT	OTTER	TRAWLS	GILL N	NETS	TOTAL	
WELL 5000 100	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
MAINE	400 6,500	\$11 487	55,502,100 181,477,600	\$2,014,058 7,804,708	100	\$2 -	55,502,600 181,484,100	\$2,014,071 7,805,195
TOTAL	6,900	498	236,979,700	9,818,766	100	2	236,986,700	9,819,266.

# PACIFIC COAST PILCHARD FISHERY

During 1949, the catch of pilchards amounted to 633,540,400 pounds, valued at \$10,760,235 to the fishermen. This represented an increase of 70 percent in quantity but a decrease of 2 percent in value compared with the previous year.

The price paid to fishermen at the beginning of the 1949 season was \$40 per ton compared with \$67.50 per ton the previous season. The prices dropped to \$32.50 per ton by the end of the season, compared to \$50 per ton at the close of the 1948 season. Price disagreements, occurring at times when fishing conditions appeared exceptionally good, reduced the potential production of the area.

# SUMMARY OF PILCHARD CATCH, 1949

STATE AND DISTRICT	HAUL SE	INES	PURSE SEINES, LAMPARA AND RING NETS		GILL NETS		OTTER TRAWLS		TOTAL	
WASHINGTON:	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
PUGET SOUND DISTRICT.	56,400	\$3,104	-	-	-	-	-	-	56,400	\$3,104
OREGON: COASTAL DISTRICT	9,000	234	-	-	-	-	-	-	9,000	234
CALIFORNIA:  NORTHERN DISTRICT SAN FRANCISCO DISTRICT MONTEREY DISTRICT SAN PEORO DISTRICT SAN DIEGO DISTRICT			33,848,400 262,370,900 331,502,300 5,703,300	\$576,941 4,565,241 5,554,263 59,314	14,800 800 2,900	\$522 16 58 -	30,000		14,800 33,879,200 262,375,400 331,502,300 5,703,300	522 577,467 4,565,331 5,554,263 59,314
TOTAL CALIFORNIA .		-	633,424,900	10,755,759	18,500	596	31,600	542	633,475,000	10,756,897
GRAND TOTAL	65,400	3,338	633,424,900	10,755,759	18,500	596	31,600	542	633,540,400	10,760,235

# REVIEW OF CERTAIN MAJOR FISHERIES

# PACIFIC COAST SALMON FISHERY

The 1949 salmon catch in the Pacific Coast States and Alaska totaled 484,203,800 pounds -- over 80 million pounds more than in 1948. Landings in the Pacific Coast States increased over 30 million pounds compared with the previous year, while those in Alaska increased almost 50 million pounds. In the Puget Sound District of Washington, where pink salmon are taken in quantity only in the odd-numbered years, the catch of this species amounted to 65.6 million pounds. The catch of pink salmon in this area during 1948 was only 1,600 pounds. Landings of this species in Alaska rose from 113.4 million pounds in 1948 to 228.9 million pounds in 1949. The largest gain came in southeastern Alaska.

The most important types of gear used in taking salmon in 1949 were purse seines, 173 million pounds; pound nets (including floating traps), 170 million pounds; and gill nets, 93 million pounds. Smaller quantities were also taken by lines, reef nets, haul seines and dip nets.

### SALMON CATCH BY DISTRICTS AND GEAR, 1949

•		ALASKA	·	
GEAR AND SPECIES	SOUTHEASTERN	CENTRAL	WESTERN	TOTAL
PURSE SEINES:	POUNDS	POUNDS	POUNDS	POUNDS
CHINDOK OR KING CHUM OR KETA. PINK. RED OR SOCKEYE. SILVER OR COHO.	9,840 9,645,888 61,975,320 445,662 1,266,399	67,640 13,486,904 32,226,640 6,348,060 837,036	3,960 493,520 68 522,684 12,987	81,440 23,626,312 94,204,028 7,316,406 2,116,422
TOTAL	73,343,109	52,968,280	1,033,219	127,344,608
SILL NETS: CHINOOK OR KING CHUM OR KETA PINK RED OR SOCKEYE SILVER OR COHO	147,980 285,960 330,900 1,601,550 818,478	1,864,500 1,911,688 1,339,500 12,139,680 3,581,478	1,888,520 2,829,048 132 38,579,316 466,029	3,901,000 5,026,696 1,670,532 52,320,546 4,865,985
TOTAL	3,184,868	20,836,846	43,763,045	67,784,759
INES: CHIMOOK OR KING CHUM OR KETA PINK RED OR SOCKEYE. SILVER OR COHO.	9,443,180 646,544 546,592 11,352 13,308,246		- - - -	9,443,180 646,544 546,592 11,352 13,308,246
TOTAL	23,955,914	-	-	23,955,914
OUND NETS: CHINOOK OR KING CHUM OR KETA PINK RED OR SOCKEYE SILVER OR COHO.	12,576,360 112,829,892 880,230 5,125,887	649,820 4,858,088 19,698,560 10,400,358 2,240,424	- - - - -	650,080 17,434,448 132,528,452 11,280,588 7,366,311
TOTAL	131,412,629	37,847,250	-	169,259,879
GRAND TOTAL	231,896,520	111,652,376	44,796,264	388,345,160

GEAR AND SPECIES		WASHINGTON							
GEAR AND SI ECTES	PUGET	SOUND	WASHINGTO	N COAST	COLUMBI	A RIVER	TO	TAL	
PURSE SEINES: CHINOOK OR KING. CHUM OR KETA . PINK . RED OR SOCKEYE . SILVER OR COHO .	540,100 3,078,700 33,328,700 4,886,500 3,422,600	\$67,515 421,782 3,332,867 977,306 431,243	POUNDS - - - -	<u>VALUE</u> - - - -	POUNDS	<u>VALUE</u> - - - -	540,100 3,078,700 33,328,700 4,886,500 3,422,600	\$67,515 421,782 3,332,867 977,306 431,243	
TOTAL	45,256,600	5,230,713	-	-	-	-	45,256,600	5,230,713	
HAUL SEINES: CHINOOK OR KING. CHUM OR KETA . PINK SILVER OR COHO .	18,900 40,600 521,000 9,300	2,364 5,405 52,095 1,171	-	- - -	-	-	18,900 40,600 521,000 9,300	2,364 5,405 52,095 1,171	
TOTAL	589,800	61,035	-	-	-	-	589,800	61,035	

(CONTINUED ON NEXT PAGE)

# REVIEW OF CERTAIN MAJOR FISHERIES

# SALMON CATCH BY DISTRICTS AND GEAR, 1949 - Continued

GEAR AND SPECIES				WASH[NG	TON - CONTI	NUED		
GEAR AND SPECIES	PUGET	SOUND	WASHING	TON COAST	COLUMBIA	RIVER		TOTAL
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALU	E POUNDS	VALUE
GILL NETS: CHINOOK OR KING CHUM OR KETA. PINK REO OR SOCKEYE. SILVER OR COHO.	459,700 978,000 6,804,200 790,300 1,278,900	\$98,739 130,075 680,420 158,065 262,184	487,600 658,800 100 869,900 1,010,500	\$75,573 52,046 8 265,311 154,604	2,752,600 261,400 - 6,700 224,800	\$459,6 20,9 1,3 30,1	14 1,898,20 6,804,30 35 1,666,90	203,035 0 680,428 0 424,711
	10,311,100	1,329,483	3,026,900	547,542	3,245,500	512,0		0 2,389,090
TOTAL	10,311,100	1,329,403	3,020,300	017,010	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		
CHINOOK OR KING PINK SILVER OR COHO.	2,894,000 80,200 1,860,300	804,533 8,018 386,941	1,512,400 17,400 1,869,000	420,457 1,736 388,800	500,600 600 538,300	69,9	56 98,20 73 4,267,60	
TOTAL	4,834,500	1,199,492	3,398,800	810,993	1,039,500	186,1	57 9,272,80	0 2,196,642
POUND NETS: CHINOOK OR KING CHUM OR KETA. PINK RED OR SOCKEYE. SILVER OR COHO.	65,400 12,400 279,500 12,500 64,800	8,176 1,650 27,950 2,492 8,159	-		-	-	65,40 12,40 279,50 12,50 64,80	0 1,650 0 27,950 0 2,492
TOTAL	434,600	48,427		-	-	-	434,60	0 48,427
REEF NETS: CHINOOK OR KING CHUM OR KETA. PINK. RED OR SOCKEYE. SILVER OR COHO.	129,800 181,100 3,183,100 475,300 250,500	16,219 24,084 318,309 95,067 31,559	- - -	-	:	-	129,80 181,10 3,183,10 475,30 250,50	0 24,084 0 318,309 0 95,067 0 31,559
TOTAL	4,219,800	485,238					4,219,80	0 465,236
DIP NETS: CHINOOK OR KING CHUM OR KETA RED CR SOCKEYE.	-	- - -	-	=	228,100 1,800 4,400		42 1,80 888 4,40	0 142
TOTAL	-	-	-	-	234,300	39,1	27 234,30	0 39,127
GRAND TOTAL.	65,646,400	8,354,388	6,425,700	1,358,535	4,519,300	737,3	76,591,40	0 10,450,272
					<del></del>	4		
GEAR AND SPECIES				OREG				OTAL
		DLUMBIA RIVE			N COAST		POUNDS	VALUE
HAUL SEINES: CHINOOK OR KING CHUM OR KETA REO OR SOCKEYE. SILVER OR COHO.	948,5 948,5 29,9 112,4	00 \$15 00	8,396 2,389 187 5,067	<u>POUNDS</u> - - - -	VALUE	=	948,500 29,900 900 112,400	\$158,396 2,389 187 15,067
TOTAL	1,091,7		6,039		-		1,091,700	176,639
GILL NETS: CHINOOK OR KING CHUM OR KETA. RED OR SOCKEYE. SILVER OR COHO.	5,656,9 234,6 2,9 456,1	00 94 00 1 00 00 6	4,692 8,770 579	338,600 445,000 639,500	\$62,64 35,60 83,13	93	5,995,500 679,600 2,900 1,095,600 7,773,600	1,007,335 54,370 579 144,245
TOTAL	6,350,5	1,02	5,153	1,423,100	101,3		.,,	+
CHINOOK OR KING SILVER OR COHO.	223,9 163,4 387,3	00 2	0,229 4,673	1,136,900 1,126,700 2,263,600	244,47 145,6	78	1,360,800 1,290,100 2,650,900	304,656 170,351 475,007
TOTAL	307,3	<del></del>	,,,,,,		+		<del></del>	T
POUND NETS: CHINOOK OR KING CHUM OR KETA RED OR SOCKEYE. SILVER OR COHO.	398,5 17,3 9 104,8	00 1	1,386 177 4,046	:	=		398,500 17,300 900 104,800	66,543 1,386 177 14,046
TOTAL	521,5	00 8	32,152				521,500	82,152
DIP NETS: CHINOOK OR KING RED OR SOCKEYE. SILVER OR COHO.	790,1 8,1 1,6		1,950 1,628 209	:	=		790,100 8,100 1,600	131,950 1,628 209 133,787
TOTAL	799,8				+	=		
GRAND TOTAL	9,150,8	00 1,50	2,033	3,686,700	571,4	31	12,837,500	2,073,514

(CONTINUED ON NEXT PAGE)

# SALMON CATCH BY DISTRICTS AND GEAR, 1949 - Continued

					CALIFO	RNIA				
GEAR AND SPECIES		THERN TRICT	SAN FRA	NCISCO FRICT		TEREY TRICT	SAN PER DISTRI		то1	AL
0111 11575	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
GILL NETS: CHINOOK OR KING	-	-	899,100	\$220,098	-	-	-	-	899,100	\$220,098
TOTAL	-	-	899,100	220,098	-	-		-	899,100	220,098
LINES: CHINOOK OR KING	2,601,400	\$617,574	2,455,500	\$552,498	468,700	\$117,612	5,000	\$1,521	5,530,600	1,289,205
TOTAL	2,601,400	617,574	2,455,500	552,498	468,700	117,612	5,000	1,521	5,530,600	1,289,205
GRAND TOTAL	2,601,400	617,574	3,354,600	772,596	468,700	117,612	5,000	1,521	6,429,700	1,509,303

# SUMMARY OF SALMON CATCH BY GEAR, 1949

STATE AND DISTRICT	PURSE SEINES	HAUL SEINES	GILL NETS	LINES
	POUNDS	POUNDS	POUNDS	POUNDS
ALASKA: SOUTHEASTERN	73;343,109 52,968,280 1,033,219	= = = = = = = = = = = = = = = = = = = =	3,184,868 20,836,846 43,763,045	23,955,914 - -
TOTAL	127,344,608	-	67,784,759	23,955,914
WASHINGTON: PUGET SOUNO WASHINGTON COAST COLUMBIA RIVER	45,256,600	589,800 - -	10,311,100 3,026,900 3,245,500	4,834,500 3,398,800 1,039,500
TOTAL	45,256,600	589,800	16,583,500	9,272,800
OREGON: COLUMBIA RIVER OREGON COAST	:	1,091,700	6,350,500 1,423,100	387,300 2,263,600
TOTAL	-	1,091,700	7,773,600	2,650,900
CALIFORNIA: NORTHERN DISTRICT SAN FRANCISCO DISTRICT MONTEREY DISTRICT SAN PEORO DISTRICT	:	-	899,100 -	2,601,400 2,455,500 468,700 5,000
TOTAL	-	-	899,100	5,530,600
GRAND TOTAL	172,601,208	1,681,500	93,040,959	41,410,214
STATE AND DISTRICT	POUND NETS	REEF NETS	DIP NETS	TOTAL
	POUNDS	POUNDS	POUNOS	POUNDS
ALASKA: SOUTHEASTERN	131,412,629 37,847,250	<u>.</u> :	<u>:</u>	231,896,520 111,652,376 44,796,264
TOTAL	169,259,879	-	-	388,345,160
WASHINGTON: PUGET SOUND WASHINGTON COAST COLUMBIA RIVER	434,600 - -	4,219,800	_ 	65,646,400 6,425,700 4,519,300
TOTAL	434,600	4,219,800	234,300	76,591,400
OREGON: COLUMBIA RIVER OREGON COAST	521,500	-	799,800	9,150,800 3,686,700
TOTAL	521,500	-	799,800	12,837,500
CALIFORNIA: NORTHERN DISTRICT. SAN FRANCISCO DISTRICT. MONTEREY DISTRICT. SAN PEDRO DISTRICT.	- - -	:	:	2,601,400 3,354,600 468,700 5,000
TOTAL	-	-	-	6,429,700
GRAND TOTAL	170,215,979	4,219,600	1,034,100	484,203,760

### SUMMARY OF SALMON CATCH BY DISTRICTS, 1949

AL ACKA

SPECIES				MLM.	JIVA			
JFECTES	SOUTH	EASTERN	CEN	TRAL	wêS'	TERN	TO	TAL
	POUNDS	VALUE	POUNOS	VALUE	POUNUS	VALUE	POUNOS	VALUE
CHINOOK OR KING CHUM OR KETA PINK RED OR SOCKEYE SILVER OR COHO	9,601,260 23,154,752 175,682,704 2,938,794 20,519,010	\$1,786,799 1,591,889 16,470,253 391,839 2,321,004	2,581,960 20,256,680 53,266,700 28,888,098 6,658,938	\$290,470 759,625 3,062,835 3,129,544 480,923	3,322,568 200 39,102,000	\$141,936 132,903 5 2,085,440 17,032	14,075,700 46,734,000 228,949,604 70,928,892 27,656,964	\$2,219,205 2,484,417 19,533,093 5,606,823 2,816,959
TOTAL	231,896,520	22,561,764	111,652,376	7,723,397	44,796,264	2,377,316	368,345,160	32,662,497
	l			WASHING	STON			
SPECIES	PUGET	SOUNO	WASHING.	TON COAST	COLUMB	IA RIVER	TO	TAL
CHINOOK OR KING CHUM OR KETA PINK RED OR SOCKEYE SILVER OR COHO	FOUNDS 4,107,900 4,290,800 44,196,700 6,164,600 6,886,400	VALUE \$997,546 582,996 4,419,659 1,232,930 1,121,257	POUNDS 2,000,000 658,800 17,500 869,900 2,879,500	VALUE \$496,030 52,046 1,744 265,311 543,404	263,200 600 11,100	\$613,912 21,056 56 2,223 100,102	POUNDS 9,589,200 5,212,800 44,214,800 7,045,600 10,529,000	\$2,107,488 656,098 4,421,459 1,500,464 1,764,763

1.358.535 4.519.300

		<u>'</u>	, , , , , , , , , , , , , , , , , , , ,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		, , , ,
SPECIES			ORI	EGON	1	
01 22 120	COLUMB	A RIVER	OREGO	COAST	TO:	TAL
CHINOOK OR KING CHUM OR KETA RED OR SOCKEYE SILVER OR COHO	9,017,900 281,800 12,800 838,300	<u>VALUE</u> \$1,361,810 22,545 2,571 115,107	POUNDS 1,475,500 445,000 1,766,200	VALUE \$307,070 35,600 - 228,811	POUNDS 9,493,400 726,800 12,800 2,604,500	VALUE \$1,668,880 58,145 2,571 343,918
TOTAL	9,150,800	1,502,033	3,686,700	571,481	12,837,500	2,073,514

65,646,400

8.354.388

SPECIES					CALIFOR	NIA				
3FEC1E3	NORT DIS	HERN TRICT	SAN FRA DIST		MONTE DIST		SAN P		тот	'AL
CHINOOK OR KING.	POUNDS 2,601,400	\$617,574	POUNDS 3,354,600	VALUE \$772,596	POUNDS 468,700	<u>VALUE</u> \$117,612		<u>VALUE</u> \$1,521	6,429,700	VALUE \$1,509,303
TOTAL	2,601,400	617,574	3,354,600	772,596	468,700	117,612	5,000	1,521	6,429,700	1,509,303



TUNA JIG

# PACIFIC COAST TUNA FISHERY

Landings of tuna and tunalike fishes in the Pacific Coast States during 1949 totaled a record high of 332,068,900 pounds, valued at \$53,851,900 to the fishermen. The catch exceeded the previous high established in 1948 by over 7 million pounds.

Prices paid for tuna during 1949 were not as high as the 1948 prices. The high and low prices paid per ton for the various species were as follows: yellowfin, \$340 to \$310; bluefin, \$330 to \$300; skipjack, \$320 to \$290; bonito, \$235 to \$195; and yellowtail, \$225 to \$185. Albacore prices were reduced from \$400 per ton at the start of the season to less than \$350 per ton in the latter part of the season. Albacore prices in 1948 ranged from \$750 to \$500.


Yellowfin was the most important species accounting for 57 percent of the total landings. Skipjack and albacore represented 24 and 16 percent respectively, with the balance consisting of bluefin and bonito.

# SUMMARY OF PACIFIC TUNA CATCH, 1949

OVER AND DIOTRICT	1		PURSE SEINE	S		
STATE AND DISTRICT	ALBA	CORE	BLUEF	IN	BONT	ro
	POUNDS	VALUE	POUNDS	VALUE	POUNDS	VALUE
CALIFORNIA: SAN FRANCISCO DISTRICT MONTEREY DISTRICT:	200 106,700	\$24 16,750	<u>1</u> /222,700 7,800	\$36,746 1,714		-
OFF CALIFORNIA OFF LATIN AMERICA	15,400 25,900	2,870 18,022	2,201,500 1,824,200	357,521 296,248	59,800 1,575,700	\$5,810 153,002
TOTAL SAN PEDRO	41,300	20,892	4,025,700	653,769	1,635,500	158,812
SAN DIEGO DISTRICT: OFF CALIFORNIA OFF LATIN AMERICA	3,300 64,100	657 12,626	21,000 29,900	3,147 4,487	2,900 24,600	288 2,468
TOTAL SAN DIEGO	67,400	13,283	50,900	7,634	27,500	2,756
TOTAL CALIFORNIA	215,600	50,949	4,307,100	699,863	1,663,000	161,568
			LINES			
WASHINGTON: PUGET SOUND	943,800 3,343,400 146,700	\$167,998 595,128 26,255	=	=	=	Ē
TOTAL WASHINGTON	4,433,900	789,381	-	-	<u>-</u>	-
OREGON: COLUMBIA RIVER	4,553,200 1,773,800	815,019 269,123	=	-	:	-
TOTAL OREGON	6,327,000	1,104,142	-	-		-
CALIFORNIA: NORTHERN DISTRICT	2,817,500 1,504,900 5,018,700	427,697 231,008 787,937	=	-	:	1.1.1
SAN PEDRO DISTRICT: OFF CALIFORNIA OFF LATIN AMERICA	4,008,500 5,686,100	727,011 1,043,264	37,000 2,500	\$6,008 406	17,700 15,000	\$1,719 1,455
TOTAL SAN PEDRO	9,694,600	1,770,275	39,500	6,414	32,700	3,174
SAN DIEGO DISTRICT: OFF CALIFORNIA	6,981,400 17,800,800	1,373,930 3,503,197	6,700 36,100	1,004 5,421	9,700 114,400	979 11,500
TOTAL SAN DIEGO	24,782,200	4,877,127	42,800	6,425	124,100	12,479
TOTAL CALIFORNIA .	43,817,900	8,094,044	82,300	12,839	156,800	15,653
			GILL	NETS		
CALIFORNIA:  SAN PEORO DISTRICT:  OFF CALIFORNIA  OFF LATIN AMERICA	-	-	=	:	6,100 200	\$ 587 18
TOTAL SAN DIEGO	-		= =	-	6,300	605
SAN DIEGO DISTRICT: OFF CALIFORNIA OFF LATIN AMERICA	=	=	=	-	2,400 400	244 43
TOTAL SAN DIEGO		-	-	-	2,800	287
TOTAL CALIFORNIA	-	-	-	-	9,100	892
			OFTER	TRAVIS		
CALIFORNIA: SAN PEDRO DISTRICT: OFF CALIFORNIA	-	-	-	-	600	68
GRAND TOTAL	54,794,400	\$10,038,516	4,389,400	\$712,702	1,829,500	178,181
		PURS	SE SEINES - CONT			
STATE AND DISTRICT		PJACK		LOWFIN	TO	
OREGON: COLUMBIA RIVER	1/565,000	\$62,709	POUNDS 1/2,409,300	<u>VALUE</u> \$283,007	2,974,300	\$345,716
				· -	222,900	36,770
CALIFORNIA: SAN FRANCISCO DISTRICT MONTEREY DISTRICT	=	-	-	-	114,500	18,464
CALIFORNIA: SAN FRANCISCO DISTRICT	3,511,200 3,511,200	512,983 512,983	23,256,500	3,781,501 3,781,501	2,276,700 30,193,500	18,464 366,201 4,761,756 5,127,957

SUMMARY OF PACIFIC TUNA CATCH, 1949 - Continued

STATE AND DISTRICT			PURSE SEIN	ES - CONTINUED	)	
STATE AND DISTRICT	SKI	PJACK	YEL	LOWFIN	TO1	AL
CALIFORNIA - CONTINUED: SAN DIEGO DISTRICT: OFF CALIFORNIA	POUNDS	<u>VALUE</u>	POUNDS	VALUE	POUNDS 27,200	NALUE
OFF LATIN AMERICA	78,800	\$11,772	877,400	\$144,640	1,074,800	175,993
TOTAL SAN DIEGO	78,800	11,772	877,400	144,640	1,102,000	180,085
TOTAL, CALIFORNIA	3,590,000	524,755	24,133,900	3,926,141	33,909,600	5,363,276
		L	INES - CONTINUE	D		
WASHINGTON: PUGET SOUND	=	-	=	=	943,800 3,343,400 146,700	167,998 595,128 26,259
TOTAL WASHINGTON .					4,433,900	789,38
OREGON: COLUMBIA RIVER	1/1,376,800	206,518	<u>1</u> /3,161,800	524,861	9,091,800 1,773,800	1,546,398 289,123
TOTAL OREGON	1,376,800	206,518	3,161,800	524,861	10,865,600	1,835,52
CALIFORNIA: NORTHERN DISTRICT SAN FRANCISCO DISTRICT MONTEREY DISTRICT		<del>-</del> -	=	-	2,817,500 1,504,900 5,018,700	427,697 231,008 787,937
SAN PEDRO DISTRICT : OFF CALIFORNIA OFF LATIN AMERICA	15,300 20,399,600	2,232 2,980,385	4,500 46,793,300	728 7,608,599	4,083,000 72,896,500	737,698 11,634,109
' TOTAL SAN PEDRO	20,414,900	2,982,617	46,797,800	7,609,327	76,979,500	12,371,80
SAN DIEGO DISTRICT: OFF CALIFORNIA OFF LATIN AMERICA	11,400 54,554,100	1,710 8,144,912	5,400 114,035,200	885 18,655,059	7,014,600 186,540,600	1,378,500 30,320,089
TOTAL SAN DIEGO	54,565,500	8,146,622	114,040,600	18,655,944	193,555,200	31,698,59
TOTAL CALIFORNIA .	74,980,400	11,129,239	160,838,400	25,265,271	279,875,800	45,517,046
			GILL NETS - CO	NTINUED		
CALIFORNIA:  SAN PEORO DISTRICT:  OFF CALIFORNIA  OFF LATIN AMERICA	-	-	-	-	6,100 200	58" 18
TOTAL SAN PEDRO .	-	-	-		6,300	605
SAN DIEGO DISTRICT: OFF CALIFORNIA OFF LATIN AMERICA	-		-	-	2,400 400	244 43
TOTAL SAN DIEGO .	-	-	-	-	2,800	28
TOTAL CALIFORNIA.	-	-	-	-	9,100	892
			OTTER TRAWLS	- CONTINUED		
CALIFORNIA: SAN PEDRO DISTRICT: OFF CALIFORNIA	_	_	-	-	600	61
GRAND TOTAL	80,512,200	11,923,221	190,543,400	30,999,280	332,068,900	53,851,900



SUMMARY OF TUNA CATCH BY DISTRICTS, 1949

STATE AND DISTRICT	ALB	CORE	BLU	FIN	В	ONITO
WASHINGTON: PUGET SOUND	943,800 3,343,400 146,700	<u>VALUE</u> \$167,998 595,128 26,255	POUNDS - - -	VALUE - -	POUNDS - - -	VALUE - -
TOTAL WASHINGTON	4,433,900	789,381	-	-	-	-
OREGON: COLUMBIA RIVER	4,553,200 1,773,800	815,019 289,123	=	-	:	=
TOTAL OREGON	6,327,000	1,104,142	~		-	-
CALIFORNIA:  NORTHERN DISTRICT	2,817,500 1,505,100 5,125,400	427,697 231,032 804,687	2/222,700 7,800	\$36,746 1,714	=	-
SAN PEDRO DISTRICT: OFF CALIFORNIA	4,023,900 5,712,000	729,881 1,061,286	2,238,500 1,826,700	363,529 296,654	84,200 1,590,900	\$8,184 154,475
TOTAL SAN PEDRO SAN DIEGO DISTRICT:	9,735,900	1,791,167	4,065,200	660,183	1,675,100	162,659
OFF CALIFORNIA OFF LATIN AMERICA	6,984,700 17,864,900	1,374,587 3,515,823	27,700 66,000	4,151 9,908	15,000 139,400	1,511 14,011
TOTAL SAN DIEGO	24,849,600	4,890,410	93,700	14,059	154,400	15,522
TOTAL CALIFORNIA	44,033,500	8,144,993	4,389,400	712,702	1,829,500	178, 181
GRAND TOTAL	54,794,400	10,038,516	4,389,400	712,702	1,829,500	178, 181
STATE AND DISTRICT	SKIF	JACK VALUE	YELL POUNOS	OWF IN	POUNDS	OTAL
WASHINGTON:	FOOTABS	VACUE				
PUGET SOUND	=	-	=	=	943,800 3,343,400 146,700	595, 12
PUGET SOUND	-	-	= = =	= -	943,800	\$167,99 595,12 26,25
PUGET SOUND	- - - 1/1,941,800	- - - \$269,227		=	943,800 3,343,400 146,700	\$167,99 595,12 26,25 789,38
PUGET SOUND	1/1,941,800			-	943,800 3,343,400 146,700 4,433,900	\$167,991 595,121 26,251 789,38
PUGET SOUND		\$269 <u>,</u> 227		\$807,868	943,800 3,343,400 146,700 4,433,900 12,066,100 1,773,800	\$167,931 595,121 26,251 789,38 1,892,114 289,123 2,181,237 427,697 267,776
PUGET SOUND. COASTAL  TOTAL WASHINGTON.  OREGON: COLUMBIA RIVER COASTAL.  TOTAL OREGON.  CALIFORNIA: NORTHERN DISTRICT. SAN FRANCISCO DISTRICT.		\$269 <u>,</u> 227		\$807,868 - 807,868	943,800 3,343,400 146,700 4,433,900 12,066,100 1,773,800 13,839,900 2,817,500 1,727,800	\$167,93/ 595,12/ 26,25/ 789,38 1,892,114/ 289,123/ 2,181,237 427,69/ 267,776/ 806,401
PUGET SOUND	1,941,800	\$269,227 269,227 - - - 2,232	5,571,100 - - - - 4,500	\$807,868 807,868 - - 11,390,100	943,800 3,343,400 146,700 4,433,900 12,066,100 1,773,800 13,839,900 2,817,500 5,133,20u 6,366,400	\$167, 934 \$167, 934 595, 124 26, 254 789, 38 1,892, 114 289, 123 2,181, 237 427, 697 267, 776 606, 401 1, 104, 554 10, 395, 883 17, 500, 437
PUGET SOUND. COASTAL COLUMBIA RIVER TOTAL WASHINGTON.  OREGON: COLUMBIA RIVER COASTAL. TOTAL OREGON CALIFORNIA: NORTHERN DISTRICT. SAN FRANCISCO DISTRICT. SAN PEDRO DISTRICT. OFF CALIFORNIA. OFF LATIN AMERICA.	1,941,800 - - - 15,300 23,910,800	\$269,227 269,227 - - - 2,232 3,493,368	5,571,100 - - - - - 4,500 70,049,800	\$807,868 807,868 807,868 	943,800 3,343,400 146,700 4,433,900 12,066,100 1,773,800 13,839,900 2,817,500 1,727,800 5,133,20u 6,366,400 103,090,200	\$167,99; 595,12; 26.25; 789.38 1,892,114; 289,123 2,181,237 427,69; 267,776; 806,401 1,104,554 16,395,883 17,500,437
PUGET SOUND. COASTAL COLUMBIA RIVER TOTAL WASHINGTON. OREGON: COLUMBIA RIVER COASTAL TOTAL OREGON TOTAL OREGON CALIFORNIA: SAN FRANCISCO DISTRICT OFF CALIFORNIA TOTAL SAI FEDRO SAN DIEGO CISTRICT: OFF LATIN AMERICA.  SAN DIEGO CISTRICT: OFF CALIFORNIA SAN DIEGO CISTRICT: OFF CALIFORNIA  SAN DIEGO CISTRICT: OFF CALIFORNIA  SAN DIEGO CISTRICT: OFF CALIFORNIA	1,941,800 - - 15,300 23,910,800 23,926,100	\$269,227 269,227 - - - 2,232 3,493,368 3,495,600	5,571,100 - - - - - - - - - - - - - - - - - -	\$807,868 807,868 807,868 	943,800 3,343,400 146,700 4,433,900 12,066,100 1,773,800 13,839,900 2,817,500 1,727,800 5,133,20u 6,366,400 103,090,200 109,456,600	\$167,994 595,124 26,255 789,38 1,892,114 289,123 2,181,237 427,697 267,776 806,401 1,104,554 16,395,883
PUGET SOUND. COASTAL COLUMBIA RIVER TOTAL WASHINGTON. OREGON: COLUMBIA RIVER COASTAL. TOTAL OREGON COLUMBIA RIVER COASTAL. TOTAL OREGON CALIFORNIA: NORTHERN DISTRICT. SAN PERANCISCO DISTRICT MONTEREY DISTRICT: OFF CALIFORNIA: OFF LATIN AMERICA.  SAN DIEGO DISTRICT: OFF CALIFORNIA OFF LATIN AMERICA. OFF LATIN AMERICA. OFF LATIN AMERICA.	1,941,800 - 15,300 23,910,600 23,926,100 11,400 54,632,900	\$269,227 269,227 - - - 2,232 3,493,368 3,495,600 1,710 8,156,684	5,571,100 - - - - - - - - - - - - - - - - - -	\$807,868 807,868 807,868 	943,800 3,343,400 146,700 4,433,900 12,066,100 1,773,800 13,839,900 2,817,500 1,727,800 1,727,800 1,727,800 1,727,800 1,727,800 1,727,800 103,090,200 109,456,600 17,644,200 187,615,800 194,660,000	\$167,99; 595,12; 26.25; 789.38 1,892,114; 289,123; 2,181,237; 427,697; 267,776; 806,401 1,104,554 16,395,883; 17,500,437; 1,382,844; 30,496,125

# WHALING

Only one firm, Maritime Industries, Inc.. which operated a shore station at Fields Landing, California, engaged in the whale fishery during 1949. A total of 49 whales was taken, consisting of 28 sperm, 11 finback, and 10 humpback whales. Two killer boats with a net tonnage totaling 311 tons, and having crews totaling 8 men carried out these operations.

# SECTION 13.- STATISTICAL SURVEY PROCEDURE

This report is another in a series of annual statistical reports containing data on the quantity and value of the commercial catch of fishery products and the numbers of persons and operating units engaged in the commercial fisheries of the United States and Alaska. The report has been prepared and published by the Branch of Commercial Fisheries, Fish and Wildlife Service, Department of the Interior, and is a continuation of a series inaugurated by its predecessor organizations in the Departments of Interior, Commerce, Commerce and Labor, and the United States Fish Commission.

In order that those who use the statistical data contained in this and previous reports may be informed as to the source of the figures and methods for their collection, it has been deemed advisable to outline, in moderate detail, the survey procedure followed. This procedure has been developed over a period of years, and changes in methods have been made at times when such changes have appeared to work toward general improvement. While the surveys in the several sections are not made in the same manner, owing to varying facilities and records in different states, an attempt has been made to make the data collected by various methods comparable with respect to the same year as well as over a period of years. Throughout the entire plan it has been the intention to coordinate State and Federal fishery statistical work so that there will be as little duplication of effort as possible.

# SECTIONAL SURVEYS

Statistical surveys of the fisheries and fishery industries of the various sections of the United States occupy by far the greatest part of the time of the statistical personnel of the Branch. In the course of these surveys, the field representatives visit the individual fishing localities of the various States to collect statistics on the volume and value of the catch of fish and shellfish, employment in the fisheries, quantity of fishing gear, number and classification of fishing and transporting craft, and the volume and value of manufactured fishery products and byproducts. The various phases of these surveys are discussed in detail in the sections following.

History.--The first comprehensive statistical survey of the fisheries and fishery industries of the United States was made for the year 1880 by George Brown Goode, Assistant Director of the United States National Museum, and associates, with the co-operation of the Commissioner of Fisheries and the Superintendent of the Tenth Census. Data for specific fisheries, or restricted sections for years prior to 1880, also were collected in the early survey and recorded in Mr. Goode's reports. The survey for 1880, however did not include the Mississippi River and its tributaries. Periodic general surveys of a limited number of States of limited areas of the United States were made for various of the intervening years between 1880 and 1908 and from 1909 to 1928. A survey of the entire United States was made for 1908. The next general survey of the entire United States was not made until 1931, although complete data for all sections, excluding the Mississippi River and its Tributaries, were collected for 1929 and 1930. Complete data on the catch and operating units for these same sections were also collected for 1932. In the latter survey, however, lack of sufficient funds prohibited collection of data on the wholesale and manufacturing operations except those data collected as a part of the canned fishery products and byproducts survey. Various sections were surveyed during the years from 1933 to 1949, inclusive. Data on the wholesale and manufacturing industries were collected in all of the surveys from 1933 to 1940, inclusive. In the years since 1940, the lack of personnel and funds precluded the collection of data on wholesale and manufacturing firms except for those data collected as a part of the canned fishery products and byproducts surveys.

The chart on the following page indicates the years for which surveys have been made in the various sections. Figures for more recent years are available from the Service in bulletin form, but data for the earlier years are available only in the Fish Commission and Bureau of Fisheries printed reports. These reports are available for reference in the Department of the Interior library and in many public libraries. A bibliography of these reports will be found in Section 16 of this Digest.

# SURVEYS OF THE FISHERIES OF THF UNITED STATES

				127			П										
102 103			$\forall$	126													
0		1		125			2			149							
0006		$\top$		124						148					1	100	
006: 66,				123	Section 1					147 148 149				Ť			
86.	44	W 100 100		122													
196 197 198				121						145							
				1920						144							
1,35				118 119						143				$\Box$			
6				118						141 142 143				П			
193 19:1				117										1			
192				116 117						139 1940							
191		$\Box$		115						139							
189 1890				113 114 115						139							
189				113		T				137				Š.			
188				112		T	Ħ		П	136							-
197				21, 11, 0161 60,		T	П			134 135		- S					
186			$\top$	1910			П			134							
185				109						133							
184				107 108	1					32,							
693				107			П	Ī		131			**				
182			$\sqcap$	9		Г				129 1930	ĵ.	Ţ,					
181		П		105						129						1	
1990			120	1904			П	T	400	1928		uus		3			

Since the surveys of the fisheries have varied in completeness three legends have been used for the years shown in the chart to indicate whether complete, partial, or no surveys were conducted in the individual regions. The designation 'complete survey' has been used to indicate that basic operating unit, and catch data were obtained and that complete information was collected on employment in wholesale and manufacturing establishments and on the production of manufactured fishery products. The legend 'partial survey' usually indicates that operating unit and catch statistics were collected, but that no information was obtained on employment in wholesale and manufacturing establishments and that only partial data were obtained on the production of manufactured fishery products. In some instances the designation 'partial survey' is used for regions in which only catch statistics were collected. The legend 'no survey' indicates that a general canvass was not conducted to obtain operating unit, catch, employment in wholesale and manufacturing plants, and complete manufactured products data. Although the charts indicated that in certain regions no surveys were conducted some information may be available on the landings at certain important ports. Likewise information on the catch of certain species, such as menhaden, may be available as a result of information collected with the annual canned fish and byproducts survey. Data on the annual production of canned fishery products and byproducts have been collected for all regions since 1921, while information was obtained on the production of packaged fish for 1926 and annually since 1928.

A bibliography listing the various surveys made since 1880 and the publications in which the results were published appeared in Statistical Digest No. 21. A list of the statistical bulletins in the Current Fishery Statistics series published during 1949 may be found in Section 16 of the current digest.

Field Personnel. -- The statistics contained in this volume have been collected by a group of trained marketing specialists which comprises a part of the permanent staff of the Branch of Commercial Fisheries of this Service.

Period Covered..-These specialists are assigned permanent field stations, generally in the principal port within their field, and travel from that station in conducting their various surveys. They collect statistics of fishery operations for the year preceding that in which they are working; and since their field work occupies the greater part of the year, it is usually at least a year from the end of the calendar year for which they are collecting data until the figures are published. The data usually are collected and published on a calendar year basis, although for some States they are on a fiscal year basis. Prior to 1930, statistics on the catch of oysters in the Atlantic and Gulf States were collected for the oyster season; that is, from September to April, inclusive. Beginning with 1930 and continuing to the present time, they have been collected on the basis of the calendar year.

Scope...The scope of the coastal statistical surveys include canvasses of the commercial fisheries of the oceans and bays and of the coastal rivers as far inland as commercial fishing is important. This usually coincides with the range of commercial fishing for anadramous species. Statistics of the fisheries of the Mississippi River cover canvasses of the fisheries of the Mississippi River proper as well as all of its tributaries wherein commercial fishing for either fish, crustaceans, or mollusks is prosecuted. Statistics of the fisheries of the Great Lakes cover canvasses of the fisheries prosecuted in the lakes proper, adjacent bays, the International Lakes of northern Minnesota, and rivers which sustain a commercial fishery having outlets into these waters. Statistics on the fisheries of Florida include the commercial fisheries prosecuted in Lake Okeechobee. Surveys for statistics of the wholesale and manufacturing fishery industries cover such plants located in the coastal, river, and lake areas adjacent to the waters mentioned above.

Methods of Collection...Several methods for the collection of fishery statistics are employed, each of which has been carefully studied to obtain the best results with the available personnel and funds. In most instances the field personnel obtain lists of the names of fishing vessels, names and numbers of motorboats, and names of owners of these craft from local custom officials. Also it usually is possible to obtain the names of licensed commercial fishermen, fishing craft and some statistics on the catch from State fishery agencies; from other State, county or city sources; or from private organizations.

With such preliminary records as are available for their guidance the field specialists visit each fishing community in their field unless these preliminary records are so complete that personal visits may be eliminated. If complete catch data are not available from central sources, wholesale dealers and manufacturers of fishery products are visited and data are obtained from them on their purchases of fishery products while it is impossible for the few Service representatives available for this work to interview each fishermen in a given locality, the more important ones are visited, and a sufficient number of those of lesser importance are interviewed to obtain reliable information on their production, the number of fishing craft employed, the quantity of gear operated, and the number of persons employed as fishermen.

The state fishery agencies in a number of states have developed relatively complete statistical systems which greatly facilitate the Service's surveys in these states. In these states the Service only conducts such surveys as may be necessary to make the data comparable with that of other States.

As regards the fisheries of the Great Lakes and International lakes of Northern Minnesota, the Service obtains most of the catch statistics and usually the value of the catch direct from the records of the State fishery agencies. To obtain data on the number of fishermen, boats, vessels, and gear, the Service conducts such personal surveys among the fishermen as may be necessary to supplement the State records.

Service statistical personnel are stationed at Seattle, Washington, and San Pedro, California, who survey the fisheries of the Pacific Coast States. As a rule they obtain figures on the volume of the catch from the records of the State fishery departments. The value of the catch is derived from dealers' records. In Washington and Oregon the data for operating units in the offshore fisheries are obtained from the records of various fishery organizations as well as from records of the State department of fisheries. Statistics of the wholesale fishery industry for this section are obtained largely by personal interviews.

In the administration of the Alaska fisheries the Service obtains sworn statements concerning the activities of those prosecuting the fisheries in this area. These statements are compiled by the Alaska Branch of this Service and the summary data, by districts, are reproduced in this report.

Statistics on the volume of the catch of fish of the Great Lakes States usually are shown in weights as landed, which may be in the round or dressed condition. Statistics on the volume of the catch of fish taken in the remainder of the United States are shown in round weight.

The figures in the tables for shell fish represent the weight of the meats in the cases of univalve and bivalve mollusks and gastrapods, and the round weight of crustaceans and such mollusks as squid and octopus.

Shore and vessel fisheries.—In general, statistics of the shore fisheries, as collected by the Service's representatives, include data on the number of casual and regular fishermen; number of motor and other fishing boats and accessory boats; type and quantity of gear used; and the volume, value, and method of capture of each species caught by boats (for our purpose craft of less than 5 net tons capacity are called 'boats') for each locality or group of localities. This method is not followed in some sections where the availability of data collected by the States fishery agencies obviates the necessity of detailed locality surveys.

Statistics of the vessel fisheries include data on the number of the crew, rig of vessels, net tonnage, kind and quantity of gear used, accessory boats carried, and volume, value, and method of capture of each species. For our purpose craft of 5 net tons capacity or more are called 'vessels'. As in the shore fisheries, the availability of figures collected by State fishery agencies may eliminate the necessity of our agents collecting these data for individual vessels.

Statistics of the quantity of gear operated indicate the maximum number of units fished at any one time during the year. Gear carried in reserve for replacement is not enumerated.

All persons engaged in commercial fishing operations are included as fishermen. For our purpose these have been divided into 'regular' and 'casual' fishermen. Regular fishermen are defined as those who receive more than one-half of their annual income from fishing; whereas casual fishermen are those whose principal business is something other than fishing, and who receive less than one-half of their annual compensation from fishing.

The catch of fish and shellfish is credited to the port where it is landed and the craft making the catch is credited to the locality where it landed the greatest portion of its catch during the year, except in the Pacific Coast States. Prior to 1949, craft in these states were credited to its home port unless it did not fish from that port during the year. In that case, it is credited to the locality where it landed the greatest portion of its catch. In 1949 each craft in the Pacific Coast States was credited to each State in which it landed fish during the year and a total exclusive of duplication is given for the entire Pacific Coast. Prior to the survey for 1942 it was the practice of the Service to credit the entire catch of a vessel to the principal port of landing, regardless of the actual point of landing. This policy was discontinued, however, since it quite often resulted in inconsistencies by presenting catches of certain fish in areas to which they are not common inasmuch as fishing vessels frequently operate in areas far removed from their principal fishing port. An outstanding example of this is the case of the Southern trawl fishery. In this fishery off the New Jersey, Maryland, Virginia, and North Carolina coasts, many fishing vessels from Massachusetts operate for 6 to 10 weeks during the winter season. Prior to the survey for 1942 the catch of these fish, principally common to these waters, was credited to Massachusetts. Under the present system the catch is credited to the southern port at which the major portion of their catch was landed.

Publication of Data.--Statistics of employment in the fisheries, craft and gear engaged, quantity and value of catch, and certain data on industries related to the fisheries are summarized according to the geographic division and published in bulletin form as soon as possible after the completion of each survey. Later, the figures, in more detail, are included in the annual reports of the Service entitled 'Fishery Statistics of the United States' and in 'Alaska Fishery and Fur-Seal Industries'.

Since 1928, data on the operating units (fishermen, fishing craft, and gear) and catch by counties for the Atlantic Coast and Gulf States have usually been included in the annual statistical reports 'Fishery Statistics of the United States' or its predecessor publication 'Fishery Industries of the United States.' However, funds were not available for the publication of county data for 1932 or for any year after 1938, except 1945. County data were collected for the areas in which surveys were conducted during those years, except in Maryland since 1942, and the data are on file in Washington, D. C. office of the Branch.



# LOCAL AND SPECIAL SURVEYS

Landings at Certain Massachusetts Ports.--Detailed statistics are collected on the landings of aquatic products by individual fishing craft at Boston, Gloucester, New Bedford, Provincetown, and other Cape Cod ports. Service representatives are permanently stationed at each of these ports. They obtain daily figures on the quantity of fish landed by each fishing craft, the value of such fish landed, the date of departure and arrival of the craft, the gear used in their capture, and, except for ports located on Cape Cod, the grounds from which the fish were taken. The Branch of Fishery Biology and the Fishery Market News Service cooperate in the collection of these data.

Statistics on the landings at the above ports are released monthly and annually in bulletin form and detailed data are published in the annual statistical digests of the Branch. Products of American Fisheries received duty free at Boston and Gloucester from the treaty coasts of Newfoundland, Magdalen Islands, and Labrador, have not been included in the landings at these ports since 1938. Data on the landings at Boston and Gloucester have been collected annually since 1893. Some data are also available for these ports for earlier years. Information on landings at Provincetown and other Cape Cod ports has been collected annually since 1945, and at New Bedford since 1938.

Statistics on the landings of Fish at Seattle, Washington.--Data on the landings by the United States halibut fleet at this port are assembled by the Service from information collected by the International Fisheries Commission. Generally the halibut fleet is considered as consisting of those vessels belonging to members of the Fishing Vessel Owner's Association, Inc., which sell their fares through the Seattle Fish Exchange. This fleet originally fished almost exclusively for halibut. With the shortening of the halibut season, particularly in Area II, a portion of the fleet has fished for other species during the closed season for halibut, and has continued selling their fish through the Exchange. Data on other fishery products received by Seattle Wholesale Dealers, including receipts from Alaska and Canada, which appear in this report, are collected by the Service's Seattle representatives. Prior to 1944, receipts from Alaska and British Columbia were not included in the Seattle receipts published in the Statistical Digests. However, since October, 1938, these data were contained in the monthly and annual reports published by the Seattle Fishery Market News Office.

Shad and Alewife Fisheries.--Owing to the importance of the Hudson and Potomac Rivers in the production of shad, surveys for statistics of the catch, value of the catch, and operating units are made annually. On the Potomac River similar statistics are also obtained for the alewife fishery. Much of the data required for these surveys are available from the State fishery agencies.

Statistics of the annual shad and alewife fisheries are not published separately in bulletin form. However, a summary of the data is published in the annual Statistical Digest.

Statistics of the shad fishery of the Hudson River are available for 1896, 1897, 1898, 1901, 1904, 1910, and annually since 1915, while data for the shad fishery of the Potomac River are available for 1896, 1901, 1904, 1909, 1915, from 1919 to 1942, inclusive, and annually since 1944. Statistics of the alewife fishery of the Potomac River are available for 1896, 1909, 1915, 1919, to 1942, inclusive, and annually since 1944.

Pacific Halibut Fishery.--Statistics of the Pacific halibut fishery are obtained by the Service's personnel in Seattle, aided by Service representatives in Alaska, and the International Fisheries Commission. The fleet classification is that of the International Fisheries Commission, under which vessels that are listed by the Commission as having their home port in Alaska are included in the 'Alaska fleet', and all other vessels of United States registry landing at Seattle or ports in British Columbia or Alaska are included in the 'Washington fleet'. The catch is credited to the point where landed in the section 'Review of Certain Major Fisheries'. In the other sections of this report, all halibut is credited to the port where landed, except that all halibut landed by United States and Alaskan craft in British Columbia is credited to Alaska.

Monthly and annual statistical bulletins are available on this fishery, being published along with the statistics of the landings of fishery products at Seattle, Washington and detailed statistics are published in the annual statistical reports of the Branch. Statistics of the landings of halibut at Pacific Coast ports have been collected since 1925.

Canned Fishery Products and Byproducts.--Beginning in 1921, the Service has made annual surveys for statistics of the canned fishery products and byproducts industries of every section. These are begun the first week in January of each year for statistics of the production in the preceding year. The Service obtains by mail, so far as possible, the production of canned fishery products or byproducts from each plant in the United States engaged in this business. Where it is impossible to obtain reports by mail, the report is secured by personal visit by the Service's agents. The data obtained for canned fishery products include statistics on the yield and value of the production for each commodity by can sizes, case sizes, and trade classifications. The value shown for canned products and byproducts constitutes the gross amount received by the packer at the production point, no deductions being made for commissions or expenses. Statistics of the canned fishery products and byproducts produced in Alaska are received on the same statements obtained by the Alaska branch that include statistics of general fishery operations.

Annual statistical bulletins are issued on this trade, and detailed statistics of the output are published in the annual Statistical Digest. In addition to the data obtained on the output of these products annually since 1921, data also usually were obtained prior to 1921 for the years the various sections were surveyed.

Packaged Fish Trade.--Statistics of the annual production and value of fish packaged in the United States are obtained as a part of the survey for the statistics of the canned fishery products and byproducts industries. These data are released in bulletin form annually and later in more detailed and adjusted form in the annual Statistical Digest. Statistics of the production of packaged fish are available for 1926 and annually since 1928, except that no data was collected for the years 1941 to 1946, inclusive, in California.

Cold-Storage Holdings of Fish.--Information on the monthly freezings and holdings of fishery products is obtained from cold storage warehouses by mail and by Service employees in various cities of the country. Data are also obtained on the holdings of certain cured fish. Bulletins showing these statistics are issued monthly and annually.

Detailed cold-storage statistics also are published in the annual Statistical Digests issued by the Service. Information regarding cold-storage holdings of fishery products have been published since 1917 and data on quantities of fish frozen, for the years from 1920 to 1925, inclusive and annually since 1928.

Sponge Warket, Tarpon Springs.--The major proportion of the output of sponges in Florida is sold on the Sponge Exchange at Tarpon Springs. The Service has obtained, from a representative of the Exchange, annual statistics of the quantity and value of the sponges sold by variety. Data on the quantity of sponges marketed by the Exchange is published in the Branch's annual Statistical Digest. Information regarding the transactions on the sponge exchange also are available in bulletin form for 1913, 1914, for the years since 1917.

Foreign Fishery Trade. -- Statistics of the foreign fishery trade are obtained from compilations made by the Bureau of the Census, Department of Commerce. Statistics of all known fishery products imported or exported have been assembled and published annually since 1926 in the Branch's Statistical Digest. For earlier years, they are available in the reports of the Bureau of the Census, Bureau of Foreign and Domestic Commerce, the Bureau of Statistics, the Department of Commerce and Labor, or the Treasury Department.

# PRACTICES AND TERMS

Certain practices and terms of importance used in the compilation of fishery statistics are explained below.

Days Absent.--In computing 'days absent' for vessels landing fares at the various ports, the day of arrival, but not the day of departure is included; thus a vessel leaving port on the 8th of the month and returning on the 15th of the month will be credited with 7 days absence. Prior to 1944, 'days absent' included both the day of departure and the day of arrival.

Operating Units. -- Operating units as referred to in this document include persons engaged in the fisheries, and craft and gear employed in the fisheries.

Vessel. -- The term 'vessel' refers to a craft having a capacity of 5 net tons or more.

Boat .-- The term 'boat' refers to a craft having a capacity of less than 5 net tons.

Incidental Catch, -- The term 'incidental catch' refers to the catch of certain species by a type of gear which ordinarily does not capture such species.

Percentages. --Percentages are usually shown as whole numbers. Fractions of percents are dropped if less than five-tenths, and the percentage is raised to the next higher integer if the fraction is greater than five-tenths. If the fraction is exactly five-tenths, the integer is raised or lowered to make it an even number.

Fish.--The term 'fish' as used in this report includes all species belonging to the class Pisces.

Shellfish, etc.--A shellfish is an aquatic invertebrate animal having a shell, such as a mollusk, or crustacean. However, in order to reduce the classifications appearing in the catch tables, all items not properly listed as 'Fish' or 'Whale Products' have been included under 'Shellfish, etc.' Accordingly, there is included under this classification turtles, frogs, sponges, sea weed, worms, etc.

Whale Products. -- Since data are not available on the poundage of whales taken, statistics appearing in catch tables on the yield of these animals represent the weight of whale products produced such as meal, sperm oil, whale oil, etc. The values shown represent the amount received by the manufacturer for the products.

Converting. -- Many of the figures shown in the statistical tables published herewith have been converted to thousands of pounds or dollars. In making these conversions the largest number from which a group of items is computed is raised or lowered to the nearest thousands place. The individual items are adjusted to conform to the total thus obtained.

Confidential data.--The statistical data collected by the Branch are confidential, and unless specific authorization is given, are not divulged in any manner except to employees of the Fish and Wildlife Service whose duties require this information. Statistics on the production of wholesale and manufacturing firms are published only for commodities or geographical areas where the production of three or more firms may be grouped, unless special permission is obtained from the firms involved to release the data.



# CONVERSION FACTORS

It is the policy of the Service to show detailed catch figures of all products in pounds for the sake of uniformity and for purposes of comparison. This presents little difficulty in the case of fish since in very rare instances are fish reported in units of measure other than pounds. For shellfish, however, the units of measure may be bushels, sacks, barrels, thousands of shellfish, gallons of meat, etc. These many units make standardization difficult, and when combined with the wide variation in the requirements or definitions of some of these units in the various States the problem becomes even more complex.

All bivalve mollusks are reported in pounds of meats in the detailed catch tables presented in this report. In addition, there are included supplementary tables for most of the sections, which give data on the production in bushels. These supplementary tables also give the production of certain other shellfish, such as crabs, in number.

Oysters.--Probably the greatest problem in the presentation of fishery statistics in uniform units of measure is in the case of oysters. Usually the production of oysters on the Atlantic and Gulf coasts is reported to Service personnel in bushels; and prior to the data obtained for the year 1930 conversion from bushels to pounds of meats was effected on the basis of a uniform yield of 7 pounds of meats to the bushel. However, investigations have shown considerable variation from this figure. There follows a table which gives the measures used for oysters in the various States and the average yields per bushel. The statistical tables in this report are based on these average yields.

### MEASURES AND YIELDS OF OYSTERS

	CAPACITY OF	VARIATION	FROM	MARKET	OYSTERS
STATE	STATE BUSHEL	U.S. STANDAR		YIELO PER STATE BUSHEL	YIELD PER STANDARD BUSHEL
	CUBIC INCHES	CUBIC INCHES	PERCENT	POUNDS OF MEATS	POUNDS OF MEATS
MASSACHUSETTS RHONE ISLAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL STAND CONTROL	2,150.4 2,150.4 2,150.4 2,257.3 2,257.3 2,800.7 3,000.7 3,001.9 4,071.5 5,343.9 3,214.1 2,826.2 2,826.2	+ 106.9 + 106.9 + 650.3 + 853.5 + 651.5 + 1,921.1 + 3,193.5 + 1,063.7 + 675.8 + 675.8 - 2.0	+ 5.0 + 5.0 + 30.3 + 39.7 + 30.3 + 89.3 + 148.5 + 49.4 + 31.4 - 0.1 + 25.6	6,50 7,00 7,70 7,50 7,35 6,35 6,15 6,06 4,01 4,96 7,68 4,47 6,37 4,91 3,88 5,20	6,50 7,00 7,70 7,50 7,00 6,00 4,72 4,34 3,08 2,62 3,09 2,99 4,13 4,85 3,74 3,88 4,11

NOTE: -- DATA ON THE YIELDS FOR THE STATES OF NORTH CAROLINA, SOUTH CAROLINA, GEROGIA AND THE EAST COAST OF FLORIDA ARE FOR 1945. ALL OTHER ARE FOR 1949.

Other Wollusks.--The following table shows the conversion factors for various mollusks, other than oysters, used in this report.

# AVERAGE YIELDS OF CERTAIN MOLLUSKS

POUNDS OF MEAT PER U.S. STANDARD BUSHEL CLAMS, CLAMS, CLAMS, MUSSELS, PERIWINKLES HARD SCALLOPS CLAMS, CONCHS STATE RAZOR SEA AND COCKLES PUBL I C PRIVATE BAY SEA 11.00 15.00 15.00 18.00 6.00 15.00 12.00 18.00 5.B8 6.00 11.00 MASSACHUSETTS 11.00 11,00 13,00 32.00 12.00 12.00 12.00 9.00 9.00 12.00 6.00 RHODE ISLAND. 20.00 12 00 18.00 6.00 20.00 CONNECTICUT . 20.00 NEW YORK. . . NEW JERSEY. . 12.00 16.00 20.00 12.00 10.00 5.00 6.00 15.00 9.00 12.00 6.00 14.00 DELAWARE. . 9.00 6.00 20.00 12.00 MARYLAND. . 7.00 7.00 20.00 VIRGINIA. 7.00 7.00 6.00 NORTH CAROLINA. 7.70 7.65 -5.00 8.00 \_ 5.06 EAST COAST FLORIDA. WEST COAST FLORIDA. 17.00 8,05 8.05 15.00

1/ INCLUDES OCEAN QUANDG. NOTE:--OATA ON YIELDS FOR NORTH CAROLINA, SOUTH CAROLINA, AND EAST COAST OF FLORIDA ARE FOR 1945. ALL OTHE OATA ARE FOR 1949. Other Conversion Factors.--The principal other conversion factors that have been used in this report are as follows:

Crabs, blue, soft and peelers:

To convert number of crabs to weight in pounds in Delaware and New Jersey, divide by 4:in Maryland, by 3.03; in Virginia, by 3.01; and in Louisiana, by 2.94.

Crabs, blue, hard:

In Maryland, divide by 4.33; in Virginia, by 4.1; in Connecticut, by 4; in New Jersey and Delaware, by 3; in Alabama, by 2.40; in Louisiana, by 2.09; in Florida, West Coast, by 2.07; in Mississippi, by 2 and in Texas, by 1.74.

Crabs, rock:

In Maine, Massachusetts and Phode Island, divide by 3.

Crabs, stone:


In Florida, West Coast, divide by 1.

Horseshoe crabs:

In New Jersey, multiply by 3.

Sponges, dried:

In Florida, convert number of bunches to weight in pounds as follows: large wool, multiply by 11; small wool, by 7; wool rags, by 9; yellow, by 4.25, and grass, by 4.166.



# SECTION 14. GLOSSARY OF NAMES OF FISHERY PRODUCTS

In order to prevent misunderstanding in the use of common names employed in the tables and discussions, the following list of common and scientific names is given.

Common names as shown in Service reports	Other common names	Scientific names
FISH	Branch herring, big-eyed herring,	D 11 / 11
Alewife	river herring	Pomolobus pseudohorengus
Amberjack	Blueback, glut herring, shad herring Jack	Pomolobus aestivalis Seriola species
Anchovy		Engraulis mordax
Angelfish		Pomacanthus species Holacanthus species
Anglerfish	Goosefish, allmonth, headfish, monkfish, bellyfish	Lophius piscatorius
Barracuda	L MDHRITSH, DELIYITSH	Sphyraena species
	r Smallmouth bass	Micropterus dolomieu
Black bass	Largemouth bass	Micropterus salmoides
Bluefish	Tailor, skipjack	Pomatomus saltatrix
Blue pike	Pike perch, hard pike, blue pickerel	
·	(Canada)	Stizostedion vitreum glaucum
Blue runner or hardtail	Runner	Caranx crysos
Bonito	See tuna and tunalike fishes	
Bowfin	Fresh-water dogfish, tcboupique, grindle	Amia calva
Buffalofish	Winter carp	Ictiobus species
Burbot	Lawyer, ling	Lota maculosa
Butterfish		Poronotus triacanthus
Cabezone	Marbled sculpin	Scorpaenichthys marmoratus
Cabio	Crab eater, coalfish, lemonfish,	Rachycentron canadus
	black bonito	, i
Cabrilla	Rock bass	Epinephelus analogus
Carp	German carp, summer carp	Cyprinus carpio
Catfish and bullheads		Americans species
Catrish and Dhirmeads	• • • • • • • • • • • • • • • • • • • •	Ictalurus species Pilodictis olivaris
<b></b>	Longiaw, bluefin, blackfin (United	All leucichthys except artedi
Chub	States), tullibee (Canada)	(in Great Lakes)
Cigarfish	Scad	Decapterus punctatus
Cisco	Herring (Canada)	Leucichthys artedi (Lake Erie on
Cod	Codfish	Gadus morrhua (Atlantic)
	g-1/6	LGadus macrocephalus (Pacific)
Corbina	California whiting, corvina, surffish white crappie, calico bass	
Crappie	Black crappie	Pomoxis annularis Pomoxis sparoides
Crevalle	Jack, jackfish	Caranx hippos
Croaker	Crocus, hardhead	Micropogon undulatus
Cunner	Chogset, blue perch, bergall	Tautogolabrus adspersus
Cusk	Ologott, blue peroli, bergari	Brosme brosme
Dolly varden trout	Salmon trout, bull trout	Salvelinus malma
Dolphin		Coryphaena hippurus
Drum:	Contraction and the desired an	n
Black	Oyster cracker, oyster drum, sea drum	
Red Eel:	Channel bass, redfish, spotted bass.	Sciaenops ocellata
Common		Anguilla bostoniensis
. Conger		Leptocephalus conger
Flounder:		Clubbankhalua amaglas:
Gray sole		Glyptocephalus cynoglossus Pseudopleuronectes dignabilis
Lemon sole		
Yellowtail	Dab	Limanda ferruginea

Common names as shown		
in Service reports	Other common names	Scientific names
Flounder: - Continued		
Blackback	Winter flounder	Pseudopleuronectes americanus
Fluke	Summer flounder, gulf flounder, flounder	Paralichthys species
'Sole'		Pleuronectidae species and bothidae species
'California halibut'		Paralichthys californicus
Unclassified		Pleuronectidae and bothidae species
Flying fish		Cypselurus species
Frigate mackerel	Boo hoo	Auxis thazard
Garfish	Gar, sea gar	Lepisosteus species
Gizzard shad	Nanny shad, mud shad, winter shad	Dorosoma cepedianum
Goldfish	Sand perch, gold perch	Carassius auratus
Goosefish	See anglerfish	
	Dogfish	Squalus suckley: (Pacific)
Grayfish	Spiny dog	Squalus acanthias (Atlantic)
	LSmooth dog	Mustelus canıs
Grouper	'Sea bass'	TEpinephelus species
		l Myceteroperca species
Grunt	Margate fish, sailors' choice	Haemulon species
Haddock		Melanogrammus aeglefinus
Hake:		
Red	Squirrel hake, ling, black hake,	Urophycis chuss (Atlantic)
	∏ mud hake	
White	Hake	Urophycis tenuis (Atlantic)
Pacific	Merluccio	Merluccius productus (Pacific)
Halibut		[ Hippoglossus hippoglossus (Atlantic
		Hippoglossus stenolepis (Pacific)
Hardhead	Sacramento rockfish	Orthodon microlepidotus (Pacific)
Harvestfish	Starfish, dollarfish, pappyfish, butterfish (N.C.)	Peprilus alepidotus
Herring:		
Lake	Herring	Leucichthys artedi (Great Lakes.
David .		L except Erie)
Round	•••••	Etrumeus sadına
Sea		Clupea harengus (Atlantic) Clupea pallas:: (Pacific)
Hickory shad	Tailor shad, skip, autumnal berring	Pomolobus mediocris
Hogchoker	***************************************	Trinectes maculatus
Hogfish	Capitaine, perro perro	Lachnolarmus maximus
Horse mackerel	Pacific (see jack mackerel)	
	Atlantic (see tuna, bluefin)	
Jack mackerel	Horse mackerel	Trachurus symmetricus
Jewfish	•••••	Promicrops itaiara
John dory	14+1a manaday analas tas asi	Zenopsis ocellata
Kingfish	Little roncador, croaker, tom cod	Genyonemus lineatus
King mackerel	Cero, kingfish	Scomberomorus cavalla Scomberomorus regalis
King whiting or 'kingfish'	Whiting, sea mink, ground mullet	Menticirrhus species
Lake trout	••••••	Cristivomer namaycush Petromyzon marinus (Atlantic)
Lamprey	•••••	Entosphenus tridentatus (Pacific)
Launce	Sand eel, lant, sand launce	Ammodytes tobianus
Lingcod	Cultus cod, blue cod, buffalo cod, ling	
Mackerel		Scomber scombrus (Atlantic)
W14-		L Pneumatophorus diego (Pacific)
MarIin	Manakushan anna 6-kh-ah	Makaira species
Menhaden	Mossbunker, pogy, fatback	Brevoortia species Cyprinidae family
MILLING		Cyprintume lamity
	(Continued on next page)	

Other names as shown in Service reports	Other common names	Scientific names
Mojarra Mooneye	Sand perch, sand bream	Gerridae family Hiodon species
Moonfish		Vomer setipinnis Selene vomer
Mullet	Jumping mullet, striped mullet, silver mullet	Mugil species
Mummichog	Mayfish, killifish	Fundu <b>l</b> us species
Muttonfish	Mutton snapper	Lutianus analis
Ocean pout	Eelpout, sea pout Spoonbill cat	Macrozoarces anguillaris Polyodon spathula
Perch	Surffish	Embiotocidae family (Pacific)
Permit		Trachinotus goodei
Pigfish	Hogfish (N. C.)	Orthopristis chrysopterus FEsox reticulatus
Pike or pickerel	Great lakes pike	Esox lucius
Pilchard	Sardine	Sardinops caerulea
Pinfish	Bream, salt-water bream	Lagodon rhomboides
Pollock	Boston bluefish	Pollachius virens
Pompano	Great pompano	Trachinotus species (Atlantic) Palometa simillima (Pacific)
Porgy	See scup or porgy	0 1 3
Quillback	Spearfish or skimfish	Carpiodes species
Ratfish	Golden shiuer	Hydrolagus colliei Notemigonus crysoleucas
	r Redeye, goggle-eye	Ambloblites rupestris (fresh-water
Rock bass	Groupers, sand bass	Paralabrax nebulifer (Pacific)
Rockfish	Rock cod, snapper	Sebastodes species (Pacific)
Rosefish	Ocean perch, redfish, red perch	Sebastes marinus
Rudderfish	Blue bass, greenfish	Girella nigricans
	Halfmoon	Medialuna californiensis
Sablefish	Black cod	Anoplopoma fimbria
Atlantic		Salmo salar (Atlantic)
Chinook or king	Tyee, spring	Oncorhynchus tschawytscha
Chum or keta	Fall, dog	Oncorhynchus keta Oncorhynchus gorbuscha
Pink	Humpback	Oncorhynchus nerka
Silver or coho	Dideback	Oncorhynchus kisutch
Steelhead	See steelhead trout	
Sand perch	Yellowtail perch	Bairdiella chrysura
Sauger	Sand pike	Stizostedion canadense
Sawfish		Pristis pectinatus
Sculpin	Scorpionfish	Scorpaena guttata
Scup or porgy	Porgee, paugy, fair maid	Calamus or stenotomus species
Black	Black jewfish (Pacific)	Stereolepis gigas Centropristes striatus
White		Cynoscion nobilis (Pacific)
Sea catfish	Gafftopsail	Bagre marina
Sea robin Sea trout or weakfish:		Prionotus species
Gray	Gray trout, squeteague	Cynoscion regalis
Spotted	Spotted trout, speckled trout	Cynoscion nebulosus Cynoscion arenarius
White	White trout, sand trout	Alosa sapidissima
Shad	American Shau, white shau .,,	Carcharodon species; mustelus species, carcharhinus species;
Sharks		sphyrna species, lamma species; and others

Other names as shown in Service reports	Other common names	Scientific names
Sheepshead:		
Fresh-water	Fresh-water drum, whitefish, gaspergou, gou	Aplodinotus grunniens
Salt-water	Redfish, fathead	Archosargus species (Atlantic) Pimelometopon pulchrum (Pacific)
Silver perch	See sand perch	Menidia species
Skate	Spearing	Raja species
Skipper	Billfish	Scomberesox saurus
	[	Osmerus mordax (Atlantic and Great Lakes)
SmeIt		Atherinidae and osmeridae species (Pacific)
	Eulachon	Thaleichthys pacificus
Snapper:		_
Lane	Schoolmaster	Lutianus synagris
Mangrove	Gray snapper	Lutianus griseus Lutianus blackfordii
Snook	Robalo, sergeantfish, pike	Centropomus undecimalis
Spadefish	Porgy (N. C.), angelfish	Chaetodipterus faber
Spanish mackerel	Mackerel	Scomberomorus maculatus -
Splittail		Pogonichthys macrolepidotus
Spot	Lafayette, goody	Leiostomus xanthurus
Squawfish	Sacramento pike	Ptychocheilus grandis
Squirrel hake	See hake, red	C-1it
Striped bass	Salmon trout	Salmo gairdner:: Roccus saxat:l:s
Sturgeon:	ROCKITSH, TOCK	noccus sucutitis
Common		Acipenser species
Shovelnose		Scaphirhynchus platorynchus
Sucker	Fresh-water mullet, redfin, bayfish	Catostomidae species
Sunfish	Bream, perch, bluegill	Centrarchidae species
Surffish	See perch	
Swellfish	Puffer, swell toad, globefish, blowfish	Sphoeroides maculatus
Swordfish	Blackfish, oysterfish	Xiphias gladius
Tenpounder	Big-eyed herring, ladyfish	Tautoga onitis Elops saurus
Thimble-eyed mackerel	Chub mackerel, bullseye, mackerel	Pneumatophorus colias
Tilefish		Lopholatilus chameleonticeps
Tomcod	Frost fish	Microgadus tomcod (Atlantic) Microgadus proximus (Pacific)
Triggerfish		Balistes capriscus
Tripletail	Sunfish (N. C.) blackfish	Lobotes surinamensis
Tullibee Tuna and tunalike fishes:	See chub	
Albacore	Longfin tuna	Germo alalunga
Bluefin	Horse mackerel	Thunnus saliens Thunnus thynnus
Binelin	noise macketel	Thunnus secundodorsalis
Bonito		Sarda sarda (Atlantic)
DOMI CO		Sarda chiliensis (Pacific)
Little	Bonito, albacore, false albacore	Euthynnus alleteratus
Skipjack	Striped tuna	Katsuwonus pelamis
Yellowfin		Neothunnus macropterus
	Greenland halibut	Reinhardius hippoglossoides (off New England)
Turbot	H	Balistes carolinensis
	American turbot, triggerfish	(off Florida)

Common names as shown in Service reports	Other common names	Scientific names
Wahoo	White lake bass	Acanthocybium solandri Roccus chrysops
Wolterish: Common Menominee Ocean White perch Whiting Wolffish Yellow perch Yellow pike Yellowtail Yellowtail flounder	Blanguillo  Silver hake Catfish (New England) Ringed perch, perch Wall-eyed pike, pike perch, dore (Canadian)  See flounder, yellowtail	Coregonus clupeaformis Prosopium quadrilaterale Caulolatilus princeps Morone americana Merluccius bilinearis Anarhichas lupas Perca flavescens Stizostedion vitreum vitreum Ocyurus chrysurus (Florida) Seriola dorsalis (Pacific)
CRUSTACEANS		
Crabs: Blue: Hard Soft and peelers Dungeness King Rock Stone Crawfish: Fresh-water	Hard-shell crab Soft-shelled crab Alaska king crab	Callinectes sapidus Callinectes sapidus Cancer magister Paralithodes camtschatica Cancer irroratus (New England) Cancer species (California) Menippi mercenaria  Cambarus species (Atlantic)
Sea	Crayfish	Astacus species (Pacific)  Limulus species
Lobster: Northern Spiny	Sea crawfish, rock lobster	Homarus americanus (Atlantic) Panulirus argus (Atlantic) Panulirus interruptus (Pacific)
Shrimp	Prawn	Penaeus setiferus (South Penaeus duorarum Atlantic Penaeus aztecus and Xyphopeneus krayeri Gulf) Pandalus species (Atlantic and Paci Pandalopsis species (Pacific) Crangon species (Pacific)
MOLLUSKS		Total and an area and an
Abalone	Pompano shells	Halotis species  Cardium corbis (Pacific)  Donax variabilis  Saxidomus nuttali (Pacific)
Hard	Butter Little neck Round clam, cherrystone, quahog, little neck	Paphia staminea (Pacific) Venus mercenaria (Atlantic) Venus mortoni (Florida)
Pismo		Tivela stultorum (Pacific)  Finsis species (Atlantic)
Razor		Siliqua patula (Pacific)
Soft	Soft-shell clam, sand clam, annynose, maninose	Mya arenaria
Surf	Skimmer	Mactra solidissimo

Common names as shown in Service reports	Other common names	Scientific names
Conch		r Strombus species 1 Busycon species
Limpet		Achea testitudinalis
Sea		Mytilus californiamus (Pacific) Mytilus edulis (Atlantic)
Fresh-water		Quadrula species   Lampsilis species   Unio species   Unio species   Symphymota species
Octopus	Devilfish	Octopus punctatus
Eastern Pacific (introduced) Western Periwinkle or cockle	Cove Japanese Olympia, native	Ostrea virginica Ostrea gigas Ostrea lurida Littorina species Lunatia species
Scallop:           Bay           Sea           Squid	Inkfish, bone squid, tawtaw	Pecten irradians (Atlantic)   Pecten aequisulcatus (Pacific)   Pecten magellanicus   Loligo opalescens (Pacific)   Loligo beale: (Atlantic)
OTHER		Liberigo peuter (Acidicie)
Sea urchin Starfish Terrapin Turtle:	Sea eggs Diamond-back terrapin	Strongylocentratus drobachiensis Asteroidae class Malaclemys species
Green Loggerhead Hawksbill		Chelunia mydas Caretta species Eretmochelys inbricata
Snapper	Hard-shell, alligator turtle	Chelydra serpentina Macrochalys temmickii Trionyx species
Soft-shell		Rana species Chrondrus crispus r Macrocystis species, nereocystis
Kelp		species, pelagophycus species,
Rockweed	Seaweed	Laminaria species
Glove		Euspongia graminea  Euspongia officianalis
Grass	Wool	Hippospongia equina cerebriformis Hippospongia canaliculata gossypi Hippospongia equina elastica Cucumaris frondosia, Thyone briare
Bloodworms		Terebillidae family Neress species


# SECTION 15. - PICTORIAL SECTION

As many of the readers of this publication may not be familiar with all of the species of fish and shellfish, etc., taken commercially in the United States and Alaska, illustrations of many of the various species are included in the following pages. The descriptive material appearing with each species includes the areas in which they are taken commercially and does not constitute the extreme limits in which they occur. Similarly, the gear listed for each species do not represent the only types of apparatus by which these species are obtained, but represent those types of apparatus which are normally used in their capture. The gear do not necessarily appear in the order of their importance.

For more detailed information on the nomenclature of the fishery products listed below the reader is referred to Section 14 of this publication entitled, 'Glossary of Names of Fishery Products'.



ALEWIFE
RANGE - FLORIDA TO NEW ENGLAND
GEAR - POUND NETS, GILL NETS, WEIRS,
DIP NETS, HAUL SEINES,
FLOATING TRAPS, FYKE NETS




ANGELFISH RANGE - FLORIDA GEAR - HAUL SEINES



BLACK BASS RANGE - FRESH-WATER GEAR - HAUL SEINES, FYKE NETS, POUND NETS, LINES



AMBERJACK RANGE - FLORIDA GEAR - HAND LINES, TROLL LINES



ANGLERFISH
RANGE - NEW JERSEY TO MASSACHUSETTS
GEAR - OTTER TRAWLS, POUND NETS



BARRACUDA, (PACIFIC)
RANGE - CALIFORNIA
GEAR - PURSE SEINES, SET LINES,
HAND LINES, TROLL LINES,
GILL AND TRAMMEL NETS.




BARRACUDA, (ATLANTIC)
RANGE - FLORIDA
GEAR - TROLL LINES, HAND LINES




BLUEFISH
RANGE - GULF OF MEXICO TO NEW
ENGLAND
GEAR - HAUL SEINES, GILL NETS,
POUND NETS, TROLL LINES
PURSE SEINES



PONITO, (ATLANTIC)
RANGE - NORTH CAROLINA TO MASSACHUSETTS
GEAR - POUND NETS, TRDLL LINES, GILL NETS



BUFFALOFISH RANGE - FRESH-WATER GEAR - HAUL SEINES, FYKE NETS, TRAMMEL NETS, TROT LINES



BUTTERFISH RANGE - FLORIDA TO NEW ENGLAND GEAR - POUND NETS, HAUL SEINES, OTTER TRAWLS



CARP
RANGE - FRESH-WATER
FEAR - HAUL SEINES, GILL NETS, TRAP NETS,
FYKE NETS, POUND NETS, TROT LINES



BLUERUNNER OR HAROTAIL RANGE - GULF OF MEXICO GEAR - HAUL SEINES, GILL NETS, PDTS



BOWFIN RANGE - FRESH-WATER GEAR - HAUL SEINES, TRAP NETS, FYKE NETS



BURBOT RANGE - GREAT LAKES GEAR - GILL NETS, FYKE NETS, POUND NETS (TRAP NETS)



CABID RANGE - FLORIDA TO VIRGINIA GEAR - HAND LINES, POUND NETS




CATFISH RANGE - FRESH-WATER GEAR - HAUL SEINES, TROT LINES, POUNO NETS, POTS, FYKE NETS




CHUB RANGE - GREAT LAKES GEAR - GILL NETS



COD RANGE - VIRGINIA TO MAINE, WASHINGTON AND ALASKA
GEAR - OTTER TRAWLS, LINE TRAWLS,
GILL NETS



CREVALLE
RANGE - SOUTH ATLANTIC AND GULF STATES
GEAR - HAUL SEINES, GILL NETS, LINES



CUNNER
RANGE - NEW ENGLAND
GEAR - OTTER TRAWLS, HAND LINES



OOLLY VARDEN TROUT RANGE - PACIFIC COAST GEAR - POUND NETS, GILL NETS, LINES



CIGARFISH RANGE - FLORIDA GEAR - HAUL SEINES



CRAPPIE RANGE - FRESH-WATER LAKES GEAR - HAUL SEINES, LINES, POTS



CROAKER, (ATLANTIC)
RANGE - GULF OF MEXICO TO NEW YORK
GEAR - POUND NETS, OTTER TRAWLS,
HAUL SEINES, GILL NETS



CUSK RANGE - NEW ENGLAND GEAR - OTTER TRAWLS, TRAWL LINES



DOLPHIN
RANGE - FLORIDA TO NORTH CAROLINA
GEAR - TROLL LINES




DRUM, BLACK
RANGE - TEXAS TO NORTH CAROLINA
GEAR - HAUL SEINES, POUNO NETS, LINES




EEL, CONGER RANGE - FLORIDA TO NEW ENGLAND GEAR - OTTER TRAWLS



GRAY SOLE RANGE - MASSACHUSETTS TO MAINE GEAR - OTTER TRAWLS



OAB RANGE - MASSACHUSETTS TO NOVA SCOTIA GEAR - OTTER TRAWLS, TRAWL LINES



FLUKE
RANGE - TEXAS TO MASSACHUSETTS
GEAR - OTTER TRAWLS, SPEARS, LINES



DRUM, RED RANGE - TEXAS - MARYLAND GEAR - POUND NETS, HAUL SEINES, GILL NETS, LINES



EEL, COMMON
RANGE - FLORIDA TO NEW ENGLAND AND
IN NISSISSIPPI RIVER, LAKE
ONTARIO
GEAR - POTS, SPEARS, POUND NETS



LEMON SOLE RANGE - NEW YORK TO MAINE GEAR - OTTER TRAWLS



BLACKBACK OR WINTER FLOUNDER RANGE - NORTH CAROLINA TO MAINE GEAR - OTTER TRAWLS, POUND NETS, FYKE NETS, SPEARS, LINES



FLYING FISH
RANGE - PACIFIC AND ATLANTIC
OCEANS
GEAR - GILL NETS

# PICTORIAL SECTION



FRIGATE MACKEREL
RANGE - MIDDLE ATLANTIC
GEAR - POUNO NETS



GIZZARO SHAD

RANGE - NORTH CAROLINA TO

MARYLAND, GREAT LAKES

GEAR - HAUL SEINES, POUND NETS,

GILL NETS




GRAYFISH

RANGE - PACIFIC COAST STATES

GEAR - TRAWL LINES, OTTER TRAWLS,

GILL NETS




GRUNT
RANGE - FLORIDA
GEAR\_- POTS, GILL NETS, LINES




HAKE, REO RANGE - CHESAPEAKE BAY TO NEW ENGLAND GEAR - GILL NETS, OTTER TRAWLS, LINE TRAWLS



GARFISH RANGE - FRESH-WATER GEAR - HAUL SEINES, LINES



GOLDFISH RANGE - LAKES AND RIVERS GEAR - HAUL SEINES, TRAP NETS, FYKE NETS



GROUPER
RANGE - TEXAS TO SOUTH CAROLINA
GEAR - HANO LINES, POTS




HADOOCK RANGE - NEW ENGLAND STATES GEAR - OTTER TRAWLS,GILL NETS LINE TRAWLS



HAKE, WHITE
RANGE - CHESAPEAKE BAY TO NEW
ENGLAND
GEAR - GILL NETS,OTTER TRAWLS,
LINE TRAWLS



HALIBUT RANGE - PACIFIC COAST - NEW ENGLAND GEAR - TRAWL LINES, OTTER TRAWLS



HARVESTFISH OR "STARFISH" RANGE - NORTH CAROLINA TO CHESAPEAKE BAY GEAR - HAUL SEINES, POUND NETS




HICKORY SHAD

RANGE - FLORIOA TO RHODE ISLANO

GEAR - POUND NETS, HAUL SEINES, GILL NETS

FLOATING TRAPS



HOGF I SH RANGE - FLORIDA GEAR - LINES




HARDHEAD RANGE '- CALIFORNIA GEAR - FYKE NETS




HERRING, LAKE RANGE - GREAT LAKES GEAR - GILL NETS, HAUL SEINES, POUND NETS, TRAP NETS



HERRING, SEA RANGE - NEW JERSEY TO NEW ENGLAND PACIFIC COAST STATES AND






HOGCHOKER RANGE - CHESAPEAKÉ BAY GEAR - POUND NETS, HAUL SEINES



JEWF ISH RANGE - FLORIDA GEAR - HAND LINES



JOHN DORY
RANGE - MIDDLE ATLANTIC STATES
GEAR - OTTER TRAWLS



LAKE TROUT
RANGE - GREAT LAKES
GEAR - GILL NETS, LINES, POUND NETS
(TRAP NETS)



LAUNCE RANGE - NEW ENGLAND GEAR - HAUL SEINES




MACKEREL
RANGE - CHESAPEAKE BAY TO GULF OF
ST. LAWRENCE, CALIFORNIA
GEAR - PURSE SEINES, GILL NETS,
POUND NETS, FLOATING TRAPS,
DIP NETS, LAMPARA NETS




MOONEYE RANGE -GREAT LAKES GEAR - HAUL SEINES



KING MACKEREL RANGE - TEXAS TO NEW YORK GEAR - TROLL LINES, GILL NETS, HAND LINES




KING WHITING RANGE - TEXAS TO MASSACHUSETTS GEAR - OTTER TRAWLS, HAUL SEINES, POUNO NETS



LAMPREY
RANGE - FRESH-WATER
GEAR - POTS, FYKE NETS



LINGCOO RANGE - CALIFORNIA TO ALASKA GEAR - OTTER TRAWLS,TRAWL LINES, SET LINES,HAND LINES




MENHADEN
RANGE - GULF OF MEXICO TO NEW ENGLAND
GEAR - PURSE SEINES, POUND NETS



MOONFISH RANGE - FLORIDA GEAR - HAND LINES, HAUL SEINES



OCEAN POUT RANGE - NEW ENGLAND GEAR - OTTER TRAWLS



PIGFISH RANGE - FLORIDA GEAR - POTS, HANO LINES, GILL NETS



PILCHARD
RANGE - CALIFORNIA TO WASHINGTON
GEAR - PURSE SEINES, LAMPARA AND
RING NETS, GILL NETS



POLLOCK
RANCE - MIDDLE ATLANTIC AND NEW
ENGLAND STATES
GEAR - TRAWL LINES, FLOATING TRAPS,
POUND NETS, OTTER TRAWLS,
GILL NETS




MULLET
RANGE - TEXAS TO NEW JERSEY
GEAR - GILL NETS, HAUL SEINES,
POUND NETS, CAST NETS



PADDLEFISH RANGE - GULF OF MEXICO, MISSISSIPPI RIVER GEAR - HAUL SEINES, TROT LINES



PIKE OR PICKEREL RANGE - FRESH WATER GEAR - TRAP NETS,FYKE NETS, GILL NETS,POUND NETS, HAND LINES




PINFISH RANGE - FLORIDA TO NORTH CAROLINA GEAR - HAUL SEINES, GILL NETS




POMPANO
RANGE - TEXAS TO NORTH CAROLINA
GEAR - TRAMMEL NETS, HAUL SEINES,
GILL NETS, HAND LINES



QUILLBACK
RANGE - FRESH-WATER
GEAR - HAUL SEINES, TROT LINES, FYKES



ROCK BASS
RANGE - GREAT LAKES
GEAR - TRAP NETS, FYKES,
HAUL SEINES, GILL NETS



ROSEFISH RANGE - NEW ENGLAND GEAR - OTTER TRAWLS




SABLEFISH RANGE - PACIFIC COAST STATES AND ALASKA GEAR - TRAWL LINES, OTTER TRAWLS



SALMON, CHUM OR KETA RANGE - OREGON TO ALASKA GEAR - POUNO NETS, PURSE SEINES, GILL NETS, HAUL SEINES



RATFISH RANGE - WASHINGTON TO ALASKA GEAR - BEAM TRAWLS, TRAWL LINES



ROCKFISH RANGE - CALIFORNIA TO ALASKA GEAR - LINES, OTTER TRAWLS PARANZELLA NETS, GILL NETS



RUDDERFISH RANGE - CALIFORNIA GEAR - LAMPARA AND RING NETS



SALMON, RED OR SOCKEYE
RANGE - OREGON TO ALASKA
GEAR - GILL NETS, PURSE SEINES,
POUND NETS




SALMON, PINK RANGE - WASHINGTON TO ALASKA GEAR - PURSE SEINES, POUND NETS GILL NETS



SALMON, SILVER OR COHO RANGE - CALIFORNIA TO ALASKA GEAR - HAUL SEINES, PURSE SEINES, GILL NETS, TROLL LINES, POUNO NETS.



SAUGER RANGE - GREAT LAKES GEAR - GILL NETS, HAUL SEINES, TRAP NETS, FYKE NETS



SCUP OR PORGY RANGE - FLORIDA TO NEW ENGLAND GEAR - OTTER TRAWLS, POUND NETS



SEA CATFISH RANGE - TEXAS TO CHESAPEAKE BAY GEAR - OTTER TRAWLS, HAUL SEINES, HAND LINES



SEA TROUT OR WEAKFISM, SPOTTED RANGE - MARYLAND TO TEXAS GEAR - GILL NETS, TRAMMEL NETS, HAUL SEINES, POUND NETS, OTTER TRAMLS, HAND LINES



STEELHEAD TROUT
RANGE - OREGON TO ALASKA
GEAR.- HAUL SEINES, POUND NETS,
GILL NETS, LINES, DIP NETS



SCULPIN RANGE - PACIFIC COAST STATES AND ALASKA GEAR - LINES, GILL NETS, POTS



SEA BASS RANGE - FLORIDA TO NEW ENGLAND GEAR - OTTER TRAWLS, HAND LINES, POTS



SEA TROUT OR WEAKFISH, GRAY
RANGE - FLORICA TO MASSACHUSETTS
GEAR - OTTER TRAWLS, POUND NETS,
PURSE SEINES, GILL NETS,
HAUL SEINES



SEA TROUT OR WEAKFISH, WHITE RANGE - GULF OF MEXICO GEAR - GILL NETS, HAUL SEINES, HAND LINES




SÉA ROBIN RANGE - CHESAPEAKE BAY TO NEW ENGLAND GEAR - POUND NETS, OTTER TRAWLS



SHARK
RANGE - ATLANTIC COAST, GULF,
PACIFIC COAST STATES
GEAR - TRAWL LINES, GILL NETS,
OTTER TRAWLS



SHEEPSHEAD, CALIFORNIA RANGE - CALIFORNIA GEAR - SET LINES, TRAMMEL NETS,



SILVERSIDES RANGE - NEW YORK GEAR - HAUL SEINES, OTHER TRAWLS




SKIPPER OR BILLFISH RANGE - VIRGINIA TO NOVA SCOTIA GEAR - POUND NETS, WEIRS




SKATE
RANGE - PACIFIC COAST, CHESAPEAKE
BAY TO NEW ENGLAND
GEAR - LINES, OTTER TRAWLS, POUND
NETS, HAUL SEINES



SHAD RANGE - FLORIDA TO NEW ENGLAND GEAR - GILL NETS, POUND NETS, FYKE NETS, HAUL SEINES



SHEEPSHEAD
RANGE - TEXAS TO CHESAPEAKE BAY
GEAR - HAND LINES, POTS



SILVER PERCH RANGE - TEXAS TO NEW YDRK GEAR - HAUL SEINES, GILL NETS, POUND NETS



SMELT
RANGE - NEW YORK TO MAINE,
PACIFIC OCEAN, GREAT LAKES
GEAR - POUND NETS, DIP NETS, GILL NETS,
HAUL SEINES



LANE SNAPPER RANGE - FLORIDA GEAR - HAND LINES



GRAY SNAPPER RANGE - FLORIDA GEAR - HAND LINES, GILL NETS



SNOOK RANGE - TEXAS TO FLORIDA GEAR - GILL NETS, HAND LINES, HAUL SEINES



SPANISH MACKEREL RANGE - TEXAS TO VIRGINIA GEAR - GILL NETS, LINES, HAUL SEINES



SQUAWFISH RANGE - CALIFORNIA GEAR - FYKE NETS,GILL NETS




STRIPEO BASS
RANGE - NORTH CAROLINA TO NEW
ENGLAND, CALIFORNIA TO
OREGON
GEAR - HAUL SEINES, GILL NETS, POUNO
NETS, HAND LINES, FYKE NETS



STURGEON, SHOVELNOSE RANGE - FRESH-WATER GEAR - HAUL SEINES, LINES, POUND NETS



RED SNAPPER RANGE - TEXAS TO FLORIDA GEAR - HAND LINES



SPAOEFISH
RANGE - FLORIDA
GEAR - GILL NETS, TRAMMEL NETS



SPOT RANGE - GULF OF MEXICO TO MIODLE ATLANTIC STATES GEAR - HAUL SEINES, GILL NETS, POUNO NETS, OTTER TRAWLS



STURGEON
RANGE - COASTAL AND RIVER AREAS
GEAR - GILL NETS, LINES



SUCKER
RANGE - FRESH-WATER
GEAR - POUND NETS, FYKE NETS, GILL
NETS, HAUL SEINES, TRAP NETS



SUNFISH RANGE - FRESH-WATER GEAR - POTS, SEINES, TRAP NETS




SWORDFISH
RANGE - NEW ENGLAND AND CALIFORNIA
GEAR - HARPOONS



TENPOUNDER
RANGE - FLORIDA
GEAR - HAUL SEINES



TILEFISH
RANGE - MIDDLE ATLANTIC AND NEW
ENGLAND STATES
GEAR - TRAWL LINES



TRIGGERFISH RANGE - FLORIDA GEAR - HAND LINES



SWELLFISH
RANGE - CHESAPEAKE BAY TO HIDDLE
ATLANTIC
GEAR - POUND NETS, HAUL SEINES,
DITTER TRAWLS



TAUTOG
RANGE - CHESAPEAKE BAY TO NEW
ENGLAND
GEAR - POUND NETS, HAND LINES, POTS



THIMBLE-EYED MACKEREL
RANGE - CHESAPEAKE BAY TO NEW ENGLAND
GEAR - POUND NETS, PURSE SEINES,
OTTER TRAWLS




TOMCOD

RANGE - PACIFIC COAST, MIDDLE

ATLANTIC AND NEW ENGLAND
STATES

GEAR - OTTER TRAWLS, DIP NETS



TRIPLETAIL
RANGE - FLORIDA
GEAR - HAUL SEINES, GILL NETS, LINES



TUNA, ALBACORE RANGE - PACIFIC COAST GEAR - LINES



TUNA, LITTLE
RANGE - MASSACHUSETTS TO TEXAS
GEAR - POUND NETS, TROLL LINES
OTTER TRAWLS



WHITEFISH, MENOMINEE
RANGE - ALASKA, UPPER GREAT
LAKES. TŌ NEW ENGLANO,
IN LAKES
GEAR - GILL NETS, HAUL SEINES,
TRAP NETS. POUND NETS



WHITE PERCH RANGE - NORTH CAROLINA TO MAINE GEAR - POUND NETS, FYKE NETS, HAUL SEINES



WOLFFISH
RANGE - MASSACHUSETTS AND MAINE
GEAR - OTTER TRAWLS, LINES TRAWLS




TUNA, BLUEFIN
RANGE - CALIFORNIA, NEW JERSEY TO
MAINE
GEAR - PURSE SEINES, LAMPARA NETS
TROLL LINES, POUND NETS,



HARPOONS

TUNA, SKIPJACK RANGE - CALIFORNIA GEAR - LINES, PURSE SEINES



WHITE BASS RANGE - GREAT LAKES GEAR - TRAP NETS, FYKES, HAUL SEINES, POUND NETS




WHITEFISH, COMMON
RANGE - GREAT LAKES
GEAR - GILL NETS, POUND NETS, TRAP
NETS



WHITING RANGE - VIRGINIA TO MAINE GEAR - OTTER TRAWLS, POUND NETS




YELLOW PERCH RANGE - GREAT LAKES, OTHER LAKES GEAR - GILL NETS, TRAP NETS, POUND NETS, FYKE NETS



BLUE CRAB RANGE - TEXAS TO RHODE ISLAND GEAR - TROT LINES, POTS, FYKE NETS, DIP NETS, SCRAPES, DREDGES



DUNGENESS CRAB RANGE - PACIFIC COAST STATES AND ALASKA CEAD - TRAPS




STONE CRAB RANGE - FLORIDA GEAR - DIP NETS, CRAB POTS




YELLOW PIKE RANGE - GREAT LAKES GEAR - POUND NETS, FYKE NETS, GILL NETS, TRAP NETS




KING CRAB RANGE - ALASKA GEAR - TANGLE NETS, OTTER TRAWLS



ROCK CRAB RANGE - NEW ENGLAND GEAR - POTS




HORSESHDE CRAB RANGE - MARYLAND TO NEW YORK GEAR - POUND NETS. WEIRS, BY HAND




SEA CRAWFISH OR SPINY LOBSTER RANGE - CALIFORNIA AND FLORIDA GEAR - DIP NETS, POTS, HOOKS



FRESH-WATER CRAWFISH RANGE - RIVERS AND LAKES GEAR - CRAWFISH (POTS)



LOBSTER RANGE - VIRGINIA TO MAINE GEAR - POTS



SHRIMP
RANGE - TEXAS TO NORTH CAROLINA,
MAINE, CALIFORNIA,
WASHINGTON, AND ALASKA
GEAR - SHRIMP TRAWLS



SOFT CLAM
RANGE - MIDDLE ATLANTIC TO
NEW ENGLAND, PACIFIC
COAST STATES
GEAR - FORKS, HOES, RAKES



RAZOR CLAM, PACIFIC RANGE - OREGON, WASHINGTON AND ALASKA GEAR - SHOVELS



HARO CLÁM RANGE - FLORIDA TO MAINE GEAR - HOES, DREOGES, TONGS, RÁKES HANO



LIMPET
RANGE - NEW YORK AND NEW ENGLAND
GEAR - OREDGES



LITTLE-NECK CLAM PANGE - PACIFIC COAST GEAR - SHOVELS



CONCH RANGE - FLORIDA TO MAINE GEAR - SPONGE HOOKS, OTTER TRAWLS, DREDGES, POTS



TREPANG RANGE - WASHINGTON GEAR - BEAM TRAWLS



BUTTER CLAM RANGE - PACIFIC COAST GEAR - SHOVELS






OCEAN MUSSEL
RANGE - NORTH CAROLINA TO MAINE GEAR - DREDGES, TONGS, RAKES, HAND



FRESH-WATER MUSSEL RANGE - FRESH-WATER STREAMS GEAR - CROWFOOT BARS, PICKS, HAND



DYSTER RANGE - TEXAS TO MASSACHUSETTS, PACIFIC COAST STATES GEAR - TONGS, DREDGES, RAKES, HAND



SQUID RANGE - VIRGINIA TO MAINE, CALIFORNIA AND


WASHINGTON GEAR - LAMPARA NETS, GILL NETS OTTER TRAWLS, POUND NETS



BAY SCALLOP RANGE - FLORIDA TO MASSACHUSETTS, WASHINGTON GEAR - DREDGES, SCRAPES, PUSH NETS, TONGS, RAKES



SEA SCALLOP RANGE - NEW JERSEY TO MAINE 'EAR - DREDGES



RANGE - ATLANTIC AND PACIFIC COASTS GEAR - HOOKS, SCRAPES, "MOPS"



TERRAPIN
RANGE - TEXAS TO NEW JERSEY
GEAR - HAUL SEINES, HANO



LOGGERHEAD TURTLE RANGE - FLORIDA TO NEW JERSEY GEAR - GILL NETS



FROG RANGE - FRESH-WATER, MARSHES, PONDS GEAR - SPEARS, GRABS



SPONGE RANGE - FLORIDA TO WEST INDIES GEAR - HOOKS, DIVING OUTFITS



GREEN TURTLE RANGE - FLORIDA GEAR - GILL NETS, TANGLE NETS



HAWKSBILL TURTLE
RANGE - GULF OF MEXICO AND ATLANTIC
COAST TO NEW YORK
GEAR - HAND, TANGLE NETS, POUND NETS



SOFT-SHELL TURTLE RANGE - LAKES AND RIVERS GEAR - HAUL SEINES, FYKE NETS, POTS



IRISH MOSS RANGE - NEW ENGLAND GEAR - RAKES

## STATISTICAL PUBLICATIONS SECTION 16.-

## CURRENT FISHERIES STATISTICS

The following list of publications includes all reports issued in the Current Fishery Statistics series during 1949.

C.F.S. No.	<u>Title</u>
447	Massachusetts Landings, August, 1948
448	Maine Landings, October, 1948
449	Fish Meal and Oil, December, 1948
450	Frozen Fish Report, January, 1949
451	Maine Landings, November, 1948
452	Massachusetts Landings, September, 1948
453	Frozen Fish Report, February, 1949
454	Massachusetts Landings, October, 1948
455 456	Fish Meal and Oil, January, 1949 Maine Landings, December, 1948
457	Frozen Fish Report, Annual, 1948
458	Maine Landings, By Months, Annual, 1948
459	Frozen Fish Report, March, 1949
460	Massachusetts Landings, November, 1948
461	Massachusetts Landings, December, 1948
462	Maine Landings, January, 1949
463	Fish Meal and Oil, February, 1949
464	Frozen Fish Report, April, 1949
465	Fish Meal and Oil, March, 1949
466	Massachusetts Landings, January, 1949
467	Maine Landings, February, 1949
468	Chesapeake Fisheries, Annual, 1946
469	New York Fisheries, Annual, 1946
470	Massachusetts Landings, February, 1949
47 1	Frozen Fish Report, May, 1949
472	Massachusetts Landings, By Ports, Annual, 1949
473	Maine Landings, March, 1949
47.4	Fish Meal and Oil, April, 1949
47.5	Massachusetts Landings, March, 1949 Imports and Exports, 1944 - 1948
476	Frozen Fish Report, June, 1949
477 478	Fish Meal and Oil, May, 1949
479	Maine Landings, April, 1949
480	New England Fisheries, Annual, 1946
481	Pacific Coast Fisheries, Annual, 1946
482	Massachusetts Landings, April, 1949
483	Frozen Fish Report, July, 1949
484	Maine Landings, By Counties, Annual, 1948
485	Maine Landings, May, 1949
486	Fish Meal and Oil, June, 1949
487	Fisheries of the United States and Alaska, 1946
488	Pacific Coast Fisheries, 1947
489	Frozen Fish Report, August, 1949
49 0	Massachusetts Landings, May, 1949
491	Maine Landings, June, 1949

(Continued on next page)

C.F.S. No.	<u>Title</u>
492	Packaged Fish, Annual, 1948
493	Fish Meal and Oil, July, 1949
494	Frozen Fish Report, September, 1949
495	Fish Meal and Oil, August, 1949
496	Maine Landings, July, 1949
497	Canned Fish and Byproducts, Annual, 1948
498	Massachusetts Landings, June, 1949
499	Frozen Fish Report, October, 1949
5 00	Massachusetts Landings, July, 1949
501	Maine Landings, August, 1949
502	Fish Meal and Oil, September, 1949
503	Texas Landings, September, 1949
504	Manufactured Fishery Products, Annual, 1946
505	Massachusetts Landings, Gear and Area, 1947
506	Massachusetts Landings, Gear and Area, 1948
507	Frozen Fish Report, November, 1949
508	Maine Landings, September, 1949
509	Texas Landings, October, 1949
510	Fish Meal and Oil, October, 1949
511	Frozen Fish Report, December, 1949
512	Maine Landings, October, 1949
513	Texas Landings, November, 1949
514	Massachusetts Landings, August, 1949



TUNA CLIPPER



3 9088 01476 4674