

NOAA Technical Report NMFS SSRF-697



**Fish and Hydrographic Collections
Made by the Research Vessels
Dolphin and *Delaware II* During
1968-72 From New York to Florida**

S. J. WILK and M. J. SILVERMAN

SEATTLE, WA
January 1976

noaa

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION

National Marine
Fisheries Service

NOAA TECHNICAL REPORTS

National Marine Fisheries Service, Special Scientific Report—Fisheries Series

The major responsibilities of the National Marine Fisheries Service (NMFS) are to monitor and assess the abundance and geographic distribution of fishery resources, to understand and predict fluctuations in the quantity and distribution of these resources, and to establish levels for optimum use of the resources. NMFS is also charged with the development and implementation of policies for managing national fishing grounds, development and enforcement of domestic fisheries regulations, surveillance of foreign fishing off United States coastal waters, and the development and enforcement of international fishery agreements and policies. NMFS also assists the fishing industry through marketing service and economic analysis programs, and mortgage insurance and vessel construction subsidies. It collects, analyzes, and publishes statistics on various phases of the industry.

The Special Scientific Report—Fisheries series was established in 1949. The series carries reports on scientific investigations that document long term continuing programs of NMFS, or intensive scientific reports on studies of restricted scope. The reports may deal with applied fishery problems. The series is also used as a medium for the publication of bibliographies of a specialized scientific nature.

NOAA Technical Reports NMFS SSRF are available free in limited numbers to governmental agencies, both Federal and State. They are also available in exchange for other scientific and technical publications in the marine sciences. Individual copies may be obtained (unless otherwise noted) from NMFS Technical Information Division, Environmental Science Information Center, NOAA, Washington, D.C. 20235. Recent SSRF's are

619. Macrozooplankton and small nekton in the coastal waters off Vancouver Island (Canada) and Washington, spring and fall of 1963. By Donald S. Day. January 1971. iii + 94 p., 19 figs., 13 tables.
620. The Trade Wind Zone Oceanography Pilot Study. Part IX. The sea level wind field and wind stress values, July 1963 to June 1965. By Gunter R. Seckel. June 1970. iii + 66 p., 5 figs.
621. Predation by sculpins on fall chinook salmon, *Oncorhynchus tshawytscha*, fry of hatchery origin. By Benjamin G. Patten. February 1971. iii + 14 p., 6 figs., 9 tables.
622. Number and lengths, by season, of fishes caught with an otter trawl near Woods Hole, Massachusetts, September 1961 to December 1962. By F. F. Lux and F. E. Nieby. February 1971. iii + 15 p., 3 figs., 19 tables.
623. Apparent abundance, distribution, and migrations of albacore, *Thunnus alalunga*, on the North Pacific longline grounds. By Brian J. Rothschild and Marian Y. Y. Yong. September 1970. v + 37 p., 19 figs., 5 tables.
624. Influence of mechanical processing on the quality and yield of bay scallop meats. By N. B. Webb and F. B. Thomas. April 1971. iii + 11 p., 9 figs., 3 tables.
625. Distribution of salmon and related oceanographic features in the North Pacific Ocean, spring 1968. By Robert R. French, Richard G. Bakkala, Masanao Osako, and Jun Ito. March 1971. iii + 22 p., 19 figs., 3 tables.
626. Commercial fishery and biology of the freshwater shrimp, *Macrobrachium*, in the Lower St. Paul River, Liberia, 1952-53. By George C. Miller. February 1971. iii + 13 p., 8 figs., 7 tables.
627. Calico scallops of the Southeastern United States, 1959-69. By Robert Cummins, Jr. June 1971. iii + 22 p., 23 figs., 3 tables.
628. Fur Seal Investigations, 1969. By NMFS, Marine Mammal Biological Laboratory. August 1971. 82 p., 20 figs., 44 tables, 23 appendix A tables, 10 appendix B tables.
629. Analysis of the operations of seven Hawaiian skipjack tuna fishing vessels, June-August 1967. By Richard N. Uehida and Ray F. Sunada. March 1971. v + 25 p., 14 figs., 21 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
630. Blue crab meat. I. Preservation by freezing. July 1971. iii + 13 p., 5 figs., 2 tables. II. Effect of chemical treatments on acceptability. By Jurgen H. Strasser, Jean S. Lennon, and Frederiek J. King. July 1971. iii + 12 p., 1 fig., 9 tables.
631. Occurrence of thiuronase in some common aquatic animals of the United States and Canada. By R. A. Grogg and R. H. Gnaedinger. July 1971. iii + 7 p., 2 tables.
632. An annotated bibliography of attempts to rear the larvae of marine fishes in the laboratory. By Robert C. May. August 1971. iii + 24 p., 1 appendix I table, 1 appendix II table. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
633. Bluening of processed crab meat. II. Identification of some factors involved in the blue discoloration of canned crab meat *Callinectes sapidus*. By Melvin E. Waters. May 1971. iii + 7 p., 1 fig., 3 tables.
634. Age composition, weight, length, and sex of herring, *Clupea pallasia*, used for roseton in Alaska, 1929-66. By Gerald M. Reid. July 1971. iii + 25 p., 4 figs., 18 tables.
635. A bibliography of the blackfin tuna, *Thunnus atlanticus* (Lesson). By Grant I. Beardsley and David C. Simmons. August 1971. 10 p. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
636. Oil pollution on Wake Island from the tanker *R. C. Steiner*. By Reginald M. Gooding. May 1971. iii + 12 p., 8 figs., 2 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
637. Occurrence of larval, juvenile, and mature crabs in the vicinity of Beaufort Inlet, North Carolina. By Donnie L. Dudley and Mayo H. Judy. August 1971. iii + 10 p., 1 fig., 5 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
638. Length-weight relations of haddock from commercial landings in New England, 1931-55. By Bradford F. Brown and Richard C. Hennemuth. August 1971. v + 13 p., 16 figs., 6 tables, 10 appendix A tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
639. A hydrographic survey of the Galveston Bay system, Texas 1963-66. By F. J. Pullen, W. L. Trent, and G. B. Adams. October 1971. v + 13 p., 15 figs., 12 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
640. Annotated bibliography on the fishing industry and biology of the blue crab, *Callinectes sapidus*. By Marlin F. Tagat and Ann Bowman Hall. August 1971. 94 p. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
641. Use of threadfin shad, *Dorosoma petenense*, as live bait during experimental pole and line fishing for skipjack tuna, *Katsuwonus pelamis*, in Hawaii. By Robert T. B. Iversen. August 1971. iii + 10 p., 3 figs., 7 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
642. Atlantic menhaden *Brevoortia tyrannus* resource and fishery analysis of decline. By Kenneth A. Henry. August 1971. v + 32 p., 40 figs., 5 appendix figs., 4 tables, 2 appendix tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
643. Surface winds of the southeastern tropical Atlantic Ocean. By John M. Steiguer and Merton C. Ingham. October 1971. iii + 20 p., 17 figs. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
644. Inhibition of flesh browning and skin color fading in frozen fillets of yelloweye snapper (*Lutjanus fulviflamma*). By Harold C. Thompson, Jr. and Mary H. Thompson. February 1972. iii + 6 p., 3 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
645. Traveling screen for removal of debris from rivers. By Danie W. Bates, Ernest W. Murphey, and Martin G. Beamy. October 1971. iii + 6 p., 6 figs., 1 table. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
646. Dissolved nitrogen concentrations in the Columbia and Snake Rivers in 1970 and their effect on chinook salmon and steelhead trout. By Wesley J. Ebel. August 1971. iii + 7 p., 2 figs., 6 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
647. Revised annotated list of parasites from sea mammals caught off the west coast of North America. By L. Margolis and M. D. Davey. March 1972. iii + 23 p. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

(13).
(198).
NOAA.
S S R. F



NOAA Technical Report NMFS SSRF-697

Fish and Hydrographic Collections Made by the Research Vessels *Dolphin* and *Delaware II* During 1968-72 From New York to Florida

S. J. WILK and M. J. SILVERMAN

SEATTLE, WA
January 1976

UNITED STATES
DEPARTMENT OF COMMERCE
Rogers C. B. Morton, Secretary

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION
Robert M. White, Administrator

National Marine
Fisheries Service
Robert W. Schoning, Director



For sale by the Superintendent of Documents, U.S. Government
Printing Office, Washington, D.C. 20402

159 pp

The National Marine Fisheries Service (NMFS) does not approve, recommend or endorse any proprietary product or proprietary material mentioned in this publication. No reference shall be made to NMFS, or to this publication furnished by NMFS, in any advertising or sales promotion which would indicate or imply that NMFS approves, recommends or endorses any proprietary product or proprietary material mentioned herein, or which has as its purpose an intent to cause directly or indirectly the advertised product to be used or purchased because of this NMFS publication.

CONTENTS

Introduction	1
Survey design	1
Instruments and collecting gear	1
The survey	1
Literature cited	2

Table

1. Summary of cruises	2
-----------------------------	---

Appendix Tables

1. Summary of cruise stations	4
2. List of fishes collected, arranged according to Bailey et al. (1970), including a summary of location and catch	30

Fish and Hydrographic Collections Made by the Research Vessels *Dolphin* and *Delaware II* During 1968-72 From New York to Florida

S. J. WILK and M. J. SILVERMAN¹

ABSTRACT

Information is given in tabular form for fish and hydrographic observations collected during 18 cruises made by the research vessels *Dolphin* and *Delaware II* from New York to Florida during 1968-72. Tables include station locations with related hydrographic observations and number, weight, and size range of fish species caught.

INTRODUCTION

The Sandy Hook Marine Laboratory began a series of 18 trawl cruises in 1968 to study the life histories of five species of the family Sciaenidae occurring along the Atlantic coast: weakfish, *Cynoscion regalis*; spot, *Leiostomus xanthurus*; southern kingfish, *Menticirrhus americanus*; northern kingfish, *Menticirrhus saxatilis*; and Atlantic croaker, *Micropogon undulatus*. These studies included age and growth, distribution, migration, reproduction, and population structure. This paper reports the fishes collected and hydrographic observations made during these trawl cruises.

SURVEY DESIGN

Sampling areas and time of each cruise depended on the particular aspect of sciaenid biology under study and the availability of vessels. All cruises, with the exception of those specifically designed for tagging or gear experiments, were conducted along predetermined transects. These were normal to the shore and extended seaward as far as 167 km (90 nautical miles). Sampling stations were spaced at intervals of 1 to 22 km (0.5 to 12.0 nautical miles), the spacing depending on the fishing intensity required to fulfill particular collection requirements. In addition, when time and weather permitted, special trawl stations were made at the mouths of inlets.

In all tables, the *Dolphin* cruises are encoded by the letter D and the *Delaware II* cruises by the abbreviation Del. These are followed by year digits and a series of numbers assigned consecutively during the year. For example, Del-72-15 was the 15th cruise of the *Delaware II* in 1972. Each station is designated by a number, indicating the consecutive station order for the particular cruise.

Table 1 gives the cruise designations, dates, geographical boundaries, number of stations completed, and primary purpose of each cruise. Appendix Table 1 gives station dates, coordinates to the nearest 0.2 km (0.1 nautical mile),

time of day, trawling time, total catch, and hydrographic observations.

INSTRUMENTS AND COLLECTING GEAR

A strip-chart recorder provided a continuous record of surface water temperature. On station, surface water temperatures were measured with stem thermometers accurate to $\pm 0.1^\circ\text{C}$. Vertical temperature profiles were obtained with a mechanical bathythermograph. Salinity was measured with a portable salinometer, which also provided supplementary temperature data.

All finfish collections were made with a $\frac{3}{4}$ -scale version of a Yankee No. 36 otter trawl having a 16.5-m (54-foot) footrope and an 11.9-m (39-foot) headrope. The wings, square, and bellies of the trawl were constructed of 127-mm (5-inch) stretched measure No. 54 braided flat nylon and the cod end of 51-mm (2-inch) stretched measure No. 30 braided flat nylon. A sweep line consisting of about 1,000 rubber discs 114 mm (4.5 inches) in diameter strung on 10-mm (0.38-inch) chain was attached to the footrope at intervals of about 356 mm (14 inches). Twelve 203-mm (8-inch) diameter aluminum trawl floats were equally spaced along the headrope. The trawl was fished with 11.6-m (38-foot) legs and 16.5-m (54-foot) ground cables. The bottom legs and ground cables were both constructed of 19-mm (0.75-inch) 6 \times 19 steel cable and the top legs of 13-mm (0.50-inch) 6 \times 19 steel cable. New England otter trawl doors constructed of wood and steel weighing 226.8 kg (500 pounds) were used with this trawl during cruises aboard the *Dolphin*. Doors of the same basic design weighing 226.8 to 340.2 kg (500-700 pounds) were used aboard the *Delaware II*.

THE SURVEY

Loran A navigation was the principal method used for positioning the *Dolphin* and *Delaware II* on collecting stations. Because of inherent limitations of Loran A navigation, accuracy of positioning on offshore stations cannot be considered better than ± 1.8 km (1.0 nautical mile). Increased accuracy was obtained on inshore stations by use of radar, land ranges, and by visual sightings of buoys, lightships, and light towers.

¹Middle Atlantic Coastal Fisheries Center Sandy Hook Laboratory, National Marine Fisheries Service, NOAA, Highlands, NJ 07732.

Table 1.--Summary of cruises.

Cruise code	Dates	Geographical boundaries	No. of stn.	Purpose of study
D-68-7	July 30-Aug. 2, 1968	Moriches Inlet, N.Y. to Shark River Inlet, N.J.	23	Determine the distribution of weakfish and related species in relation to bottom temperatures.
D-68-13	Oct. 29-Nov. 8, 1968	Oregon Inlet, N.C. to Bogue Inlet, N.C.	55	(1) Determine selectivity of various codend mesh sizes in trawls fishing for sciaenid species; (2) collect living specimens of sciaenids for tag-testing; (3) tag and release <i>Paralichthys</i> sp.
D-69-9	Apr. 15-25, 1969	Cape May, N.J. to Cape Lookout area of N.C.	69	(1) Tag and release weakfish, spot, and Atlantic croaker; (2) collect age and growth material relevant to sciaenids; (3) sample for juvenile sciaenids, sea basses, and <i>Paralichthys</i> sp.; (4) tag and release <i>Paralichthys</i> sp.
D-69-15	June 25-30, 1969	Sea Bright, N.J. to Ocean City, Md.	70	(1) Collect sciaenids for studies of age, growth, morphometrics, feeding, spawning, and distribution; (2) tag and release sciaenids for migration and growth studies.
D-69-21	Aug. 19-21, 1969	A single transect off Ocean City, Md.	5	Same as D-69-15.
D-69-23	Sept. 10-18, 1969	Barnegat Inlet, N.J. to Cape Fear, N.C.	45	Same as D-69-15.
D-69-25	Sept. 30-Oct. 1, 1969	Shinnecock Inlet, N.Y. to Jones Inlet, N.Y.	13	Same as D-69-15.
D-69-29	Oct. 28-Nov. 6, 1969	Ocracoke Inlet, N.C. to Charleston, S.C.	27	Same as D-69-15.
D-70-7	May 6-7, 1970	A single transect off Great Egg Harbor, N.J.	4	Same as D-69-15.
D-70-16	July 6-10, 1970	Fire Island Inlet, N.Y. to Ocean City, Md.	39	Same as D-69-15.
D-70-19	Aug. 3-7, 1970	Fire Island Inlet, N.Y. to Ocean City, Md.	40	Same as D-69-15.
D-71-3	Mar. 29-Apr. 9, 1970	Barnegat Inlet, N.J. to New Smyrna Beach, Fla.	41	(1) Collect material relevant to age, growth, morphometrics, feeding, spawning, migration, and distribution of weakfish, spot, Atlantic croaker, and kingfishes; (2) collect larval summer flounder.
D-71-11	July 12-23, 1971	Barnegat Inlet, N.J. to Ponce de Leon Inlet, Fla.	49	(1) Collect material relevant to age, growth, morphometrics, feeding, spawning, migration, and distribution of sciaenid species; (2) collect specimens of <i>Paralichthys</i> sp. for morphometric and meristic studies.
D-71-14	Aug. 23-27, 1971	Fire Island, N.Y. to Ocean City, Md.	34	(1) Same as item 1 of D-71-11; (2) define biologically and hydrographically a cell of cold bottom water which repeatedly occurs in the N.Y. Bight during the summer.
Del-71-2	Nov. 2-3, 1971	Fire Island, N.Y. to Barnegat Inlet, N.J.	9	Check comparability of Delaware II and Dolphin in towing $\frac{1}{4}$ combination trawl.
Del-71-3	Nov. 8-19, 1971	Assateague Island, Va. to Cape Kennedy, Fla.	69	(1) Same as D-71-11; (2) continue survey of coastal fishes.
Del-72-8	Mar. 20-31, 1972	Oregon Inlet, N.C. to Cape Kennedy, Fla.	75	(1) Same as Del-71-3; (2) make neuston net tows at each trawl station to sample for juvenile fishes.
Del-72-15	May 15-26, 1972	Oregon Inlet, N.C. to Cape Kennedy, Fla.	77	Same as Del-71-3.

Hydrographic data obtained routinely at the beginning of each station consisted of vertical temperature and salinity profiles as well as surface temperature and depth. Salinity was measured at the surface and at 5-m intervals as determined by markings on the portable salinometer cable. The cable was kept as nearly vertical as possible by attaching a 4.5-kg (10-pound) weight to the sensor and by moving the vessel slowly in the direction of drift. Deviations from this procedure were made during some cruises and on particular stations because of the depth limit of the salinometer cable, weather conditions, instrument failure, or close proximity of stations. Only measurements of depth

and of the temperature and salinity at the surface and bottom are given in Appendix Table 1. All additional hydrographic data are on file at the Middle Atlantic Coastal Fisheries Center.

Trawl tows were made along isobaths to avoid sudden depth changes. Towing duration was 3 to 70 min, but most tows were 15 min. Towing speed was about 5.6 km/h (3 knots).

At the conclusion of each tow, the trawl was hauled back and emptied onto a fish sorting table where all finfish were sorted and identified. Sources of identification used were: Jordan and Evermann (1896-1900), Hildebrand and Schroeder (1928), Beebe and Tee-Van (1933), Ginsburg (1937, 1950, 1951, 1952, 1953), Hildebrand (1943), Breder (1948), Bigelow and Schroeder (1953), Berry (1959a, 1959b), Miller (1959), Berry and Anderson (1961), Berry and Vogele (1961), Jutare (1962), Casey (1964), Rivas (1964), Eschmeyer (1965), Anderson et al. (1966), Greenwood et al. (1966), Randall and Caldwell (1966), Anderson (1967), Guthertz (1967), Moore (1967), Böhke and Chaplin (1968), Randall (1968), and Shipp and Yerger (1969).

Sciaenid species of interest were dealt with in one or more of the following ways: counted, weighed, and measured; tagged and released; or frozen for laboratory determination of age, growth, racial characteristics, and fecundity. When time and personnel permitted, specimens of other species were weighed, counted, and a random sample measured to the nearest centimeter. When the number of any species was excessive, the total number was estimated by counting and weighing the specimens in a subsample. The data for several of the early cruises are incomplete owing largely to the lack of personnel.

Appendix Table 2 is a phylogenetic list of the 217 species and 77 families of fishes collected during the 18 cruises. Unless indicated, scientific and common names are according to Bailey et al. (1970). Length measurements are expressed as total length.

Collected data were recorded on appropriate automatic data processing forms, transferred to punch cards, and incorporated into sorting, listing, and statistical systems to simplify data recall and analysis. Arrangements of data presented here were accomplished using these systems.

LITERATURE CITED

- ANDERSON, W. D., JR.
1967. Field guide to the snappers (Lutjanidae) of the western Atlantic. U.S. Fish Wildl. Serv., Circ. 252, 14 p.
- ANDERSON, W. W., J. W. GEHRINGER, and F. H. BERRY.
1966. Field guide to the Synodontidae (Lizardfishes) of the western Atlantic Ocean. U.S. Fish Wildl. Serv., Circ. 245, 12 p.
- BAILEY, R. M., J. E. FITCH, E. S. HERALD, E. A. LACHNER, C. C. LINDSAY, C. R. ROBINS, and W. B. SCOTT.
1970. A list of common and scientific names of fishes from the United States and Canada. Am. Fish. Soc., Spec. Publ. 6, 150 p.
- BEEBE, W., and J. TEE-VAN.
1933. Field book of the shore fishes of Bermuda. G. P. Putnam's Sons, N.Y., 337 p.
- BERRY, F. H.
1959a. Boarfishes of the genus *Antigonia* of the western Atlantic. Bull. Fla. State Mus., Biol. Sci. 4:205-250.
1959b. Young jack crevalles (*Caranx* species) off the southeastern Atlantic coast of the United States. U.S. Fish Wildl. Serv., Fish. Bull. 59:417-535.

- BERRY, F. H., and W. W. ANDERSON.
1961. Stargazer fishes from the western North Atlantic (family Uranoscopidae). Proc. U.S. Natl. Mus. 112:563-586.
- BERRY, F. H., and L. E. VOGELE.
1961. Filefishes (Monacanthidae) of the western North Atlantic. U.S. Fish Wildl. Serv., Fish. Bull. 61:61-109.
- BIGELOW, H. B., and W. C. SCHROEDER.
1953. Fishes of the Gulf of Maine. U.S. Fish Wildl. Serv., Fish. Bull. 53, 577 p.
- BÖHLKE, J. E., and C. C. G. CHAPLIN.
1968. Fishes of the Bahamas and adjacent tropical waters. Livingston Publ. Co., Wynnewood, Pa., 771 p.
- BREDER, C. M., JR.
1948. Field book of marine fishes of the Atlantic coast. G. P. Putnam's Sons, N.Y., 332 p.
- CASEY, J. G.
1964. Anglers' guide to sharks of the northeastern United States, Maine to Chesapeake Bay. U.S. Fish Wildl. Serv., Circ. 179, 32 p.
- ESCHMEYER, W. N.
1965. Western Atlantic scorpionfishes of the genus *Scorpaena*, including four new species. Bull. Mar. Sci. 15:84-164.
- GINSBURG, I.
1937. Review of the seahorses (*Hippocampus*) found on the coasts of the American continents and of Europe. Proc. U.S. Natl. Mus. 83:497-594.
1950. Review of the western Atlantic Triglidae (fishes). Tex. J. Sci. 2:489-527.
1951. Western Atlantic tonguefishes with descriptions of six new species. Zoologica (N.Y.) 36:185-201.
1952. Flounders of the genus *Paralichthys* and related genera in American waters. U.S. Fish Wildl. Serv., Fish. Bull. 52:267-351.
1953. Western Atlantic scorpionfishes. Smithson. Misc. Collect. 121:1-103.
- GREENWOOD, P. H., D. E. ROSEN, S. H. WEITZMAN, and G. S. MYERS.
1966. Phyletic studies of teleostean fishes, with a provisional classification of living forms. Bull. Am. Mus. Nat. Hist. 131:339-455.
- GUTHERZ, E. J.
1967. Field guide to the flatfishes of the family Bothidae in the western North Atlantic. U.S. Fish Wildl. Serv., Circ. 263, 47 p.
- HILDEBRAND, S. F.
1943. A review of the American anchovies (family Engraulidae). Bull. Bingham Oceanogr. Collect. Yale Univ. 8(2):1-165.
- HILDEBRAND, S. F., and W. C. SCHROEDER.
1928. Fishes of Chesapeake Bay. U.S. Bur. Fish., Bull. 43, Part 1, 366 p.
- JORDAN, D. S., and B. W. EVERMANN.
1896-1900. The fishes of North and Middle America. Bull. U.S. Natl. Mus. 47, 3313 p.
- JUTARE, T. V.
1962. Studies on the biology of *Bothus ocellatus* with a description of a related new species. M.S. Thesis, Univ. Miami, Coral Gables, Fla., 97 p.
- MILLER, R. J.
1959. A review of the seabasses of the genus *Centropristes* (Serranidae). Tulane Stud. Zool. 7:33-68.
- MOORE, D.
1967. Triggerfishes (Balistidae) of the western Atlantic. Bull. Mar. Sci. 17:689-722.
- RANDALL, J. E.
1968. Caribbean reef fishes. T. F. H. Publ., Inc., Jersey City, N.J., 318 p.
- RANDALL, J. E., and D. K. CALDWELL.
1966. A review of the sparid fish genus *Calamus*, with descriptions of four new species. Bull. Los Ang. Cty. Mus. Nat. Hist. Sci. 2, 47 p.
- RIVAS, L. R.
1964. Western Atlantic serranid fishes (groupers) of the genus *Epinephelus*. Q. J. Fla. Acad. Sci. 27:17-30.
- SHIPP, R. L., and R. W. YERGER.
1969. A new puffer fish, *Sphoeroides parvus*, from the western Gulf of Mexico, with a key to species of *Sphoeroides* from the Atlantic and Gulf coasts of the United States. Proc. Biol. Soc. Wash. 82:477-488.

Appendix Table 1.--Summary of cruise stations.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
D-68-7	July												
1	30	40°25.0'	73°58.0'	0851	15	44	*	6	7	19.9	16.7	28.3	30.0
2	30	40°25.2'	73°57.2'	0957	15	18	*	3	7	19.9	14.1	28.8	30.8
3	30	40°26.5'	73°56.4'	1057	17	103	*	6	14	19.9	10.6	28.2	31.2
4	30	40°25.0'	73°52.2'	1223	17	422	*	8	22	20.1	8.9	28.5	31.3
5	30	40°24.9'	73°46.0'	1509	18	2	*	2	37	23.0	8.4	30.0	30.7
6	30	40°24.8'	73°38.8'	1630	22	13	*	2	20	23.6	9.8	29.9	30.3
7	30	40°19.0'	73°36.1'	1821	18	124	*	3	26	23.5	10.9	29.9	30.7
8	31	40°24.5'	73°36.3'	0628	20	31	*	4	18	23.0	10.8	30.0	30.6
9	31	40°29.5'	73°36.5'	0757	18	28	*	5	18	19.6	14.2	28.3	31.0
10	31	40°32.5'	73°36.0'	0918	18	302	*	7	14	20.2	14.1	29.6	30.9
11	31	40°33.4'	73°36.0'	1000	Trawl hung and catch lost				37	20.4	14.8	29.3	30.7
12	31	40°34.1'	73°35.2'	1040	10	109	*	7	7	24.4	16.3	29.2	30.5
13	31	40°34.5'	73°33.0'	1127	13	114	*	7	7	20.8	18.9	29.9	31.0
14	31	40°37.0'	73°18.7'	1330	18	75	*	10	10	21.5	16.7	29.6	30.7
15	31	40°36.5'	73°17.4'	1413	19	17	*	5	13	21.7	14.8	29.6	31.0
16	31	40°36.0'	73°19.3'	1506	19	32	*	2	14	21.7	14.4	29.0	30.6
17	31	40°35.2'	73°15.5'	1609	21	32	*	3	15	21.1	13.9	29.9	30.6
18	31	40°32.5'	73°19.3'	1746	24	4	*	2	22	21.7	12.6	29.2	30.4
19	Aug.	40°45.0'	72°45.5'	0617	18	14	*	4	9	21.5	18.1	30.0	30.2
20	1	40°45.0'	72°44.1'	0657	20	26	*	4	15	21.5	14.9	30.1	30.4
21	1	40°43.7'	72°45.0'	0753	19	22	*	5	21	21.1	13.0	29.8	30.7
22	1	40°41.5'	72°42.3'	0853	19	19	*	8	27	20.5	8.9	30.0	31.2
23	1	40°14.3'	73°46.4'	1433	21	12	*	3	62	23.5	7.4	30.2	31.2
D-68-13	Oct.												
1	31	34°33.5'	76°35.5'	1352	30	145	17.1	4	15	20.1	20.0	35.2	35.4
2	31	34°34.0'	76°33.5'	1448	30	+	+	17	*	*	*	*	*
3	31	34°36.2'	76°33.6'	1615	30	+	+	16	*	*	*	*	*
4	31	34°36.5'	76°33.8'	1934	61	+	64.0	13	*	*	*	*	*
5	31	34°39.6'	76°40.5'	2305	17	+	149.6	7	*	*	*	*	*

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)		Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)						Surface	Bottom	Surface	Bottom	Surface	Bottom
	Nov.													
6	1	34°40.2'	76°39.1'	0338	25	+	+	12	*	*	*	*	*	*
7	1	34°36.1'	76°33.8'	0643	30	+	75.8	14	11	19.0	18.9	35.0	35.1	*
8	1	34°36.6'	76°33.9'	0859	38	+	385.6	14	*	*	*	*	*	*
9	1	34°34.6'	76°34.5'	1022	38	+	+	10	*	*	*	*	*	*
10	1	34°39.5'	76°40.1'	1253	45	+	104.6	12	*	*	*	*	*	*
11	1	34°38.0'	76°26.5'	1742	30	+	+	11	13	19.9	19.9	35.4	35.5	*
12	1	34°45.0'	76°23.0'	1907	31	+	+	13	*	*	*	*	*	*
13	1	34°48.5'	76°19.5'	2018	23	+	+	*	*	*	*	*	*	*
14	1	34°51.5'	76°12.0'	2120	35	+	+	*	*	*	*	*	*	*
15	1	35°00.5'	76°03.0'	2255	30	+	+	13	*	*	*	*	*	*
16	2	34°36.5'	76°34.0'	0716	16	+	573.8	16	*	*	*	*	*	*
17	2	34°36.5'	76°34.0'	0933	36	+	421.8	12	*	*	*	*	*	*
18	2	34°36.5'	76°34.0'	1109	59	+	+	6	18	19.5	19.5	34.9	35.1	*
19	2	34°34.5'	76°33.0'	1312	60	+	104.6	5	*	*	*	*	*	*
20	2	34°34.3'	76°34.7'	1442	60	*	*	*	*	*	*	*	*	*
21	3	34°36.3'	76°33.9'	1125	30	+	+	7	13	19.4	19.3	34.9	35.0	*
22	3	34°34.5'	76°34.3'	1214	46	+	345.6	8	*	*	*	*	*	*
23	3	34°34.1'	76°34.0'	1325	65	+	238.4	8	*	*	*	*	*	*
24	3	34°34.4'	76°34.3'	1448	59	+	172.1	8	*	*	*	*	*	*
25	3	34°34.3'	76°33.1'	1605	70	+	+	8	*	*	*	*	*	*
26	3	34°39.5'	76°40.5'	1826	18	+	+	9	*	*	*	*	*	*
27	3	34°41.1'	76°44.0'	1959	31	+	68.0	5	*	*	*	*	*	*
28	3	34°36.4'	76°35.4'	2150	30	+	+	4	*	*	*	*	*	*
29	3	34°34.6'	76°33.8'	2245	45	+	217.3	9	*	*	*	*	*	*
30	4	34°34.6'	76°34.7'	0015	33	+	161.3	7	*	*	*	*	*	*
31	4	34°35.5'	76°34.0'	0121	63	+	304.4	8	*	*	*	*	*	*
32	4	34°36.0'	76°35.0'	0304	61	+	245.8	11	*	*	*	*	*	*
33	4	34°35.5'	76°33.9'	0449	60	+	+	8	*	*	*	*	*	*
34	4	34°39.5'	76°41.0'	0704	33	+	+	4	*	*	*	*	*	*
35	4	34°41.1'	76°43.9'	0829	27	+	*	*	*	*	*	*	*	*

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)		Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)						Surface	Bottom	Surface	Bottom	Surface	Bottom
36	4	34°36.6'	76°34.0'	1010	40	+	694.9	7	*	*	*	*	*	*
37	4	34°36.5'	76°34.3'	1147	37	+	134.3	7	*	*	*	*	*	*
38	4	34°34.6'	76°35.3'	1245	52	+	+	12	*	*	*	*	*	*
39	4	34°33.2'	76°35.3'	1438	42	+	308.0	10	*	*	*	*	*	*
40	5	34°33.0'	76°35.7'	0808	38	+	18.6	5	19	19.4	19.9	34.8	35.6	
41	5	34°32.6'	76°35.6'	0913	47	+	42.0	3	*	*	*	*	*	*
42	5	34°33.3'	76°33.5'	1056	60	+	196.9	12	*	*	*	*	*	*
43	5	34°36.2'	76°33.8'	1227	32	+	+	10	*	*	*	*	*	*
44	5	34°34.3'	76°34.0'	1318	49	+	+	13	*	*	*	*	*	*
45	5	34°35.1'	76°34.6'	1435	58	+	+	10	*	*	*	*	*	*
46	5	34°39.6'	76°40.2'	1633	26	+	+	17	*	*	*	*	*	*
47	5	34°39.5'	76°38.0'	1735	30	+	+	11	*	*	*	*	*	*
48	6	34°41.0'	76°43.8'	0730	30	+	+	4	*	*	*	*	*	*
49	6	34°40.1'	76°42.0'	0848	22	+	+	11	*	*	*	*	*	*
50	6	34°39.8'	76°41.3'	1032	13	+	+	10	*	*	*	*	*	*
51	6	34°39.9'	76°41.3'	1125	17	+	+	13	*	*	*	*	*	*
52	6	35°35.0'	75°13.5'	2159	11	*	*	3	35	18.6	18.6	33.0	33.1	
53	6	35°35.5'	75°12.5'	2229	32	*	*	2	*	*	*	*	*	*
54	7	35°38.0'	75°22.0'	0028	45	+	+	3	*	*	*	*	*	*
55	7	35°40.0'	75°22.5'	0133	62	*	*	3	*	*	*	*	*	*
D-69-9	Apr.													
1	16	36°35.0'	75°34.0'	1013	15	16	*	5	24	9.2	8.3	34.1	33.6	
2	16	36°23.0'	75°45.5'	1235	18	+	+	7	15	10.8	9.3	31.6	33.0	
3	16	36°16.0'	75°33.0'	1435	25	41	*	6	26	10.5	8.2	32.7	34.2	
4	16	36°04.5'	75°38.5'	1633	22	+	*	12	16	10.6	9.2	32.2	33.3	
5	16	35°45.5'	75°24.0'	1910	30	58	*	7	24	10.4	9.3	32.1	33.2	
6	17	35°00.0'	75°30.0'	0035	20	12	*	6	44	23.0	20.0	36.8	36.6	
7	17	34°58.0'	75°54.0'	0353	15	+	*	10	25	16.3	19.1	35.6	36.6	
8	17	35°01.5'	76°01.0'	0517	18	1,162	*	15	16	16.1	16.4	34.9	35.7	
9	17	34°56.0'	76°08.5'	0718	27	+	+	6	14	15.9	16.1	34.9	35.4	

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
10	17	34°53.0'	76°15.0'	0909	23	807	+	3	14	15.9	16.1	34.9	35.4
11	17	34°51.0'	76°16.5'	1004	30	+	+	11	14	15.9	16.1	34.9	35.4
12	17	34°47.5'	76°21.0'	1224	20	84	*	4	9	16.4	16.3	34.5	35.4
13	17	34°39.5'	76°26.5'	1349	33	117	*	7	8	16.7	15.9	34.2	35.0
14	17	34°34.8'	76°34.4'	1647	15	+	+	10	17	15.2	14.3	34.5	34.5
15	17	34°36.3'	76°34.7'	1744	22	+	*	10	17	15.2	14.3	34.5	34.5
16	17	34°35.3'	76°34.5'	1850	24	287	*	12	17	15.2	14.3	34.5	34.5
17	17	34°34.5'	76°35.1'	2006	15	133	*	7	17	15.2	14.3	34.5	34.5
18	17	34°33.6'	76°35.7'	2136	23	215	*	9	17	15.2	14.3	34.2	34.8
19	17	34°34.0'	76°35.7'	2320	22	183	*	9	18	16.0	14.4	34.2	34.8
20	18	34°33.9'	76°34.5'	0107	20	1,570	+	10	18	16.0	14.4	34.2	34.8
21	18	34°34.0'	76°34.5'	0842	22	512	*	9	18	16.0	14.4	34.2	34.8
22	18	34°33.5'	76°34.5'	0958	23	145	*	6	18	16.1	14.4	34.3	34.8
23	18	34°39.3'	76°39.7'	1140	20	68	+	9	13	16.7	14.7	33.7	34.3
24	18	34°40.0'	76°51.5'	1332	16	289	*	6	20	16.7	14.0	34.1	34.2
25	18	34°33.6'	76°53.1'	1501	21	27	*	8	22	18.8	18.7	36.2	36.2
26	20	34°33.3'	76°36.0'	0745	20	86	*	6	20	16.1	17.0	33.9	35.0
27	20	34°36.8'	76°33.8'	0854	26	+	*	8	20	16.1	17.0	33.9	35.0
28	20	34°36.7'	76°33.9'	1005	24	163	*	7	18	17.0	13.1	33.3	34.1
29	20	34°36.5'	76°33.8'	1109	19	+	+	8	18	17.0	13.1	33.3	34.1
30	20	34°36.5'	76°33.8'	1203	19	+	*	11	18	17.0	13.1	33.3	34.1
31	20	34°36.1'	76°34.4'	1305	17	240	+	9	18	17.0	13.1	33.3	34.1
32	20	34°35.9'	76°33.5'	2354	24	+	+	12	15	14.9	15.8	33.8	34.4
33	21	34°35.9'	76°34.0'	0105	20	+	+	9	15	14.9	15.8	33.8	34.4
34	21	34°36.1'	76°33.8'	0218	25	+	+	10	15	14.9	15.8	33.8	34.4
35	21	34°36.0'	76°33.6'	1155	21	+	+	11	15	14.9	15.8	33.8	34.4
36	21	34°36.1'	76°34.3'	1304	19	+	+	9	14	15.8	17.7	33.3	34.5
37	21	34°36.0'	76°34.1'	1358	24	+	+	11	14	15.8	17.7	33.3	34.5
38	21	34°36.1'	76°34.2'	1506	30	+	+	11	14	15.8	17.7	33.3	34.5
39	21	34°36.0'	76°34.2'	1610	17	+	+	11	14	15.8	17.7	33.3	34.5
40	21	34°36.0'	76°34.2'	1658	27	+	+	9	14	15.8	17.7	33.3	34.5

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)		Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)						Surface	Bottom	Surface	Bottom**		
41	22	34°36.2'	76°34.3'	0345	24	+	*	12	17	16.1	16.1	33.4	35.0	
42	22	34°34.2'	76°33.6'	0437	25	146	*	9	17	16.1	16.1	33.4	35.0	
43	22	34°32.8'	76°34.8'	0527	25	+	+	8	17	16.1	16.1	33.4	35.0	
44	22	34°31.2'	76°34.0'	0626	36	+	+	7	18	16.3	16.9	34.4	35.6	
45	22	34°32.6'	76°34.0'	0730	32	+	+	8	18	16.3	16.9	34.4	35.6	
46	22	34°39.3'	76°26.4'	2020	19	382	*	14	15	16.9	17.1	35.1	35.4	
47	22	34°43.6'	76°22.6'	2138	23	374	*	12	15	16.8	17.6	34.9	34.0	
48	22	34°44.2'	76°22.0'	2310	24	+	*	14	18	17.0	17.5	34.8	35.9	
49	23	34°47.5'	76°19.2'	0004	35				*	*	*	*	*	
50	23	34°51.0'	76°17.0'	0050	25	469	*	13	17	17.0	17.4	35.0	36.1	
51	23	34°51.1'	76°15.7'	0200	27	203	*	14	17	17.0	17.4	35.0	36.1	
52	23	34°52.6'	76°13.7'	0303	29	174	*	11	17	17.0	17.4	35.0	36.1	
53	23	34°57.1'	76°06.9'	0417	26	198	*	11	19	17.4	17.4	35.2	35.8	
54	23	34°59.0'	76°03.2'	0521	29	719	+	12	15	17.3	17.7	35.0	35.7	
55	23	35°00.7'	76°01.5'	0626	22	248	*	9	15	17.3	17.7	35.0	35.7	
56	23	35°01.8'	75°59.0'	0723	25	161	+	7	15	17.3	17.7	35.0	35.7	
57	23	35°01.0'	75°57.5'	0929	26	581	+	13	22	17.5	17.7	35.3	35.9	
58	23	35°56.0'	75°36.0'	1103	26	246	+	4	37	18.5	18.9	35.4	36.0	
59	23	34°54.5'	75°32.5'	1257	20	69	+	3	*	*	*	*	*	
60	23	34°53.5'	75°28.5'	1405	21	30	*	4	*	*	*	*	*	
61	23	34°54.0'	75°25.0'	1511	20	10	*	1	*	*	*	*	*	
62	23	35°45.0'	75°18.5'	2026	26	48	*	10	25	11.5	9.2	31.4	33.4	
63	23	35°48.0'	75°30.0'	2227	20	99	*	12	19	11.4	10.0	31.0	32.5	
64	24	36°21.5'	75°42.0'	0215	25	34	*	10	23	10.7	9.9	31.7	32.7	
65	24	37°07.5'	75°40.5'	0651	24	67	*	9	16	10.1	9.3	31.7	32.3	
66	24	37°17.0'	75°34.5'	0843	25	138	+	6	20	10.2	8.5	32.2	32.5	
67	24	37°52.0'	75°10.5'	1317	25	39	*	4	28	9.8	8.1	32.4	33.1	
68	24	38°22.5'	74°48.0'	1702	20	38	*	9	27	7.9	7.3	33.2	33.5	
69	24	38°49.0'	74°50.0'	2013	19	111	*	6	15	8.7	8.2	32.1	32.5	

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
D-69-15 June													
1	25	40°21.5'	73°47.0'	1017			Zooplankton station		52	19.2	9.0	*	*
2	25	40°11.0'	73°42.0'	1131		128	Zooplankton station	7	48	19.4	7.0	*	*
3	25	40°05.0'	73°31.5'	1305			Zooplankton station	6	65	19.4	4.7	*	*
4	25	39°58.5'	73°22.0'	1405			Zooplankton station	8	65	19.6	5.0	*	*
5	25	39°52.0'	73°11.0'	1540			Zooplankton station	14	51	19.7	5.0	*	*
6	25	39°46.5'	73°00.5'	1644			Zooplankton station	12	65	19.5	5.0	*	*
7	26	38°20.0'	74°32.0'	0247	16	123		8	33	21.0	9.1	*	*
8	26	38°20.0'	74°38.0'	0345	15	128		7	37	21.0	9.5	*	*
9	26	38°20.0'	74°44.0'	0448	16			6	27	21.1	10.8	*	*
10	26	38°20.0'	74°51.0'	0550	16			8	15	20.2	15.4	*	*
11	26	38°20.0'	74°57.5'	0652	14			14	21	19.3	16.0	*	*
12	26	38°20.0'	75°00.0'	0821	15			12	17	19.0	17.7	*	*
13	26	38°19.5'	75°04.0'	0955	15			16	16	19.5	17.5	*	*
14	26	38°31.0'	74°55.0'	1225	15	5,895		13	26	19.2	17.1	*	*
15	26	38°30.0'	74°50.0'	1410	19			9	23	22.1	14.6	*	*
16	26	38°30.0'	74°43.0'	1520	19	49		7	29	21.4	11.0	*	*
17	26	38°30.0'	74°38.0'	1735	15	15		4	23	20.7	11.0	*	*
18	26	38°29.5'	74°30.0'	1848	16	72		9	34	21.6	9.5	*	*
19	26	38°39.5'	74°30.0'	2020	15			8	34	21.7	10.0	*	*
20	26	38°39.5'	74°36.5'	2151	19	131		10	30	21.5	12.0	*	*
21	26	38°39.5'	74°42.5'	2308	20	133		10	23	19.9	14.0	*	*
22	27	38°39.5'	74°49.0'	0034	15	590		12	18	20.4	17.0	*	*
23	27	38°39.5'	74°55.5'	0154	15	738		12	20	19.5	17.2	*	*
24	27	38°39.5'	74°59.5'	0318	17	771		9	15	20.3	18.4	*	*
25	27	38°39.5'	75°02.0'	0434	16	366		11	13	20.3	19.0	*	*
26	27	38°47.0'	74°55.0'	0602	13			11	14	19.0	19.0	*	*
27	27	38°47.0'	74°52.0'	0700	14			7	15	19.0	18.5	*	*
28	27	38°47.0'	74°48.5'	0800	15			4	16	19.2	17.8	*	*
29	27	38°47.0'	74°42.0'	0942	10			11	22	20.2	15.5	*	*
30	27	38°47.0'	74°35.5'	1040	15			12	25	20.7	13.3	*	*

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
31	27	38°47.0'	74°29.0'	1204	15	65	+	6	24	21.5	12.2	*	*
32	27	38°47.0'	74°23.0'	1327	20	80	*	12	34	21.8	10.8	*	*
33	27	38°57.0'	74°17.5'	1500	22	73	*	8	33	24.1	9.8	*	*
34	27	38°57.0'	74°23.5'	1619	15	53	*	6	24	20.7	11.3	*	*
35	27	38°57.0'	74°30.0'	1730	15	+	+	10	24	20.6	14.8	*	*
36	27	38°56.0'	74°49.0'	1935	13	111	*	12	12	19.1	18.8	*	*
37	27	38°56.5'	74°47.0'	2038	20	740	+	9	12	19.0	18.8	*	*
38	27	38°56.5'	74°43.0'	2327	12	+	+	10	12	18.8	18.8	*	*
39	28	38°56.5'	74°37.0'	0050	16	+	+	7	12	19.5	19.5	*	*
40	28	38°56.5'	74°47.0'	0210	15	179	*	8	12	19.0	18.8	*	*
41	28	38°56.5'	74°47.0'	0252	14	+	+	11	12	19.0	18.8	*	*
42	28	38°59.0'	74°45.0'	0641	16	+	+	8	12	19.0	18.8	*	*
43	28	39°05.5'	74°41.0'	0745	12	+	+	11	14	19.8	19.0	*	*
44	28	39°06.5'	74°38.0'	0904	15	+	+	10	14	19.8	18.5	*	*
45	28	39°05.5'	74°35.0'	1012	14	+	*	4	12	19.6	18.0	*	*
46	28	39°05.5'	74°40.5'	1117	17	+	*	12	14	*	*	*	*
47	28	39°08.5'	74°40.0'	1234	16	+	*	7	14	*	*	*	*
48	28	39°06.5'	74°40.0'	1317	16	+	*	10	14	*	*	*	*
49	28	39°06.5'	74°28.0'	1450	17	+	+	10	19	20.7	15.3	*	*
50	28	39°06.5'	74°21.5'	1555	15	74	+	8	22	20.7	10.5	*	*
51	28	39°06.5'	74°15.0'	1702	17	21	*	5	25	21.1	10.0	*	*
52	28	39°06.5'	74°09.0'	1805	19	27	*	6	31	21.1	9.3	*	*
53	28	39°16.5'	73°58.0'	1945	18	28	*	4	29	21.5	9.0	*	*
54	28	39°16.5'	74°05.5'	2117	20	88	*	8	29	21.2	14.2	*	*
55	28	39°16.2'	74°12.5'	2252	16	+	*	8	25	20.7	9.4	*	*
56	29	39°16.0'	74°19.0'	0020	15	+	*	9	15	20.5	12.0	*	*
57	29	39°16.0'	74°25.5'	0144	16	+	*	8	14	20.3	16.1	*	*
58	29	39°16.0'	74°29.0'	0247	13	+	*	9	13	20.8	18.0	*	*
59	29	39°16.0'	74°32.0'	0341	15	49	*	10	13	21.0	17.9	*	*
60	29	39°16.5'	74°31.0'	0419	19	+	*	11	13	21.0	17.9	*	*
61	29	39°30.0'	74°15.0'	0715	16	+	*	12	6	20.0	18.0	*	*
62	29	39°30.5'	74°12.5'	0828	14	+	*	13	17	20.4	16.1	*	*

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
63	29	39°30.0'	74°08.5'	0939	16	71	*	9	18	21.2	12.5	*	*
64	29	39°30.3'	74°02.0'	1042	16	351	*	5	23	21.2	9.2	*	*
65	29	39°30.3'	73°55.5'	1142	15	9	*	5	23	22.0	9.2	*	*
66	29	39°30.3'	73°49.0'	1242	19	22	*	10	24	22.4	10.0	*	*
67	29	39°30.3'	73°42.0'	1338	18	46	*	8	28	22.8	7.4	*	*
68	29	39°46.0'	74°03.5'	1722	13	+	+	11	13	21.8	16.2	*	*
69	29	39°46.0'	74°03.5'	1839	15	+	+	8	13	22.6	16.5	*	*
70	29	39°56.3'	74°03.0'	2140	15	+	+	12	20	21.2	11.3	*	*
D-69-21 Aug.													
1	20	38°20.0'	74°57.5'	0506	15	+	*	8	23	23.2	14.4	27.1	29.0
2	20	38°19.0'	75°04.0'	0704	17	1,051	+	11	11	23.1	17.5	27.0	28.2
3	20	38°20.0'	75°00.0'	0919	17	701	*	13	12	22.4	17.3	26.2	28.9
4	20	38°20.0'	74°51.5'	1136	19	+	*	7	19	22.9	12.3	27.8	28.7
5	20	38°20.0'	74°44.0'	1330	18	24	*	2	28	23.8	9.5	28.4	28.0
D-69-23 Sept.													
1	12	33°56.5'	77°43.0'	0432	15	+	*	20	19	25.7	25.7	35.2	34.6
2	12	33°59.5'	77°48.0'	0854	15	22	*	4	15	25.5	25.5	32.5	32.5
3	12	34°01.0'	77°51.0'	0958	16	100	*	13	13	25.3	25.3	34.2	34.0
4	12	34°02.0'	77°52.5'	1109	19	+	*	22	11	25.1	25.1	34.4	34.4
5	13	34°39.5'	77°00.0'	0931	17	100	*	10	14	25.2	25.2	32.3	32.2
6	13	34°37.5'	76°59.5'	1029	17	10	*	4	14	25.1	25.1	32.1	32.3
7	13	34°34.5'	76°58.5'	1120	17	9	*	5	16	24.9	24.9	32.6	32.7
8	13	34°29.5'	76°57.0'	1227	16	126	*	14	19	25.1	25.1	32.2	32.5
9	13	34°39.6'	76°40.0'	1501	14	+	+	25	11	24.6	24.8	31.2	31.8
10	13	34°38.0'	76°35.0'	1850	10	+	*	25	14	24.8	25.2	32.2	32.0
11	13	34°35.0'	76°34.5'	2058	11	465	+	21	17	24.1	24.8	31.8	32.3
12	13	34°30.5'	76°32.5'	2324	10	+	+	15	17	24.4	24.4	32.2	32.2
13	14	34°55.5'	75°51.0'	2248	15	+	*	6	24	25.0	25.3	31.5	31.8

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
14	15	34°59.0'	75°55.5'	0014	15	+	*	11	19	24.7	24.7	31.4	31.2
15	15	35°01.5'	75°58.0'	0120	15	144	*	13	18	23.6	24.0	30.2	30.8
16	15	35°02.5'	76°00.0'	0230	16	+	+	23	13	23.7	23.7	29.8	29.9
17	15	35°35.0'	75°15.0'	1013	17	+	*	7	28	23.5	19.4	28.8	29.3
18	15	35°35.0'	75°21.0'	1142	15	+	*	20	24	23.7	23.2	29.1	29.0
19	15	35°35.0'	75°25.0'	1434	41	+	*	8	14	24.3	23.4	28.6	29.0
20	15	35°35.0'	75°27.0'	1513	14	81	*	10	10	23.2	23.2	27.1	27.8
21	15	36°12.5'	75°33.0'	1924	19	+	*	9	25	24.0	19.0	29.5	29.9
22	15	36°12.5'	75°39.0'	2100	10	+	*	15	22	23.7	22.8	29.7	29.6
23	15	36°12.5'	75°43.0'	2358	10	+	*	12	19	23.0	23.0	28.1	29.4
24	16	36°12.5'	75°45.0'	0100	5	69	*	10	12	23.4	23.0	26.9	28.2
25	16	37°09.5'	75°37.5'	0649	10	+	*	19	12	22.1	21.8	29.4	29.3
26	16	37°09.5'	75°43.5'	1154	14	+	*	5	12	22.3	21.2	29.6	29.3
27	16	37°09.5'	75°46.5'	1300	15	240	*	11	8	22.6	22.2	29.3	29.6
28	16	37°46.5'	75°25.0'	1721	10	239	*	14	13	23.3	21.4	28.9	29.1
29	16	37°46.5'	75°19.0'	1901	15	+	*	15	18	23.1	19.1	29.2	29.3
30	17	38°20.0'	74°52.5'	0002	10	+	*	6	20	22.4	16.5	28.3	28.9
31	17	38°20.0'	74°58.5'	0115	10	+	*	11	22	22.5	19.1	28.3	29.1
32	17	38°20.0'	75°02.5'	0218	16	494	+	16	14	21.8	21.0	28.3	28.6
33	17	38°57.5'	74°37.5'	0808	15	+	*	5	10	19.8	19.5	28.9	29.0
34	17	38°57.5'	74°44.0'	0931	15	+	*	6	12	21.0	18.0	29.4	29.6
35	17	38°56.0'	74°50.0'	1045	10	+	*	9	12	21.7	19.4	29.3	29.4
36	17	39°13.5'	74°37.0'	1335	14	+	*	8	10	21.6	20.6	29.1	29.1
37	17	39°14.0'	74°34.0'	1449	22	184	*	3	11	21.6	20.6	29.1	29.1
38	17	39°13.5'	74°31.0'	1556	15	+	+	7	18	21.6	15.7	29.1	29.2
39	17	39°13.5'	74°25.0'	1708	16	+	*	5	17	22.6	14.5	29.2	29.6
40	17	39°27.5'	74°05.5'	1939	15	+	*	2	20	21.5	14.7	29.0	29.4
41	17	39°27.0'	74°11.5'	2136	15	+	*	4	16	21.1	15.7	29.0	29.2
42	18	39°45.0'	73°53.0'	0008	21	59	+	6	26	22.8	14.0	29.2	29.6
43	18	39°45.0'	73°59.5'	0130	15	63	*	7	23	22.4	14.0	29.0	29.5
44	18	39°45.0'	74°03.5'	0238	12	+	*	7	13	20.6	15.3	29.0	29.5
45	18	39°45.0'	74°05.0'	0343	11	+	*	10	9	*	*	*	*

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch Wt.(kg)	No.spp. caught	Depth (m)		Temp.(°C)		Salinity (‰)	
		Lat.(N)	Long.(W)						Surface	Bottom	Surface	Bottom**		
D-69-25	Sept.													
1	30	40°05.0'	74°01.5'	1148	15	+	*	10	15	18.5	18.5	27.9	28.0	
2	30	40°05.5'	73°59.0'	1248	15	+	*	13	21	18.5	18.5	28.2	29.3	
3	30	40°05.0'	73°55.0'	1402	15	8	*	5	20	18.9	18.8	28.7	29.4	
4	30	40°05.0'	73°49.0'	1502	15	14	*	5	28	18.9	16.5	29.0	29.6	
	Oct.													
5	1	40°40.5'	72°26.0'	0114	22	+	*	12	37	17.2	14.3	29.7	29.9	
6	1	40°45.0'	72°29.0'	0323	14	+	*	10	31	17.5	16.9	29.5	29.9	
7	1	40°47.5'	72°31.0'	0436	19	+	*	12	22	17.4	17.0	29.4	29.6	
8	1	40°48.5'	72°32.5'	0610	15	+	*	18	14	17.3	17.3	29.2	29.6	
9	1	40°36.5'	73°22.5'	1100	15	+	*	14	14	17.9	17.8	29.2	29.3	
10	1	40°35.0'	73°21.0'	1237	15	103	*	16	16	18.3	17.9	29.1	29.2	
11	1	40°32.5'	73°19.5'	1350	15	161	*	11	23	18.3	18.2	29.1	29.6	
12	1	40°34.0'	73°20.5'	1449	30	+	*	16	16	18.3	17.9	29.1	29.2	
13	1	40°33.5'	73°36.0'	1705	15	+	*	15	11	18.5	18.3	29.3	29.0	
D-69-29	Oct.													
1	30	32°40.0'	79°29.5'	0818	16	58	*	10	16	19.6	19.5	32.6	32.8	
2	30	32°45.0'	79°32.5'	1011	12	26	*	8	15	19.4	19.4	32.7	32.5	
	Nov.													
3	2	32°59.5'	79°16.0'	1356	15	152	+	7	13	19.5	18.9	32.2	32.7	
4	2	32°56.0'	79°11.5'	1410	15	31	*	9	18	19.9	19.3	32.6	32.4	
5	2	33°19.5'	79°07.0'	1703	15	178	+	7	9	18.4	18.4	30.5	31.6	
6	2	33°18.0'	79°04.0'	1812	15	69	+	16	13	19.3	19.3	32.0	32.0	
7	2	33°15.5'	78°58.5'	1939	15	134	+	26	13	19.6	19.2	32.1	32.0	
8	2	33°31.0'	78°48.0'	2210	15	72	+	14	13	19.1	19.0	31.6	31.8	
9	2	33°34.0'	78°52.5'	2327	16	103	+	20	11	18.5	18.5	32.1	32.5	
10	3	33°36.0'	78°55.0'	0049	12	147	+	22	9	18.4	18.0	31.4	31.9	
11	3	33°37.0'	78°56.5'	0229	15	146	+	25	7	18.1	17.9	31.3	31.7	
12	3	33°40.5'	78°33.0'	0511	15	113	+	18	15	18.8	18.5	31.4	31.6	
13	3	33°44.5'	78°35.5'	0707	15	70	+	17	12	18.2	18.2	31.5	31.8	
14	3	33°47.5'	78°37.5'	0815	15	61	+	9	9	18.2	18.0	30.5	31.8	

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
15	3	33°49.0'	78°38.0'	0940	15	50	+	13	9	18.4	18.0	30.0	31.7
16	3	34°02.5'	77°53.0'	1645	15	172	+	29	12	18.9	18.5	30.1	30.6
17	3	34°01.5'	77°51.0'	1846	15	106	+	26	14	18.9	18.4	30.6	30.8
18	3	33°59.5'	77°48.0'	2015	15	335	+	28	14	19.0	18.3	30.7	30.7
19	3	33°56.5'	77°43.0'	2205	15	330	+	26	17	19.4	19.2	30.9	31.1
20	4	34°40.0'	76°40.0'	0540	10	393	+	20	13	19.4	19.8	30.0	30.9
21	4	34°37.0'	76°34.0'	0750	10	3,072	+	17	13	19.0	20.0	29.0	30.9
22	4	34°35.0'	76°34.5'	1018	10	332	+	22	16	19.1	20.3	30.0	31.6
23	4	34°30.5'	76°32.5'	1231	15	516	+	23	17	19.1	20.2	29.8	31.4
24	4	35°01.5'	76°00.0'	1802	15	274	+	20	13	17.3	17.6	27.2	29.8
25	4	35°02.0'	75°57.5'	1936	10	224	+	19	14	17.8	17.9	28.9	29.7
26	4	34°59.5'	75°55.0'	2109	10	311	+	19	24	17.7	18.9	28.9	30.5
27	4	34°55.5'	75°51.0'	2243	10	490	+	19	22	18.2	21.2	30.0	32.0
D-70-7 May													
1	6	39°28.0'	74°15.0'	1557	16	148	41.1	13	10	7.5	6.5	29.0	29.5
2	6	39°27.8'	74°13.5'	1702	17	244	71.7	12	13	8.5	6.5	28.6	29.5
3	6	39°27.5'	74°09.5'	1821	16	84	27.8	12	16	10.2	6.5	28.1	30.2
4	6	39°27.5'	74°03.0'	1940	16	34	20.2	9	20	10.3	6.0	27.9	30.3
D-70-16 July													
1	6	40°36.3'	73°23.4'	1445	15	323	23.9	10	9	19.6	13.0	27.5	27.8
2	6	40°35.2'	73°21.0'	1616	20	843	43.3	12	14	18.3	11.4	27.3	28.0
3	6	40°32.5'	73°19.0'	1800	16	189	35.4	11	20	21.4	10.1	27.1	28.7
4	6	40°28.0'	73°16.0'	1925	16	180	37.5	10	27	21.3	8.2	27.0	28.5
5	7	38°19.0'	75°04.0'	0933	15	372	99.8	11	11	19.5	14.5	28.1	29.0
6	7	38°20.5'	75°02.0'	1055	16	511	67.5	15	11	20.5	14.4	28.5	29.1
7	7	38°20.0'	74°58.5'	1300	15	1,349	135.6	11	13	21.6	13.5	28.6	28.9
8	7	38°20.0'	74°52.0'	1540	15	35	3.9	5	12	22.1	12.3	28.0	28.6
9	7	38°36.0'	75°02.2'	1808	16	429	248.6	14	10	22.8	17.0	27.2	28.0
10	7	38°40.0'	75°01.4'	2034	10	242	53.2	10	12	21.0	16.3	27.7	28.0
11	7	38°40.2'	74°57.0'	2245	11	335	55.3	11	15	20.7	13.6	21.2	28.4

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
12	8	38°40.2'	74°50.0'	0028	15	334	99.2	11	14	20.0	11.0	27.4	29.3
13	8	38°57.5'	74°37.8'	0347	15	202	50.4	10	9	20.7	12.3	28.5	29.3
14	8	38°57.2'	74°43.8'	0554	11	1,094	210.8	9	8	19.7	13.2	28.5	28.9
15	8	38°55.5'	74°50.8'	0748	11	305	40.0	9	11	16.6	13.9	29.4	29.2
16	8	38°56.0'	74°50.0'	0937	10	1,429	73.3	12	12	16.4	13.2	28.6	29.2
17	8	39°16.5'	74°30.5'	1324	15	144	22.7	13	11	17.6	10.5	27.6	28.4
18	8	39°17.4'	74°29.0'	1453	14	144	23.0	11	11	18.0	10.1	27.5	28.6
19	8	39°17.0'	74°23.5'	1633	15	330	40.9	8	12	19.7	8.5	28.4	28.8
20	8	39°17.0'	74°17.2'	1807	15	60	5.6	5	16	20.4	8.2	28.7	29.2
21	8	39°30.0'	74°15.5'	1958	15	588	72.3	11	7	17.5	11.2	28.4	28.7
22	8	39°30.0'	74°13.0'	2130	15	99	17.3	11	16	19.4	8.2	28.5	29.3
23	8	39°30.0'	74°09.2'	2239	16	139	36.4	10	17	20.1	7.8	28.6	29.2
24	9	39°30.0'	74°02.6'	0013	15	157	29.2	12	21	19.3	7.8	29.1	30.0
25	9	39°45.2'	73°52.7'	0259	15	162	21.7	11	25	21.3	8.4	29.2	30.3
26	9	39°45.0'	73°59.0'	0440	15	187	34.4	9	20	19.4	7.6	29.0	29.8
27	9	39°45.0'	74°03.0'	0606	16	536	48.8	8	12	16.2	8.9	28.9	29.5
28	9	39°45.8'	74°03.9'	0737	17	452	66.8	9	11	14.2	9.5	28.2	29.2
29	9	39°57.0'	74°03.4'	0935	12	336	50.1	12	10	15.0	9.8	28.8	29.4
30	9	40°10.0'	74°00.5'	1200	15	116	26.2	7	19	20.3	8.7	22.2	29.8
31	9	40°05.0'	73°59.0'	1322	15	162	23.6	9	20	21.2	7.8	29.5	30.6
32	9	40°05.0'	73°55.0'	1440	25	119	9.6	9	22	21.7	7.3	29.7	30.4
33	9	40°05.0'	73°49.0'	1620	15	57	5.4	7	26	21.9	6.1	29.8	31.1
34	9	40°11.4'	73°59.7'	1803	15	982	159.1	13	10	17.2	9.8	29.6	31.4
35	9	40°11.4'	73°59.7'	1934	15	795	96.8	14	10	16.8	10.3	29.7	30.5
36	9	40°25.4'	73°57.5'	2235	11	371	33.2	13	6	18.7	14.7	30.5	30.6
37	10	40°25.0'	73°54.9'	0034	12	129	17.8	10	18	19.5	9.5	29.7	32.3
38	10	40°25.1'	73°51.1'	0209	3	51	10.6	8	22	19.7	7.2	29.7	31.4
39	10	40°33.9'	73°35.2'	0500	15	177	21.3	11	7	21.3	20.2	29.3	29.3

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
D-70-19 Aug.													
1	3	40°35.7'	73°25.1'	1310	15	244	14.0	11	9	23.2	16.9	29.4	29.7
2	3	40°35.5'	73°21.8'	1350	15	182	15.6	12	13	22.3	15.6	29.9	29.9
3	3	40°31.9'	73°20.6'	1640	15	40	12.2	7	19	22.8	14.2	30.0	30.3
4	3	40°28.0'	73°15.5'	1804	15	40	8.6	7	28	23.8	9.9	30.1	30.4
5	4	38°19.0'	75°04.0'	0813	10	117	20.4	8	9	19.7	15.6	29.4	30.3
6	4	38°20.0'	75°02.5'	0910	15	177	32.0	13	10	20.0	15.3	30.1	30.3
7	4	38°20.0'	74°58.5'	1044	15	739	74.8	4	21	19.9	12.4	30.1	30.9
8	4	38°20.0'	74°52.0'	1154	15	1,494	151.5	7	18	22.7	11.2	30.3	30.8
9	4	38°35.7'	75°02.3'	1455	15	1,952	141.8	14	10	12.5	15.3	29.4	29.8
10	4	38°39.9'	75°01.5'	1654	15	1,752	496.3	17	13	18.7	16.6	29.4	29.7
11	4	38°40.7'	75°03.2'	1921	5	201	31.2	10	6	17.7	17.5	29.8	29.8
12	4	38°40.0'	74°57.0'	2253	15	119	43.0	10	16	17.4	16.5	29.9	30.1
13	5	38°40.6'	74°49.0'	0019	15	629	109.6	10	15	21.1	11.5	30.2	30.9
14	5	38°57.5'	74°37.8'	0354	10	1,147	136.8	9	9	21.7	13.5	30.5	30.6
15	5	38°55.2'	74°43.8'	0653	10	57	5.8	8	9	21.2	13.6	30.5	30.4
16	5	38°55.5'	74°50.8'	0750	16	560	81.1	14	11	17.0	14.3	30.1	30.4
17	5	38°56.3'	74°50.3'	0943	16	219	16.4	11	9	20.0	12.8	30.4	30.3
18	5	38°55.6'	74°51.1'	1043	15	160	47.4	13	11	20.1	13.2	30.3	30.2
19	5	39°14.2'	74°35.4'	1330	15	143	40.6	8	7	18.5	15.4	29.5	29.8
20	5	39°13.7'	74°33.0'	1437	15	120	15.7	9	11	17.9	10.8	29.7	29.9
21	5	39°12.3'	74°29.6'	1558	15	25	2.3	4	15	20.4	9.8	30.0	30.0
22	5	39°10.2'	74°24.1'	1712	21	39	5.1	5	18	23.3	9.6	30.4	30.4
23	5	39°28.1'	74°15.6'	1934	17	1,070	164.8	15	7	20.8	18.1	28.8	29.6
24	5	39°30.0'	74°13.0'	2105	15	756	132.4	10	14	21.8	14.7	29.7	29.8
25	5	39°30.0'	74°09.1'	2240	15	67	15.0	9	17	21.9	9.7	29.5	30.1
26	5	39°30.0'	74°04.0'	2348	15	73	16.3	9	20	21.7	7.8	29.9	30.2
27	6	39°45.1'	73°52.7'	0235	15	65	14.3	8	25	22.7	7.4	30.2	30.6
28	6	39°45.0'	73°59.0'	0408	15	71	15.1	9	18	22.7	9.0	30.3	30.0
29	6	39°45.0'	74°03.0'	0530	18	743	116.4	12	12	21.8	8.3	28.8	29.6
30	6	39°46.0'	74°04.2'	0718	15	291	30.0	9	12	22.2	8.5	28.7	29.8

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch		No.spp. caught	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)			No.	Wt. (kg)		Surface	Bottom	Surface	Bottom**
31	6	39°56.7'	74°03.3'	0935	15	439	64.1	12	22.0	11.4	28.3	30.0
32	6	40°06.1'	74°00.9'	1201	15	1,065	157.6	12	21.6	11.4	28.1	30.0
33	6	40°05.5'	73°58.9'	1348	17	394	32.4	9	22.6	10.0	28.5	30.0
34	6	40°05.0'	73°55.0'	1535	15	61	48.2	9	23.4	9.6	29.3	30.9
35	6	40°05.0'	73°48.6'	1933	30	31	9.2	5	22.7	8.8	29.1	30.3
36	6	40°11.0'	74°00.0'	2152	15	156	31.7	7	21.8	15.0	27.7	29.6
37	7	40°24.1'	73°45.4'	0131	10	82	21.7	8	23.2	9.6	29.9	30.4
38	7	40°24.5'	73°51.2'	0311	10	62	10.2	5	23.1	13.0	29.9	30.1
39	7	40°33.6'	73°34.6'	0634	15	201	36.1	13	21.0	18.7	29.9	29.8
40	7	40°33.6'	73°34.6'	0755	15	379	51.5	15	20.2	17.7	29.9	30.0
D-71-3												
Mar.												
1	30	38°01.0'	75°14.0'	0626	15	105	16.1	11	4.9	4.7	28.0	28.0
2	30	36°26.2'	75°49.5'	1534	15	151	34.3	11	6.7	6.7	25.2	25.3
3	30	36°08.0'	75°43.0'	1750	15	41	41.1	9	6.5	6.5	28.3	28.4
4	30	35°49.5'	75°32.0'	2024	15	40	31.8	8	6.5	6.5	28.3	28.2
5	30	35°51.0'	75°26.0'	2157	15	8	4.9	3	6.2	6.2	30.0	30.1
6	31	34°39.7'	76°40.3'	0941	15	21	0.7	8	10.1	10.2	31.3	32.2
7	31	34°37.0'	76°33.7'	1053	15	34	6.6	7	10.1	10.1	32.4	32.3
8	31	34°37.7'	76°34.5'	1206	15	180	24.6	10	10.4	10.0	31.9	32.1
9	31	34°29.8'	76°32.5'	1345	15	917	80.3	10	11.3	10.7	31.5	31.8
10	31	34°21.0'	76°32.5'	1607	15	50	35.7	6	11.9	12.3	31.5	32.2
11	31	33°55.0'	77°55.0'	2315	15	304	28.1	8	10.9	10.8	31.2	31.8
Apr.												
12	1	33°53.5'	77°53.7'	0227	15	414	50.6	13	10.9	10.6	31.5	31.8
13	1	33°51.3'	77°51.6'	0454	15	167	15.8	13	11.1	11.0	31.8	32.0
14	1	33°47.5'	77°48.0'	0653	15	708	34.2	17	11.3	11.3	32.2	32.5
15	1	33°15.8'	79°08.0'	1550	15	131	15.8	12	15.1	11.3	23.9	30.7
16	1	33°14.7'	79°00.0'	1711	15	415	32.1	17	14.1	11.3	26.0	30.7
17	1	33°13.0'	79°03.0'	1859	15	66	7.2	9	13.4	11.5	27.6	30.1
18	1	33°06.0'	78°47.0'	2111	15	152	30.6	16	13.7	12.2	32.0	32.1

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
19	2	32°34.5'	79°58.5'	0600	15	121	131.9	11	11	13.5	12.1	28.2	29.3
20	2	32°30.5'	79°55.5'	0735	15	6	2.8	2	11	12.7	12.9	29.5	30.9
21	2	32°18.0'	79°46.0'	0943	5	8	2.4	4	23	13.7	13.7	31.8	32.4
22	2	31°56.5'	80°48.8'	1622	15	395	28.6	11	8	14.1	13.3	29.3	30.4
23	2	31°55.0'	80°47.0'	1840	15	173	18.4	10	11	14.2	13.3	29.2	30.1
24	2	31°47.0'	80°35.5'	2100	15	73	6.0	8	16	14.4	14.1	31.3	31.7
25	3	30°59.0'	80°55.0'	0320	15	81	7.1	14	26	15.4	15.3	32.3	32.9
26	3	31°02.0'	81°06.0'	0620	15	148	5.5	10	15	15.0	15.0	30.9	31.9
27	3	31°04.0'	81°10.0'	0851	15	91	25.0	12	9	14.9	14.9	29.5	29.5
28	3	30°45.5'	81°23.7'	1225	15	82	5.6	14	9	15.7	15.1	30.2	30.7
29	3	29°56.0'	81°15.0'	1806	15	115	198.4	17	13	17.5	17.5	38.8	33.7
30	3	29°51.0'	81°09.5'	1956	15	349	147.7	14	18	17.5	17.6	33.9	33.9
31	3	29°51.5'	81°00.0'	2141	15	126	10.8	17	18	17.6	17.6	33.9	33.8
32	4	29°05.0'	80°54.0'	0333	15	94	9.4	15	14	18.3	18.2	33.7	33.7
33	4	29°07.0'	80°49.0'	0630	15	239	20.8	20	19	18.6	18.5	34.0	33.8
34	4	29°07.0'	80°43.0'	0830	15	61	25.9	8	18	18.7	18.6	33.8	33.7
35	7	34°13.7'	77°46.0'	0100	15	227	57.0	13	9	11.5	11.5	31.8	31.8
36	7	34°12.0'	77°45.5'	0235	15	71	19.2	13	14	11.8	11.8	31.8	31.9
37	7	35°02.7'	75°59.5'	1300	15	1,370	64.7	15	11	10.5	10.0	28.6	28.5
38	7	35°01.2'	75°57.6'	1455	15	243	16.7	13	18	10.6	10.0	28.1	29.5
39	7	35°48.5'	75°30.0'	2234	15	142	105.3	12	18	7.9	7.2	27.3	29.1
40	8	38°45.5'	74°47.0'	1610	30	95	24.3	11	16	5.5	5.3	29.5	29.4
41	9	39°50.0'	74°00.0'	0500	30	95	20.5	13	18	4.6	4.6	29.2	29.3
D-71-11	July												
1	12	39°43.5'	73°52.5'	1530	15	5	1.6	2	20	23.1	7.8	31.2	32.4
2	12	39°45.0'	73°58.7'	1705	15	22	7.0	6	16	23.1	9.5	31.5	31.8
3	12	39°46.0'	74°02.0'	1811	15	51	13.8	6	13	21.0	18.9	31.2	31.4
4	12	39°46.2'	74°04.5'	1930	15	1,260	203.7	9	13	21.3	21.4	31.1	31.0

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
5	13	38°52.3'	74°38.2'	0235	15	1,250	194.3	7	10	21.7	15.1	31.5	31.9
6	13	38°55.0'	74°43.5'	0428	15	724	129.1	12	14	21.4	16.4	31.4	31.6
7	13	38°56.5'	74°46.7'	0625	15	1,278	198.0	12	13	20.5	20.1	31.3	31.4
8	13	38°55.5'	74°51.0'	0827	15	271	87.6	15	13	20.1	20.1	31.4	31.5
9	13	38°19.4'	75°05.0'	1356	15	208	86.5	11	7	22.4	21.9	30.9	30.9
10	13	38°18.8'	75°02.2'	1518	15	696	153.7	12	17	23.4	21.4	31.1	31.1
11	13	38°18.3'	74°58.6'	1811	15	3,082	371.4	10	17	23.0	14.4	31.1	32.1
12	13	38°17.1'	74°52.0'	2025	15	403	46.4	7	23	23.0	10.8	31.2	32.4
13	14	35°48.5'	75°31.0'	1152	15	261	97.3	6	16	25.4	16.8	24.7	31.9
14	14	35°49.8'	75°29.6'	1345	15	115	15.4	7	23	25.4	15.7	27.3	32.0
15	14	35°50.7'	75°26.0'	1517	15	260	9.5	5	28	23.9	14.9	29.1	32.1
16	14	35°52.4'	75°20.2'	1638	15	201	10.6	5	29	24.2	12.6	30.2	32.8
17	15	35°02.5'	75°57.5'	0105	15	395	123.8	16	11	24.8	23.5	35.4	35.6
18	15	35°01.0'	75°57.5'	0330	15	1,844	121.3	15	20	25.3	23.9	35.3	36.4
19	15	34°59.0'	75°55.1'	0545	15	1,643	34.7	12	28	25.3	23.5	35.4	36.6
20	15	34°55.8'	75°51.0'	0750	15	760	10.5	6	27	26.2	24.1	35.8	36.6
21	15	34°39.1'	76°36.8'	1450	15	964	45.3	15	12	27.1	25.5	34.7	34.7
22	15	34°37.8'	76°35.9'	1635	15	520	25.1	14	14	27.3	25.8	34.9	35.3
23	15	34°34.8'	76°34.4'	1825	15	612	29.3	14	14	26.5	24.8	34.9	35.3
24	15	34°30.0'	76°32.5'	2034	15	44	61.1	10	17	26.6	25.8	34.9	35.3
25	17	29°05.3'	80°54.0'	1108	15	1,224	152.9	14	16	26.2	24.5	36.4	36.6
26	17	29°06.5'	80°50.5'	1228	15	10	137.4	5	19	26.7	22.6	36.5	36.3
27	18	29°55.2'	81°14.5'	1805	15	148	17.2	12	11	27.5	26.5	36.8	36.7
28	18	29°56.0'	81°11.5'	1910	15	496	19.7	16	19	27.4	26.4	36.7	36.7
29	19	31°22.8'	81°10.5'	0415	15	110	6.0	8	7	28.7	28.8	34.4	35.8
30	19	31°21.2'	81°05.0'	0543	15	91	8.9	10	14	28.5	28.6	36.3	36.5
31	19	32°10.0'	80°32.5'	1147	15	36	3.7	9	9	29.2	29.2	34.3	35.3
32	19	32°06.8'	80°28.0'	1255	15	32	3.1	9	16	29.1	28.4	35.4	36.1

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total No.	Total Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
33	19	31°57.0'	80°14.8'	1505	15	18	0.8	2	27	28.9	27.3	36.6	36.7
34	19	32°34.9'	79°58.7'	1920	15	187	16.5	13	11	28.7	29.2	35.0	34.9
35	19	32°30.7'	79°55.5'	2100	15	23	3.3	9	11	28.4	28.4	35.8	35.8
36	20	33°47.7'	78°42.0'	0645	15	68	7.2	15	8	27.2	27.2	35.4	35.3
37	20	33°44.0'	78°38.5'	0810	15	13	1.4	5	12	26.1	24.5	35.4	35.8
38	20	33°32.2'	78°27.0'	1025	15	1,179	142.4	11	22	26.7	24.8	35.1	36.3
39	20	33°39.3'	77°40.8'	1605	15	1,003	78.4	8	26	26.6	25.3	35.8	35.7
40	20	33°51.3'	77°51.5'	1840	15	838	79.6	16	18	27.5	25.3	35.3	36.2
41	21	36°48.0'	75°31.8'	1815	15	631	23.4	5	18	24.1	14.5	30.5	32.2
42	21	36°46.2'	75°50.0'	2008	15	874	23.6	13	16	21.2	16.0	31.0	31.6
43	21	36°45.5'	75°56.0'	2126	15	190	22.0	10	8	23.3	21.5	25.7	30.0
44	22	37°35.8'	75°09.3'	0425	15	572	68.8	6	28	23.3	10.0	31.1	32.2
45	22	37°43.2'	75°25.8'	0645	15	64	6.2	10	14	22.6	13.2	31.4	31.3
46	22	37°46.0'	75°31.0'	0815	15	507	145.8	19	8	21.3	20.8	31.7	31.5
47	22	38°36.5'	75°02.6'	1538	15	2,786	346.5	21	13	22.9	22.3	30.8	30.5
48	22	38°38.8'	74°57.0'	1833	15	3,457	512.2	13	18	20.7	17.9	30.7	31.0
49	22	38°37.0'	74°38.5'	2142	15	108	12.8	7	32	22.7	7.5	31.2	31.3
D-71-14 Aug.													
1	23	40°42.0'	72°55.7'	1450	15	908	15.0	15	12	17.1	15.3	32.5	32.1
2	23	40°40.0'	72°55.0'	1652	15	113	31.4	6	23	18.5	12.8	31.2	31.7
3	23	40°37.6'	72°54.0'	1815	15	58	17.7	8	27	19.7	10.0	31.0	32.0
4	23	40°28.5'	72°50.5'	1948	15	244	46.6	8	47	21.3	6.5	31.2	32.2
5	23	40°14.0'	72°44.0'	2225	15	114	22.1	9	52	21.3	4.7	30.6	32.4
6	24	38°55.7'	74°51.4'	1202	15	297	60.2	15	11	21.1	20.7	31.2	31.5
7	24	38°56.5'	74°46.8'	1347	15	92	9.8	6	11	21.9	21.6	31.3	31.4
8	24	38°54.9'	74°43.7'	1513	15	2,000	211.7	9	14	21.8	20.1	31.1	31.4
9	24	38°49.5'	74°32.8'	1726	15	53	5.1	5	24	22.0	11.8	31.5	31.5
10	24	38°47.0'	74°27.2'	1835	15	33	4.1	7	24	22.9	9.2	31.7	32.1
11	24	38°41.5'	74°16.5'	2005	15	87	7.8	9	42	24.3	6.5	31.7	31.6
12	24	38°36.5'	74°06.0'	2150	15	45	4.2	10	53	24.8	5.6	32.5	32.5

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
13	25	38°11.0'	74°14.6'	0112	15	45	6.0	9	43	24.6	6.4	32.5	32.1
14	25	38°12.9'	74°27.0'	0323	15	121	15.0	10	34	24.2	7.5	32.1	32.2
15	25	38°15.0'	74°39.5'	0526	15	270	17.7	5	30	23.1	7.8	31.7	31.8
16	25	38°17.3'	74°52.0'	0713	15	1,173	70.8	8	11	22.8	18.6	31.6	31.2
17	25	38°18.2'	74°58.5'	0840	15	3,198	318.3	9	17	21.7	17.2	31.5	31.4
18	25	38°19.5'	75°04.5'	1125	15	1,211	206.6	15	13	21.4	20.7	30.9	30.9
19	25	38°36.5'	75°03.0'	1529	15	295	193.4	17	12	21.5	21.2	30.8	30.8
20	26	39°04.0'	73°34.7'	0017	15	104	11.6	6	47	24.0	5.2	31.8	32.5
21	26	39°10.3'	73°45.0'	0212	15	143	13.6	10	34	23.6	7.3	31.8	32.3
22	26	39°16.3'	73°55.7'	0414	15	78	9.4	8	31	23.0	7.6	31.6	32.0
23	26	39°22.4'	74°06.0'	0601	15	99	6.9	6	20	23.1	9.8	31.6	31.7
24	26	39°25.5'	74°11.0'	0710	15	69	20.1	7	17	21.9	11.3	31.0	31.6
25	26	39°27.2'	74°14.0'	0820	15	253	13.4	5	13	21.8	14.4	31.1	31.2
26	26	39°30.0'	74°15.5'	0937	15	264	46.6	8	9	21.7	19.2	30.8	31.0
27	26	40°05.8'	74°00.2'	1356	15	151	15.7	7	13	22.2	12.0	30.8	31.2
28	26	40°05.7'	73°54.5'	1555	15	43	16.3	7	22	22.8	8.6	31.1	31.9
29	26	40°05.0'	73°48.2'	1712	15	72	4.6	6	28	22.8	8.1	31.2	31.8
30	26	40°04.5'	73°41.5'	1846	15	19	4.4	7	33	22.7	7.2	31.1	32.3
31	26	40°04.0'	73°35.0'	2001	15	65	6.3	8	38	22.5	5.7	30.9	32.4
32	26	40°02.7'	73°22.0'	2158	15	73	20.0	8	47	21.9	5.5	30.7	32.3
33	27	40°01.2'	73°09.0'	0001	15	117	18.7	9	45	21.0	5.5	31.1	31.3
34	27	40°32.5'	73°20.5'	0638	15	129	33.0	6	21	19.2	13.0	31.0	31.7
Del-71-2	Nov.												
1	2	39°46.5'	74°04.0'	1417	15	344	28.0	10	10	17.4	17.4	30.4	30.5
2	2	39°45.7'	74°01.0'	1535	15	197	47.5	8	14	17.3	17.1	30.6	31.3
3	2	39°45.5'	73°58.5'	1808	15	167	30.0	8	20	17.3	17.0	30.6	31.3
4	2	39°44.6'	73°51.5'	1950	15	335	71.5	9	37	17.5	16.4	30.5	31.5
5	2	39°41.6'	73°46.8'	2125	15	131	49.4	9	18	17.8	17.0	30.1	31.5
6	2	39°40.0'	73°39.5'	2310	15	205	44.4	8	31	17.7	16.6	30.7	32.0

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
7	3	39°37.0'	73°27.2'	0115	15	78	36.6	11	32	17.4	15.5	31.5	32.7
8	3	39°34.5'	73°14.6'	0307	15	142	89.3	11	37	17.3	13.5	31.7	32.3
9	3	40°36.5'	73°21.0'	0945	Trawl hung and catch lost				10	17.2	17.0	30.8	31.3
Del-71-3 Nov.													
1	9	37°08.5'	75°48.0'	1108	15	1,014	110.4	15	8	14.8	14.8	30.8	30.8
2	9	37°06.5'	75°42.5'	1315	15	461	27.8	10	13	16.6	16.4	31.1	31.2
3	9	37°04.8'	75°36.7'	1434	15	132	47.6	6	18	16.8	16.6	31.1	31.2
4	9	37°01.5'	75°25.5'	1554	15	18	77.1	6	25	16.9	16.6	31.6	31.6
5	9	36°57.0'	75°12.2'	1815	15	41	36.7	9	39	16.7	16.5	32.5	32.9
6	9	36°53.5'	75°01.5'	1939	15	97	38.8	12	40	17.0	16.7	33.0	33.6
7	10	35°02.0'	76°00.5'	0754	15	996	335.6	25	12	16.3	20.1	26.3	32.0
8	10	34°59.0'	75°55.0'	1107	15	10	1.9	5	25	19.9	21.0	32.0	33.4
9	10	34°55.5'	75°51.5'	1215	15	1,374	141.4	13	20	20.0	20.8	32.7	32.9
10	10	34°48.5'	75°42.5'	1406	15	22	2.7	5	44	19.2	23.1	31.7	34.5
11	10	34°43.6'	75°35.5'	1558	30	71	4.8	10	150	25.8	15.0	36.1	34.2(60)
12	11	33°55.5'	77°54.0'	0402	15	65	9.6	13	12	18.6	18.7	34.1	34.0
13	11	33°51.2'	77°51.4'	0514	15	86	29.1	14	14	18.8	18.8	34.2	34.0
14	11	33°47.5'	77°48.0'	0626	15	126	20.5	14	17	19.3	19.3	34.5	34.5
15	11	33°39.5'	77°40.5'	0748	15	7	1.8	5	19	20.4	20.4	33.0	35.1
16	11	33°31.6'	77°33.3'	0903	15	8	1.0	2	17	22.5	22.4	36.0	35.9
17	11	33°23.5'	77°26.0'	1027	15	17	3.0	4	29	24.8	24.8	36.2	35.8
18	11	32°55.5'	78°26.5'	1614	15	3,807	391.4	15	39	24.0	23.4	36.1	35.9
19	11	33°00.8'	78°36.5'	1807	Trawl hung and catch lost				30	22.5	22.3	36.0	35.8
20	11	33°06.0'	78°48.0'	2330	15	15	4.7	7	20	20.8	20.6	35.9	35.9
21	12	33°10.5'	78°58.0'	0105	15	14	0.9	7	14	18.4	19.2	26.0	35.4
22	12	33°16.0'	79°07.0'	0223	15	81	11.4	16	9	18.0	18.8	32.7	34.6
23	12	31°56.4'	80°49.3'	1430	15	85	4.8	14	10	18.6	19.2	31.6	32.6
24	12	31°53.0'	80°44.5'	1541	15	23	6.7	8	12	18.4	19.8	31.6	33.1
25	12	31°51.7'	80°41.0'	1715	15	110	11.0	9	15	19.2	19.6	32.9	33.8
26	12	31°43.3'	80°31.0'	1924	15	90	11.0	18	19	20.6	20.8	35.0	35.1
27	12	31°36.7'	80°22.5'	2055	15	640	68.2	28	24	22.0	21.9	36.1	35.9

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
28	13	31°30.7'	80°13.5'	0051	15	71	8.7	12	33	22.5	22.5	36.1	36.0
29	13	29°28.6'	80°30.8'	1006	15	441	258.7	19	40	25.4	25.2	36.3	36.2
30	13	29°55.8'	80°42.0'	1245	15	99	15.8	11	33	24.1	23.9	36.1	36.0
31	13	29°52.8'	80°53.0'	1417	15	52	8.3	5	24	23.1	23.1	35.3	35.6
32	13	29°50.0'	81°04.0'	1542	15	42	9.6	9	19	22.2	22.2	34.2	34.5
33	13	29°48.5'	81°09.5'	1650	15	95	9.8	13	19	21.6	22.1	33.6	34.2
34	13	29°47.0'	81°15.1'	1845	15	237	12.1	14	12	20.7	20.1	33.1	33.0
35	13	29°55.0'	81°14.5'	2043	15	707	96.1	24	12	20.5	20.4	33.1	33.0
36	14	29°12.2'	80°10.0'	0519	15	215	16.4	16	84	26.4	22.8	36.3	35.8(50)
37	14	29°08.0'	80°17.0'	0713	15	93	6.4	17	41	24.7	24.6	35.9	35.9
38	14	29°03.0'	80°27.0'	0835	15	44	9.3	10	27	23.4	23.1	35.4	35.3
39	14	28°57.5'	80°36.8'	0955	15	26	7.4	8	16	22.8	23.3	35.0	35.1
40	14	28°55.0'	80°41.5'	1047	15	261	33.8	13	19	22.8	23.3	34.9	35.0
41	14	28°52.8'	80°47.0'	1218	15	76	3.0	7	12	22.5	22.1	34.4	34.5
42	14	29°05.2'	80°54.0'	1400	15	595	29.1	26	16	21.3	21.6	34.1	34.5
43	15	30°54.0'	80°32.3'	0001	15	89	13.1	23	34	23.3	23.1	36.0	35.8
44	15	30°56.5'	80°43.5'	0134	15	147	18.3	23	28	22.1	22.1	35.6	35.6
45	15	30°59.1'	80°55.0'	0302	15	42	89.4	14	22	21.2	21.2	35.0	35.1
46	15	31°01.8'	81°06.0'	0425	15	27	105.3	8	16	19.3	20.5	32.9	34.2
47	15	31°03.0'	81°10.7'	0548	15	21	1.9	9	12	19.3	20.3	32.4	33.6
48	15	31°04.0'	81°16.0'	0658	15	15	5.8	8	10	19.0	19.6	32.4	32.6
49	15	32°01.2'	79°33.3'	1713	15	1,550	168.8	15	41	23.9	22.8	36.1	36.0
50	15	32°09.5'	79°40.0'	1904	15	193	19.6	15	32	22.3	22.1	35.9	36.1
51	15	32°20.0'	79°46.0'	2255	15	182	20.4	23	28	21.1	21.1	35.7	35.8
52	16	32°26.5'	79°52.5'	0040	15	21	5.3	12	13	19.5	19.4	34.8	34.7
53	16	32°30.8'	79°55.5'	0135	15	20	2.9	9	11	18.4	18.7	33.5	34.0
54	16	32°34.4'	79°58.5'	0240	15	88	6.8	16	12	17.8	17.8	31.5	32.6
55	16	34°02.5'	76°42.5'	1950	15	578	61.0	22	36	25.2	24.6	36.2	36.3
56	16	34°11.5'	76°47.0'	2022	15	326	57.1	29	31	23.3	22.6	36.3	36.2

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total No.	Total Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
57	17	34°21.0'	76°52.0'	0105	15	712	96.6	29	25	20.5	21.0	35.8	35.8
58	17	34°30.1'	76°56.1'	0348	15	14,020	1,486.9	19	20	19.7	19.9	34.5	34.6
59	17	34°39.4'	77°01.0'	0655	10	606	81.7	21	13	18.1	18.9	33.3	33.4
60	17	35°47.5'	75°29.3'	2108	15	1,383	276.8	12	17	16.3	16.5	29.9	30.0
61	17	35°50.6'	75°26.3'	2255	15	122	57.3	15	22	16.6	16.6	30.9	30.8
62	18	35°52.4'	75°20.3'	0015	15	49	71.5	11	25	16.3	16.3	32.1	32.0
63	18	35°55.5'	75°08.6'	0212	15	20	33.7	5	33	16.7	16.7	33.6	33.6
64	18	35°58.3'	74°57.8'	0336	15	44	114.0	10	59	16.7	17.5	33.9	34.8
65	18	38°01.0'	75°14.3'	1532	15	211	87.3	16	12	13.7	13.1	30.1	30.1
66	18	37°59.0'	75°08.5'	1628	15	87	84.8	9	14	13.9	13.6	30.3	30.5
67	18	37°57.2'	75°02.5'	1735	15	77	48.9	11	20	14.2	14.2	31.1	32.0
68	18	37°53.9'	74°49.2'	1910	15	81	49.9	9	29	14.9	14.9	33.1	33.0
Del-72-8 Mar.													
1	21	35°47.5'	75°29.5'	1015	15	456	16.2	15	14	8.7	9.2	29.6	30.2
2	21	35°51.0'	75°25.5'	1122	15	33	35.1	11	23	8.8	8.3	28.9	31.5
3	21	35°52.5'	75°19.5'	1238	15	48	57.1	6	27	8.9	8.3	31.9	32.5
4	21	35°55.5'	75°08.0'	1355	15	43	88.7	6	28	9.5	9.2	31.9	33.7
5	21	35°57.5'	74°57.5'	1538	15	167	285.2	5	62	10.0	11.4	32.2	33.8
6	21	36°02.0'	74°47.5'	1700	30	66	11.0	9	140	17.7	11.6	35.5	*
7	22	33°19.5'	77°16.5'	1949	15	15	1.4	7	49	19.7	17.8	36.3	36.4
8	22	33°27.0'	77°24.0'	2133	Trawl hung and catch lost				31	16.0	16.0	35.8	35.8
9	22	33°35.0'	77°31.5'	2309	15	726	105.2	18	24	15.0	15.0	35.8	35.6
10	23	34°43.0'	77°38.8'	0057	15	616	44.7	15	23	14.8	14.7	35.6	35.6
11	23	33°50.5'	77°46.0'	0213	15	163	31.1	13	17	13.9	13.9	34.7	34.9
12	23	33°57.5'	77°52.0'	0443	15	51	9.4	11	16	13.5	13.5	33.9	34.2
13	23	32°49.0'	79°39.5'	1722	15	96	17.3	5	10	15.7	15.7	32.8	32.9
14	23	32°46.0'	79°35.0'	1826	15	20	14.1	7	12	15.4	15.4	33.1	33.3
15	23	32°43.0'	79°30.0'	1925	15	19	4.9	7	12	15.6	15.6	33.8	34.6
16	23	32°37.0'	79°20.5'	2043	15	2,352	231.5	20	24	16.0	16.3	35.1	35.6
17	23	32°30.5'	79°11.5'	2218	15	1,199	356.2	21	35	17.1	17.0	35.9	35.8

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom
18	24	32°24.3'	79°02.5'	0006	15	115	9.5	17	42	18.1	16.8	35.8	36.0
19	24	32°18.0'	78°55.0'	0208	30	542	34.8	12	145	21.0	14.8	36.5	*
20	24	31°24.0'	81°09.0'	1342	15	21	26.7	7	8	16.2	15.7	31.0	31.4
21	24	31°22.5'	81°03.5'	1441	15	30	15.2	6	14	16.2	16.0	30.1	32.0
22	24	31°20.5'	80°58.0'	1545	15	12	5.5	4	15	17.5	16.1	31.2	32.5
23	24	31°16.5'	80°47.0'	1711	15	18	302.2	6	21	17.9	16.9	34.4	33.5
24	24	31°13.0'	80°36.0'	1852	15	20	5.8	7	25	18.5	18.2	34.5	34.5
25	24	31°09.0'	80°25.0'	2005	15	35	14.1	13	30	19.1	19.6	35.1	35.4
26	24	31°05.0'	80°12.0'	2150	15	60	6.3	16	44	21.6	21.3	36.6	36.3
27	24	30°59.5'	79°58.0'	2322	15	125	9.5	13	95	22.0	14.5	36.4	36.4(40)
28	25	29°45.8'	80°15.0'	0835	15	No	finfish caught		147	23.6	10.0	36.5	36.4(15)
29	25	29°44.5'	80°26.5'	1022	15	605	54.7	15	39	22.2	19.7	36.2	36.4
30	25	29°43.5'	80°38.0'	1210	15	50	11.1	11	30	21.6	21.4	36.3	36.4
31	25	29°42.3'	80°49.3'	1334	15	26	4.2	5	29	20.7	20.6	35.8	36.0
32	25	29°41.0'	81°01.0'	1500	15	57	16.2	9	17	19.8	19.5	35.3	35.5
33	25	29°40.5'	81°06.5'	1553	15	24	3.8	7	17	19.6	19.6	35.1	35.3
34	25	29°40.0'	81°12.0'	1705	15	87	13.3	13	13	19.4	19.2	34.5	34.8
35	25	28°53.0'	80°47.0'	2226	15	952	89.0	16	10	20.8	20.7	36.0	36.0
36	26	28°54.0'	80°41.5'	0010	15	19	3.2	6	22	20.9	20.2	36.0	36.1
37	26	28°55.0'	80°36.0'	0122	15	19	6.3	11	22	21.0	21.0	36.3	36.3
38	26	28°57.0'	80°24.6'	0252	15	55	10.9	16	21	21.0	21.0	36.5	36.3
39	26	28°59.0'	80°13.4'	0455	15	94	3.4	20	58	22.4	16.6	36.2	36.1
40	26	30°30.0'	81°22.0'	1604	15	103	8.8	11	14	16.8	16.8	32.6	32.7
41	26	30°29.2'	81°16.0'	1707	15	379	24.5	10	17	17.3	17.2	33.0	33.1
42	26	30°28.5'	81°10.5'	1822	15	35	96.1	5	20	18.3	18.3	34.5	34.4
43	26	30°27.2'	80°59.0'	2009	15	59	15.7	17	28	19.0	19.0	35.1	35.1
44	26	30°26.0'	80°47.5'	2120	15	55	10.4	11	28	19.8	19.7	35.7	35.8
45	26	30°24.5'	80°36.0'	2238	15	164	203.4	27	31	20.9	20.7	36.6	36.4
46	27	30°23.2'	80°24.5'	0012	15	387	29.7	30	39	21.1	21.1	36.5	36.4
47	27	30°22.0'	80°13.0'	0157	15	62	3.2	6	138	23.0	12.6	36.6	*
48	27	32°14.0'	80°28.5'	1135	15	19	21.2	6	11	14.7	14.7	31.8	32.2
49	27	32°11.8'	80°25.0'	1226	15	8	3.7	2	13	14.8	14.2	32.2	32.6

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
50	27	32°08.6'	80°20.5'	1429	15	133	4.6	7	17	15.1	14.5	33.2	32.9
51	27	32°02.4'	80°11.2'	1545	15	16	4.5	7	22	15.2	14.9	33.7	34.1
52	27	31°56.0'	80°01.7'	1728	15	53	36.5	8	27	16.7	16.8	34.8	35.0
53	27	31°49.8'	79°52.5'	1855	15	26	23.8	10	40	19.0	19.6	36.0	36.4
54	27	31°43.2'	79°43.0'	2018	15	30	2.9	11	53	20.5	19.2	36.5	36.3
55	27	31°37.5'	79°34.5'	2140	15	158	15.2	8	143	21.6	15.3	36.5	*
56	28	33°38.0'	78°55.5'	0828	15	8	7.9	5	8	14.0	13.8	33.5	33.6
57	28	33°33.5'	78°52.0'	0918	15	11	26.1	2	11	13.5	13.5	33.7	33.8
58	28	33°30.0'	78°47.3'	1004	15	13	23.3	7	14	13.6	13.5	33.7	33.9
59	28	33°22.0'	78°41.0'	1125	15	698	112.5	10	16	14.5	14.5	34.4	34.7
60	28	33°14.2'	78°33.7'	1244	15	571	105.8	9	24	16.1	16.5	35.6	35.9
61	28	33°06.5'	78°26.2'	1408	15	101	13.3	5	26	16.7	16.7	35.8	35.9
62	28	32°58.6'	78°19.0'	1528	15	1,786	212.5	8	33	17.5	17.5	36.0	36.1
63	28	32°50.0'	78°10.7'	1658	15	42	3.0	13	140	18.2	15.8	36.4	*
64	29	34°38.0'	77°04.5'	0400	15	63	24.9	14	15	12.2	12.2	34.5	34.8
65	29	34°34.3'	77°01.0'	0506	7	35	10.7	8	18	13.4	13.6	35.8	35.9
66	29	34°30.0'	76°57.2'	0600	15	30	22.7	7	20	13.9	14.4	35.8	36.3
67	29	34°22.2'	76°50.0'	0718	7	104	15.5	9	23	14.1	14.1	36.0	36.0
68	29	34°14.2'	76°42.8'	0845	15	45	50.3	13	30	15.7	15.7	36.1	36.2
69	29	34°06.5'	76°35.5'	1001	15	4	2.7	2	37	16.7	16.7	36.5	36.3
70	29	33°56.5'	76°25.5'	1132	15	28	3.4	2	67	20.7	17.2	36.5	36.2
71	29	35°03.0'	75°58.5'	1740	15	191	78.8	10	15	10.2	10.3	31.1	31.4
72	29	34°59.0'	75°54.5'	1904	15	86	113.1	8	23	11.1	11.9	32.1	33.3
73	29	34°55.0'	75°50.5'	1954	15	24	31.0	5	26	10.9	11.6	32.4	32.9
74	29	34°47.2'	75°43.0'	2115	15	16	70.3	5	40	11.9	17.8	34.1	36.0
75	29	34°41.3'	75°37.0'	2230	15	16	8.6	5	155	20.6	15.8	36.5	*
Del-72-15	May												
1	16	35°47.5'	75°29.5'	1250	16	1,832	1,196.3	23	13	17.2	14.9	32.8	33.6
2	16	35°51.0'	75°25.5'	1522	15	17	34.8	6	22	18.0	10.1	29.1	32.2
3	16	35°52.5'	75°10.6'	1619	15	1	0.3	1	25	16.9	11.0	30.7	32.0
4	16	35°55.6'	75°07.8'	1803	15	1	0.2	1	32	17.5	9.8	31.4	29.3
5	16	35°58.0'	74°58.0'	1921	15	16	2.9	6	56	18.1	10.5	31.0	34.0
6	16	36°00.0'	74°48.5'	2045	15	28	1.8	2	134	15.5	11.6	31.9	33.9(50)

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
7	17	34°38.0'	77°05.5'	1150	15	391	47.5	14	16	20.0	18.9	34.9	35.1
8	17	34°34.0'	77°01.0'	1308	15	222	18.9	15	17	21.0	18.7	34.9	35.3
9	17	34°30.0'	76°57.2'	1417	15	87	12.8	16	20	20.2	18.7	35.3	35.6
10	17	34°22.3'	76°50.0'	1547	Trawl hung and catch lost				26	22.7	20.2	35.7	35.7
11	17	34°14.4'	76°42.6'	1749	15	36	6.2	10	33	22.3	22.1	35.2	36.0
12	17	34°06.4'	76°35.5'	1925	15	6	1.9	4	38	24.0	23.3	36.4	36.2
13	17	33°55.0'	76°24.5'	2120	15	7	1.8	4	152	24.3	16.2	36.3	36.1(50)
14	18	32°50.0'	78°10.7'	0740	15	28	1.5	6	147	25.8	18.0	35.4	36.4(50)
15	18	32°58.5'	78°19.0'	0928	15	299	32.9	8	35	23.2	22.8	36.1	36.1
16	18	33°06.5'	78°26.5'	1045	15	16	123.5	5	30	21.5	21.1	35.6	35.8
17	18	33°14.5'	78°34.0'	1211	15	5,268	717.3	24	24	21.0	20.5	35.0	35.4
18	18	33°22.1'	78°41.0'	1424	15	281	187.5	7	18	22.2	21.1	33.9	34.6
19	18	33°30.0'	78°48.5'	1551	15	49	450.7	9	16	22.7	20.0	33.3	34.0
20	18	33°34.0'	78°52.0'	1700	15	48	256.5	8	11	22.7	20.7	33.0	33.8
21	18	33°38.0'	78°55.5'	1815	15	119	16.6	16	8	23.1	21.2	33.2	33.6
22	19	31°38.0'	79°33.5'	0531	15	47	4.6	6	142	24.3	20.6	36.3	36.3(50)
23	19	31°43.0'	79°43.0'	0716	15	3	1.1	2	52	23.8	22.2	36.3	36.2
24	19	31°49.5'	79°52.5'	0854	15	9	2.4	7	40	22.0	21.7	35.8	36.0
25	19	31°56.0'	80°02.0'	1007	15	11	4.8	6	29	21.7	21.6	35.1	35.6
26	19	32°02.5'	80°11.0'	1117	15	11	7.6	2	22	21.6	21.6	35.1	35.1
27	19	32°08.5'	80°20.5'	1242	15	17	4.6	8	21	21.6	21.5	34.2	34.2
28	19	32°11.8'	80°25.1'	1315	15	141	4.1	5	18	21.9	21.8	33.4	33.5
29	19	32°14.5'	80°29.5'	1500	15	53	3.2	12	10	23.0	23.5	32.4	32.5
30	20	30°22.5'	80°11.2'	0028	15	133	8.3	12	145	25.1	15.0	36.1	36.0(50)
31	20	30°23.3'	80°24.4'	0310	15	208	26.2	27	41	25.4	22.7	36.0	36.1
32	20	30°24.5'	80°36.0'	0505	15	35	10.4	8	36	23.1	22.4	35.9	35.8
33	20	30°26.0'	80°47.5'	0637	15	36	13.0	9	31	22.8	22.3	35.5	35.4
34	20	30°27.0'	80°59.0'	0800	15	10	3.3	4	25	22.7	22.6	34.5	34.6
35	20	30°28.5'	81°10.0'	0923	15	19	7.0	3	19	23.0	23.0	34.2	34.1
36	20	30°29.0'	81°16.0'	1006	15	358	183.9	10	19	23.3	22.3	33.2	33.4
37	20	30°30.0'	81°22.0'	1111	15	219	19.2	13	15	24.0	23.9	32.5	32.6
38	20	29°00.0'	80°05.0'	2134	15	13	1.4	6	140	27.6	16.0	36.3	36.2(40)
39	20	28°59.0'	80°13.0'	2252	15	43	3.2	12	56	25.2	23.1	36.1	36.1

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total catch No.	Total catch Wt.(kg)	No.spp. caught	Depth (m)	Temp.(°C)		Salinity (‰)	
		Lat.(N)	Long.(W)							Surface	Bottom	Surface	Bottom**
40	21	28°57.0'	80°24.5'	0035	15	76	142.2	19	24	23.9	23.8	35.4	35.4
41	21	28°55.0'	80°35.8'	0200	15	51	5.9	16	22	24.0	24.0	35.2	35.5
42	21	28°54.1'	80°41.5'	0318	15	57	7.1	11	20	24.2	24.2	35.2	35.3
43	21	28°53.0'	80°47.0'	0444	15	3	0.8	3	11	24.5	24.5	35.2	35.1
44	21	29°40.0'	81°12.0'	0958	15	268	20.3	13	14	24.2	24.2	33.9	33.7
45	21	29°40.0'	81°06.3'	1103	15	134	10.0	12	20	24.1	23.8	33.9	33.9
46	21	29°41.0'	81°01.0'	1205	15	41	70.4	8	19	24.0	23.5	33.9	34.0
47	21	29°42.2'	80°49.4'	1350	15	33	119.6	10	28	23.6	23.2	34.5	34.7
48	21	29°43.4'	80°37.9'	1523	15	60	10.8	6	32	24.0	22.5	35.6	35.5
49	21	29°44.5'	80°26.5'	1714	15	46	14.7	12	42	25.5	22.5	35.9	35.7
50	21	29°45.6'	80°15.0'	1908	15	19	1.2	8	148	24.8	15.7	36.1	35.9 (50)
51	22	30°59.3'	79°56.7'	0153	15	31	0.7	3	140	25.0	9.5	36.0	35.8 (50)
52	22	31°05.3'	80°14.2'	0412	15	25	8.1	10	42	25.9	22.8	31.9	35.9
53	22	31°09.0'	80°25.0'	0545	15	18	8.2	8	32	23.1	21.8	36.1	35.3
54	22	31°13.0'	80°36.0'	0727	15	11	4.7	5	27	22.1	22.0	34.7	34.7
55	22	31°16.5'	80°47.2'	0855	15	42	6.6	11	22	22.3	22.1	33.6	33.8
56	22	31°20.5'	80°58.2'	1020	15	14	1.0	4	16	22.9	22.9	31.8	32.2
57	22	31°22.3'	81°03.5'	1124	15	69	3.3	7	15	23.6	23.5	30.7	30.8
58	22	31°24.2'	81°08.8'	1304	15	118	7.1	14	8	23.7	23.5	29.1	29.6
59	22	32°49.0'	79°39.3'	2336	15	193	6.4	16	9	22.6	22.3	33.1	33.2
60	23	32°46.0'	79°34.8'	0030	15	158	11.1	18	14	22.1	22.0	33.8	33.8
61	23	32°43.0'	79°30.0'	0131	15	41	6.5	14	17	22.1	21.4	33.9	34.0
62	23	32°36.7'	79°20.8'	0304	15	25	7.6	12	22	21.2	21.1	34.7	34.6
63	23	32°30.5'	79°11.5'	0433	15	68	91.0	14	36	22.9	21.7	35.1	35.4
64	23	32°24.4'	79°02.5'	0608	15	40	6.5	15	49	25.5	22.7	35.9	35.8
65	23	32°18.5'	78°55.0'	0741	15	137	4.7	11	140	25.5	16.4	35.9	35.9 (50)
66	23	33°59.0'	77°53.0'	2027	15	384	23.0	15	12	20.7	20.7	34.3	34.3
67	23	33°54.8'	77°50.0'	2134	15	417	62.4	21	16	20.5	20.5	34.5	34.4
68	23	33°51.0'	77°46.0'	2248	15	199	19.0	22	18	20.4	20.4	34.6	34.5

Appendix Table 1.--Continued.

Cruise stn.	Date	Location		Start time	Duration (min)	Total No.	Total catch Wt. (kg)	No. spp. caught	Depth (m)	Temp. (°C)		Salinity (‰)	
		Lat. (N)	Long. (W)							Surface	Bottom	Surface	Bottom**
69	24	33°43.0'	77°39.0'	0031	15	735	80.1	23	25	20.5	20.5	35.1	35.1
70	24	33°35.0'	77°31.5'	0213	15	1,701	156.8	15	25	24.4	21.2	35.8	35.2
71	24	33°27.5'	77°24.0'	0359	15	1,219	110.8	24	32	24.5	23.5	35.4	35.8
72	24	33°16.0'	77°13.0'	0622	15	24	1.7	10	120	24.5	16.9	35.7	35.8 (50)
73	24	34°40.0'	75°36.5'	1820	15	10	0.4	5	142	25.4	17.9	35.7	35.9 (50)
74	24	34°46.0'	75°43.0'	1956	15	96	2.3	6	44	24.3	20.9	35.7	35.6
75	24	34°55.0'	75°50.7'	2109	15	33	0.3	2	26	24.5	22.2	35.6	35.5
76	24	34°59.0'	75°54.6'	2220	15	225	78.6	10	26	18.5	21.5	30.6	35.0
77	24	35°01.5'	76°00.0'	2316	15	193	32.3	16	17	18.0	20.5	27.9	30.5

*Data not recorded.

+Data recorded only for selected species.

**Figure in parenthesis indicates greatest depth in meters where salinity was measured if not at the bottom.

Appendix Table 2.--List of fishes collected, arranged according to Bailey et al. (1970), including a summary of location and catch. An asterisk (*) indicates data not recorded and a plus sign (+) indicates a weight less than 0.1 kg.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
ODONTASPIDIDAE									
<u>Odontaspis taurus</u> , sand tiger									
Del-71-3	1	1	7.7	118	Del-72-15	1	1	9.1	80
Del-72-15	1	3	215.5	143-298		12	1	0.1	26
	20	2	170.1	205-230		32	1	0.2	25
						66	1	5.9	104
CARCHARHINIDAE									
<u>Carcharhinus limbatus</u> , blacktip shark									
Del-72-15	12	1	1.4	71		1	1	*	*
	69	1	3.9	93	D-68-7	2	11	*	*
						3	2	*	*
						20	1	*	*
					D-69-9	2	20	*	*
						11	4	*	*
						13	1	*	*
D-68-7	13	1	*	150		15	*	*	*
D-69-9	8	1	*	97		16	2	*	*
	48	1	*	*		17	2	*	*
	60	3	*	*		18	5	*	*
D-69-15	36	1	*	102		19	2	*	*
D-69-23	18	1	*	100		20	5	*	*
D-70-16	7	1	29.5	200		21	1	*	*
Del-71-3	2	1	2.5	72		23	3	*	*
	4	1	6.6	96		24	20	*	*
	62	1	1.7	69		27	6	*	*
Del-72-8	45	1	56.7	178		29	1	*	*
	56	1	1.6	66		30	4	*	*
						31	4	*	*
						32	1	*	*
						33	5	*	*
						34	4	*	*
<u>Carcharhinus obscurus</u> , dusky shark									
D-70-19	33	1	6.8	*					

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)		
		No.	Wt. (kg)				No.	Wt. (kg)			
D-69-15	35	12	*	*	D-69-21	37	11	*	*		
	36	4	*	*		38	12	*	*		
	37	15	*	*		39	1	*	*		
	38	10	*	*		40	5	*	*		
	39	18	*	*		46	6	*	*		
	40	12	*	*		48	1	*	*		
	41	10	*	*		49	1	*	*		
	42	6	*	*		56	2	*	*		
	43	1	*	*		57	1	*	*		
	45	1	*	*		58	2	*	*		
	46	6	*	*		59	2	*	*		
	50	2	*	*		61	52	*	*		
	51	5	*	*		62	11	*	*		
	54	5	*	*		68	12	*	*		
	57	5	*	*		69	4	*	*		
	62	1	*	*		70	5	*	*		
	63	1	*	*		2	34	*	*		
	64	6	*	*		3	10	*	*		
	65	2	*	*		4	1	*	*		
	11	1	*	*		4	*	*	*		
	12	3	*	*		18	1	*	*		
	13	4	*	*		27	1	*	*		
	14	2	*	*		28	1	*	*		
	22	9	*	*		29	5	*	*		
	23	22	*	*		31	4	*	*		
	26	6	*	*		32	8	*	*		
	27	2	*	*		33	7	*	*		
	28	3	*	*		34	7	*	*		
	29	18	*	*		35	5	*	*		
	30	3	*	*		41	3	*	*		
	35	3	*	*		42	1	*	*		
	36	2	*	*		45	5	*	*		
	<u>Mustelus canis</u> --Cont.										
	<u>Mustelus canis</u> --Cont.										
						70-120					

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-69-25	3	2	*	*	D-70-19	35	9	8.2	*
	4	1	*	*		36	3	2.7	*
	5	4	*	*		39	3	2.0	*
	6	2	*	*		1	3	2.3	57-67
	7	1	*	*		2	2	1.3	55-58
	11	6	*	*		6	2	8.2	83-110
	12	4	*	*		9	16	20.4	*
	13	1	*	*		10	11	2.9	31-67
	5	1	*	*		13	14	29.9	63-102
	1	1	0.9	*		14	1	1.1	74
	2	1	1.1	25		15	1	0.7	64
	3	4	3.2	*		16	2	1.4	63-65
	6	8	7.3	*		17	3	2.5	59-67
7	6	6.8	*	18	9	7.3	37-83		
9	16	3.6	*	19	1	0.9	65		
10	3	0.2	*	20	2	2.0	65-70		
11	1	1.1	*	23	1	0.6	62		
12	9	3.6	*	24	1	1.0	69		
13	7	2.7	*	30	4	5.9	65-85		
14	30	41.3	*	32	6	6.8	62-98		
16	1	0.5	*	39	3	5.9	67-97		
17	8	3.6	*	40	5	4.5	61-69		
18	2	0.9	*	7	1	0.5	60		
21	7	10.0	*	8	1	0.2	55		
22	1	1.4	*	10	10	29.9	53-99		
24	1	0.5	*	14	2	1.2	53-57		
27	4	8.2	*	16	1	1.2	74		
28	7	8.2	*	26	1	0.6	55		
29	14	13.2	*	35	3	7.3	50-100		
30	7	8.6	*	37	1	2.9	100		
34	5	4.5	*	38	1	1.8	90		
<u>Mustelus canis--Cont.</u>					<u>Mustelus canis--Cont.</u>				

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-71-11	4	16	13.2	52-77	Del-72-8	65	1	0.2	52
	5	3	2.3	58-71		67	1	0.7	57
	6	18	23.1	66-91		68	10	20.4	50-112
	7	29	29.5	56-82		4	4	15.4	47-120
	8	47	29.9	51-73		5	156	271.3	52-110
	9	5	28.3	110-120		9	2	12.0	102-122
	11	1	0.6	58		12	5	4.5	56-70
	46	15	3.9	34-71		13	2	9.2	59-102
	47	23	14.5	30-140		14	5	9.5	63-125
	48	15	21.3	57-98		15	1	0.9	66
	3	1	1.4	91		48	1	8.6	123
	6	7	2.9	42-66		57	7	22.5	60-128
	17	4	3.4	60-70		58	2	15.0	107-123
	18	8	4.5	37-110		64	4	3.6	59-72
D-71-14	19	5	6.4	45-115	66	3	8.2	88-100	
	25	1	0.9	66	67	1	5.9	113	
	26	5	3.2	54-60	71	9	19.5	58-99	
	34	11	21.8	82-100	72	54	107.0	55-105	
	1	7	7.9	51-77	73	13	26.8	72-108	
	2	24	41.3	63-90	1	2	0.5	36-37	
	3	17	23.1	67-120	2	1	6.8	110	
	4	3	7.3	83-91	5	2	1.1	51-54	
	7	1	4.1	103					
	1	1	0.6	52					
	2	1	5.4	128					
	3	9	34.9	81-108					
	4	6	33.1	73-128	27	1	3.5	89	
	5	8	22.3	55-112	31	2	1.2	45-54	
Del-71-2	6	3	9.1	55-103					
	51	3	15.0	50-118					
	62	10	56.7	50-120					
	63	4	22.7	102-121					
Del-71-3									

Mustelus canis--Cont.Mustelus canis--Cont.Carcharhinid sp.

SPHYRNIDAE

Sphyrna lewini, scalloped hammerhead

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
		<u>Sphyrna tiburo</u> , bonnethead								
D-71-3	34	1	1.8	84		4	8	27.2	79-88	
		SQUALIDAE								
		<u>Squalus acanthias</u> , spiny dogfish								
D-69-9	1	9	*	61-76		8	6	18.1	72-91	
	2	29	*	*		9	1	2.6	77	
	3	*	*	*		14	1	0.9	64	
	4	14	*	*		15	5	8.4	70-79	
	5	1	*	*		16	6	13.6	61-83	
	14	12	*	*		19	3	7.7	74-82	
	16	2	*	*		22	10	19.5	65-81	
	22	3	*	*		23	4	7.3	71-77	
	30	1	*	*		24	1	1.6	70	
	31	1	*	*		36	1	1.8	87	
	32	1	*	*		38	1	2.7	100	
	34	2	*	*		39	21	76.2	80-100	
	65	7	*	*		40	1	3.6	85	
	66	2	*	*		21	1	0.1	30	
	67	36	*	*	D-71-14	4	27	44.5	67-89	
	69	5	*	*	Del-71-2	5	22	42.6	56-85	
D-69-25	5	34	*	*		6	21	34.0	62-99	
	6	12	*	60-70		7	12	19.1	65-85	
	7	43	*	*		8	69	77.1	53-81	
	8	18	*	*	Del-71-3	65	23	43.1	54-88	
	10	1	*	*		66	33	72.6	66-96	
D-70-7	3	6	3.6	*		67	13	24.9	67-85	
	4	8	5.0	*	Del-72-8	1	2	6.8	89-91	
	28	1	0.1	28		2	4	15.0	85-93	
D-70-19	2	6	24.5	87-94		3	15	43.5	71-96	
D-71-3	3	7	23.4	82-92		4	21	65.8	70-93	
						5	4	12.2	85-94	
						56	1	1.5	73	
						64	5	11.3	73-82	
						71	19	49.0	72-85	

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
SQUATINIDAE										
<u>Squatina dumerili</u> , Atlantic angel shark										
D-69-9	8	6	*	*	Del-71-3	1	2	22.7	112-113	
	39	1	*	*		59	1	18.1	117	
	50	3	*	*		60	2	29.0	113-114	
	51	3	*	*		61	1	13.6	112	
	55	1	*	*	Del-72-8	64	2	0.9	40-41	
	56	3	*	150-300	Del-72-15	5	1	0.6	41	
	57	1	*	*		1	6	39.5	112-121	
	62	1	*	*						
D-69-15	10	1	9.1	108	RHINOBATIDAE					
	12	1	*	*	<u>Rhinobatos lentiginosus</u> , Atlantic guitarfish					
	13	2	*	*	D-69-23	1	*	*	*	
	14	3	*	100	Del-71-3	14	5	2.4	48-58	
	24	8	*	89-112		32	1	0.5	59	
	25	3	*	*		44	1	0.9	68	
	41	1	*	100		51	1	0.8	64	
	60	1	*	110		56	2	1.9	66-69	
D-69-21	3	1	*	*	Del-72-8	17	1	0.8	59	
D-69-23	21	1	*	*		52	1	0.7	62	
	23	1	*	50		60	4	3.2	61-66	
	24	1	*	45		21	1	1.4	80	
	29	1	*	110		60	1	0.6	56	
	32	1	*	106		71	1	1.1	73	
D-70-16	5	5	36.3	*						
	6	2	9.1	*	TORPEDINIDAE					
	9	2	9.1	*	<u>Narcine brasiliensis</u> , lesser electric ray					
D-70-19	10	3	54.4	*						
	12	2	22.7	110	D-68-13	53	1	*	*	
D-71-11	10	1	8.2	100	D-71-3	32	12	4.8	23-36	
	47	1	11.3	120	D-71-11	24	1	0.8	35	
	48	3	61.2	80-120						

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-68-13	2	36	28.7	*		24	25	*	*
	3	19	16.8	*		25	6	*	*
	4	24	22.2	*		26	54	*	*
	11	5	1.8	*		27	35	*	*
	15	13	7.7	*		28	24	*	*
	26	*	7.3	*		29	8	*	*
	38	*	*	*		30	20	*	*
	41	*	*	*		31	14	*	*
	42	*	*	*		32	16	*	*
	43	*	*	*		33	30	*	*
	1	2	*	*		34	30	*	*
	3	4	*	*		35	30	*	*
	4	4	*	*		36	75	*	*
D-69-9	5	19	*	*		37	10	*	*
	6	5	*	*		38	20	*	*
	7	*	*	*		39	15	*	*
	8	12	*	*		40	6	*	*
	9	6	*	*		41	25	*	*
	10	4	*	*		42	12	*	*
	11	12	*	*		43	9	*	*
	12	7	*	*		46	15	*	*
	13	8	*	*		47	40	*	*
	15	20	*	*		48	20	*	*
	16	11	*	*		50	50	*	*
	17	31	*	*		51	40	*	*
	18	50	*	*		52	15	*	*
19	30	*	*		53	18	*	*	
20	14	*	*		54	30	*	*	
21	21	*	*		55	12	*	*	
22	98	*	*		57	20	*	*	
23	1	*	*		62	11	*	*	
					63	47	*	*	

RAJIDAE
Raja eglantera, clearnose skate

Raja eglantera--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)		
		No.	Wt. (kg)				No.	Wt. (kg)			
		<u>Raja eglanteria</u> --Cont.						<u>Raja eglanteria</u> --Cont.			
	64	6	*	*		46	2	*	*		
	66	1	*	*		47	5	*	*		
	68	4	*	*		48	5	*	*		
	69	1	*	*		49	14	*	*		
D-69-15	7	13	*	15-37		50	27	*	*		
	8	20	*	18-47		51	9	*	*		
	10	2	*	*		52	6	*	*		
	11	24	*	*		53	5	*	*		
	12	10	*	*		54	35	*	*		
	13	55	*	*		55	*	*	*		
	14	14	*	*		56	36	*	*		
	17	7	*	*		57	48	*	*		
	18	25	*	*		58	10	*	*		
	19	*	*	*		59	20	*	*		
	20	28	*	*		60	10	*	*		
	21	8	*	*		61	1	*	*		
	22	7	*	*		62	11	*	*		
	23	37	*	*		63	28	*	*		
	24	35	*	*		64	18	*	*		
	25	18	*	*		66	5	*	*		
	26	15	*	*		67	12	*	*		
	27	14	*	*		68	1	*	*		
	28	6	*	*		69	3	*	*		
	32	25	*	*		70	78	*	*		
	33	20	*	*	D-69-21	1	25	*	*		
	34	18	*	*		2	32	*	*		
	36	7	*	*		3	42	*	*		
	41	5	*	*		4	3	*	*		
	42	4	*	*		1	6	*	*		
	43	5	*	*	D-69-23	3	1	*	*		
	44	4	*	*		6	1	*	*		
	45	2	*	*		11	1	*	*		

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)		
		No.	Wt. (kg)				No.	Wt. (kg)			
		<u>Raja eglanteria--Cont.</u>						<u>Raja eglanteria--Cont.</u>			
	12	1	*	*	D-69-29	2	1	*	45		
	16	1	*	*		6	2	*	35-50		
	17	2	*	*		7	11	*	22-52		
	18	2	*	*		8	7	*	37-55		
	19	2	*	*		9	8	*	*		
	20	2	*	*		10	12	*	22-25		
	21	15	*	*		11	10	*	21-50		
	22	*	*	*		12	6	*	24-56		
	23	27	*	*		13	3	*	20-56		
	24	4	*	*		15	4	*	*		
	25	1	*	*		16	4	*	*		
	26	2	*	*		18	10	*	*		
	29	22	*	*		19	16	*	*		
	30	2	*	*		20	7	*	*		
	31	15	*	*		21	48	*	*		
	32	8	*	*		22	17	*	*		
	33	2	*	*		23	12	*	*		
	34	8	*	*		24	22	*	*		
	42	8	*	*		25	7	*	*		
	43	14	*	*		26	1	*	*		
	44	2	*	*		27	4	*	*		
D-69-25	1	*	*	*	D-70-7	1	2	1.4	*		
	2	3	*	*		2	18	15.9	*		
	3	2	*	*		3	4	1.4	*		
	4	1	*	*		4	3	2.3	*		
	5	*	*	*	D-70-16	1	11	1.6	*		
	6	19	*	*		2	40	11.8	*		
	7	*	*	*		3	40	16.3	*		
	8	4	*	*		4	64	24.5	*		
	10	1	*	*		5	53	45.4	*		
	11	4	*	*		6	12	9.1	*		
	12	3	*	*		8	1	0.1	39		

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
		<u>Raja eglanteria</u> --Cont.							
	9	23	22.7	*	D-70-19	5	15	8.8	39-61
	10	16	14.5	*		6	1	0.6	48
	11	36	26.3	*		9	14	15.2	*
	12	13	5.7	*		10	22	21.8	42-64
	13	8	3.0	*		11	2	0.7	34-44
	14	22	25.4	*		12	7	9.1	60-63
	15	2	1.8	*		14	5	5.9	59-67
	16	3	2.5	*		15	1	0.6	49
	17	3	2.7	*		16	13	13.2	53-62
	18	6	4.3	*		17	1	1.1	59
	19	27	18.6	*		18	23	24.0	47-64
	20	9	2.5	31-40		19	1	1.0	59
	21	15	7.7	*		23	1	1.4	62
	22	22	7.1	26-44		40	2	2.3	55-57
	23	32	11.8	*	D-71-3	2	1	0.9	58
	24	47	13.8	*		3	4	4.1	39-62
	25	25	6.6	*		4	2	3.9	65-67
	26	40	16.3	*		5	4	4.8	55-61
	27	21	8.2	*		7	2	2.0	59
	28	6	3.0	*		9	2	2.3	61-63
	29	38	18.8	31-46		10	5	4.5	43-57
	30	24	9.8	37-42		11	4	3.6	29-62
	31	38	12.5	29-48		12	1	1.4	62
	32	15	4.1	32-46		13	3	3.6	53-63
	33	3	1.4	33-38		14	5	3.4	45-55
	34	45	19.5	*		15	5	5.2	51-61
	35	51	22.7	*		16	4	5.2	48-57
	36	4	1.2	31-43		17	6	5.7	49-60
	37	17	5.7	33-43		18	12	8.4	37-56
	38	27	7.5	27-45		19	7	6.4	50-63
	39	2	1.1	35-36		20	4	2.7	46-55

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
		<u>Raja eglanteria--Cont.</u>								
	21	1	1.0	51		45	4	2.3	40-52	
	22	1	0.9	56		46	33	21.8	38-61	
	25	3	1.1	37-44		47	73	60.3	45-61	
	26	2	0.7	38-41		48	1	0.7	34	
	28	1	0.2	34	D-71-14	7	2	1.8	53-56	
	29	8	2.8	33-56		8	6	7.7	56-64	
	30	4	3.4	48-54		16	2	1.8	43-60	
	31	3	1.8	36-57		17	4	3.4	51-59	
	32	3	0.8	35-40		18	144	111.1	39-63	
	33	6	4.3	48-53		19	18	18.6	47-61	
	34	1	0.7	50		26	1	1.0	53	
	35	29	26.1	29-59		1	1	1.5	64	
	36	12	10.0	30-58		2	7	6.1	47-58	
	37	2	2.3	56-57		3	4	4.5	54-61	
	38	1	1.1	51		4	3	3.2	53-56	
	39	11	9.1	24-65		5	9	11.3	53-67	
D-71-11	7	3	3.4	58-65		6	8	8.6	37-67	
	8	4	4.3	53-63		7	7	5.9	21-58	
	9	12	11.1	42-63		12	1	0.9	54	
	10	77	73.5	48-65		13	1	0.6	50	
	11	4	4.5	56-63		14	1	0.2	36	
	13	114	81.9	26-62		15	1	0.6	47	
	14	11	8.2	28-63		22	3	2.0	41-56	
	15	4	2.3	38-58		24	1	0.7	49	
	16	6	5.0	36-63		26	5	2.3	26-50	
	17	6	4.1	36-60		35	4	1.9	29-52	
	18	1	0.7	45		40	1	0.9	53	
	19	1	0.2	40		42	1	0.7	48	
	32	1	+	15		44	1	0.9	54	
	41	1	0.1	24		47	2	0.2	27-34	
	42	5	4.1	48-57		50	1	0.2	29	
	43	4	2.4	46-53		52	7	2.8	23-49	
		<u>Raja eglanteria--Cont.</u>								
		Del-71-3								

Appendix Table 2.--Continued.

Cruise		Stn.	No.	Catch	Range	Cruise	Stn.	No.	Catch	Range
				Wt. (kg)	(cm)				Wt. (kg)	(cm)
<u>Raja eglanteria</u> --Cont.						<u>Raja erinacea</u> --Cont.				
		25	2	1.4	52-56		13	2	*	*
		31	1	0.3	40		14	1	*	*
		32	1	0.7	50		19	2	*	*
		33	1	0.5	46		20	4	*	*
		35	1	1.1	56		21	14	*	*
		39	6	1.1	31-40		22	5	*	*
		40	4	1.4	35-52		23	2	*	*
		47	1	0.7	48	D-70-16	5	3	1.8	22-36
		53	3	1.6	41-48		1	1	0.2	41
		54	2	1.2	47-50	D-70-19	2	2	0.6	38-40
		55	2	1.9	50-52		3	31	10.9	24-45
		59	2	2.3	57-58		4	20	6.8	21-48
		60	1	0.6	48		8	1	0.5	46
		61	2	1.4	46-55		10	4	2.7	44-47
		62	6	2.7	36-47		12	8	5.0	45-47
		66	1	0.8	51		13	5	2.5	35-44
		67	3	1.4	34-52		20	11	6.6	42-47
		68	9	4.3	34-57		21	3	1.5	31-47
		69	2	0.9	39-43		22	4	1.0	30-39
		70	3	2.3	39-56		23	13	5.0	19-48
		74	1	1.0	58		24	99	35.8	26-45
		77	33	18.1	35-65		25	26	9.1	24-51
							26	19	6.6	27-47
							27	15	5.9	25-44
							28	25	7.9	27-44
							29	11	2.3	25-42
D-68-7		3	3	*	*		30	1	0.2	40
		6	1	*	*		31	66	28.1	30-47
		7	2	*	*		32	19	8.2	31-43
		8	1	*	*		33	21	9.1	27-45
		9	11	*	*		34	8	3.6	27-49
		10	2	*	*		35	18	6.8	30-47
		12	1	*	*					
<u>Raja erinacea</u> , little skate										

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)		
		No.	Wt. (kg)				No.	Wt. (kg)			
		<u>Raja erinacea--Cont.</u>						<u>Raja erinacea--Cont.</u>			
	36	17	6.4	38-44		23	12	5.0	28-48		
	37	20	9.5	38-49		24	11	4.5	27-47		
	38	1	1.6	43		28	19	5.9	24-46		
D-71-3	1	5	2.9	38-48		29	10	2.9	31-42		
	40	9	5.0	41-49		30	9	3.3	30-46		
	41	1	0.5	38		31	6	1.1	23-35		
D-71-11	1	3	1.5	40-48		32	18	11.3	25-50		
	2	10	4.5	33-47		33	11	2.9	17-44		
	3	16	5.7	28-45		34	34	10.0	28-49		
	4	6	1.7	30-37	Del-71-2	1	1	0.6	41		
	5	3	1.0	30-45		2	3	2.0	43-50		
	6	22	8.4	29-46		4	21	7.9	29-48		
	12	3	1.0	35-47		5	2	0.5	31-41		
	44	1	0.7	43		6	4	0.9	31-35		
	49	17	4.8	21-52		7	18	7.3	23-49		
D-71-14	1	9	4.6	28-48		8	2	0.8	23-49		
	2	74	30.4	31-48	Del-71-3	65	3	1.7	45-50		
	3	37	12.8	26-46		66	1	0.9	47		
	4	12	5.7	21-47		67	10	5.4	34-48		
	5	41	10.7	15-49		68	19	10.0	29-48		
	6	12	2.9	19-47							
	8	1	0.5	42							
	9	4	2.0	42-44							
	10	5	0.9	23-34	Del-71-3	11	22	2.0	23-29		
	11	13	2.5	19-46		64	2	0.5	37		
	12	8	1.6	10-46	Del-72-8	5	4	0.9	36-37		
	13	12	2.9	22-46		6	21	1.7	20-36		
	14	39	5.3	16-45		19	15	1.2	22-28		
	15	6	1.1	24-35		27	2	0.2	30-31		
	20	25	5.4	18-49		63	4	0.5	25-27		
	21	33	6.5	17-47		75	2	0.1	28-29		
	22	16	3.2	11-44							
								<u>Raja garmani, rosette skate</u>			

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)		
		No.	Wt. (kg)				No.	Wt. (kg)			
		<u>Raja garmani</u> --Cont.						<u>Dasyatis americana</u> --Cont.			
Del-72-15	5	4	1.0	25-38	Del-72-8	17	2	204.1	247-320		
	13	1	0.1	27		23	2	294.8	315-340		
	14	4	0.5	26-29		42	1	90.7	272		
	50	1	0.1	31		45	1	113.4	320		
	51	2	0.3	31		60	1	15.9	153		
	52	1	0.1	31		68	1	17.2	138		
	65	11	0.8	22-28		74	9	58.5	89-194		
	72	2	0.2	27-28		75	1	8.2	155		
		<u>Raja ocellata</u> , winter skate				Del-72-15	2	1	16.8	171	
D-71-3	2	1	4.1	50		16	1	113.4	330		
		DASYATIDAE					17	1	124.7	300	
		<u>Dasyatis americana</u> , southern stingray					18	2	170.1	254-300	
D-69-23	12	1	136.1	*		19	4	430.9	230-330		
	13	1	*	*		20	1	79.4	293		
	20	1	*	*		36	2	172.4	320-360		
	18	1	8.2	53		40	1	124.7	320		
	19	8	108.9	53-82		46	1	63.5	294		
	23	4	6.8	*		47	1	113.4	325		
	24	2	2.3	62-74		63	1	79.4	325		
	28	4	3.6	46-50		76	2	68.0	126-150		
	29	1	0.3	44		<u>Dasyatis centroura</u> , rough-tail stingray					
	35	5	2.5	50-60	D-68-7	2	1	*	*		
	46	37	54.4	45-100	D-69-9	35	1	*	*		
D-71-11	47	39	56.7	35-70		37	3	68.0	*		
	22	1	2.3	96		38	2	*	*		
Del-71-3	23	1	1.6	94		39	2	*	*		
	48	1	2.7	123		41	1	*	*		
						42	4	*	*		
						43	2	*	*		
						44	3	*	*		

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)		
		No.	Wt. (kg)				No.	Wt. (kg)			
		<u>Dasyatis centroura</u> --Cont.									
	46	2	*	*	D-69-9	25	1	*	*		
	48	1	*	*		33	1	*	*		
	50	4	*	*	D-69-15	24	2	*	*		
	52	2	*	*		25	4	*	*		
	53	1	*	*		31	6	204.1	*		
	54	1	*	*		37	1	*	*		
	56	1	18.1	*		44	1	*	*		
	57	3	*	*		46	1	*	*		
D-70-16	9	2	1.8	*		47	1	*	*		
D-70-19	9	1	2.3	106		50	1	22.7	*		
	10	36	226.8	*		61	1	*	*		
	29	1	24.9	200		63	1	*	*		
	34	1	36.3	*	D-69-23	11	4	*	*		
D-71-3	29	1	158.8	300		27	1	*	*		
	30	1	136.1	*		28	1	*	*		
D-71-11	8	1	15.9	120		38	1	20.4	*		
	10	2	6.8	107-130		42	2	40.8	*		
	26	1	136.1	450	D-69-29	15	1	*	43		
	42	1	1.9	56		16	1	*	*		
D-71-14	6	1	5.4	102		22	1	*	*		
	19	16	51.7	80-180		23	1	*	*		
	24	1	11.3	185	D-71-11	13	1	1.6	81		
Del-71-3	4	2	6.4	112-114							
	6	1	7.7	100	<u>Dasyatis sayi</u> , bluntnose stingray						
	7	1	34.5	193	D-68-13	2	5	3.3	*		
	9	1	79.4	240	D-69-29	2	2	*	*		
	29	1	204.1	352		3	1	*	*		
	45	1	79.4	320		4	2	*	50-51		
	46	1	102.1	330		6	1	*	*		
	58	2	147.4	254-293		7	3	*	45-51		
	64	10	92.5	84-170		8	5	*	*		
Del-72-15	1	154	680.4	100-194							

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Dasyatis sayi</u> --Cont.										
	9	5	*	*		7	*	*	*	
	16	1	*	*	D-69-9	45	1	*	*	
	23	5	*	*		58	190	1,360.8	60-164	
	24	11	*	*	D-69-23	25	1	*	*	
	25	1	*	*	D-69-29	22	1	*	*	
	26	1	*	*	Del-71-3	42	1	0.6	27	
	27	4	*	*		62	1	1.4	35	
D-71-3	16	1	1.8	74	Del-72-8	74	1	10.9	80	
D-71-11	36	1	0.5	44						
D-71-14	6	1	0.3	43	<u>Gymnura micrura</u> , smooth butterfly ray					
Del-71-3	4	1	23.6	150						
	7	23	205.9	42-193						
	9	1	0.6	67	D-68-13	3	4	*	*	
	22	3	1.4	47-50	D-69-9	25	1	*	*	
	23	2	0.8	49-51	D-69-29	8	1	*	20	
	24	2	0.9	43-55		11	1	*	35	
	33	1	0.8	69		22	1	*	*	
	48	2	1.1	48-49	Del-72-15	1	2	3.2	44-52	
Del-72-8	11	1	15.9	140						
	20	2	1.9	50-70	<u>MYLIOBATIDAE</u>					
	34	3	1.8	51-54	<u>Myliobatis freminvillei</u> , bullnose ray					
	35	3	2.8	53-81						
	40	1	0.6	52	D-69-29	5	1	*	96	
	48	2	11.8	91-115	D-70-19	9	2	19.5	135-157	
	68	1	14.5	136		11	1	0.5	56	
Del-72-15	1	20	40.8	*	D-71-3	27	4	22.7	70-71	
	21	4	2.5	50-54	D-71-11	10	2	7.3	50-110	
	44	2	2.7	69-76		46	17	27.2	35-80	
	45	1	1.2	84		47	3	9.1	40-100	
	60	2	1.5	49-74	D-71-14	6	1	2.7	100	
	66	2	1.2	50-54		18	2	5.4	54-99	
	77	1	0.7	51		19	18	64.0	49-146	

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
		<u>Myliobatis freminvillei</u> --Cont.								
Del-71-3	2	1	0.7	63						
	8	2	1.4	63-67						
	59	3	18.1	120-128						
	64	1	18.1	153						
Del-72-8	16	2	1.1	50-55						
	20	6	22.7	72-119						
	21	8	6.8	47-79						
	34	1	0.5	59						
	40	2	2.0	68-80						
Del-72-15	7	1	6.4	99						
		<u>Myliobatis goodei</u> , southern eagle ray								
D-70-16	6	2	9.1	*						
		<u>Rhinoptera bonasus</u> , cownose ray								
D-69-9	59	2	*	*						
D-69-15	12	1	*	*						
	13	8	*	*						
	43	1	*	*						
D-69-23	18	4	*	*						
	25	1	*	*						
Del-72-15	1	1	3.6	132						
		ACIPENSERIDAE								
		<u>Acipenser oxyrinchus</u> , Atlantic sturgeon								
D-69-9	30	1	*	139						
	65	1	*	121						
D-70-19	10	1	6.4	100						
Del-71-3	65	1	4.5	90						
		MURAENIDAE								
		<u>Gymnothorax moringa</u> , spotted moray								
Del-71-3	55	1	0.3	49						
		<u>Gymnothorax nigromarginatus</u> , blackedge moray								
Del-72-8	46	1	0.2	46						
		MURAENESOCIDAE								
		<u>Hoplunnis</u> sp.								
Del-72-15	30	4	+	24-34						
		CLUPEIDAE								
		<u>Alosa aestivalis</u> , blueback herring								
D-69-9	2	2	*	11-15						
	3	1	*	*						
	4	12	*	*						
D-69-15	68	1	*	*						
D-69-23	9	1	*	15						
	10	13	*	*						
	11	1	*	8						
	16	1	*	*						
D-70-7	1	16	2.3	*						
D-70-16	34	1	+	16						
D-71-3	2	2	+	10-12						
	6	1	+	9						
	41	4	0.1	14-20						
D-71-14	1	1	+	12						
Del-72-8	1	5	+	8						

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
		<u>Alosa mediocris</u> , hickory shad					<u>Brevoortia tyrannus</u> --Cont.		
D-71-3	7	3	+	12-13	D-70-7	1	1	0.2	24
		<u>Alosa pseudoharengus</u> , alewife			D-71-3	1	1	0.3	35
D-70-7	1	18	1.8	*		2	1	0.2	32
D-70-16	4	1	+	12		6	4	0.1	9-13
	35	1	0.1	23	Del-71-3	16	245	5.7	22
D-70-19	40	1	0.1	17		1	1	+	9-14
D-71-3	1	2	+	10-12	Del-72-8	1	1	+	15
	40	4	0.6	20-31		3	1	0.1	17
	41	4	0.9	20-31					26
Del-72-8	1	3	0.1	12-22		<u>Clupea harengus harengus</u> , Atlantic herring			
	2	1	0.1	26	D-68-7	4	2	*	*
		<u>Alosa sapidissima</u> , American shad			D-71-3	41	7	1.2	20-34
D-69-29	14	1	*	15		<u>Etrumeus teres</u> , round herring			
	21	1	*	19	D-68-13	23	*	*	*
D-70-16	35	1	1.1	51		24	*	*	*
Del-71-3	42	1	0.1	18		40	2	*	*
Del-72-8	2	1	1.5	51		42	*	*	*
		<u>Brevoortia tyrannus</u> , Atlantic menhaden			D-69-9	30	1	*	*
D-68-13	38	*	*	*		31	1	*	*
	39	*	*	*		45	100	*	*
	46	2	*	*	D-69-23	38	1	*	*
	47	*	*	*	D-69-25	2	1	*	12
	49	*	*	*		11	2	*	12-13
	63	1	*	2		12	4	*	*
	65	1	*	2	D-69-29	25	1	*	12
	67	1	*	2	D-70-16	17	4	0.1	11
						24	1	+	11
						38	1	+	10

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Etrumeus teres</u> --Cont.									
D-70-19	23	1	0.2	30	D-71-11	28	131	4.8	14-19
	31	8	0.1	11-14		33	11	0.2	10-16
	33	40	0.9	13-16	Del-71-3	18	16	0.7	17-20
	34	2	0.1	13		25	1	+	18
D-71-3	26	2	+	11-13		29	8	0.1	12-15
	30	1	+	10	Del-72-8	20	2	+	8-9
D-71-14	1	41	0.5	11-12		29	340	7.7	10-17
	28	9	0.1	11-12		41	9	0.1	13-16
	29	3	+	11-12		48	13	0.1	8-10
Del-71-2	2	3	0.1	12-13		50	100	1.4	8-17
Del-71-3	3	112	3.3	12-19	Del-72-15	14	5	0.2	15-17
	9	240	2.7	11-13		28	1	+	13
Del-72-8	50	17	0.5	14-16		36	181	4.5	10-18
						71	1	+	15
<u>Opisthonema oglinum</u> , Atlantic thread herring									
D-69-23	3	1	*	13	ENGRAULIDAE				
D-69-29	7	50	*	9-11	<u>Anchoa hepsetus</u> , striped anchovy				
D-71-3	29	2	+	10-12	D-68-13	9	232	*	*
	30	14	0.1	10-23		15	2	*	*
D-71-11	25	1	+	17		16	19	*	*
	27	8	0.2	7-17		17	1	*	11
	36	1	0.1	20		26	1	*	*
	40	2	0.1	18		37	*	*	*
Del-71-3	34	2	+	14-16		38	*	*	*
	35	6	0.2	16-18		39	*	*	*
	40	2	0.1	19-20		46	*	*	*
Del-72-8	34	1	+	19		47	*	*	*
	35	1	+	18		51	*	*	*
Del-72-15	29	1	+	11	D-69-9	4	*	*	*
	58	1	+	15		8	11	*	*
	59	1	+	13		11	*	*	*

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
D-69-15	12	*	2	*		24	1	*	12	
	28	*	1	*		25	1	*	10	
	37	*	6	*	D-70-16	36	1	+	7	
	38	*	8	*	D-70-19	1	4	0.1	8-9	
	40	*	1	*		6	1	+	7	
	57	*	12	*		11	2	0.1	11-12	
	43	*	2	*		18	1	+	8	
	46	*	7	*		1	12	+	5-8	
	59	*	1	*	D-71-3	2	2	0.1	4-9	
	60	*	1	*		6	9	+	6-7	
	61	*	1	*		8	9	0.5	5-7	
	4	*	1	*		10	7	+	6-11	
	9	*	11	*		13	1	+	12	
D-69-23	10	*	200	*		14	5	0.1	10-12	
	24	*	12	*		16	3	0.1	10-11	
	28	*	3	*		17	12	*	*	
	32	*	1	*		19	50	+	5-6	
	9	*	1	*		23	30	0.2	5-10	
	12	*	20	*		26	65	0.9	10-12	
	13	*	50	*		27	3	+	5-11	
	4	*	10	*		28	25	0.1	5-10	
	7	*	1	*		29	40	0.1	6-11	
	9	*	1	*		30	250	1.5	5-11	
	10	*	1	*		37	1	+	10	
	11	*	1	*		38	5	+	5-7	
	12	*	5	*		39	50	0.1	*	
D-69-25	16	*	1	*		21	325	0.9	5-11	
	17	*	1	*	D-71-11	22	35	0.1	6-10	
	18	*	2	*		27	10	+	4-6	
	20	*	12	*		46	6	+	11-13	
	22	*	6	*		47	3	+	8-13	
	23	*	14	*		1	7	+	6-7	
	D-69-29	7	*	1	*					
		9	*	1	*					
		10	*	1	*					
		11	*	1	*					
		12	*	5	*					
		16	*	1	*					
		17	*	1	*					
18		*	2	*						
20		*	12	*						
22		*	6	*						
23		*	14	*						
<u>Anchoa hepsetus--Cont.</u>										
<u>Anchoa hepsetus--Cont.</u>										

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
Del-71-3	1	1	+	7	D-68-13	1	22	2.2	19-33	
	2	80	0.2	6-7		2	43	2.4	*	*
	23	3	+	10-13		3	1	*	*	*
	35	2	+	9		4	*	*	*	*
	42	36	0.3	7-13		6	2	*	*	*
	53	4	+	5-7		7	21	*	*	*
	54	2	+	11-13		8	60	*	*	17-25
	65	5	+	8-9		9	*	*	*	*
	1	400	0.5	4-7		10	4	*	*	*
	13	16	+	5-11		12	3	*	*	*
	14	1	+	11		17	3	*	*	23-28
	20	8	+	6-7		25	*	*	*	*
	34	8	0.1	7-11		33	*	*	*	*
	40	2	+	11		40	*	*	*	*
	41	4	0.1	12-13		41	*	*	*	*
50	2	+	11	42	*	*	*	*		
71	8	0.1	11-12	44	1	*	*	*		
Del-72-15	1	8	0.1	11-12	45	1	*	*	*	
	21	10	0.1	9-11	48	3	*	*	*	
	58	24	0.1	4-11	55	*	*	*	*	
	59	6	+	5-10	14	1	*	*	*	
	60	10	0.1	6-11	1	*	*	*	*	
	66	1	+	10	2	2	*	*	*	
	68	13	+	7-17	3	2	*	*	*	
					4	3	*	*	*	
					5	10	*	*	*	
					6	3	*	*	*	
D-69-9	63	2	*	3-6	7	3	*	*	28-39	
					9	56	*	*	*	

SYNODONTIDAE
Synodus foetens, inshore lizardfish

Anchoa hepsetus--Cont.

Anchoa mitchilli, bay anchovy

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
		<u>Synodus foetens</u> --Cont.								
	10	35	*	*		31	4	0.3	21-29	
	12	3	*	*		32	10	1.0	22-31	
	16	10	*	*		35	1	0.1	30	
	20	1	*	*		36	2	0.1	23-34	
	22	1	*	*		37	8	1.0	25-34	
	25	1	*	*		39	2	0.2	28	
D-69-29	1	1	*	30		40	6	1.0	19-34	
	2	1	*	27	Del-71-3	8	2	0.1	29	
	5	1	*	37		9	2	0.2	27-30	
	7	1	*	44		12	1	0.3	34	
	9	2	*	19-36		14	1	0.1	19	
	10	1	*	10		16	1	0.2	35	
	11	2	*	14-16		18	4	0.9	28-39	
	13	2	*	40-44		24	13	3.3	31-43	
	18	2	*	38-40		25	21	4.3	24-38	
	19	2	*	20-30		26	1	0.1	26	
	21	1	*	17		28	1	0.1	36	
	22	1	*	17		29	1	0.1	38	
	23	1	+	12		30	4	0.9	28-37	
D-71-3	24	4	0.1	7-16		31	3	0.5	29-35	
	25	1	+	21		32	10	2.4	27-38	
	26	1	0.1	22		33	2	0.6	31-43	
	31	6	0.6	19-30		37	1	0.1	27	
	33	6	0.7	21-31		38	9	2.2	27-40	
	34	11	0.9	14-27		39	14	2.5	25-38	
D-71-11	22	5	0.7	21-32		40	10	1.2	21-32	
	23	1	0.1	19		41	1	0.2	33	
	24	2	0.5	30-31		42	1	0.1	32	
	25	3	0.3	28-31		43	1	0.1	29	
	27	9	1.1	17-29		44	4	0.9	30-37	
	28	29	2.6	21-31		48	6	1.2	30-33	
	30	5	0.6	23-29		49	3	0.6	31-34	

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
Del-72-8	50	3	0.5	25-28	Del-72-15	61	3	0.3	19-24
	51	5	1.8	30-44		62	14	2.4	25-39
	52	2	0.3	31-32		66	2	0.5	34-35
	53	2	0.5	32-34		68	1	0.1	23
	54	1	0.2	32		7	2	0.1	30
	55	1	0.2	28		8	1	0.1	33
	58	3	0.5	16-19		9	3	0.7	28-36
	16	5	1.4	31-35		11	3	0.5	28-35
	17	5	1.0	20-38		15	1	0.5	42
	21	2	0.5	24-36		17	18	4.1	33-45
	23	1	0.3	36		18	2	1.1	29-38
	24	1	0.2	31		19	1	0.1	27
	25	1	0.1	29		20	4	0.3	23-30
	26	2	0.5	33-35		21	11	1.0	20-28
	29	2	0.5	28-36		25	3	0.7	30-34
	30	8	1.4	28-32		27	1	0.1	25
	31	7	0.9	23-33		28	3	0.3	27-36
	32	24	4.1	18-44		29	3	0.1	16-20
	33	1	0.1	30		31	2	1.1	43-45
	38	6	1.0	27-34		33	3	0.7	29-37
	39	1	0.1	28		34	2	0.6	34-40
	40	1	0.1	20		37	5	0.2	19-25
	41	7	1.0	13-27		39	1	0.1	28
	42	7	1.1	23-35		41	3	0.7	30-33
43	2	0.6	34-36	42	1	0.2	35		
44	2	0.1	25-29	45	2	0.2	23-24		
45	4	1.1	28-39	46	6	1.4	29-37		
46	2	0.9	29-42	48	2	0.3	28-33		
51	2	0.1	28-29	49	1	0.2	34		
52	5	0.9	11-47	53	1	0.3	34		
59	1	0.2	38	55	8	1.1	26-33		
60	3	0.6	24-32	56	1	0.1	30		

Synodus foetens--Cont.Synodus foetens--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
		<u>Synodus foetens</u> --Cont.					<u>Trachinocephalus myops</u> --Cont.			
	57	2	0.1	19-23	Del-71-3	30	2	0.1	19-27	
	58	11	1.1	18-31		36	3	0.4	22-28	
	60	4	0.3	19-25		38	1	0.1	27	
	61	1	0.1	24		39	1	+	12	
	62	1	0.2	33		50	2	0.3	22-28	
	63	1	0.1	28		61	1	+	13	
	65	3	0.6	31-35	Del-72-8	18	2	0.2	16-24	
	66	1	0.1	34		26	1	0.1	19	
	67	1	0.2	32		31	1	0.2	26	
	68	2	0.2	25-26		32	1	0.1	12	
	69	3	0.6	19-35		38	1	0.1	23	
	70	4	1.1	29-38		39	1	+	17	
	76	1	0.1	23		45	2	0.1	21-22	
		<u>Synodus intermedius</u> , sand diver					33	1	0.1	22
Del-72-8	29	1	0.1	24		38	1	+	35	
Del-72-15	64	1	+	17		47	1	0.1	16	
	65	1	+	11		64	2	0.1	11-22	
		<u>Synodus poeyi</u> , offshore lizardfish								
Del-72-8	46	2	0.5	23-26	Del-72-8	6	1	+	20	
	63	1	+	12						
Del-72-15	64	1	0.1	24						
	71	1	0.1	24						
	72	1	+	12	Del-72-15	50	3	+	7-8	
		<u>Trachinocephalus myops</u> , snakefish								
D-71-3	18	2	+	10						

CHLOROPHTHALMIDAE
Sudis sp.

MYCTOPHIDAE
Myctophid, unidentifiable to genus

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
		ARIIDAE					<u>Porichthys porosissimus</u> --Cont.			
		<u>Arius felis</u> , sea catfish								
D-71-3	28	2	0.1	11-21	Del-72-15	67	1	0.1	18	
	29	1	+	21		68	9	0.5	10-20	
	32	1	0.1	21		69	2	0.1	12-15	
D-71-11	25	1	0.2	31		71	1	+	17	
Del-71-3	35	2	0.1	18-19						
	40	79	12.2	20-35						
	41	2	0.8	22-36						
Del-72-15	58	1	0.2	24	D-71-14	9	1	+	*	
		BATRACHOIDIDAE					LOPHIIDAE			
		<u>Opsanus tau</u> , oyster toadfish					<u>Lophius americanus</u> , goosefish			
D-69-23	1	1	*	*	D-69-9	1	1	*	51	
D-69-29	11	1	*	25		4	1	*	*	
D-71-3	14	1	0.5	26		8	3	*	*	
		<u>Porichthys porosissimus</u> , Atlantic midshipman					9	1	*	*
D-69-23	11	2	*	15-16		11	1	*	*	
	12	2	*	*		13	1	*	*	
	16	2	*	*		14	1	*	*	
D-69-29	10	2	*	18-19		20	3	*	*	
	27	1	*	15		23	2	*	*	
	31	1	+	12		28	2	*	*	
D-71-11	17	2	0.1	14		29	3	*	*	
Del-71-3	51	1	+	12		41	2	*	*	
Del-72-8	19	9	0.5	12-21		44	1	*	*	
	27	1	+	9		62	1	*	*	
	55	2	0.1	12-18		63	3	*	*	
						64	2	*	*	

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
		<u>Ogcocephalus nasutus</u> --Cont.					<u>Ogcocephalus</u> sp.		
	38	3	0.2	15-17	D-69-29	4	1	*	*
	39	1	+	8		7	1	*	6
	45	1	0.7	35		8	1	*	6
	63	1	+	13		10	1	*	6
De1-72-15	13	2	0.1	13		19	1	*	6
	24	1	0.1	18	D-71-11	39	1	+	8
	31	3	0.1	10-19					
	32	1	0.1	17					
	38	1	+	9					
	39	5	0.3	14-17					
	40	4	0.3	12-16					
	41	1	+	10					
	47	1	0.1	16					
	63	1	+	10					
	64	2	0.1	6-8					
	72	5	0.5	10-17					
		<u>Ogcocephalus parvus</u> , roughback batfish					<u>GADIDAE</u>		
						<u>Gadus morhua</u> , Atlantic cod			
						<u>Merluccius bilinearis</u> , silver hake			
De1-71-3	29	1	+	12	D-68-7	3	3	*	*
						4	169	*	14-44
						5	1	*	*
						7	1	*	*
						9	5	*	12-24
						10	16	*	18-23
						22	1	*	23
						3	3	*	*
						64	3	*	*
						65	2	*	18-25
De1-71-3	11	1	0.1	14		69	5	*	27-32
De1-72-8	29	1	+	8		7	2	*	16-22
	39	1	+	13	D-69-15	11	11	*	15-20
	75	1	+	11		14	1	*	21
De1-72-15	13	3	0.2	13-19		15	3	*	10-29
	49	2	0.1	9-10		16	1	*	20
	72	9	0.6	12-16		18	8	*	12-24
						19	9	*	20-30

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Merluccius bilinearis</u> --Cont.									
	20	3	*	*		7	450	20.4	15-19
	21	2	*	18-26		11	98	2.9	16-20
	23	2	*	21-30		12	49	3.1	16-21
	29	9	*	30-34		17	12	0.3	9-18
	30	*	13.6	*		18	23	0.6	11-21
	31	3	*	17-19		19	11	0.5	14-19
	32	7	*	14-30		22	3	+	12-16
	33	9	*	16-29		26	11	0.3	13-17
	34	10	*	17-29		27	34	1.1	11-21
	35	3	*	*		29	38	0.8	10-17
	49	2	*	17-24		30	40	1.0	11-19
	50	1	*	28		31	73	1.6	10-19
	51	1	*	27		32	54	1.1	11-17
	52	8	*	21-31		33	19	0.3	12-18
	53	7	*	19-32		34	42	1.0	10-19
	54	1	*	32		35	384	10.9	12-19
	63	1	*	29		36	46	1.4	13-19
	64	2	*	25-29	D-70-19	2	51	1.6	14-19
	66	2	*	25-35		3	1	0.1	18
	67	1	*	31		4	13	0.5	17-19
	70	5	*	21-30		5	4	0.3	20-23
	1	1	*	*		7	2	0.1	17-19
D-69-23	2	1	*	10		8	35	2.0	18-23
D-69-25	8	1	*	19		12	12	0.6	18-21
D-70-7	2	2	0.6	17-37		13	12	0.6	19-22
	3	4	0.2	11-17		21	71	3.2	15-22
	4	3	0.6	9-34		20	20	0.7	14-20
D-70-16	1	84	2.8	7-20		22	12	0.5	16-21
	2	480	10.9	11-20		23	7	0.2	18-21
	3	64	2.0	11-23		24	10	0.5	17-22
	4	42	1.5	11-18		26	1	0.1	20
	6	106	3.2	13-17		28	8	0.5	13-21

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-71-3	29	1	0.1	17	Del-72-8	21	2	0.3	32-33
	31	86	2.5	11-23		22	2	0.8	20-38
	32	62	2.3	12-21		23	3	0.2	18-23
	33	6	0.2	15-23		29	1	0.1	21
	34	7	0.3	17-20		30	4	0.2	19-20
	36	1	0.1	14		31	10	0.7	15-26
	37	2	0.1	16-17		33	1	0.1	25
	1	+		9-10		2	3	0.1	17-26
	3	12	10.2	42-56		6	1	0.1	27
	4	3	0.2	10-32					
	5	1	+	14					
	39	14	4.1	8-44					
	40	3	0.7	9-41					
	41	6	0.1	11-24					
	11	13	0.7	12-20		D-68-7 D-69-9	4	77	*
12	7	0.2	12-22	64	5		*	*	
14	2	0.1	15-16	68	3		*	35-51	
16	1	0.1	19	69	6		*	10-24	
42	1	0.1	19	8	9		*	20	
45	9	0.5	14-21	9	1	*	19-20		
D-71-11	48	41	1.8	11-23	11	3	*	15	
	3	1	0.1	22	15	1	*	35-39	
	4	27	3.6	16-52	16	3	*	15-35	
	5	3	0.3	26-29	19	4	*	14-34	
	10	5	0.5	20-24	20	13	*	32	
	11	20	1.2	17-33	21	2	*	18-22	
	12	1	0.1	31	32	5	*	14-28	
	13	3	0.6	22-33	33	4	*	*	
	14	1	0.1	20	35	5	*	*	
	15	6	0.8	19-26	36	1	*	34	
	16	1	0.1	23	65	1	*	34	
	D-71-14	17	88	6.0	17-23	66	1	*	21
						67	4	*	16-34
						70	4	*	11-37

Merluccius bilinearis--Cont.Urophycis chuss, red hake

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
D-69-25 D-70-7	9	1	*	22		17	1	0.2	27	
	1	5	1.8	16-43		18	1	0.1	0.1	25
D-70-16	2	12	2.7	12-43	19	5	0.2	0.2	15-21	
	3	1	0.3	36	20	15	0.7	0.7	14-22	
	1	78	3.1	13-38	24	34	2.7	2.7	14-42	
	2	27	1.6	13-36	25	1	0.1	0.1	22	
	3	1	0.1	15	27	8	0.7	0.7	14-32	
	4	1	0.1	27	28	2	0.1	0.1	14-24	
	11	3	0.1	17-22	29	8	0.6	0.6	17-22	
	16	2	0.1	19-21	30	3	0.1	0.1	17-19	
17	33	1.0	12-20	31	45	3.2	3.2	17-29		
18	26	1.2	11-22	32	38	2.3	2.3	14-35		
19	1	+	18	34	1	0.2	0.2	26		
22	23	0.8	11-19	35	1	0.1	0.1	21		
23	16	0.2	11-17	36	3	0.1	0.1	15		
24	19	0.6	10-28	37	44	9.1	9.1	18-43		
25	31	0.6	13-18	38	54	6.1	6.1	13-46		
26	56	1.8	13-22	39	10	0.7	0.7	15-24		
29	18	0.3	11-28	40	16	1.0	1.0	17-23		
31	2	0.5	20-34		1	8	0.1	0.1	8-11	
32	4	0.3	16-31		3	4	1.0	1.0	18-45	
33	4	0.3	14-33		4	3	+	+	11-14	
34	13	0.9	11-30		39	2	0.1	0.1	12-14	
35	49	3.6	10-38		40	2	1.0	1.0	10-45	
36	1	0.3	41		41	1	+	+	10	
37	52	3.4	12-52		2	2	0.9	0.9	38-41	
38	10	0.6	14-20		49	6	0.1	0.1	12-17	
D-70-19	1	2	0.1	12-20		1	2	0.1	0.1	16
	10	1	0.1	21		4	65	14.5	17-40	
	11	1	0.1	13		5	13	1.8	18-36	
	12	4	0.3	21-24		11	24	1.2	16-23	
	16	1	0.1	27		12	14	0.7	14-27	

Urophycis chuss--Cont.

Urophycis chuss--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Urophycis chuss--Cont.</u>										
	13	8	0.5	13-29	D-68-7	14	2	*	18-20	
	14	19	2.3	11-42	D-69-9	2	2	*	5-8	
	20	20	0.9	15-32		48	3	*	*	
	21	53	3.3	17-34		51	2	*	*	
	22	14	0.6	13-31		52	3	*	*	
	27	28	0.6	11-18		53	6	*	*	
	31	24	2.0	16-30		54	6	*	12-18	
	32	14	2.5	17-37		55	3	*	20	
	33	19	2.9	16-40		56	10	*	11-13	
Del-71-2	6	1	+	13		62	2	*	3	
Del-72-8	1	1	0.1	22		63	14	*	*	
<u>Urophycis earlli, Carolina hake</u>										
D-69-29	10	2	*	27		7	32	1.8	14-27	
	16	7	*	20-39		8	11	*	11-25	
	17	1	*	23		9	6	*	9-28	
	18	1	*	30		11	17	*	12-22	
Del-71-3	43	1	0.5	32		13	8	*	14-23	
Del-72-8	9	1	0.3	33		19	1	*	*	
	12	2	0.5	22-32		20	7	*	12-19	
	45	1	0.3	37		21	15	*	10-30	
Del-72-15	67	1	0.3	33		22	2	*	22-24	
	69	1	0.1	19		23	1	*	20	
	71	1	0.6	34		24	39	*	10-20	
<u>Urophycis floridanus, southern hake</u>										
D-71-3	11	1	+	11		25	112	*	8-22	
	12	8	0.2	8-27		26	2	*	*	
	25	1	+	10		29	2	*	16-20	
						30	3	*	11-19	
						32	1	*	18	
						35	2	*	*	
						37	17	*	16-18	
						38	1	*	20	
						40	14	*	16-27	

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Urophycis regius--Cont.</u>					<u>Urophycis regius--Cont.</u>				
	41	26	*	12-19		22	*	20	
	42	5	*	15-19		23	*	17	
	43	1	*	18		24	*	21-26	
	49	6	*	14-26		25	*	21-28	
	54	8	*	14-22		26	*	20-27	
	55	3	*	16-18		27	*	17-24	
	59	1	*	22	D-70-16	1	17	0.2	10-13
	60	3	*	8-15		5	290	13.2	12-21
	70	10	*	9-17		6	126	5.4	11-23
D-69-21	1	7	*	19-27		8	1	0.1	20
	2	12	*	18-26		9	20	1.6	12-24
	3	8	*	17-23		10	66	2.3	13-21
D-69-23	17	2	*	18		11	22	2.0	16-25
	18	1	*	23		12	16	1.9	17-30
	21	11	*	21-28		13	1	0.1	18
	22	28	*	16-23		14	1	0.1	22
	23	2	*	23		15	10	1.2	18-25
	24	3	*	19-21		16	11	0.8	14-21
	29	7	*	22-26		17	1	+	22
	31	2	*	12-28		18	7	0.1	10-21
	32	24	*	22-26		21	3	0.1	10-13
	42	12	*	19-24		29	4	+	9-13
	43	6	*	21-22		34	24	0.1	8-13
D-69-25	2	2	*	24-27		36	25	0.6	10-14
	5	5	*	21-27		39	32	0.7	9-14
	7	4	*	11-27	D-70-19	1	14	0.6	13-20
	8	4	*	24-26		2	5	0.2	15-18
	9	12	*	25-31		5	59	2.9	15-22
	13	3	*	16-17		6	40	2.3	13-25
D-69-29	17	1	*	24		8	8	0.7	17-24
	18	1	*	27		10	65	3.9	16-24
	21	1	*	31		11	5	0.2	16-24

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)		
		No.	Wt. (kg)				No.	Wt. (kg)			
		<u>Urophycis regius--Cont.</u>						<u>Urophycis regius--Cont.</u>			
D-71-14	1	5	0.3	18-21	Del-72-8	1	1	0.1	17		
	10	17	1.6	13-27		2	3	+	11-15		
	12	2	0.2	20-21		6	8	0.2	9-20		
	13	5	0.3	19-22		15	1	+	11		
	14	29	2.7	18-25		17	1	0.2	28		
	15	250	14.7	15-28		18	2	0.3	22-26		
	16	5	0.6	14-25		19	25	2.2	17-30		
	17	57	4.8	18-30		27	24	1.4	11-26		
	18	4	0.5	20-24		39	1	0.1	23		
	19	4	0.3	21-26		47	12	0.5	15-20		
	21	5	0.5	16-27		55	14	0.8	13-22		
	22	20	2.0	11-27		63	10	0.6	15-23		
	24	2	0.3	23-28		64	1	+	12		
	25	6	0.9	17-32		72	4	0.3	18-28		
	27	5	0.1	13-15		73	1	0.1	28		
	Del-71-2	3	5	0.5		20-24	Del-72-15	1	4	0.1	11-21
		4	1	0.1		21		2	3	0.3	20-36
5		1	0.1	22	5	3		0.5	18-30		
7		2	0.2	20-24	6	6		0.5	17-24		
8		2	0.2	20-26	22	1		0.1	19		
1		2	0.2	24-28	30	25		0.9	11-21		
6		1	0.1	20	50	1		0.1	11		
7		12	1.4	18-28	59	1		+	11		
11		1	0.1	18	60	2		0.1	12		
60		1	0.2	30	65	1		+	12		
61	10	1.4	20-27	68	1	+	14				
62	3	0.2	20-26								
64	1	0.2	28								
65	6	1.4	23-33								
67	1	0.1	21								
68	2	0.1	7-22								
		<u>Urophycis tenuis, white hake</u>						<u>Urophycis tenuis, white hake</u>			
					D-68-7	22	1	*	17		

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
OPHIDIIDAE										
<u>Lepophidium cerwinum</u> , fawn cusk-eel										
D-69-29	6	3	*	23-26	D-69-15	41	1	*	*	
	7	5	*	11-24	D-29-23	32	5	*	17-27	
	9	1	*	23	D-69-29	7	2	*	21-25	
	17	1	*	8	D-70-16	5	2	0.1	26-27	
	18	2	*	24-25	D-71-11	17	1	0.1	21	
	19	1	*	26	Del-71-3	26	1	+	17	
	18	1	0.1	21		27	1	0.1	26	
D-71-3	31	3	0.1	7-23		36	4	0.6	24-29	
	35	2	+	6-16		56	2	0.7	31-32	
	43	2	0.1	9-28		57	4	0.8	24-31	
Del-72-8	46	1	0.2	33	ZOARCIDAE					
	74	2	0.3	28-29	<u>Macrozoarces americanus</u> , ocean pout					
	39	2	0.3	26-29						
	40	6	0.7	22-29	D-69-9	68	1	*	39	
	41	3	0.6	26-30	D-70-7	2	2	1.8	46-53	
	42	1	0.2	26	D-70-16	25	1	0.6	51	
	60	1	+	14		38	1	0.2	35	
	62	1	0.1	22	D-71-3	40	3	0.7	44-47	
	63	3	0.2	23-24	D-71-14	5	1	0.2	39	
	64	1	0.1	22		14	3	1.0	16-47	
	68	1	0.1	25	EXOCOETIDAE					
	69	2	0.2	7-32	<u>Hyporhamphus unifasciatus</u> , halfbeak					
					D-69-29	9	1	*	16	
Del-72-8	38	1	0.1	22	Del-71-3	54	1	+	19	
Del-72-15	31	1	0.1	24	ATHERINIDAE					
	40	1	0.1	25	<u>Menidia menidia</u> , Atlantic silverside					
					D-69-29	24	2	*	8-9	

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
		<u>Menidia menidia</u> --Cont.					<u>FISTULARIIDAE</u>		
D-71-3	2	4	+	9-11			<u>Fistularia tabacaria</u> , bluespotted cornetfish		
	13	1	+	10	D-69-25	7	2	*	46-53
	17	2	*	*					
	35	1	+	9					
		<u>Holocentrus rufus</u> , longspine squirrelfish					<u>CENTRISCIDAE</u>		
		<u>Holocentrus rufus</u> , longspine squirrelfish					<u>Macrorhamphosus scolopax</u> , longspine snipefish		
Del-72-15	31	1	0.5	35	Del-72-8	6	8	0.1	10-13
		<u>Myripristis jacobus</u> , blackbar soldierfish					<u>SYNGNATHIDAE</u>		
Del-72-15	31	2	0.1	15-16			<u>Hippocampus erectus</u> , lined seahorse		
		<u>Zenopsis ocellata</u> , American john dory			D-69-29	11	1	*	*
		<u>Zenopsis ocellata</u> , American john dory				16	1	*	*
Del-72-15	50	1	+	10		18	1	*	*
	65	8	0.3	7-11	D-71-3	27	1	+	7
		<u>Antignonia capros</u> , deepbody boarfish			Del-71-3	28	1	+	10
		<u>Antignonia capros</u> , deepbody boarfish				35	1	+	13
Del-72-15	50	1	+	10		38	1	+	14
	65	8	0.3	7-11	Del-72-8	48	1	+	12
		<u>Caproidae</u>			Del-72-15	27	1	+	8
		<u>Antignonia capros</u> , deepbody boarfish				56	1	+	14
Del-72-15	50	1	+	5			<u>Syngnathus fuscus</u> , northern pipefish		
		<u>Lophotidae</u>			Del-71-3	44	1	+	28
		<u>Eumecichthys fiski</u> , unicornfish					<u>PERCICHTHYIDAE</u>		
D-69-23	8	1	*	28			<u>Morone americana</u> , white perch		
		<u>Eumecichthys fiski</u> , unicornfish			D-69-15	13	3	*	17-19

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Morone americana</u> --Cont.									
D-69-29	13	2	*	9-14		19	1	*	9
	15	2	*	9-11		20	1	*	14
	24	30	*	10-18		26	1	*	12
	25	29	1.6	12-17	D-71-3	12	1	+	11
						30	3	0.1	4-17
<u>Morone saxatilis</u> , striped bass									
D-69-25	13	1	8.8	97	D-71-11	25	7	0.5	10-22
D-70-7	1	1	2.0	48	Del-71-3	10	1	0.1	27
D-71-3	2	1	3.2	68		12	1	+	11
Del-71-3	65	1	1.7	54		14	1	0.1	24
						22	4	0.1	11-16
						27	10	0.7	9-29
SERRANIDAE									
<u>Centropristis ocyurus</u> , bank sea bass									
Del-71-3	37	13	0.8	11-24		29	1	0.1	17
Del-72-15	65	3	0.1	9		34	2	0.1	12-14
	69	1	+	6		35	15	0.6	11-17
						36	8	0.2	8-17
						40	1	0.1	27
						41	1	+	14
						42	4	0.3	16-27
						43	1	0.2	29
						44	1	0.1	14
<u>Centropristis philadelphica</u> , rock sea bass									
D-69-23	1	1	*	*		50	2	0.3	14-28
	11	11	*	8-20		54	24	0.5	9-14
	16	1	*	*		55	1	0.1	18
	8	1	*	11		58	1	0.1	24
D-69-29	9	7	*	9-12		59	1	0.1	23
	10	2	*	12-13	Del-72-8	18	2	0.2	12-19
	11	4	*	10		36	1	+	13
	13	4	*	10-11		39	9	0.7	12-24
	15	1	0.2	13		43	3	0.1	10-14
	18	1	*	7		45	2	0.1	14-17

Centropristis philadelphica--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Centropristis philadelphica--Cont.</u>									
	46	11	1.0	10-29		21	2	*	28-44
	54	1	0.1	18		23	13	*	20-34
	55	4	0.2	14-21		29	1	*	20
Del-72-15	15	1	0.1	20		56	2	*	20-25
	22	2	0.1	13-16		62	3	*	23-33
	31	5	0.6	13-27	D-69-21	2	1	*	14
	39	1	0.1	19		3	1	*	22
	41	1	0.1	19	D-69-23	1	39	*	12-31
	43	1	+	12		3	4	*	13-21
	71	1	0.1	23		4	2	*	19-21
	77	1	0.1	15		5	7	*	15-25
						6	1	*	23
						8	22	*	12-31
<u>Centropristis striata, black sea bass</u>									
D-68-13	6	1	*	*		10	1	*	14-17
	12	21	3.6	*		11	3	*	16
D-69-9	6	1	*	*		18	35	*	14-21
	11	1	*	27		19	1	*	*
	15	*	*	*		22	3	*	13-16
	26	1	*	23		29	1	*	20
	46	1	*	11		30	1	*	27
	48	1	*	*		32	1	*	18
	50	1	*	*	D-69-29	1	2	*	27-31
	53	1	*	25		6	2	*	17-21
	59	1	*	*		7	4	*	20-24
	61	4	*	*		8	2	*	15-17
	62	1	*	20		9	2	*	14-17
	68	2	*	22-42		10	11	*	7-21
D-69-15	11	1	*	21		11	10	*	8-22
	14	2	*	21-25		12	1	*	21
	15	2	*	25-31		13	3	*	14-15
			*			16	11	*	8-36

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
	17	14	*	9-23		22	2	0.1	19-21
	18	28	3.6	9-32		27	15	3.3	12-45
	19	42	4.5	14-34		40	1	0.1	20
D-70-16	28	1	0.3	30		49	1	0.1	23
	29	1	0.3	29		51	9	2.0	19-33
	35	1	0.2	29		55	13	2.9	17-37
D-70-19	32	1	0.2	26		56	39	6.1	15-34
D-71-3	9	1	0.1	13		57	79	10.0	12-42
	11	1	0.1	17		64	1	+	14
	12	17	2.2	11-28		65	1	+	20
	13	5	0.2	10-17	Del-72-8	9	5	0.5	14-21
	14	7	0.6	7-20		10	9	0.9	14-21
	15	2	+	8-9		11	1	0.1	14
	16	2	+	6-8		12	3	0.5	19-23
	39	5	+	3-5		16	26	4.1	12-31
D-71-11	2	1	0.2	27		26	1	0.3	28
	3	20	5.2	19-31		39	2	0.1	14-18
	6	9	2.0	21-31		45	1	0.1	19
	12	1	0.1	23		46	1	0.1	23
	22	2	0.2	15-21		58	4	0.9	9-36
	38	11	1.5	18-24		59	1	0.7	37
	40	5	0.2	15-19		64	3	0.9	19-31
	41	1	0.1	24		67	1	0.2	26
	44	1	0.1	17	Del-72-15	4	1	0.1	26
	45	1	+	12		7	3	0.3	18-21
Del-71-3	5	2	0.1	13-18		17	65	12.5	16-39
	6	33	5.0	16-38		21	1	0.5	22
	10	12	2.3	17-28		60	1	0.1	13
	12	5	0.5	18-21		66	1	+	12
	13	7	1.2	19-29		67	17	1.5	10-24
	14	4	0.5	16-23		68	6	0.6	11-19

Centropristis striata--Cont.Centropristis striata--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-69-23	69	8	1.1	15-24	Del-72-8	25	7	0.9	13-25
	70	25	2.8	14-30		26	13	0.8	9-25
	71	5	1.0	18-25		27	14	0.8	12-27
						28	1	0.1	25
						29	14	1.1	19-27
D-71-3						30	76	12.0	22-27
				19		31	44	7.7	23-29
			*	19-23		32	20	2.3	11-25
			0.1	11-14		33	5	0.6	16-26
			+	9		37	8	1.1	18-25
			0.2	28		38	22	2.5	23-26
			+	12		39	2	0.3	24-25
			0.1	10-13		43	23	3.5	18-27
			3.1	10-28		44	20	2.2	12-26
			0.6	20-28		45	21	3.5	19-27
			0.1	15		46	17	2.4	14-26
			0.1	11-18		49	4	0.5	23-26
			3.4	9-25		50	7	1.1	23-26
D-71-11			0.5	11-21		51	1	0.1	24
			0.6	12-19		55	6	0.9	14-28
			2.3	17-26		17	6	1.0	23-26
			0.7	21-23		21	1	0.1	16
			0.1	18-19		22	1	+	12
			1.9	19-23		24	9	1.1	16-27
			5.2	20-23		25	2	0.2	21-24
			0.7	16-20		29	13	1.2	16-26
			0.8	20-25		30	27	4.1	24-27
			0.6	22-26		31	14	2.3	24-27
Del-71-3			0.1	19		32	15	1.6	21-24
			0.8	27-29		33	16	1.0	16-22
			1.7	24-26		36	1	+	16
			0.3	26		37	4	0.5	19-23

Diplectrum formosum--Cont.Centropristis striata--Cont.Diplectrum formosum, sand perch

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
		APOGONIDAE					<u>Pomatomus saltatrix</u> --Cont.		
		<u>Apogon maculatus</u> , flamefish							
Del-71-3	29	1	0.1	15		9	5	*	*
	56	1	+	6		10	9	*	20-40
		<u>Apogon pseudomaculatus</u> , twospot cardinalfish				11	4	*	40-45
		D-69-29				12	6	*	21-25
Del-71-3	27	2	+	6-7		13	10	*	*
		POMATOMIDAE				2	3	*	22-28
		<u>Pomatomus saltatrix</u> , bluefish				3	1	*	13
		D-70-16				4	1	*	*
D-68-13	5	*	*	*		5	6	1.4	21-27
	10	2	*	*		17	1	*	23
	15	6	*	21		21	2	*	22-24
	16	1	*	21		22	2	*	22-24
	27	12	*	16-24		22	2	*	*
	34	6	0.5	20-23		22	1	+	8
	49	17	*	23		14	5	0.3	20-22
	50	46	*	26-30		30	2	+	3
	51	*	*	*		7	1	0.3	37
D-69-9	60	9	*	8-17		21	1	0.1	15
D-69-15	48	1	*	*		22	3	0.6	27-28
	62	1	*	42		23	5	0.7	17-28
	4	2	*	18		24	1	+	19
D-69-23	9	13	*	17-26		29	1	0.1	25
	10	15	*	17-22		37	1	0.2	31
	18	45	*	*		47	2	0.7	21-30
	19	1	*	*		1	23	0.1	6-7
	25	23	*	19-25		2	20	0.8	12-21
	28	1	*	23		2	1	1.4	50
D-69-25	1	2	*	*		1	26	1.5	14-27
	8	3	*	*		2	3	0.1	12-16
			*	*		7	2	0.3	25-28
			*	*		42	1	0.1	28
			*	*		48	1	0.1	27
			*	*		63	5	10.4	49-63

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
		<u>Pomatomus saltatrix</u> --Cont.					<u>Remora remora</u> , remora			
	66	1	0.1	21	D-71-11	26	1	0.1	34	
	68	1	5.3	80						
Del-72-8	36	1	0.1	32						
	40	19	1.5	19-22						
Del-72-15	1	2	0.1	20-26						
	29	1	0.1	21						
	37	5	0.9	16-18						
	41	2	0.5	32-34						
	66	2	0.2	20-23						
		<u>RACHYCENTRIDAE</u>					<u>CARANGIDAE</u>			
		<u>Rachycentron canadum</u> , cobia					<u>Alectis crinitus</u> , African pompano			
D-69-23	10	1	*	22	D-69-23	4	1	*	10	
	12	2	7.7	61-91		38	1	+	9	
Del-71-3	29	3	17.2	84-96						
	45	1	0.6	40						
Del-72-8	53	1	15.9	126						
Del-72-15	16	2	7.5	79-83						
		<u>ECHENEIDAE</u>					<u>Caranx crysos</u> , blue runner			
		<u>Echeneis naucrates</u> , sharksucker								
Del-71-3	20	1	2.3	90	D-69-23	4	1	*	11	
	29	2	3.2	74-87		25	5	*	16-19	
	43	1	0.1	36		35	2	*	20	
Del-72-8	34	1	0.2	28	D-69-29	4	5	*	12-16	
	45	1	2.7	83		7	1	*	15	
Del-72-15	36	1	0.6	48	D-71-3	33	1	0.1	19	
	40	2	2.3	56-69	D-71-11	22	3	0.1	13-16	
	41	2	0.9	45-57		23	4	0.1	12-13	
					Del-71-3	24	1	+	13	
						9	3	0.5	15-21	
						14	1	0.1	21	
						23	2	0.1	15-17	
						32	2	0.1	16-19	
						39	1	0.1	18	
						40	38	5.0	18-22	
						42	2	0.1	18-19	
						45	2	0.1	16-17	
						58	1	0.1	20	
						59	1	0.1	18	
						44	1	0.1	25	
						45	1	0.2	25	

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Caranx hippos, crevalle jack</u>									
D-68-13	12	1	*	*	D-68-13	45	45	1.7	12-21
	15	*	*	*	D-69-25	57	29	1.4	14-24
	16	7	*	14-16		58	12	0.8	13-22
	17	8	*	14-16	<u>Chloroscombrus chrysurus--Cont.</u>				
	22	*	*	*	<u>Decapterus macarellus, mackerel scad</u>				
	25	*	*	*	D-68-13	51	*	*	*
	44	2	*	*	D-69-25	11	2	*	13-15
D-69-23	19	1	*	11		12	1	*	*
Del-71-3	35	1	0.1	18	D-70-19	2	1	0.1	9
<u>Chloroscombrus chrysurus, Atlantic bumper</u>									
D-71-3	29	2	+	8-9	D-71-3	18	1	+	16
D-71-11	25	10	0.2	13-29	D-71-11	28	2	0.1	*
	27	65	7.3	15-24	42	1	+	+	8
	28	4	0.3	18-22	1	5	+	+	6-7
	31	4	0.2	18-22	<u>Decapterus punctatus, round scad</u>				
	32	1	+	17	D-68-13	4	*	*	*
	37	2	+	17-18		11	1	*	*
	40	2	0.1	19		42	*	*	*
Del-71-3	23	4	0.1	9-12		25	1	+	16
	33	9	0.3	13-15		26	67	2.4	12-17
	34	10	0.1	7-12		27	2	0.1	14-16
	35	13	0.2	7-14		31	2	0.1	16-17
	40	103	3.1	11-16		32	2	0.1	16-17
	41	68	0.6	5-15		19	120	1.4	8-11
	42	13	0.1	7-15	D-71-11	20	1	+	13
Del-72-8	35	1	+	11		25	1	+	17
Del-72-15	29	11	0.3	12-22		28	285	7.7	11-17
	37	88	4.1	13-23		30	1	+	15
	44	7	0.1	13-17		35	2	+	14-15

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
		<u>Decapterus punctatus--Cont.</u>								
D-71-14	8	1	+	11		20	34	1.5	13-19	
Del-71-2	3	2	+	12		28	130	3.3	11-18	
Del-71-3	18	99	5.9	16-20		29	1	+	13	
	25	64	2.5	13-18		36	129	2.0	9-16	
	26	3	+	10-14		41	1	+	16	
	29	104	5.0	12-19		45	21	0.7	13-19	
	33	59	1.8	13-18		46	13	0.5	12-18	
	40	3	0.1	17		57	24	0.9	14-18	
	49	1	+	18		64	4	0.1	12-15	
Del-72-8	9	15	0.7	16-19		71	2	+	16-19	
	14	6	0.1	14-17		74	1	+	5	
	16	1	+	19						
	17	1	+	18						
	18	2	+	11						
	20	1	+	15						
	22	1	+	12						
	29	73	1.4	8-17						
	34	5	0.2	14-18						
	39	4	0.1	24-26						
	40	3	0.1	12-16						
	41	325	11.8	11-16						
	46	7	0.1	10-16						
	48	1	+	18						
	49	4	0.1	16-18						
	50	8	0.2	13-17						
	67	1	+	19						
Del-72-15	7	17	1.4	16-23						
	8	17	0.8	15-20						
	9	15	0.7	13-20						
	11	9	0.3	16-18						
	18	256	10.4	13-18						
		<u>Selar crumenophthalmus, bigeye scad</u>								
					D-68-13	8	36	*	14-17	
						11	1	*	*	
						15	1	*	14	
						16	1	*	14	
						50	3	*	*	
					D-69-23	9	*	*	10-18	
						10	6	*	10-16	
						16	1	*	10	
						18	2	*	17-20	
						25	4	*	13-16	
						28	1	*	15	
					D-69-25	8	1	*	15	
						12	3	*	*	
						15	1	+	8	
					D-70-19	15	1	+	8	
					D-71-11	28	7	0.2	11-12	

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Selene vomer</u> , lookdown										
D-68-13	3	15	*	*	D-68-13	7	8	*	*	
	7	6	*	*		8	12	*	15	
	8	12	*	10		9	*	*	*	
	16	1	*	9		12	34	*	*	
	21	1	*	*		15	6	*	11	
	42	*	*	*		16	1	*	15	
	47	*	*	*		17	1	*	14	
D-69-23	4	5	*	13-15		42	*	*	*	
Del-71-3	42	1	0.1	17		43	12	*	*	
<u>Seriola dumerili</u> , greater amberjack										
D-68-13	12	3	*	27-29		44	2	*	*	
<u>Seriola zonata</u> , banded rudderfish										
D-69-23	15	1	*	24	D-69-23	25	1	*	13	
Del-71-3	57	1	0.2	25	D-69-25	2	2	*	12-13	
	59	1	0.1	24		10	1	*	13	
Del-72-8	30	1	0.1	20		19	135	3.1	11-14	
Del-72-15	17	2	0.7	29-32		20	2	+	12	
	46	2	0.2	19-21		28	2	0.1	12-13	
<u>Trachinotus carolinus</u> , Florida pompano										
D-68-13	10	2	*	*		9	2	0.1	15-16	
D-69-23	4	63	*	18-22		<u>Vomer setapinnis</u> , Atlantic moonfish				
	10	1	*	19		14	2	*	*	
Del-71-3	42	6	1.4	20-30		10	1	*	*	
Del-72-15	58	1	0.3	32		23	*	*	*	
						25	*	*	*	
						32	*	*	*	
						38	*	*	*	
						46	1	*	*	

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Vomer setapinnis</u> --Cont.										
D-69-23	9	19	*	4-11		36	3	0.1	9-17	
	10	1	*	11		44	3	0.3	19-23	
D-69-25	13	1	*	*	Del-72-8	18	11	0.3	8-10	
D-69-29	13	1	*	5		27	2	0.5	27	
	20	4	*	4-7		29	6	0.1	9-12	
	22	1	*	10		39	2	+	10	
	23	1	*	10		43	1	0.1	21	
	24	1	*	5		45	47	5.9	13-25	
D-71-11	21	1	+	7		46	4	0.2	9-20	
	25	1	+	18	Del-72-15	36	3	0.6	21-24	
Del-71-2	27	3	0.2	21-23		71	9	1.2	18-26	
Del-71-3	1	1	+	5						
	1	4	+	5-6						
	23	4	0.1	10-13						
	34	1	+	12						
	35	1	+	8						
	42	60	0.5	5-10	D-68-13	2	6	*	7-8	
Del-72-8	40	2	+	13-14		4	*	*	*	
Del-72-15	37	1	0.1	16		7	10	*	*	
	44	2	+	11-14		17	6	*	8-12	
	45	2	0.1	18-21		32	*	*	*	
						42	*	*	*	
						44	1	*	*	
						45	*	*	*	
						9	1	*	7	
D-69-23	4	1	*	18		10	3	*	*	
						11	1	*	7	
						16	4	*	6-8	
						6	2	*	7-9	
						11	1	*	8	
						17	1	*	7	
						26	1	*	8	
<u>LUTJANIDAE</u>										
<u>Lutjanus campechanus</u> , red snapper										
D-69-23	4	1	*	18						
<u>Rhomboplites aurorubens</u> , vermilion snapper										
Del-71-3	27	23	1.5	16-23						
	29	150	11.1	9-27						
<u>GERREIDAE</u>										
<u>Eucinostomus</u> sp.										

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Eucinostomus sp.--Cont.</u>									
D-71-3	33	38	0.8	9-13		16	1	0.2	25
Del-71-3	33	1	+	10		29	125	3.4	9-14
	40	11	0.5	9-13		38	4	0.1	12-14
Del-72-15	42	1	+	7		39	14	0.2	10-14
	54	1	+	9		43	4	0.2	13
	42	2	0.1	11-14		45	46	4.2	11-25
		2	0.1	11-14		46	19	2.0	13-25
POMADASYIDAE									
<u>Haemulon aurolineatum, tomtate</u>									
D-69-23	1	65	*	14-21		31	12	1.2	15-25
	3	11	*	17-20		38	88	12.2	16-25
	4	2	*	18-22		39	2	0.1	11-12
	8	3	*	16-19		68	14	1.7	14-25
	17	1	*	18		69	370	38.6	14-23
	18	17	2.7	17-22		70	162	19.1	14-23
	19	48	6.4	15-21		71	800	65.3	12-23
	13	17	2.2	16-23		<u>Haemulon carbonarium, caesar grunt</u>			
	14	14	2.0	20-25					
	15	1	0.1	22					
18	10	1.2	20-22						
27	388	29.0	9-27						
29	130	7.1	8-27						
36	17	0.1	7-19						
55	40	5.4	15-26						
56	45	4.5	14-27						
57	69	9.8	14-26						
Del-72-8	7	1	+	11		<u>Haemulon plumieri, white grunt</u>		1.4	10-33
	8	*	*	*		56	6	0.9	38
	9	65	9.1	18-25		70	1	2.9	28-39
	10	40	5.4	18-26		71	5	2.9	28-39

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-68-13	2	100	3.3	11	D-69-9	47	*	*	*
	3	250	4.5	7-12		49	*	*	*
	4	346	11.3	9-17		50	57	*	*
	6	5	0.1	*		51	*	*	*
	7	24	*	7-13		54	*	*	*
	8	66	*	12-15		7	1	*	*
	9	229	*	11-14		11	*	*	*
	10	6	*	*		14	*	*	*
	11	17	2.0	*		15	20	*	*
	12	21	2.5	17-20		16	40	*	*
	15	27	*	10-15		17	12	*	*
	16	15	0.7	10-12		18	30	*	*
	17	12	*	10-13		19	20	*	*
	18	*	*	*		20	*	*	*
	19	*	*	*		21	100	*	*
	21	1	*	*		22	10	*	*
	22	*	*	*		23	*	*	*
	23	*	*	*		26	1	*	*
	24	*	*	*		27	6	*	*
	25	*	*	*		30	15	*	*
	29	*	*	*		31	30	*	*
	30	*	*	*		32	8	*	*
	31	*	*	*		33	20	*	*
	32	*	*	*		34	10	*	*
	36	*	*	*		35	5	*	*
	37	*	*	*		37	50	*	*
	38	*	*	*		38	50	*	*
	39	*	*	*		39	12	*	*
	43	36	*	*		40	40	*	*
	44	41	*	*		41	20	*	*
	45	*	*	*		42	10	*	*
	46	*	*	*		46	60	*	*

Orthopristis chrysoptera, pigfish

Orthopristis chrysoptera--Cont.

13-22

Appendix Table 2.--Continued.

Cruise	Stn.	Catch			Range (cm)	Cruise	Stn.	Catch			Range (cm)
		No.	Wt. (kg)					No.	Wt. (kg)		
		<u>Orthopristis chrysoptera</u> --Cont.						<u>Orthopristis chrysoptera</u> --Cont.			
	47	25	*		*		20	3	*	12-18	
	48	50	*		*		21	9	*	10-14	
	50	100	*		*		22	14	*	9-14	
	51	15	*		*		23	42	*	8-15	
	52	10	*		*		24	5	*	11-12	
	53	15	*		*		25	1	*	13	
	54	10	*		*		26	15	*	10-17	
	55	5	*		*		27	96	*	10-19	
	57	8	*		*		33	2	0.2	19	
D-69-23	1	8	*		*	D-71-3	17	1	0.1	16	
	3	18	*	18-22		D-71-11	18	7	0.6	15-18	
	4	26	*	17-22			21	11	0.9	13-21	
	8	1	*	9-12			22	16	1.5	15-23	
	9	11	*	22			23	14	1.0	14-18	
	10	76	*	9-16			36	6	1.0	17-26	
	11	124	*	10-20			40	39	5.2	11-22	
	12	28	*	10-15			46	4	0.5	17-20	
	14	5	*	11-14			7	99	5.2	10-20	
	15	1	*	17		Del-71-3	12	9	1.1	16-23	
	16	44	*	13			13	2	0.3	20-21	
	22	5	*	9-16			22	6	1.0	16-23	
D-69-29	6	5	*	15-17			35	3	0.3	17-22	
	7	4	*	13-20			42	3	0.2	14-16	
	8	1	*	13-19			56	15	1.1	14-23	
	9	3	*	12			57	30	6.6	18-32	
	10	2	*	10-15			58	33	2.0	13-20	
	11	2	*	17-18			59	23	2.9	13-26	
	12	3	*	12		Del-72-8	8	*	*	*	
	16	6	*	12-13			9	14	1.8	18-24	
	17	3	*	15-19			16	1	0.1	12	
	18	37	4.5	17-21			17	3	0.3	21-22	
	19	46	5.0	14-23							
				10-23							

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)		
		No.	Wt. (kg)				No.	Wt. (kg)			
<u>Orthopristis chrysoptera</u> --Cont.											
Del-72-15	1	1	0.1	14	Del-71-3	56	18	9.5	9-38		
	7	8	1.1	20-25		57	9	2.6	8-37		
	8	23	2.0	15-24		9	1	0.5	31		
	9	7	1.1	16-22		10	16	5.9	21-31		
	17	4	0.5	21-22		27	1	1.1	43		
	66	1	0.2	21		58	1	0.7	39		
	67	1	0.1	21		<u>Calamus bajonado</u> , jolthead porgy					
	68	4	0.3	16-22		<u>Calamus calamus</u> , saucereye porgy					
	69	9	1.1	16-24							
	76	6	0.7	20-22							
	77	3	0.1	13							
	<u>Archosargus probatocephalus</u> , sheephead										
	SPARIDAE										
D-68-13	8	1	*	52	D-71-11	38	13	6.8	26-36		
	21	1	2.3	*		40	16	7.0	14-34		
	22	1	2.3	46		12	1	0.8	36		
D-69-9	9	2	10.9	52-59	Del-71-3	13	1	0.1	20		
	11	2	*	51-57		14	9	1.4	10-30		
	48	1	*	*		22	1	+	11		
D-69-29	51	1	*	*		51	1	0.5	31		
	7	1	3.2	50		<u>Calamus leucosteus</u> , whitebone porgy					
	16	1	*	19							
Del-71-3	7	1	6.2	66	Del-72-8	9	1	0.1	14		
	27	2	4.1	46-47		10	2	0.1	17-19		
	59	1	0.6	30		39	1	0.1	18		
Del-72-8	58	1	2.8	53	Del-72-15	59	1	0.3	30		
	7	5	11.8	46-52		67	4	1.4	21-38		
	8	1	2.5	51		68	3	2.7	35-40		
Del-72-15	19	2	5.9	51-55		17	21	6.8	13-35		
						31	1	0.7	36		
						49	3	1.1	17-32		
						67	43	27.2	23-40		
						69	16	5.9	19-32		
						70	44	10.0	12-31		
						71	13	5.0	12-34		

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Diplodus holbrooki, spottail pinfish</u>									
D-69-23	1	1	*	*		45	14	*	13-14
Del-71-3	27	1	0.6	32		46	*	*	*
	57	9	2.7	20-31		47	*	*	*
	59	2	0.1	13-17		49	*	*	*
Del-72-8	10	4	0.9	21-26		50	6	*	*
Del-72-15	17	19	5.7	20-28		51	*	*	*
	69	1	0.3	25	D-69-9	23	24	*	*
	71	2	0.6	21-25		39	15	*	*
						40	6	*	*
						51	10	*	*
						52	10	*	*
						3	1	*	17
D-68-13	2	5	*	9-12	D-69-23	4	150	*	12-18
	3	50	1.4	5-10		9	*	*	10-15
	4	*	*	*		10	3	*	10-14
	5	501	6.6	5-10		11	129	*	*
	6	250	6.8	5-10		18	45	*	15-22
	7	150	*	5-10		2	3	*	14
	8	36	*	10-16		5	1	*	12
	9	18	*	12-16		6	1	*	14
	10	1,010	*	8-10		7	3	*	3-14
	11	1	*	*		9	4	*	12-14
	12	1	*	15		10	2	*	12-15
	15	9	*	13		11	2	*	13-14
	16	7	*	9-16		12	2	*	13
	17	1	*	9		14	2	*	12
	26	*	*	*		16	8	*	10-15
	32	*	*	*		17	19	*	13-16
	33	*	*	*		18	7	*	13-16
	36	*	*	*		19	1	*	15
	43	24	*	*		21	17	*	10-13
	44	2	*	*				*	
<u>Lagodon rhomboides, pinfish</u>									
<u>Lagodon rhomboides--Cont.</u>									

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
						<u>Lagodon rhomboides--Cont.</u>			
	22	1	*	13		44	4	0.5	20-21
	23	5	*	14-16		49	12	1.2	19-20
	24	2	*	9-13		55	102	9.5	16-22
	25	1	*	10		56	3	0.7	19-28
D-71-3	6	2	0.1	11-14		57	10	0.9	17-22
	7	10	0.3	10-16		58	5	0.2	14-16
	8	106	3.4	9-16		59	31	1.4	13-17
	9	19	0.8	10-16	Del-72-8	9	1	0.1	17
	11	3	+	12-15		12	22	0.7	10-15
	12	60	1.1	9-18		16	9	0.9	18-20
	13	26	0.6	8-15		17	1	0.1	18
	14	210	5.0	9-13		56	1	+	10
	15	3	+	10-13		59	1	0.1	21
	16	3	+	9-11		71	1	+	14
	18	1	0.1	19		7	13	1.1	16-20
	33	14	1.0	15-17	Del-72-15	8	13	0.8	15-18
	36	1	+	10		17	1	0.1	18
	37	13	0.2	9-12		19	7	0.5	18-19
	38	46	1.0	10-16		20	1	0.1	19
D-71-11	21	19	0.7	12-19		21	7	0.3	12-15
	22	32	0.3	11-14		30	9	0.8	18-20
	27	1	0.1	16		36	12	0.7	15-19
	36	1	+	13		38	5	0.2	17-19
	38	28	2.0	15-20		50	6	0.6	17-18
	40	14	1.4	16-20		67	8	0.3	15-18
	7	39	1.8	12-16		69	2	0.1	18-19
Del-71-3	18	36	3.4	17-20		<u>Pagrus sedecim, red porgy</u>			
	22	1	0.1	16		56	7	7.7	37-47
	35	1	+	13	Del-71-3	29	7	8.4	36-50
	37	4	0.2	16-18	Del-72-8	68	1	1.5	48
	40	1	0.1	17					
	42	8	0.3	12-15					

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
Del-72-15	30	1	0.1	21	D-69-29	21	6	*	10-15	
	31	1	0.1	24		22	5	*	10-16	
<u>Stenotomus caprinus</u> , longspine porgy	D-68-13	1	108	*		23	5	*	11	
		2	366	*		25	*	*	*	
		8	2,564	*		9-14	26	100	*	10-12
		10	26	*		15-18	27	96	*	8-13
		4	5	*		*	28	28	*	9-12
		7	2	*		*	29	*	*	*
		10	2	*		11	31	26	*	10-17
		14	5	*		*	35	1	*	11
		16	*	*		*	36	1	*	15
		67	2	*		*	41	3	*	16
D-69-23	1	105	*	*		1	34	*	15-20	
	3	31	*	*		2	6	*	11-15	
	4	*	*	18-23		4	2	*	13-18	
	5	68	*	13-18		5	1	*	11	
	8	66	*	10-18		6	2	*	13	
	9	2	*	*		8	3	*	11-13	
	10	71	*	8-15		9	16	*	9-13	
	11	14	*	9-17		10	21	*	8-15	
	12	3	*	8-10	11	4	*	9-12		
	13	15	*	9-10	12	4	*	8-9		
14	15	*	10-11	13	19	*	7-10			
15	37	*	10-11	14	8	*	7-10			
17	23	*	11-13	16	4	*	9-16			
18	*	*	11-13	17	5	*	9-13			
19	*	*	14-16	18	36	2.0	9-17			
20	58	*	9-15	19	92	5.2	8-16			
		*	10-16	27	20	*	9-14			
		*	*	14	3	0.2	17-18			
		*	10-16	18	16	1.5	15-22			

Stenotomus caprinus--Cont.Pagrus sedecim--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
D-71-11	14	1	+	11	Del-72-8	8	*	*	*	
	18	259	6.0	10-12		9	82	5.4	13-21	
	19	1,213	20.6	6-12		10	343	10.9	11-19	
	20	630	6.8	8-11		11	49	1.6	11-14	
	21	80	0.8	7-14		16	2,281	217.3	14-20	
	22	43	2.3	9-18		17	577	68.0	17-22	
	23	61	0.7	7-9		46	3	0.2	20-22	
	24	1	+	14		59	390	53.1	16-24	
	28	1	0.1	14		60	275	39.9	18-23	
	31	2	0.1	13-14		61	60	7.9	19-22	
	34	69	2.6	11-14		62	1,756	207.3	16-20	
	36	1	+	12		63	2	0.2	19-21	
	39	988	76.6	14-18		64	15	1.0	10-21	
	Del-71-3	9	54	2.5		11-17	65	4	0.5	14-21
		10	5	0.1		12-14	66	5	0.8	19-21
		12	35	1.6		13-18	67	77	2.3	10-17
		13	10	0.6		13-18	7	328	18.6	11-20
		14	71	6.4		11-23	8	135	9.3	11-19
		18	1	0.1		17	9	5	0.5	14-20
		21	2	0.1		20-21	15	250	27.2	16-21
		22	34	1.0		9-16	17	4,526	472.2	12-23
		25	8	0.5		11-18	18	10	1.5	18-21
		27	20	1.0		12-20	19	14	1.0	13-20
		44	73	6.6		13-21	29	1	+	9
		45	2	0.2		13-19	58	1	+	8
		51	80	8.3		16-23	59	3	+	8
		54	1	+		11	60	1	+	9
		55	100	8.2		13-20	61	1	+	18
		57	126	7.7		9-22	66	347	13.4	11-15
		58	92	7.0		13-20	67	214	10.7	10-18
		59	481	22.9		10-22	68	107	5.4	11-18
	62	3	+	12-13		69	200	11.3	12-19	

Stenotomus caprinus--Cont.Stenotomus caprinus--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Stenotomus caprinus--Cont.</u>					<u>Stenotomus chrysops--Cont.</u>				
	70	1,147	78.0	13-20		29	1	*	21
	71	279	17.7	13-21		32	1	*	12
	74	87	0.5	6-10		36	2	*	14-15
	75	30	0.1	4-8		37	1	*	11
	76	135	2.8	8-15		38	10	*	9-11
	77	18	0.2	7-13		39	5	*	11-12
						43	2	*	14
						44	*	7.5	*
						46	5	*	12-18
						47	15	*	*
						48	1	*	13
						60	1	*	10
						61	35	*	12-15
						62	33	*	12-21
						63	1	*	13
						66	1	*	14
						68	*	13.2	11-24
						69	2	*	22-25
						70	5	*	11-15
							*	1.0	9-16
							17	*	10-11
							2	*	18-21
							34	*	17-22
							7	*	6-15
						39	2	*	17-19
							2	*	16-17
							1	*	10
							2	*	*
							7	*	*
							8	*	7-17
							43	*	13-19
							11	*	*
							11	*	9-18
							5	*	*
<u>Stenotomus chrysops, scup</u>									
D-68-7	13	1	*	9					
	15	1	*	13					
	16	30	*	*					
	21	1	*	16					
	22	3	*	17-18					
	2	3	*	10-11					
D-68-13	5	4	*	10-12					
D-69-9	8	1	*	12					
	11	20	*	*					
	13	2	*	*					
	22	10	*	*					
	24	40	*	*	D-69-21				
	37	1	*	*					
	46	200	*	9-11	D-69-23				
	62	1	*	*					
	10	6	*	12-14					
	11	4	*	13-14					
	12	6	*	11-13	D-69-25				
	13	1	*	14					
	14	2	*	12					
	23	4	*	12-20					
	26	5	*	12					

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
	12	40	*	*		31	2	0.1	11-12
	13	8	*	13-16		32	4	0.2	11-14
D-69-29	18	2	1.0	23-29		34	198	6.4	10-21
	19	1	*	21		35	78	2.3	10-15
D-70-7	1	3	0.2	23-27		36	80	2.3	9-14
	2	2	0.1	14-15		39	26	1.5	10-24
D-70-16	1	25	0.8	10-14	D-70-19	1	18	0.7	12-15
	2	187	5.4	10-13		2	3	0.1	10-12
	3	15	0.6	11-14		3	2	0.1	13-14
	6	3	0.1	10-11		4	1	0.1	14
	7	87	2.4	9-13		6	1	0.1	12
	9	31	1.0	10-15		9	1,652	53.5	11-14
	10	2	0.1	11-13		10	11	0.2	10-13
	11	11	0.2	11-15		13	4	0.1	10-13
	12	5	0.2	12-14		15	1	0.1	12
	13	1	0.1	13		16	26	1.0	11-14
	14	95	2.9	11-19		17	10	0.2	11-14
	15	36	1.2	10-15		18	8	0.2	12-14
	16	4	0.1	11-14		23	9	0.6	11-15
	17	19	0.7	11-15		25	1	0.1	12
	18	2	0.1	13-14		29	19	0.7	11-14
	19	169	6.1	10-17		30	2	0.1	11-12
	20	12	0.5	11-15		31	3	0.1	12-15
	21	81	2.7	10-23		32	18	0.6	11-14
	23	1	0.1	12		39	10	0.5	13-16
	24	4	0.2	13-15	D-71-3	40	10	0.5	11-15
	25	4	0.2	12-16		18	56	9.3	20-26
	26	2	0.1	12-13		21	1	0.2	25
	27	217	5.4	10-16	D-71-11	4	1	+	12
	28	96	2.9	10-15		6	4	0.1	11-12
	29	113	3.7	10-16		7	93	2.9	10-15
	30	13	0.6	13-16		8	39	1.6	12-18

Stenotomus chrysops--Cont.Stenotomus chrysops--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Stenotomus chrysops--Cont.</u>										
D-71-14	38	940	106.6	12-30	Del-72-8	59	2	0.5	27-28	
	40	529	40.8	15-18		68	4	0.1	11-13	
	42	819	14.3	7-11		8	*	*	*	
	46	2	+	13		9	523	71.2	13-25	
	47	670	30.4	12-16		10	109	6.4	12-25	
	1	9	0.3	10-14		11	5	0.2	12-13	
	2	9	0.2	12-14		59	292	50.3	17-28	
	6	34	2.0	14-16		60	267	39.9	18-26	
	7	16	0.9	12-14		61	35	4.8	19-23	
	8	975	44.2	12-15		64	8	0.9	11-27	
	19	10	0.3	15-19		65	9	1.8	21-25	
	26	1	+	14		66	5	1.1	11-33	
	34	6	0.2	13-14		67	6	1.4	18-29	
	Del-71-2	1	81	13.4		17-23	68	1	0.5	34
2		3	0.5	16-22	1	3	0.2	13-16		
3		119	2.0	7-11	40	1	0.1	21		
4		240	4.5	9-15	<u>Calamus sp.</u>					
5		90	1.2	8-10	Del-72-15	8	*	27.7	28-48	
6		145	2.5	9-12						
7		25	0.7	9-18						
8		11	1.7	16-27						
2		3	0.3	18-19						
3		1	0.1	13						
5	1	0.1	20							
6	1	0.1	18							
18	3,604	376.0	15-22							
49	1,492	162.4	17-22							
Del-71-3	50	94	10.0	17-23	<u>Bairdiella chrysura</u> , silver perch					
	55	112	11.3	14-24	D-68-13	6	5	*	*	
	56	30	5.0	12-26						
	57	69	7.9	9-26						
	18	3,604	376.0	15-22						
	49	1,492	162.4	17-22						
	50	94	10.0	17-23						
	55	112	11.3	14-24						
	56	30	5.0	12-26						
	57	69	7.9	9-26						

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
D-69-25	9	1	*	13	Del-72-8	1	6	0.7	17-21	
D-69-29	3	8	*	7-17		35	3	0.3	13-19	
	10	1	*	15	Del-72-15	58	1	+	14	
	11	4	*	14-18		59	1	+	22	
	16	18	*	13-19		60	1	0.1	15	
	17	1	*	14						
	20	2	*	11-17						
	21	26	*	13-19						
	22	3	*	12-17						
	26	2	*	12-17						
D-70-16	9	33	3.6	16-21	Del-71-3	34	51	0.2	5-11	
D-71-3	9	9	0.5	12-18		35	45	0.3	5-25	
	11	12	0.8	15-19		42	234	3.4	4-16	
	12	20	1.5	16-19		44	40	2.2	10-20	
	15	2	0.1	15-18		58	1	0.1	17	
	32	1	0.1	14						
	36	1	0.1	19						
	37	172	3.4	9-20						
	38	8	0.5	12-20						
D-71-11	8	3	0.2	19-20						
	9	1	0.1	19						
	10	16	1.7	18-20						
	17	9	0.6	14-19						
	46	30	2.7	15-20						
	47	70	7.0	16-20						
D-71-14	18	150	14.3	17-21						
Del-71-3	7	3	0.3	19-21						
	34	13	0.2	7-13						
	35	1	0.1	12						
	60	3	0.2	19						
	65	1	0.1	13						
<u>Bairdiella chrysuræ--Cont.</u>										
<u>Cynoscion nothus, silver seatrout</u>										
<u>Cynoscion regalis, weakfish</u>										
<u>Bairdiella chrysuræ--Cont.</u>										

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-69-9	44	16	*	16		51	20	*	*
	46	12	*	19-22		52	30	*	*
	47	4	*	20		53	35	*	*
	49	185	*	24		54	200	9.1	13-20
	4	3	*	*		55	150	*	13-21
	8	25	*	14-26		56	100	*	13-20
	14	6	0.5	*		57	1	*	*
	15	25	*	19-32		63	11	*	*
	18	1	*	17	D-69-15	11	151	52.2	18-26
	20	6	*	*		12	102	13.6	18-25
	21	3	*	24-30		13	100	49.9	16-23
	23	6	*	21-24		14	2,000	204.1	12-29
	27	3	*	*		22	40	*	20-30
	28	5	*	*		23	625	47.6	18-25
	29	5	*	*		24	300	22.7	16-24
	32	1	*	*		25	160	10.9	16-28
	33	5	*	*		29	1	*	27
	34	8	*	20-26		36	62	*	20-30
	35	35	*	*		37	77	*	18-33
	36	25	*	15-33		38	27	*	18-26
	37	87	*	13-26		39	11	*	19-27
	38	25	*	*		40	16	*	21-24
	39	20	1.8	*		41	32	6.8	20-30
	41	25	*	*		42	100	*	18-28
	42	10	*	*		43	17	*	20-32
	43	10	*	*		46	68	*	18-38
	44	20	*	*		59	1	*	14
	45	20	*	*		61	1	*	30
	46	2	*	*		62	1	*	27
	47	6	*	24-25		2	130	*	18-26
	50	133	*	14-26		3	8	*	17-19

Cynoscion regalis--Cont.

Cynoscion regalis--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
D-69-23	9	1	*	19	D-70-16	25	78	5.7	12-25	
	10	5	*	25-28		26	48	4.3	12-25	
	16	55	*	19-29		27	15	1.8	15-24	
	18	30	*	19-31		5	1	0.2	23	
	22	2	*	15-24		6	5	0.9	23-30	
	23	1	*	22		7	9	1.6	22-28	
	24	4	*	19-21		9	162	181.0	12-37	
	25	51	*	21-27		10	100	26.3	18-28	
	28	65	*	11-29		13	2	0.7	27-31	
	29	124	*	21-28		15	63	10.4	22-29	
	30	1	*	30		16	24	8.2	22-27	
	32	168	*	9-29		5	4	0.5	20-21	
	36	66	*	17-30		6	20	2.6	19-28	
	44	17	*	24-35		9	1	0.2	30	
	45	69	*	14-35		10	95	157.9	19-26	
	D-69-25	1	100	*		13-22	11	135	26.3	18-34
		2	50	*		11-35	14	2	0.6	28-31
8		5	*	18	16	19	3.2	23-39		
9		102	*	12-36	18	4	0.7	22-27		
10		53	*	13-47	39	1	+	7		
12		135	*	13-42	40	1	+	8		
13		8	6.0	31-41	3	1	1.1	51		
11		3	*	11-15	6	1	0.1	26		
12		2	*	14-19	8	2	0.3	29-30		
13		1	*	13	9	8	0.5	17-21		
D-69-29	16	3	*	12-22	11	88	10.7	19-31		
	17	1	*	21	12	82	9.8	*		
	20	176	12.9	14-26	13	4	0.6	22-27		
	21	100	62.6	13-26	14	29	2.9	9-26		
	22	62	7.3	19-26	15	5	0.6	19-26		
	23	152	22.7	20-26	16	7	1.0	19-26		
	24	131	7.0	12-22	19	1	+	12		

Cynoscion regalis--Cont.Cynoscion regalis--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Equetus lanceolatus, jackknife-fish</u>										
D-69-29	19	1	*	9		39	*	*	*	
Del-71-3	27	35	3.6	13-25		46	*	*	*	
	44	1	0.2	20		47	*	*	*	
	55	10	2.3	22-28		49	*	*	*	
Del-72-8	45	17	1.4	15-25	D-69-9	31	20	*	*	
	46	1	0.2	22		32	1	*	*	
Del-72-15	17	24	3.6	20-27		37	4	*	*	
	31	2	0.5	24-27		38	*	*	*	
	71	6	0.9	15-27		39	6	*	*	
					D-69-23	4	3	*	*	10-19
<u>Equetus umbrosus, cubbyu</u>										
Del-71-3	27	14	1.2	16-20		9	2	*	*	9-12
	56	16	1.2	9-21		11	1	*	*	17
	57	9	0.8	10-20		12	3	*	*	16-20
Del-72-8	9	4	0.2	13-19		15	4	*	*	20-21
	10	6	0.5	14-18		18	3	*	*	20-22
	16	1	0.1	19		3	10	*	*	8-15
	45	1	0.1	18		7	1	*	*	20
Del-72-15	69	12	1.0	14-20		8	2	*	*	14-15
	71	11	0.7	11-18		11	1	*	*	13
						12	2	*	*	12-15
						13	2	*	*	11-12
						14	1	*	*	12
						15	4	*	*	7-8
						17	1	*	*	5
						24	1	*	*	7
D-68-13	3	15	*	*		25	1	*	*	
	8	30	*	19-20		26	3	*	*	9-12
	16	2	*	18-19		28	2	*	*	12-14
	18	*	*	*		12	1	0.1	*	17
	29	2	*	*	D-71-3	28	4	+	+	7-10
	36	525	*	18-22		33	3	0.2	*	19
	37	*	2.0	*		37	8	0.2	*	11-13
	38	*	14.5	17-21						
<u>Larimus fasciatus, banded drum</u>										

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
D-71-11	17	18	0.9	13-17	<u>Leiostomus xanthurus</u> --Cont.	17	895	68.0	12-20	
	23	1	0.1	18		18	1,065	63.5	11-19	
	34	16	1.7	17-21		21	16	1.8	12-15	
	36	16	2.2	14-21		22	619	46.0	13-19	
	Del-71-3	7	7	0.1		10-14	23	100	7.3	12-22
		23	5	0.2		14-16	24	109	10.4	12-17
		34	51	2.7		9-18	25	15	*	12-19
		35	140	17.2		13-23	26	58	*	10-17
		42	3	0.1		6-12	27	192	16.8	15-20
	Del-72-8	54	5	0.2		2-15	28	194	*	10-16
		35	1	0.1		16	29	142	8.8	12-18
	Del-72-15	21	41	5.7		19-21	30	181	8.6	12-18
		29	5	0.6		19-21	31	60	3.5	11-15
37		26	3.1	11-21	32	18	*	10-19		
44		8	0.5	10-20	33	10	0.2	11-13		
58		5	0.3	14-20	34	1	*	16		
59		21	0.2	9-13	36	489	24.0	12-17		
60		14	1.8	18-21	37	8	0.7	15-17		
77		2	0.1	13-14	38	1,944	*	11-19		
D-68-13		<u>Leiostomus xanthurus</u> , spot	2	237	8.3	12-17	39	102	6.4	13-16
			3	128	19.3	12-19	43	18	*	12-14
	4		1,595	123.8	11-20	44	1	*	15	
	5		896	51.5	9-18	46	55	*	10-19	
	6		598	7.3	9-18	47	24	*	11-18	
	8		348	*	12-19	48	1	*	17	
	9		58	*	13-18	49	1,576	126.6	10-20	
	10		666	*	10-19	50	*	*	*	
	12		1	*	25	51	122	*	10-18	
	16		4,000	240.9	11-20	52	2	*	*	
						8	2	*	12-16	
						16	7	*	15-21	
						33	1	*	*	

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Leiostomus xanthurus</u> --Cont.										
Del-72-15	1	20	1.1	14-19	D-71-3	10	4	*	18-19	
	7	2	0.2	18-22		11	5	*	12-19	
	8	11	0.9	17-20		12	5	*	13-28	
	9	23	2.0	17-21		13	3	*	16-18	
	17	11	1.6	20-23		15	3	*	7-19	
	21	34	2.7	15-21		16	6	*	19-30	
	22	15	2.6	14-27		17	12	*	24-31	
	29	23	1.6	15-18		20	37	6.6	10-28	
	30	54	4.8	11-21		21	18	4.1	22-29	
	37	59	6.1	16-20		22	1	*	20	
	39	1	0.1	12		23	5	*	22-27	
	44	174	14.3	14-21		24	30	*	10-31	
	50	2	0.2	17-18		25	17	1.8	*	
	58	28	2.0	15-19		26	1	*	23	
	59	43	2.4	13-17		12	2	0.8	29-35	
	60	14	1.0	16-19		13	9	1.2	19-29	
	61	3	0.3	18-19		16	3	0.9	29	
67	8	0.6	16-19	17	4	0.8	24-26			
68	1	0.1	16	19	9	1.6	*			
69	1	0.2	23	22	23	2.7	*			
77	67	4.5	14-18	23	13	2.0	*			
<u>Menticirrhus americanus</u> , southern kingfish										
D-69-23	9	5	*	16-27	27	10	0.9	13-23		
	11	8	*	24-28	28	3	0.3	*		
	12	2	*	24-26	29	4	0.1	8-16		
	16	13	*	16-29	30	39	6.4	12-29		
	20	1	*	26	31	3	0.7	27-28		
D-69-29	3	2	*	18	32	16	1.5	*		
	6	2	*	23	33	2	0.1	14-23		
					35	4	0.5	22-25		

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
	14	14	*	*		41	8	*	18-31
	16	1	*	*		42	1	*	*
	18	12	*	*		43	9	*	22-30
	19	15	*	*		44	1	*	21
	20	11	*	*		46	10	*	23-34
	22	30	*	*		48	8	*	23-31
	23	24	*	*		58	4	*	23-29
	28	6	*	*		59	2	*	17-27
	29	10	*	*		60	3	*	24-35
	30	6	*	*	D-69-23	15	2	*	21-23
	32	2	*	*		16	1	*	18
	34	6	*	*		18	1	*	26
	35	10	*	*		20	6	*	18-30
	41	4	*	*		23	6	*	18-30
	45	1	*	*		25	58	*	16-30
	46	2	*	22		26	1	*	23
	47	5	*	*		27	1	*	20
	48	10	*	*		28	11	*	16-21
	50	20	*	*		29	5	*	20-28
	52	15	*	*		32	39	*	11-33
	53	20	*	*		36	4	*	16-20
	54	6	*	*		44	2	*	19-20
	55	2	*	26		45	10	*	18-32
	63	1	*	*	D-69-25	1	3	*	20-23
	11	4	*	23-28		2	13	*	17-23
	12	6	*	22-27		8	16	*	18-24
	13	3	*	20-26		9	58	*	15-41
	25	1	*	25		10	5	*	19-35
	26	1	*	22		12	57	*	15-36
	36	1	*	27		13	5	*	31-35
	38	4	*	22-28	D-69-29	7	1	*	26
	40	15	*	20-28		8	3	*	20-35

Menticirrhus saxatilis--Cont.Menticirrhus saxatilis--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
		<u>Menticirrhus saxatilis--Cont.</u>								
	16	1	*	40	Del-71-3	1	11	3.3	24-36	
	17	1	*	31		2	1	0.1	22	
	19	2	*	28-32		7	1	0.3	33	
	22	2	*	21-24		9	7	0.9	21-27	
	23	4	*	20-22		12	1	0.2	31	
	25	2	*	13-15		13	1	0.1	28	
	26	1	*	34		26	1	0.1	28	
	27	27	2.5	*		46	1	0.2	31	
	7	3	0.6	24-35		53	2	0.7	31-33	
D-70-16	13	8	2.3	24-31		57	1	0.2	25	
	21	5	1.8	29-34		58	5	1.1	26-30	
	1	1	0.3	32		60	1	0.1	19	
D-70-19	6	2	0.3	22-25		61	4	0.5	19-24	
	9	1	0.3	33		67	7	0.7	14-26	
	11	1	0.2	25	Del-72-8	9	1	0.3	31	
	14	3	0.6	25-28		10	6	1.4	26-31	
	16	1	0.2	28		11	1	0.2	26	
	23	1	0.6	35		21	3	0.7	27-29	
	39	17	5.3	26-36		64	3	0.5	23-26	
	40	16	4.5	13-36		65	5	0.7	24-27	
D-71-3	6	2	0.3	25-28		66	2	0.6	30	
	10	1	0.1	21		71	5	0.6	19-26	
D-71-11	7	4	1.2	27-36		72	1	0.6	23	
	9	2	0.8	32-45	Del-72-15	1	1	0.1	21	
	18	2	0.6	30-31		9	1	0.1	25	
	29	2	0.1	17		76	2	0.5	23-32	
	34	1	0.3	31						
	42	1	0.3	30						
	43	1	0.1	22						
	45	2	0.3	24-30						
	46	1	0.1	*						
	47	3	0.6	13-29						
		<u>Micropogon undulatus, Atlantic croaker</u>								
					D-68-13	2	18	1.5	17-26	
						3	1,730	95.3	13-22	
						4	6,270	408.2	15-23	

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Micropogon undulatus--Cont.</u>									
	5	1,590	79.8	14-22		45	*	2.0	20-25
	6	580	16.0	14-21		46	489	44.9	14-23
	7	184	9.1	13-23		47	660	35.2	14-22
	8	872	*	16-26		48	*	1.4	15-19
	9	58	*	18-23		49	4,058	172.8	16-23
	10	32	*	15-18		50	*	*	12-21
	15	82	7.3	21-25		51	*	9.3	15-23
	16	2,225	185.5	15-26		52	5	*	*
	17	1,610	122.5	14-25		8	42	*	17-26
	18	2,070	172.4	15-26		14	83	*	13-24
	19	2,236	181.4	15-27		15	525	*	*
	21	166	12.9	16-29		16	37	*	19-23
	22	217	34.5	17-30		17	56	*	18-24
	23	*	38.1	16-28		18	55	*	18-25
	24	176	15.9	15-28		19	77	*	19-28
	25	760	51.3	14-23		20	1,500	22.7	13-27
	26	1,029	47.2	14-21		21	51	*	17-23
	27	13	1.1	16-26		23	700	59.0	16-22
	28	1,271	110.0	15-25		27	2,100	140.6	*
	29	659	52.4	15-24		28	110	*	18-24
	30	1,479	115.9	13-24		29	*	18.1	*
	31	1,627	80.3	15-22		30	2,000	*	*
	32	927	69.9	15-24		31	680	*	16-25
	33	243	13.6	15-25		32	*	68.0	*
	34	93	3.6	15-22		33	3,000	136.1	*
	36	2,812	229.1	15-23		34	1,500	68.0	11-25
	37	152	16.1	16-26		35	1,000	45.4	*
	38	4,006	*	14-25		36	75	*	13-25
	39	438	55.3	15-25		37	200	*	*
	42	36	*	15-28		38	50	*	*
	43	118	10.9	17-23		39	350	22.7	*
	44	102	*	20-26		40	3,000	226.8	15-17
<u>Micropogon undulatus--Cont.</u>									

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)		
		No.	Wt. (kg)				No.	Wt. (kg)			
		<u>Micropogon undulatus--Cont.</u>						<u>Micropogon undulatus--Cont.</u>			
D-69-23	41	500	*	*	D-69-29	12	7	*	16-21		
	42	50	*	*		15	2	*	13-14		
	43	2,000	68.0	*		16	1	*	17		
	44	1,000	136.1	*		17	15	1.2	17-24		
	45	500	*	*		18	16	1.9	18-23		
	46	12	*	*		19	2	*	18-21		
	47	250	*	19-27		20	61	3.9	16-21		
	48	100	*	*		21	101	6.8	15-21		
	50	25	*	20-33		22	122	9.8	15-22		
	51	20	*	*		23	54	4.3	16-23		
	52	20	*	*		24	7	*	6-20		
	53	74	*	14-23		25	53	3.9	16-21		
	54	75	13.6	*		26	195	24.9	11-25		
	55	30	*	12-17		27	282	39.5	20-25		
	56	6	*	13-14		8	2	0.2	22-25		
	57	70	*	*	D-71-3	9	375	53.1	14-22		
	4	*	*	*		11	151	11.1	17-25		
	5	1	*	17		12	131	29.7	17-25		
	9	120	24.9	14-19		13	1	0.1	17		
	10	106	*	15-27		14	20	2.3	19-23		
	11	106	*	12-25		33	12	1.1	20-23		
	12	*	7.7	*		35	140	13.6	11-24		
	15	18	*	22-27		36	21	1.8	18-22		
	16	100	27.2	13-25		37	168	4.8	10-18		
	17	5	*	24-27		38	56	4.1	11-21		
	18	106	*	11-29	D-71-11	13	98	11.1	12-27		
	19	3	*	*		17	125	65.8	16-19		
	22	5	*	20-25		18	15	1.1	17-21		
	23	3	*	21-27		21	291	21.1	17-22		
	24	7	*	16-17		22	33	2.5	11-21		
	25	22	*	22-27		23	177	12.0	17-21		

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
CHAETODONTIDAE										
<u>Chaetodon ocellatus</u> , spotfin butterflyfish										
De1-72-15	49	1	0.1	13	D-68-7	4	15	*	14-29	
<u>Holocanthus bermudensis</u> , blue angelfish										
De1-72-8	45	1	0.1	15	D-69-15	16	2	*	24-28	
De1-72-15	31	1	0.3	20		15	1	*	21	
De1-72-15	49	4	2.9	27-30		30	3	*	17-28	
LABRIDAE										
<u>Halichoeres radiatus</u> , puddingwife										
De1-71-3	27	2	0.2	6-16	D-70-16	37	30	2.9	14-24	
MUGILIDAE										
<u>Mugil cephalus</u> , striped mullet										
					D-70-19	38	3	0.3	17-18	
						38	1	0.1	19	
SPHYRAENIDAE										
<u>Sphyaena borealis</u> , northern sennet										
					D-71-11	27	38	0.1	5-7	
URANOSCOPIDAE										
<u>Astroscopus guttatus</u> , northern stargazer										
					De1-71-3	42	1	+	12	
					D-69-25	8	1	*	21	
					De1-72-15	17	1	0.3	41	
					D-69-13	7	44	*	*	
					De1-72-8	8	1	*	32	
TAUTOGONINAE										
<u>Tautoga onitis</u> , tautog										
					D-69-15	30	11	*	19-31	
					D-69-23	3	1	*	19	
					D-70-16	37	1	0.2	22	
					De1-71-3	59	2	1.4	32	

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Astroscopus y-graecum</u> , southern stargazer					<u>Trichiurus lepturus</u> , Atlantic cutlassfish				
Del-72-8	15	1	0.3	24	D-68-13	16	1	*	9
Del-72-15	31	1	0.2	25	D-69-29	9	1	*	15
<u>Kathetostoma albigutta</u> , lancer stargazer					<u>Trichiurus lepturus</u> , Atlantic cutlassfish				
Del-71-3	11	1	0.1	17	D-71-3	22	7	0.8	26-34
	49	1	0.1	16	Del-71-3	35	1	0.1	42
Del-72-8	18	1	0.2	17	Del-72-8	42	4	0.1	20-32
	19	3	0.5	14-19		1	4	0.1	29-47
	25	1	+	13		6	1	+	15
	39	2	0.2	17-19	Del-72-15	34	1	+	23
	46	1	0.1	19		1	3	0.1	15-31
	52	1	0.1	20		44	21	0.1	11-38
	63	6	0.5	10-21		66	3	+	35-41
	75	1	0.1	13	SCOMBRIDAE				
Del-72-15	14	1	+	12	<u>Scomber scombrus</u> , Atlantic mackerel				
	30	1	0.1	13	D-69-9	4	1	*	*
	31	2	0.1	13-14		64	2	*	25
	39	1	0.1	13	D-69-15	33	1	*	7
	52	1	0.1	19		64	300	*	6-8
	72	1	0.1	20		66	1	*	*
BLENNIIDAE					D-69-23	38	2	*	11-17
<u>Hypleurochilus geminatus</u> , crested blenny					D-69-25	10	3	*	13-14
Del-72-8	58	1	+	4		11	32	*	13-16
AMMODYTIDAE					D-70-19	12	12	*	*
<u>Ammodytes americanus</u> , American sand lance						31	21	1.0	12-36
						33	288	7.3	13-16
D-71-3	41	1	+	18	D-71-14	34	13	0.3	13-15
						1	1	+	12

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Scomber scombrus--Cont.</u>									
Del-72-8	50	2	+	11		47	*	*	*
Del-72-15	74	2	+	11-13		49	*	*	*
<u>Scomberomorus cavalla, king mackerel</u>									
Del-71-3	23	2	0.1	14-15	D-69-23	50	78	*	*
	33	5	0.1	15-21		51	*	*	*
<u>Scomberomorus maculatus, Spanish mackerel</u>									
D-69-23	9	8	*	15-23		9	31	*	8-9
	10	2	*	13-23		10	50	*	*
D-71-11	27	9	4.2	15-51		18	9	*	7-17
	30	1	0.7	50		16	15	*	8-12
	36	1	0.1	17		20	1	*	9
Del-71-3	33	4	0.2	22-25		23	9	*	10-11
	42	9	1.0	17-39		24	3	*	9-10
STROMATEIDAE									
<u>Peprilus alepidotus, harvestfish</u>									
D-68-13	2	2	*	9		28	1	0.1	16
	3	4	*	*		29	1	0.1	15
	7	14	*	*		33	1	0.1	19
	10	64	*	7-12		23	3	0.2	15-17
	16	36	*	7-10		27	1	0.5	18
	17	1	*	9		34	2	0.2	20
	38	*	*	*		60	4	0.1	9-10
	39	*	*	*		Del-72-8	35	1	0.1
	43	6	*	*		Del-72-15	37	2	0.1
	44	9	*	*		<u>Peprilus triacanthus, butterfish</u>			
	46	15	*	*					
					D-68-7	4	173	*	13-20
						6	11	*	8-12
						7	121	*	9-10
						8	28	*	8-10
						9	8	*	12
						10	275	*	9-10
						12	16	*	*
						13	96	*	8-10
						14	23	*	8-9

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-68-13	15	1	*	10	D-69-9	38	*	*	12-15
	17	30	*	8-10		39	568	34.9	10-17
	18	3	*	*		42	20	1.1	13-16
	19	7	*	7-9		43	19	*	12-15
	20	20	*	8-13		44	33	*	11-15
	21	5	*	8-13		45	3	*	13
	22	1	*	12		46	341	18.6	11-18
	2	2	*	12-14		48	1	*	*
	3	150	2.3	11-15		49	2,490	189.1	10-19
	4	*	*	*		50	*	25.9	12-18
	5	*	*	*		51	*	111.8	13-16
	7	231	10.9	11-17		52	3	*	*
	9	30	*	11-14		2	39	*	8-10
	10	170	*	11-19		4	*	*	*
	11	1	*	14		6	1	*	*
	12	4	*	14-20		8	231	*	10-14
	15	6,587	26.4	10-17		13	50	*	*
	16	1,745	96.6	11-17		14	*	13.6	*
	17	*	29.5	*		15	300	*	*
	18	*	68.0	*		16	100	*	*
	19	*	38.6	*		17	24	*	*
	21	641	44.0	11-17		18	50	*	*
	22	321	27.4	12-17		20	*	2.3	*
	23	462	30.4	12-16		21	250	*	*
	24	389	25.9	12-18		26	15	*	*
	25	17	*	12-15		28	15	*	*
	29	610	31.1	10-17		29	30	*	*
	30	9	0.5	*		30	50	*	*
	31	8	0.2	*		31	50	*	*
	34	6,310	299.4	11-19		32	30	*	*
	36	*	161.0	*		33	20	*	*
	37	1,243	66.9	10-16		35	50	*	*

Peprilus triacanthus--Cont.Peprilus triacanthus--Cont.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
		<u>Peprilus triacanthus</u> --Cont.					<u>Peprilus triacanthus</u> --Cont.		
	36	*	136.1	9-16		35	*	2.7	*
	37	*	272.2	*		37	4	*	17-21
	38	1,000	226.8	*		43	*	3.4	*
	40	150	*	*		46	150	*	11-21
	41	1,000	*	*		49	*	36.7	12-18
	42	30	*	*		61	25	*	6-18
	43	300	18.1	*		62	28	*	16-23
	44	*	13.6	*		63	1	*	8
	45	200	*	*		68	50	*	6-16
	46	2	*	12		70	1	*	15
	48	6	*	*		1	1	*	5
	54	300	*	10-12	D-69-21	2	122	*	11-19
	55	20	*	12		3	80	*	9-20
	57	400	13.6	*		4	17	*	5-10
	58	30	*	*		5	10	*	8-14
	64	4	*	*		9	2	*	10-15
	65	5	*	*		10	14	*	11-15
	66	2	*	9-12		17	1	*	8
	10	3	*	6-17		18	13	*	5-16
	11	*	23.6	10-22		21	*	*	*
	12	38	*	13-20		23	3	*	8-13
	13	19	*	13-16		25	*	*	*
	14	130	*	15		28	21	*	7-16
	18	1	*	15		29	*	*	*
	19	*	7.3	*		30	1	*	8
	20	2	*	*		31	5	*	5-16
	22	2	*	18-19		35	38	*	5-17
	23	2	*	16-17		36	123	*	7-17
	26	2	*	9-10		37	150	*	5-12
	29	1	*	6		38	*	*	6-10
	30	*	3.6	*		43	8	*	8-11
	32	1	*	17		45	3	*	9-11
D-69-15									

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-69-25	1	100	*	7-19	D-70-19	16	1,000	27.2	6-17
	2	*	*	*		17	1	0.1	18
	8	*	*	7-13		18	9	0.5	7-15
	9	*	*	*		19	2	+	8-9
	11	100	*	*		20	25	0.5	5-9
	12	*	*	*		21	3	0.1	7-19
	13	*	*	*		27	20	0.5	7-8
	7	1	*	17		28	12	0.1	7-13
	16	21	*	11-17		29	2	0.1	15-18
	17	2	*	13-15		31	2	0.1	9-17
	18	2	*	13-14		32	25	1.0	7-18
	21	1	*	13		33	22	1.1	14-19
	22	62	*	9-17		34	3	0.1	16
23	31	*	7-17	35	6	0.2	15-17		
25	3	*	9-13	39	2	0.1	8		
26	11	*	6-13	1	142	1.8	7-16		
1	1	+	12	2	99	0.8	7-10		
2	27	1.1	12-20	5	20	0.9	9-18		
3	1	0.1	17	6	20	0.7	9-16		
1	28	1.6	7-20	7	3	0.1	8-18		
2	48	2.5	5-25	8	800	29.0	9-20		
3	6	0.1	7-17	9	17	0.7	9-17		
4	7	0.5	15-17	10	165	8.8	11-19		
6	146	4.6	10-20	11	47	2.5	11-18		
7	170	6.1	12-17	15	14	0.1	4-11		
8	1	0.1	16	17	123	2.5	7-12		
9	19	1.0	13-17	18	4	0.1	10-12		
11	4	0.1	10-13	23	5	0.1	5-9		
12	1	0.1	12	30	147	2.6	5-18		
14	7	0.2	13-19	31	73	3.5	5-21		
15	58	2.6	10-21	32	11	0.6	10-18		

Peprilus triacanthus--Cont.Peprilus triacanthus--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-71-3	34	2	+	9-10	D-71-14	19	120	5.4	12-16
	39	63	1.4	8-17		21	9	0.1	7-9
	40	2	+	7-10		22	200	9.1	11-18
	7	8	+	3-12		23	135	3.7	9-18
	8	7	0.1	9-12		41	550	15.0	10-15
	9	46	1.0	9-14		42	19	0.6	9-16
	10	4	+	4-6		45	23	0.7	10-20
	14	320	12.7	12-16		46	80	3.6	10-17
	15	14	0.1	4-16		47	296	8.4	10-16
	16	3	+	4-7		48	129	10.2	13-25
	18	1	0.1	18		1	773	3.3	5-17
	19	7	+	4-10		2	23	0.1	2-9
	22	25	0.2	5-10		3	4	+	8-10
	23	2	+	5-7		6	44	2.3	12-21
	24	1	0.1	17		7	1	+	8
	25	5	+	2		9	35	0.1	7-9
	27	2	0.1	9-10		16	21	0.2	7-12
D-71-11	33	2	0.1	16-17	17	375	3.4	7-16	
	38	1	+	11	18	26	1.9	13-21	
	2	2	0.1	8-10	19	5	0.2	12-15	
	3	1	+	8	23	79	0.5	6-15	
	7	8	0.3	13-16	24	28	0.1	5-8	
	8	3	0.1	14-16	25	180	1.0	6-8	
	9	20	0.8	11-16	27	50	0.1	5-8	
	10	31	1.0	11-15	28	7	0.1	7-14	
	11	2	0.1	14-19	29	53	0.6	9-18	
	12	1	+	7	34	72	0.2	7-11	
	13	42	2.4	10-17	1	221	4.5	9-15	
14	83	5.4	10-18	2	161	1.9	5-12		
15	250	6.8	9-15	1	369	37.6	12-23		
16	192	5.4	9-15	2	360	8.2	6-18		
17	5	0.2	13-16	7	108	5.9	11-19		

Peprilus triacanthus--Cont.

Peprilus triacanthus--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
		TRIGLIDAE							
		<u>Bellator egretta</u> , streamer searobin							
D-71-3	25	5	+	7-11	Del-71-3	11	2	0.1	12-15
	31	3	0.1	8-11		36	8	0.1	8-11
	33	5	0.1	8-12		43	1	+	6
D-71-11	30	1	+	9	Del-72-8	27	1	+	10
Del-71-3	35	1	+	12		39	22	0.5	8-11
	36	4	+	5-7	Del-72-15	14	2	0.1	14-15
	44	2	0.1	12-15		30	1	0.1	12
	47	1	+	9		39	2	+	8-9
	50	3	0.2	13-16		72	1	+	14
	51	2	0.1	11		73	1	+	12
	55	2	0.4	16-27		<u>Peristedion miniatum</u> , armored searobin			
	56	3	0.7	11-28					
	57	3	1.1	26-31	Del-71-3	11	1	+	11
Del-72-8	16	1	+	8	Del-72-8	19	18	0.5	14-24
	17	6	0.3	11-16	Del-72-15	65	37	0.2	8-10
	18	9	0.2	7-11		<u>Prionotus alatus</u> , spiny searobin			
	26	18	1.1	8-21	D-69-29	19	1	*	*
	37	1	+	12	D-71-3	18	50	0.3	3-21
	38	4	0.1	10-14		19	5	+	5-13
	39	3	0.1	9-10		23	11	0.6	7-19
	43	4	0.1	10-15		24	3	+	6-7
	45	1	0.1	14		32	1	+	11
	46	30	2.3	10-25		39	4	+	3-6
	53	2	0.1	14	Del-72-8	19	8	0.3	13-16
Del-72-15	31	21	4.1	10-29		55	4	0.2	13-16
	39	5	0.1	8-12		63	4	0.1	9-18
	40	11	0.5	11-14	Del-72-15	14	2	0.1	14-15
	41	12	0.5	9-13		38	3	0.2	15
	63	2	0.1	15-18					
	71	3	0.6	19-26					
	72	2	0.1	19					
	73	1	+	11					

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)		
		No.	Wt. (kg)				No.	Wt. (kg)			
		<u>Prionotus alatus</u> --Cont.						<u>Prionotus carolinus</u> --Cont.			
	65	69	2.4	13-16	D-69-15	7	6	*	*		
	72	1	+	6		8	7	*	*		
	73	5	0.1	12-15		9	*	27.2	*		
		<u>Prionotus carolinus</u> , northern searobin					10	*	167.8	*	
	1	7	*	*		11	*	122.5	*		
	3	2	*	*		12	*	258.6	*		
	4	1	*	*		13	*	27.2	*		
	8	1	*	*		14	3,700	340.2	*		
	10	1	*	*		15	*	27.2	*		
	12	1	*	*		16	4	*	20-30		
	14	7	*	*		18	2	*	*		
	4	46	*	*		20	5	*	*		
	5	17	*	24-30		21	6	*	19-29		
	7	*	*	*		22	500	*	*		
D-69-9	8	1	*	9		24	350	40.8	*		
	19	3	*	*		25	7	*	*		
	25	2	*	*		26	*	20.4	*		
	34	3	*	*		27	*	18.1	*		
	43	2	*	*		28	*	870.9	*		
	47	2	*	*		29	*	54.4	*		
	48	5	*	*		30	3	*	*		
	50	4	*	*		31	1	*	26		
	51	2	*	*		32	2	*	26-27		
	54	3	*	*		33	1	*	26		
	57	3	*	*		35	26	*	*		
	58	5	*	*		36	4	*	21-28		
	62	14	*	*		37	35	*	*		
	63	6	*	*		38	*	*	*		
	65	1	*	23		39	*	176.9	*		
			*	*		40	90	*	*		
			*	*		41	*	13.6	*		

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
D-69-25	3	1	*	*	Prionotus carolinus--Cont.	14	910	134.3	*	
	4	6	*	*		15	28	4.1	23-30	
	5	*	*	*		16	300	23.1	23-30	
	6	*	*	*		17	9	1.4	23-28	
	7	*	*	*		18	24	3.4	21-27	
	8	2	*	*		19	80	7.9	23-28	
	9	6	*	*		20	13	2.2	24-29	
	10	2	*	*		21	250	27.9	14-29	
	11	1	*	*		22	27	4.4	13-29	
	13	2	*	*		23	23	3.7	22-29	
	D-69-29	1	2	*		18-22	24	21	3.3	15-31
		6	1	*		19	25	32	4.4	13-28
		18	3	*		23-27	26	9	0.7	12-27
19		55	7.3	*	27	200	21.3	*		
20		2	*	23	28	308	38.1	*		
23		1	*	11	29	74	6.8	10-29		
27		*	*	*	30	12	1.1	13-26		
2		1	+	11	31	16	2.0	13-29		
3		1	0.1	24	32	7	0.5	12-22		
4		3	0.2	12-13	33	1	0.1	22		
D-70-7	1	40	1.6	11-25	34	304	41.3	*		
	2	31	1.8	11-29	35	79	7.3	12-27		
	3	8	0.5	12-21	36	101	7.8	11-29		
	5	3	0.5	28-29	37	1	0.1	17		
	6	75	10.2	23-28	39	52	4.1	12-30		
	7	613	66.2	*	1	11	0.8	13-28		
	8	31	3.6	21-27	2	3	0.1	14-20		
	9	84	14.1	*	3	1	0.1	26		
	10	20	4.2	22-30	5	5	1.0	26-29		
	11	130	18.6	*	6	45	7.3	15-28		
D-70-16	12	220	80.7	22-26	7	730	74.2	20-26		
	13	130	33.1	22-26	8	648	117.5	20-26		

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
	9	172	11.1	13-29		7	1,087	147.9	21-27
	10	18	4.1	21-30		8	43	7.9	14-29
	11	2	0.5	28-29		9	6	0.7	12-28
	12	2	0.5	26-30		10	295	21.8	17-26
	13	467	63.5	21-29		11	3,032	361.1	17-28
	14	1,040	117.9	21-28		12	373	44.6	18-27
	15	19	2.7	21-28		15	4	0.2	13-15
	16	228	28.1	11-30		17	1	0.1	12
	17	14	2.3	20-28		18	40	0.9	10-19
	18	29	4.8	11-31		19	21	0.5	11-20
	19	36	6.4	23-28		20	121	2.9	12-24
	20	2	0.2	23-27		21	7	+	8-12
	22	19	2.8	22-29		22	3	0.1	13
	23	896	127.0	13-28		23	5	0.1	8-13
	24	320	41.7	16-26		28	4	0.1	13-14
	25	4	0.3	23-26		29	73	1.1	11-13
	27	1	0.1	23		31	2	*	13
	28	1	0.1	25		32	3	0.1	16
	29	628	71.2	12-26		34	1	+	10
	30	114	18.1	16-30		36	5	0.5	12-21
	31	79	12.7	22-29		37	1	0.1	17
	32	720	98.0	12-18		38	57	6.8	21-25
	33	2	0.5	25-28		39	1	0.1	21
	36	52	6.8	21-27		41	78	7.0	14-28
	37	1	0.1	24		42	4	0.5	15-29
	39	26	1.5	12-20		43	23	0.5	8-12
	40	190	8.2	9-25		44	421	54.9	15-28
D-71-3	15	6	+	11-14		45	19	2.3	13-28
	16	1	0.3	11-19		46	20	2.5	12-31
D-71-11	4	1,173	159.7	14-28		47	800	54.4	14-24
	5	1,194	182.8	22-28		48	2,126	253.1	17-27
	6	640	87.1	21-27					

Prionotus carolinus--Cont.Prionotus carolinus--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
D-71-14	1	7	0.5	15-27	Prionotus carolinus--Cont.	26	34	1.5	15-18	
	2	3	0.5	25-28		27	4	0.1	16-22	
	3	1	0.2	31		31	1	0.1	20	
	6	9	0.7	18-22		43	1	0.1	18	
	7	66	6.1	18-30		49	8	0.7	20-24	
	8	1,003	154.7	20-27		50	53	4.3	15-24	
	16	1,138	67.1	20-27		51	54	4.3	15-24	
	17	2,286	228.2	18-25		52	1	0.1	23	
	18	5	0.6	18-24		54	13	0.5	10-14	
	19	2	0.2	25-27		55	47	5.7	19-25	
	24	22	2.7	23-27		56	37	4.1	16-26	
	25	65	10.4	23-29		57	20	2.3	19-26	
	26	200	29.5	17-30		58	36	4.3	18-26	
	27	20	2.9	18-29		61	8	1.1	18-29	
	28	1	0.1	24		62	2	0.2	18	
	Del-71-2	3	6	0.8		21-27	63	6	0.3	18-20
		4	4	0.6		21-26	64	17	1.2	17-24
		5	1	0.1		28	68	22	1.8	4-26
		6	9	1.4		19-25	7	1	0.1	19
		7	13	1.7		23-26	17	295	26.8	17-26
8		23	3.5	18-30	18	3	0.3	18-24		
5		10	0.6	14-26	26	2	0.2	20-21		
6		26	1.8	16-29	30	1	0.1	19		
Del-71-3	7	1	0.1	16	33	1	+	15		
	8	4	0.2	18-22	46	20	1.9	19-24		
	9	8	0.3	16-18	54	8	0.5	18-21		
	12	1	0.1	26	8	9	0.9	18-27		
	13	4	0.5	19-26	9	9	1.2	20-26		
	16	7	1.2	22-25	11	2	0.2	25-26		
	17	4	0.3	22-23	15	15	0.9	19-23		
	18	5	0.6	22-24	17	119	12.7	20-26		
	20	4	0.2	17-19	21	1	0.1	12		

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Prionotus carolinus--Cont.</u>									
	27	1	0.1	21		25	2	*	*
	29	1	+	9		47	1	*	*
	31	25	2.9	21-25	D-69-15	10	1	*	*
	40	2	0.1	20-21		11	1	*	34
	49	1	0.1	20		12	2	*	*
	52	1	0.1	20		13	15	*	*
	59	95	0.6	7-12		14	25	3.6	31-33
	60	76	1.2	7-14		15	6	*	*
	62	2	0.1	20-21		21	14	*	21-30
	63	5	0.3	20-23		22	12	*	*
	67	1	+	16		25	8	*	*
	68	3	0.1	15-19		26	18	*	16-20
	69	65	6.1	16-26		27	13	*	18-26
	70	143	17.2	19-26		29	*	11.3	*
	71	10	1.2	20-24		34	1	*	26
	76	57	4.0	12-23		35	4	*	*
	77	32	1.0	3-19		36	20	*	30-43
						37	15	*	*
						38	*	*	*
						39	6	*	*
						40	20	*	*
						41	25	*	*
						42	*	*	*
						43	*	13.6	*
						44	*	18.1	*
						45	*	13.6	*
						46	*	6.8	*
						47	*	*	*
						48	*	*	*
						49	*	*	*
						50	6	*	*
<u>Prionotus evolvans, striped searobin</u>									
D-68-7	1	33	*	*					
	2	6	*	*					
	3	4	*	*					
	10	5	*	*					
	12	71	*	*					
	13	7	*	*					
	14	6	*	*					
	15	1	*	*					
	17	1	*	*					
D-69-9	2	*	*	*					
	7	*	*	*					

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
		<u>Prionotus evolvans--Cont.</u>							
	34	150	13.6	*		33	1	0.5	32
	35	16	1.5	16-24		39	10	1.8	19-28
	36	31	2.0	17-22		40	29	5.0	9-31
	37	1	0.1	17		3	2	0.6	28-31
	39	3	1.2	26-32	D-71-11	4	19	7.9	13-39
	1	8	2.2	18-35		5	7	2.0	25-32
	2	3	0.3	21-24		6	6	1.6	22-29
	3	1	0.1	21		7	18	4.8	20-32
	4	1	0.2	26		8	25	3.9	20-26
	6	7	1.2	16-33		9	155	44.0	22-33
	7	4	0.5	21-22		10	7	2.8	25-40
	8	1	0.7	32		11	6	1.7	20-29
	9	13	1.1	15-30		15	1	0.1	18
	10	2	0.8	32-33		18	3	0.3	18
	12	1	0.2	35		19	6	0.9	18-25
	13	4	0.8	19-30		38	1	0.2	28
	14	7	1.0	18-25		43	2	0.2	19-23
	15	3	0.6	23-27		46	50	8.8	17-28
	16	55	11.3	20-34		47	66	15.6	19-38
	17	4	0.9	25-26		48	32	9.3	14-35
	18	15	2.7	16-29		1	5	1.0	9-34
	19	66	22.7	21-31	D-71-14	6	32	9.1	23-36
	20	3	0.9	29-32		7	1	0.5	32
	23	20	5.4	20-38		8	6	1.7	21-33
	24	1	0.3	29		16	1	0.2	27
	25	1	0.1	25		17	11	2.6	23-32
	26	3	0.9	25-32		18	36	10.4	23-38
	28	5	1.8	29-33		19	31	7.9	20-34
	29	8	2.0	22-31		26	24	5.0	21-32
	31	1	0.5	31		27	1	0.2	30
	32	1	0.6	33					
		<u>Prionotus evolvans--Cont.</u>							

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
Del-71-2	3	2	0.6	14-31	Del-71-3	26	1	0.1	13	
	4	1	0.1	13		27	2	0.2	17-20	
	5	1	+	12		37	4	0.2	14-17	
	7	1	0.3	28		38	1	0.1	20	
	5	1	0.2	26		43	2	0.5	21-25	
	6	2	0.6	25-30		44	1	0.1	19	
	7	4	0.2	10-24		54	2	+	7-11	
	8	1	0.1	25		56	1	+	14	
	9	2	0.3	20-28		57	1	0.1	20	
	12	2	0.1	20-24		45	2	0.1	15-19	
Del-71-3	13	2	0.1	19-21	Del-72-8	39	1	0.1	16	
	14	1	0.1	20		Del-72-15	71	1	0.1	19
	32	1	0.1	24						
	49	1	0.2	27						
	53	1	0.5	32						
	58	20	2.9	11-32						
	59	3	2.0	31-36						
	61	2	0.5	28						
	65	12	3.5	17-31						
	67	4	1.2	10-35						
68	1	0.5	35							
Del-72-8	71	1	0.6	33	D-71-11	19	1	0.7	*	
	72	1	0.5	33		24	1	0.3	29	
	3	1	0.3	29		28	4	0.9	28-30	
	9	7	2.9	27-36		29	2	0.2	17	
	11	4	1.4	27-32		30	1	0.5	30	
	25	1	0.2	29		30	3	0.6	19-32	
	55	1	0.2	29		32	3	0.8	30-33	
	69	3	1.4	28-33		33	1	0.2	32	
	76	5	1.2	22-36		37	1	0.3	31	
	77	7	0.1	10-15		44	4	0.9	20-31	
Del-72-15					Del-72-8	7	1	0.1	18	
						16	1	0.1	26	

Prionotus ophryas, bandtail searobinPrionotus evolans--Cont.Prionotus salmonicolor, blackwing searobin

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Prionotus salmonicolor--Cont.</u>									
	18	9	0.6	14-19	D-69-29	1	1	*	25
	29	1	+	20		3	1	*	15
	30	1	0.3	33		6	16	*	10-21
	31	3	0.8	26-31		7	10	*	12-22
	32	4	1.4	26-32		8	7	*	10-21
	37	1	0.1	17		9	18	*	9-20
	39	1	0.1	17		10	15	*	9-20
	40	3	+	8-12		11	42	*	9-20
	43	3	1.2	29-34		12	3	*	12-14
	44	2	0.2	19-26		13	3	*	6-25
	45	3	1.1	28-33		14	13	*	10-20
	68	2	0.7	24-31		15	1	*	13
Del-72-15	8	1	0.2	27		16	3	*	10-11
	9	5	1.7	27-33		17	2	*	8-11
	11	2	0.5	28-30		18	2	*	10-17
	33	5	1.6	27-33		19	3	*	22-23
	37	1	0.2	18		26	1	*	12
	41	2	0.3	17-32		27	*	*	*
	42	2	0.6	16-29	D-71-3	12	1	+	12
	45	7	2.7	24-33		13	2	+	12-13
	46	1	0.5	30		14	2	+	9-14
	47	6	1.4	21-32		17	6	0.2	6-24
	48	3	0.9	19-33		25	4	0.3	19-20
	49	1	0.1	25		26	2	0.1	20
	55	4	0.9	21-31		27	10	0.1	7-10
	69	1	0.2	26		28	1	+	8
	<u>Prionotus scitululus, leopard searobin</u>								
D-69-23	8	1	*	*		29	2	+	9
	10	1	*	*	D-71-11	30	3	+	4-6
						31	6	0.3	14-19
					19	16	0.8	15-23	
					20	5	0.2	17-21	

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)			
		No.	Wt. (kg)				No.	Wt. (kg)				
D-69-29		<u>Prionotus tribulus</u> --Cont.										
		6	1	*	11	Hemipteridae <u>Hemipteridae americanus</u> , sea raven	67	1	*	13		
		15	1	*	6		3	1	0.1	22		
		16	2	*	25-32		4	1	0.1	27		
		17	1	*	6		35	1	0.2	24		
		24	5	*	6-8		12	1	+	6		
		25	2	*	6-8		21	1	0.3	29		
		26	3	*	11		32	3	0.7	17-25		
		27	*	*	*							
		34	1	0.3	35							
12	4	1.4	25-34	<u>Myoxocephalus octodecemspinosus</u> , longhorn sculpin								
Del-71-3		13	3	0.6	26-31	68	3	*	28-29			
		25	1	0.5	27	5	6	*	15-25			
		28	2	0.6	21-33	2	21	4.8	27-30			
		34	1	0.1	12	3	4	0.5	26-27			
		52	1	0.2	23	4	1	0.1	28			
		56	2	0.2	*	23	2	0.5	28-29			
		57	1	0.5	33	26	1	0.1	28			
		10	1	0.6	32	27	1	0.2	28			
		24	2	0.5	24	37	1	0.2	26			
		45	1	0.6	33	1	1	0.2	29			
Del-72-8		54	1	0.1	20	40	4	0.9	23-29			
		62	1	0.5	32	41	3	0.8	27-28			
		65	3	1.2	30	4	21	2.2	13-27			
		67	1	0.2	25	5	15	1.7	11-28			
						10	1	0.3	31			
						11	2	0.1	16-17			
Del-72-15						12	1	0.1	15			
						14	1	0.1	15			
Del-72-8		<u>Prionotus</u> sp.										
		46	1	0.1	24	20	5	0.2	16-18			
						30	1	0.1	25			

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Myoxocephalus octodecemspinosus--Cont.</u>									
	31	1	0.1	15	D-71-11	17	1	+	15
	32	14	2.3	13-27		18	2	0.1	14-15
	33	11	1.8	12-29		19	3	0.1	15
De1-71-2	8	1	0.1	26		23	1	0.5	31
						25	1	0.2	20
						28	2	0.2	17-20
						29	2	0.1	13-16
						30	2	0.1	16-17
						31	8	0.7	14-22
D-69-9	15	*	*	*		32	3	0.8	17-26
De1-71-3	11	1	0.1	17		34	3	0.2	14-20
De1-72-8	19	9	0.6	15-21		35	2	0.2	20-26
	63	6	0.5	18-23		36	1	0.1	16
De1-72-15	14	14	0.7	17-23		40	1	0.1	14
	22	4	0.5	19-20		20	1	0.2	31
	65	2	0.1	17	De1-71-3	21	2	0.2	19-21
						23	1	0.1	16
						24	1	0.1	21
						26	2	0.2	18-20
D-68-13	2	1	*	23		27	3	0.3	19-21
	11	7	0.9	*		28	2	0.6	29
D-69-23	2	1	*	*		29	2	1.4	25-32
	3	2	*	26-35		43	2	0.1	19
D-69-29	1	1	*	30		44	1	0.1	21
	7	1	*	24		47	1	0.1	22
	9	1	*	20		51	1	0.1	21
	18	1	*	31		52	1	0.1	24
	20	1	*	23		53	1	0.2	24
D-71-3	18	1	0.2	27		7	2	+	11
	23	1	0.3	29	De1-72-8	15	1	0.1	22
	25	1	0.2	27		16	1	0.1	25
	27	1	+	8		25	1	0.1	33
	31	1	+	11					
<u>Ancyllopsetta quadrocellata, ocellated flounder</u>									
<u>Ancyllopsetta quadrocellata--Cont.</u>									

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Ancylopussetta quadrocellata</u> --Cont.										
Del-72-15	30	2	0.5	25-32	Del-71-3	20	1	0.1	14	
	37	1	0.2	24		26	1	+	14	
	38	4	0.9	22-27		29	3	0.1	15-16	
	41	1	0.2	28		37	3	0.1	14	
	43	1	0.2	26		43	2	0.1	16-19	
	45	2	0.9	27-29		47	1	+	10	
	46	1	0.2	26		52	1	+	15	
	51	1	0.6	36		18	7	0.2	10-15	
	53	5	0.8	20-27		26	2	0.1	13-16	
	54	2	0.1	18-20		29	2	0.1	14-15	
	68	2	0.4	23-28		38	11	0.5	12-16	
	9	1	0.3	28		46	23	1.1	14-17	
	11	2	0.2	22		54	1	+	10	
	15	1	0.2	24		23	1	0.1	13	
	21	1	0.5	28		31	24	1.6	13-18	
	24	1	0.1	24		32	2	0.1	15-17	
	27	2	0.6	25-29		40	6	0.2	14-16	
	33	1	0.3	30		49	20	1.0	14-16	
	37	1	+	13		64	4	0.1	10-13	
	41	2	0.5	21-28		<u>Bothus ocellatus</u> , eyed flounder				
42	1	0.1	20	<u>Bothus robinasi</u> (see: Jutare, 1962)						
47	1	0.7	33	Del-71-3 Del-72-8	53	2	0.1	13		
52	1	0.1	23		7	1	+	14		
55	1	0.2	22		17	1	0.1	16		
57	1	0.1	14		25	2	+	10-17		
59	1	+	10		26	5	0.5	17-19		
60	6	0.8	12-29		38	4	0.1	14-17		
61	6	0.9	20-26		43	1	+	12		
62	1	0.3	31		44	1	+	11		
67	1	0.3	30		45	5	0.2	11-17		
68	2	0.6	31-38							

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Bothus robinsi--Cont.</u>										
Del-72-15	46	5	0.5	16-18	D-70-19	36	1	+	12	
	54	1	+	17		39	1	+	11	
	31	1	+	19		6	1	+	12	
	32	7	0.5	11-18		9	2	0.1	11	
	40	8	0.5	15-16		10	4	0.1	8-11	
	47	1	+	16		12	12	0.1	7-11	
	52	1	0.1	19		13	1	+	12	
	53	1	+	15		17	1	+	10	
	63	2	+	15-17		23	2	0.1	10-15	
	64	1	+	13		24	5	0.1	10-14	
<u>Citharichthys arctifrons, Gulf Stream flounder</u>										
D-69-15	11	3	*	14-16	D-71-3 D-71-11	29	2	+	10	
	18	2	*	13-14		30	21	0.1	5-13	
	20	1	*	*		6	1	0.2	14	
	22	2	*	14		7	1	+	12	
	24	1	*	9		11	2	0.1	9-14	
	39	1	*	15		45	1	+	13	
	41	40	*	9-12		48	13	0.5	10-15	
	58	1	*	15		11	1	+	11	
	1	1	*	14		13	1	+	13	
	5	1	+	10		14	1	+	9	
D-69-21 D-70-16	6	2	+	10-11	D-71-14	23	1	+	13	
	10	9	0.1	9-12		27	1	+	12	
	11	8	0.1	6-11		31	1	+	12	
	12	1	0.1	19		33	1	+	16	
	21	1	+	11		2	1	+	13	
	22	2	+	10		63	1	+	9	
	24	2	+	10-12		Del-72-15	5	1	+	7
	25	1	+	9			65	1	+	10

Citharichthys arctifrons--Cont.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Citharichthys macrops</u> , spotted whiff									
D-69-9	19	1	*	*					
D-69-29	10	6	*	7-20	D-69-29	1		*	10
	11	9	*	7-13	Del-71-3	3	0.3	20-27	20-27
	12	2	*	5-9		3	1.2	28-40	28-40
	13	2	*	11-12		1	0.1	25	25
	16	2	*	9-13		2	0.9	29-30	29-30
	17	2	*	9-12		7	1.4	21-29	21-29
	18	1	*	11		2	0.3	17-24	17-24
	19	2	*	10-12		1	0.1	22	22
D-71-3	18	1	0.1	14		2	0.5	25-30	25-30
	29	1	+	11	Del-72-8	56	0.5	19-28	19-28
D-71-11	19	1	+	15		17	0.2	35	35
	25	1	+	15		18	0.2	21	21
	28	4	0.2	15-16		26	0.6	28-34	28-34
	30	1	+	14		27	0.1	22	22
Del-71-3	26	2	0.1	14-18		46	0.2	22-26	22-26
	33	1	+	13	Del-72-15	53	0.6	26-32	26-32
	43	1	+	18		15	0.2	26	26
Del-72-8	25	1	0.1	19		31	0.8	24-27	24-27
	26	1	0.1	16		33	0.2	28	28
	37	1	+	16		52	0.2	25-26	25-26
	38	1	+	16		62	0.5	28-29	28-29
	51	1	+	14		63	1.1	24-32	24-32
	62	1	0.1	21		64	0.6	37	37
Del-72-15	27	1	+	15		70	0.4	32	32
	41	2	0.1	16					
	42	3	0.1	11-15					
	48	1	0.1	20					
	63	1	+	19					
<u>Etropus</u> sp.									
					D-68-13	2		*	8
					D-69-9	5		*	7
					D-69-23	1		*	*
						11		*	9-12

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
		<u>Etropus sp.--Cont.</u>								
	16	5	*	8-12	D-71-11	18	1	+	9	
	22	1	*	10		25	6	0.2	13-16	
	24	3	*	*		28	1	+	13	
	25	1	*	11		29	2	0.1	13-15	
	28	2	*	11		34	2	0.1	12-13	
	32	1	*	11		49	1	+	9	
	6	3	*	6-9	Del-71-3	7	1	0.1	15	
	7	1	*	8		22	1	+	8	
	8	7	*	8-10		36	6	0.1	5-11	
	9	7	*	8-10		55	1	+	8	
	10	7	*	6-14	Del-72-8	16	1	+	13	
	11	4	*	9-11		39	6	0.1	10-11	
	12	3	*	8-10		47	1	+	11	
	13	4	*	8-11	Del-72-15	29	1	+	5	
	14	1	*	10		30	2	+	8	
	15	1	*	10		41	2	+	13	
	16	1	*	9		42	2	0.1	14-15	
	17	1	*	7						
	18	2	*	7						
	19	3	*	6-8						
	24	1	*	7						
	27	2	*	7-9						
	1	6	+	2-8						
	4	1	+	17						
	25	7	+	4-5						
	27	3	+	4						
	32	5	+	5-6						
	33	1	+	12						
	36	7	+	4-5						
	39	15	0.1	4-8						
	40	3	+	5-8						
	41	1	+	5						
		<u>Gastropsetta frontalis, shrimp flounder</u>								
					Del-71-3	18	1	0.1	17	
					Del-72-8	18	1	0.2	22	
						26	4	0.5	19-23	
						46	4	0.6	22-23	
		<u>Paralichthys albigutta, gulf flounder</u>								
					D-69-15	57	2	*	11-14	
						59	1	*	11	
					D-69-23	9	1	*	12	
					D-71-3	14	1	0.3	36	

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
		<u>Paralichthys albigutta--Cont.</u>								
D-71-11	17	2	0.2	12-26		23	2	1.8	*	
	28	1	0.1	18		24	3	1.4	*	
Del-71-3	7	1	0.1	18		26	5	*	*	
	56	3	1.6	32-36		29	4	1.8	*	
	57	1	0.5	32		30	4	2.3	*	
	58	1	0.9	40		31	8	4.5	*	
	59	1	1.0	43		32	10	7.3	*	
Del-72-8.	11	1	0.5	33		33	4	2.7	*	
	16	3	*	25-33		40	1	0.9	*	
	42	1	0.6	37		46	1	0.2	*	
	55	4	3.3	35-41		51	2	1.4	*	
	64	5	0.9	18-36		53	3	*	*	
	65	1	0.3	33		54	6	*	*	
	66	2	0.7	29-33		55	24	*	*	
Del-72-15	30	1	0.3	29	D-69-9	1	2	*	30-38	
	67	1	0.2	30		3	3	*	*	
	68	3	1.2	30-35		5	1	*	*	
	69	4	1.2	28-33		6	1	*	*	
	70	1	0.3	28		7	10	*	*	
	73	1	0.2	28		8	5	*	18-42	
						9	1	*	45	
						11	2	*	18-33	
						15	1	*	*	
D-68-7	1	1	*	47		16	3	*	*	
	14	1	*	53		17	14	*	*	
	18	1	*	63		18	12	*	17-20	
D-68-13	1	3	*	29-42		19	12	*	*	
	3	1	0.5	*		20	1	*	*	
	4	18	8.2	27-33		21	6	*	*	
	6	17	*	*		22	9	*	*	
	7	4	*	*		24	1	*	*	
	8	3	*	*		25	1	*	*	
		<u>Paralichthys dentatus, summer flounder</u>								

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
	26	1	*	18		25	8	*	*
	30	2	*	*		26	1	*	60
	32	5	*	*		27	1	*	35
	35	1	*	*		30	1	*	35
	36	24	*	*		38	2	*	*
	38	5	*	*		40	1	*	38
	39	1	*	*		41	2	*	40-42
	41	*	*	*		44	2	*	*
	42	4	*	*		45	1	*	37
	43	7	*	*		47	4	*	*
	44	7	*	*		48	3	*	32-42
	45	5	*	17		56	1	*	54
	46	8	*	19		57	3	*	34-47
	47	6	*	*		58	2	*	34-41
	50	5	*	*		59	7	*	30-47
	51	7	*	*		60	3	*	41-59
	52	1	*	*		61	5	*	*
	53	2	*	*		62	1	*	*
	54	3	*	18-19		68	3	*	*
	57	3	*	20		70	11	*	34-56
	58	1	*	*	D-69-21	1	1	*	47
	62	6	*	*		2	10	*	35-56
	63	10	*	*		3	2	*	30-37
	64	1	*	15		1	2	*	*
	66	1	*	38	D-69-23	3	5	*	33
	67	1	*	*		4	3	*	*
	68	2	*	41-63		5	6	*	*
D-69-15	10	4	*	*		7	1	*	29
	13	3	*	*		9	3	*	16-19
	14	2	2.3	*		10	5	*	*
	22	2	*	44		11	13	*	15-29
	23	2	*	40		12	7	*	24-30

Paralichthys dentatus--Cont.Paralichthys dentatus--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
	14	2	*	22-23		18	3	*	*
	15	2	*	21-22		19	1	*	*
	16	17	*	16-21		20	1	*	19
	17	1	*	*		21	3	*	23-45
	18	5	*	*		22	1	*	24
	19	3	*	31		24	2	*	15-19
	21	*	*	*		25	4	*	15-43
	22	*	*	*		26	1	*	32
	23	5	*	25-34		27	4	*	22-52
	24	7	*	21-46	D-70-16	1	1	0.9	46
	25	1	*	38		2	1	0.9	45
	26	1	*	33		5	3	1.8	29-60
	27	12	*	*		6	9	6.8	30-43
	29	*	*	*		7	2	0.5	30-34
	31	1	*	45		9	11	5.4	27-49
	32	4	*	33-35		10	6	3.6	29-42
	35	1	*	*		11	2	1.1	30-39
	39	1	*	*		13	2	1.6	34-36
	45	4	*	52		14	2	1.6	41
D-69-25	2	4	*	*		15	4	2.7	31-37
	5	4	*	54-68		16	2	1.8	34-41
	6	1	*	72		17	3	2.3	39-47
	9	2	*	*		18	3	2.7	34-40
	10	1	*	*		21	3	2.3	38-42
	11	1	*	58		34	5	10.2	46-62
D-69-29	7	3	*	22-33		36	1	0.9	36
	8	1	*	33		39	1	0.9	42
	9	2	*	36-37	D-70-19	2	4	9.5	49-64
	10	1	*	38		5	6	5.4	34-58
	11	1	*	36		6	19	6.4	29-53
	16	*	*	*		8	1	1.1	47
	17	4	*	23		9	5	0.9	29-40

Paralichthys dentatus--Cont.

Paralichthys dentatus--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Paralichthys lethostigma</u> --Cont.									
Del-71-3	7	1	0.5	37		30	45	*	21-32
	33	1	1.1	44		31	10	*	17-28
	35	1	0.1	28		32	7	*	23-29
	54	1	0.5	36		33	3	0.3	24-29
	56	1	0.3	32		34	4	*	20-26
Del-72-8	57	1	0.5	34		35	5	*	*
	34	1	0.7	29		49	7	*	21-31
	35	*	*	*		50	5	*	24-27
	64	1	0.5	31		51	1	*	25
Del-72-15	20	1	0.5	34		52	2	*	21-22
	43	1	0.7	42		53	2	*	21-26
	68	1	0.3	33		54	16	*	23-34
<u>Hippoglossina oblongus</u> , fourspot flounder (see: Gutherz, 1967)									
D-68-7	21	1	*	24		56	1	*	34
	22	3	*	30-34		62	4	*	25-30
D-69-9	60	1	*	20	D-69-25	65	1	*	28
D-69-15	7	29	*	18-34		66	1	*	22
	8	27	*	21-35		67	6	*	22-32
	9	9	*	11-34		5	18	*	15-38
	15	2	*	23-24		6	3	*	12-15
	16	9	*	26-34		3	3	0.5	24-28
	17	1	*	33		4	2	0.7	32-34
	18	9	*	19-24		22	1	0.1	26
	19	11	*	17-35		23	1	0.2	31
	20	28	*	16-36		24	11	2.0	24-33
	21	22	*	19-33		25	14	2.4	19-32
23	1	*	24		26	2	0.3	24-28	
29	8	*	22-30		31	2	0.3	25-26	
						32	1	0.1	25
						4	1	0.2	33
					D-70-19	25	2	0.6	28-35

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
		<u>Hippoglossina oblongus--Cont.</u>					<u>Paralichthys squamilentus, broad flounder</u>		
	26	10	1.6	24-32	De1-72-15	38	2	0.9	29-35
	27	16	2.5	23-34					
	35	1	0.1	23					
D-71-11	6	1	0.1	33	D-68-7	1	1	*	28
	16	1	0.1	17		3	8	*	24-34
	44	40	6.6	18-34		4	1	*	25
	49	12	1.6	16-32		8	1	*	*
D-71-14	2	2	0.1	21-23		9	1	*	*
	3	3	0.1	19-24		10	2	*	*
	4	3	0.5	27-31		12	15	*	*
	5	4	0.6	24-34		13	5	*	15-31
	9	3	0.6	21-32		14	17	*	17-27
	10	2	0.2	20-24		15	2	*	23-24
	11	7	0.8	15-32		19	3	*	21-25
	12	8	0.9	21-28		22	1	*	32
	13	11	1.1	18-26		23	1	*	26
	14	20	2.0	18-36	D-68-13	15	1	*	*
	15	6	0.5	16-27		31	*	*	*
	20	17	2.5	20-34		55	*	*	*
	21	4	0.3	23-31	D-69-9	1	2	*	19-22
	22	19	2.0	15-30		2	1	*	28
	30	1	0.1	25		3	4	*	*
	32	1	0.1	29		4	7	*	*
	33	9	1.1	19-29		5	15	*	21-25
De1-71-2	7	2	0.2	22-25		7	*	*	*
	8	9	1.0	21-28		8	1	*	*
De1-71-3	6	4	0.1	18-20		18	1	*	*
	64	5	0.2	16-23		27	1	*	*
De1-72-8	5	2	0.2	19-22		46	2	*	*
	6	14	1.1	21-25		47	2	*	*
	55	2	0.2	22-25		48	5	*	*
De1-72-15	5	4	0.2	20-23					

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-69-15	51	5	*	*		32	12	*	22-28
	62	10	*	*		33	22	*	23-31
	63	2	*	*		34	15	*	19-28
	64	4	*	*	*	35	14	*	*
	65	17	*	*	19-29	36	9	*	13-26
	66	15	*	*	21-29	37	25	*	14-28
	68	6	*	*	22-26	38	12	*	16-27
	7	11	*	*	21-28	39	15	*	21-25
	8	52	*	*	19-29	40	18	*	17-25
	9	34	*	*	21-27	41	60	*	12-30
	10	13	*	*	21-26	42	32	*	14-27
	11	3	*	*	22-23	43	9	*	13-29
	12	3	*	*	22	44	3	*	22-25
	13	12	*	*	14-25	46	11	*	15-28
	14	9	*	*	21-25	47	8	*	*
	15	7	*	*	21-30	48	18	*	*
	16	13	*	*	22-30	49	23	*	16-26
	17	4	*	*	22-23	50	26	*	23-29
	18	1	*	*	22	51	2	*	22-26
	19	7	*	*	21-25	52	7	*	22-29
	20	38	*	*	20-27	53	1	*	22
	21	59	*	*	23-29	54	10	*	23-27
	22	11	*	*	20-25	55	28	*	21-31
	23	28	*	*	20-28	56	80	*	19-28
	24	44	*	*	16-27	57	14	*	18-24
	25	42	*	*	12-26	58	9	*	19-27
	26	3	*	*	23-27	59	13	*	14-20
	27	2	*	*	22-23	60	38	*	21-25
	28	3	*	*	23-26	61	10	*	15-27
	29	15	*	*	21-29	62	5	*	22-26
	30	25	*	*	22-31	63	11	*	19-25
31	7	*	*	22-27	64	14	*	23-28	

Scophthalmus aquosus--Cont.Scophthalmus aquosus--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-70-16	1	35	10.0	18-31		34	186	60.3	12-31
	2	16	3.9	13-29		35	27	8.6	11-36
	3	11	2.9	15-30		36	75	13.6	12-31
	4	11	2.8	24-29		37	4	1.0	22-28
	5	8	0.1	9-13		38	3	0.8	25-27
	6	13	0.9	8-29		39	53	9.3	11-33
	7	7	1.5	18-27	D-70-19	1	40	5.0	14-32
	8	1	0.1	23		2	3	0.3	17-26
	9	12	0.7	13-31		3	3	0.7	12-28
	10	11	0.8	12-26		4	1	0.2	27
	11	20	2.7	14-30		5	4	0.5	16-27
	12	16	3.4	24-26		6	18	2.4	14-29
	13	37	5.7	21-27		9	17	1.7	14-30
	14	18	3.2	13-28		10	11	1.4	12-29
	15	97	14.7	12-29		11	5	0.2	12-16
	16	75	7.7	10-27		12	7	0.3	14-18
	17	42	8.8	10-30		13	30	4.1	13-27
	18	35	7.7	9-29		14	83	9.3	15-28
	19	22	5.4	11-31		15	17	1.0	13-26
	21	200	15.4	9-28		16	198	19.1	13-25
	22	10	1.9	10-30		17	60	5.7	14-19
	23	41	10.0	11-30		18	48	3.4	13-22
	24	30	6.8	15-29		19	8	0.3	14-17
	25	37	6.4	21-28		20	9	1.4	14-27
	26	48	11.6	11-22		21	1	+	14
	27	15	2.7	23-28		22	2	0.5	24-26
	28	17	3.2	12-28		23	99	18.6	15-32
	29	19	3.6	19-31		24	130	29.5	13-28
	30	11	2.9	24-30		25	19	2.9	12-29
	31	15	4.0	24-31		26	33	6.4	12-29
	32	5	1.5	26-29		27	16	3.6	12-30
	33	7	1.8	23-31		28	17	2.8	10-29

Scophthalmus aquosus--Cont.Scophthalmus aquosus--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)		
		No.	Wt. (kg)				No.	Wt. (kg)			
D-71-3	29	45	9.2	16-30	D-71-14	10	9	0.7	13-28		
	30	11	1.4	15-26		11	1	0.2	25		
	31	37	9.1	22-30		12	2	0.3	22-27		
	32	169	34.5	17-28		13	5	0.1	13-14		
	33	20	5.0	17-29		15	1	0.1	23		
	34	24	6.8	23-32		17	4	0.1	13-15		
	35	6	1.2	23-26		21	1	+	12		
	36	69	17.2	23-31		31	1	+	12		
	37	5	1.7	24-32		42	4	0.2	15-17		
	38	5	2.4	22-27		43	55	3.1	12-18		
	39	31	7.7	17-32		44	14	2.3	17-28		
	40	55	10.0	15-30		45	1	+	16		
	1	62	12.2	5-30		46	2	0.1	14-18		
	2	4	0.8	23-28		47	8	0.6	15-18		
	3	6	0.7	8-28		48	18	2.7	13-28		
	4	4	+	6-11		1	8	1.7	10-30		
	13	2	+	10-18		2	2	0.1	19-26		
	15	2	+	9-15		3	5	1.4	22-30		
	16	2	0.1	9-16		4	1	0.1	24		
	17	2	+	8-10		6	49	5.0	14-22		
	36	4	0.1	8-17		7	6	0.5	15-20		
	38	1	+	5		8	3	0.1	19-23		
	40	47	9.1	21-28		9	10	2.4	22-29		
	41	20	5.4	21-40		10	2	0.5	24-28		
	2	4	0.8	23-27		11	2	0.3	16-17		
	3	8	1.8	23-28		12	1	0.1	25		
	4	27	5.7	20-30		13	1	0.2	26		
	5	37	5.4	14-27		14	7	1.5	22-29		
	6	16	3.2	22-29		16	4	0.5	17-23		
	7	19	2.3	14-25		17	17	1.9	17-28		
	8	73	9.8	13-30		18	9	0.8	16-28		
	9	2	0.3	14-29		19	1	0.1	26		
	<u>Scophthalmus aquosus--Cont.</u>										
	<u>Scophthalmus aquosus--Cont.</u>										

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Scophthalmus aquosus</u> --Cont.										
	21	2	0.2	24-26		66	16	3.7	22-32	
	22	3	0.5	21-25		67	20	3.7	21-26	
	23	2	0.3	25		68	11	1.9	21-26	
	24	3	0.6	19-27	Del-72-8		4	0.9	23-27	
	25	1	0.1	15		2	8	0.3	23-25	
	26	18	1.8	12-28		3	1	0.1	26	
	27	46	11.8	24-30		11	2	0.2	19-22	
	28	1	0.1	23		12	1	0.1	21	
	29	1	0.1	22		15	1	+	17	
	30	1	0.2	26		64	1	0.1	19	
	31	3	0.6	22-26		1	1	+	12	
	34	3	0.3	21-27	Del-72-15		1	+	20	
Del-71-2	1	2	0.5	29		59	1	+	11	
	2	1	0.2	30		60	6	0.3	11-19	
	3	8	1.5	22-27		61	1	0.1	18	
	4	36	6.1	17-30		66	1	+	13	
	5	5	1.0	22-27		68	4	0.5	19-21	
	6	8	1.6	21-28		77	1	+	14	
	7	1	0.2	26						
	1	3	0.5	20-25						
	3	3	0.2	20-24						
	5	1	0.1	27						
	6	2	0.3	23-26						
	13	2	0.1	20-22						
	21	4	0.2	15-18						
	53	3	0.1	14-15						
	58	1	0.1	25						
	59	3	0.3	20-24						
	61	11	1.4	18-25						
	62	1	0.1	20						
	65	11	2.5	23-28						
<u>Syacium micrurum</u> , channel flounder										
Del-71-3						34	1	0.2	26	
<u>Syacium papillosum</u> , dusky flounder										
						14	1	*	*	
						16	2	*	12-13	
						7	1	*	29	
						31	32	0.6	11-26	
						32	1	0.1	14	
						33	9	0.8	15-27	

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-71-11	28	2	0.3	22	Del-72-15	32	2	0.1	17-22
	32	3	0.2	16-20		36	1	+	15
	35	1	0.1	19		37	2	0.4	14-26
	18	2	0.2	23-31		38	2	0.5	23-24
	27	4	0.7	20-31		39	15	0.5	12-23
	29	4	2.2	20-29		41	1	0.2	28
	30	1	0.1	25		43	2	0.5	28
	32	1	+	21		44	8	1.7	12-32
	36	40	1.6	10-21		45	2	0.3	27-28
	37	27	1.9	12-25		46	8	1.1	20-26
	38	5	0.9	21-29		53	2	0.8	26-31
	39	3	0.5	20-25		54	4	0.5	19-28
	40	1	0.1	22		62	1	0.3	32
Del-71-3	43	9	1.6	20-29	63	1	0.2	24	
	44	4	0.6	18-26	69	3	0.5	25	
	45	3	0.5	23-24	74	3	0.5	21-30	
	46	2	0.2	14-27	11	10	2.0	20-31	
	47	5	0.7	19-26	24	1	0.5	34	
	49	2	0.5	28	31	21	4.1	23-31	
	50	4	0.6	22-24	33	7	2.0	27-35	
	51	2	0.2	12-13	36	2	0.1	15-21	
	56	3	0.8	30-45	39	16	0.8	11-22	
	57	1	0.2	25	40	7	1.1	20-28	
	Del-72-8	7	8	1.1	21-27	41	11	0.9	13-22
		17	1	0.2	15	42	17	1.4	17-21
		18	27	4.3	19-30	45	2	0.1	6-18
25		3	0.3	14-28	47	3	0.5	17-28	
26		5	0.9	20-30	48	3	0.6	24-26	
27		8	0.6	7-27	49	4	0.6	16-25	
29		2	0.2	20-31	52	5	1.0	23-31	
30		4	0.7	21-31	53	4	1.4	28-34	
31		1	0.1	16	55	1	+	16	

Syacium papillosum--Cont.

Syacium papillosum--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Syacium papillosum</u> --Cont.					<u>Limanda ferruginea</u> --Cont.				
	56	1	0.1	17		37	1	+	14
	57	1	0.1	18		38	3	0.5	15-26
	61	2	0.1	13-14	D-70-19	27	3	0.2	13-14
	63	6	1.4	16-28		37	6	0.1	12-14
	64	16	2.7	11-29		38	1	+	15
	65	1	0.2	29	D-71-14	4	72	12.5	14-35
	72	1	+	8		5	29	2.7	14-35
	74	3	0.5	22-23		11	12	0.7	16-19
PLEURONECTIDAE									
<u>Limanda ferruginea</u> , yellowtail flounder					<u>Limanda ferruginea</u> --Cont.				
D-69-9	68	5	*	27-46		20	35	1.8	12-24
	69	3	*	22-23		21	41	1.8	14-20
D-69-15	7	28	*	10-16		22	2	0.1	15-18
	18	1	*	25		30	2	0.1	16-25
	22	1	*	12		31	17	1.4	13-36
	32	1	*	23		32	9	0.8	15-27
	54	1	*	15	Del-71-2	33	58	7.5	13-33
	55	3	*	11		8	11	0.9	16-27
	66	2	*	12-14	<u>Pseudopleuronectes americanus</u> , winter flounder				
	67	2	*	11-14		1	1	*	*
D-69-25	5	59	*	24-33	D-68-7	4	35	*	11-39
	6	1	*	23		5	1	*	*
D-70-7	1	15	6.1	28-37		9	3	*	21-34
	2	8	2.9	25-39		10	1	*	*
	3	17	6.8	30-46		12	2	*	*
D-70-16	2	1	0.1	15		13	2	*	*
	4	2	0.6	29-35		14	15	*	19-23
	20	1	+	12		15	12	*	17-29
	24	10	0.2	9-13		17	1	*	21-30
	25	15	0.3	11-15				*	28

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
	19	2	*	26-32		46	1	*	17
	20	1	*	25		48	2	*	15-18
	21	1	*	20		49	1	*	18
	22	4	*	25-28		50	2	*	21-22
	23	3	*	28-32		51	8	*	17-28
	64	1	*	*		52	2	*	22-23
D-69-9	65	32	*	21-36		54	9	*	19-29
	66	117	49.9	16-40		55	10	*	19-30
	68	12	*	*		56	3	*	16-22
	69	12	*	15-35		57	1	*	32
D-69-15	7	2	*	17-28		58	1	*	31
	8	2	*	21-31		59	1	*	16
	9	2	*	19-20		60	2	*	12-20
	15	10	*	16-26		61	5	*	15-25
	16	18	*	17-28		62	3	*	18-33
	17	3	*	17-25		63	2	*	17-31
	18	23	*	18-30		64	17	*	17-31
	19	12	*	15-28		65	4	*	24-27
	20	6	*	21-29		66	6	*	16-32
	21	3	*	18-24		67	16	*	18-28
	22	2	*	22-29		68	2	*	20
	23	1	*	17		69	4	*	20-29
	30	69	*	16-29		70	9	*	11-26
	31	10	*	17-25	D-69-23	43	1	*	17
	32	15	*	17-28		44	1	*	22
	33	13	*	16-28		1	3	*	16-20
	34	5	*	18-22	D-69-25	4	5	*	25-29
	35	1	*	*		5	7	*	24-29
	36	1	*	27		7	25	*	20-30
	42	1	*	18		8	1	*	28
	43	1	*	25		12	1	*	*
	44	2	*	17-19	D-69-29	4	4	*	6-7

Pseudopleuronectes americanus--Cont.

Pseudopleuronectes americanus--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Pseudopleuronectes americanus--Cont.</u>									
D-70-7	1	38	10.9	17-34		13	1	0.1	21
	2	125	31.8	12-36		16	1	0.1	21
	3	9	2.9	13-31		20	4	0.6	21-25
	4	4	1.4	26-37		21	1	0.1	19
D-70-16	2	8	2.0	24-32		22	2	0.3	20-22
	3	34	8.2	15-35		23	5	0.9	19-27
	4	49	6.8	15-33		24	143	19.5	15-28
	12	2	0.2	19-21		25	8	1.1	12-26
	16	1	0.1	18		26	4	0.7	19-28
	17	1	0.1	17		27	5	1.0	17-30
	19	18	2.3	16-26		28	10	1.4	17-28
	22	7	1.2	16-28		29	9	1.5	18-29
	23	17	2.3	15-29		30	5	1.5	18-32
	24	9	1.5	15-25		31	18	3.2	15-32
	25	1	0.2	26		32	18	3.6	17-35
	26	14	2.0	16-25		33	15	2.3	19-30
	27	25	1.4	14-25		34	3	0.5	21-23
	28	4	0.6	17-25		35	5	0.9	16-29
	29	8	1.1	14-27		36	7	0.9	13-26
	30	9	2.2	19-36		37	3	0.9	16-31
	31	12	2.6	16-36		39	4	0.5	18-22
	32	4	0.8	22-26		40	4	0.5	19-24
	33	1	0.3	27	D-71-3	1	1	0.1	26
	34	6	1.1	15-28		2	1	0.5	34
	35	92	22.7	14-31		40	7	1.0	21-27
	36	2	0.2	18-21		41	5	1.1	14-35
	37	21	3.9	12-36	D-71-11	1	2	0.1	14-21
	38	3	0.7	15-26		2	3	0.5	20-22
	39	2	0.3	19-22		3	5	0.5	17-24
D-70-19	2	6	0.7	18-22		4	6	1.0	19-27
	3	1	0.2	27		49	2	0.2	22-24
	4	3	0.6	21-27					

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Pseudopleuronectes americanus</u> --Cont.										
D-71-14	3	6	1.6	24-31	Del-71-3	26	1	0.1	15	
	4	43	7.6	17-31		51	1	+	14	
	5	6	1.7	19-34		55	1	0.1	16	
	10	1	0.1	23		38	1	0.1	16	
	11	6	0.9	17-25		46	2	0.3	16-17	
	13	1	0.2	26		31	1	0.1	15	
	15	2	0.5	24-27		40	2	0.1	14-15	
	19	1	0.1	28		71	1	0.1	16	
	20	2	0.7	30-33		72	1	0.1	19	
	21	1	0.2	29		<u>SOLEIDAE</u>				
	22	2	0.3	26		<u>Gymnachirus melas</u> , naked sole				
	23	2	0.9	30		<u>Trinectes maculatus</u> , hogchoker				
	24	2	0.5	19-30		27	2	*	*	*
	28	4	0.6	17-25		11	1	*	*	13
29	4	0.9	19-30	15	10	*	*	11-15		
30	1	0.1	30	16	2	*	*	13-15		
31	3	0.5	16-27	20	1	*	*	11		
32	7	1.4	19-28	16	4	0.5	0.5	14-18		
33	5	1.1	21-30	18	13	1.6	1.6	15-18		
34	3	0.5	20-22	29	18	0.8	0.8	10-15		
Del-71-2	2	1	0.1	22	30	1	+	11		
	3	8	1.5	20-29	31	1	+	12		
	4	2	0.5	27-33	32	31	1.1	9-14		
	5	8	1.8	20-30	33	11	0.3	11-14		
	6	16	3.5	18-32	8	7	0.7	13-18		
	7	1	0.1	21	27	1	0.1	13		
	8	12	3.2	21-33	29	1	0.1	12		
					36	2	0.1	13		
				47	10	0.9	13-18			
				48	4	0.3	13-15			

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Trinectes maculatus--Cont.</u>					<u>Symphurus plagiusa--Cont.</u>				
D-71-14	6	29	2.5	12-19		19	1	*	13
	8	1	+	14		20	1	*	11
	18	3	0.5	15-18		21	1	*	13
	19	9	0.8	13-19		23	1	*	14
Del-71-3	34	13	0.3	9-12		27	1	*	15
	60	4	0.2	12-14	D-71-3	3	1	+	11
Del-72-8	35	1	0.1	13		16	1	+	17
Del-72-15	21	1	0.1	13		17	1	+	16
	44	3	0.1	11-13		18	1	0.1	17
	59	2	0.1	11		22	1	+	15
	61	1	+	10		28	11	0.1	11-17
						29	17	0.6	11-15
CYNOGLOSSIDAE									
						30	1	+	14
Del-72-15	30	1	+	12		31	1	+	15
<u>Symphurus plagiusa</u> , blackcheek tonguefish									
						32	7	0.1	11-15
						35	1	+	14
						37	1	+	16
D-68-13	2	1	*	15	D-71-11	39	3	0.1	14-17
	6	3	*	*	Del-71-3	18	2	+	13
	9	*	*	*	Del-72-15	37	1	+	13
	29	*	*	*		61	1	+	11
	33	*	*	*	BALISTIDAE				
	46	*	*	*	<u>Aluterus monoceros</u> , unicorn filefish				
	11	3	*	14		11	1	*	17
D-69-23	7	2	*	17-18					
D-69-29	11	1	*	15	<u>Aluterus schoepfi</u> , orange filefish				
	14	3	*	13-15					
	15	1	*	14		15	4	5.7	*
	16	2	*	15-18		13	1	*	*
	17	1	*	16		38	1	*	*

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Aluterus schoepfi--Cont.</u>									
D-69-23	1	*	*	*		43	1	0.2	28
	8	1	*	*		45	3	3.4	45-50
	16	1	*	41		52	1	0.9	52
	34	2	*	*		55	5	2.3	28-42
D-69-25	8	2	*	22-24		57	5	4.8	40-46
	10	1	*	25	Del-72-8	9	2	1.4	39-43
D-69-29	10	2	*	24-40		10	1	0.9	44
	19	1	*	*		11	1	0.5	41
D-71-3	31	1	1.1	46		14	1	0.8	44
	34	20	19.5	35-54		16	2	1.6	40-42
D-71-11	8	2	1.9	44-46		20	1	1.1	46
	35	5	2.5	10-47		23	1	1.1	47
	38	5	3.4	39-43		24	3	3.2	42-49
Del-71-2	1	1	0.1	31		25	18	10.9	33-50
Del-71-3	12	2	1.8	43-44		30	3	2.7	44-46
	13	28	21.3	37-47		32	8	8.6	45-55
	14	8	6.4	41-43		33	2	2.3	49-50
	15	1	0.7	41		37	4	3.4	43-46
	17	1	0.7	41		38	5	5.9	46-50
	20	2	1.6	39-45		41	6	7.0	43-52
	24	1	1.2	47		43	9	8.2	39-50
	25	2	2.0	44-45		44	3	2.7	43-46
	26	6	4.8	39-46		45	8	9.5	45-50
	27	5	3.9	37-48		50	1	0.7	42
	29	5	5.2	44-49		51	1	0.5	39
	30	1	1.5	50		52	35	30.8	35-51
	32	3	3.4	44-46		53	7	4.1	29-52
	33	3	3.5	46-47		56	1	0.6	42
	38	3	3.4	46-50		59	6	5.0	33-50
	39	3	3.6	44-51		60	2	1.6	43-46
	40	10	10.4	40-49		67	3	2.0	39-44
	41	1	1.2	48					

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Aluterus schoepfi</u> --Cont.									
Del-72-15	17	10	4.5	26-46		43	1	0.2	24
	18	3	2.5	41-47		44	2	0.2	22-25
	19	9	5.9	38-44		50	1	0.1	19
	21	1	0.3	38		51	2	0.1	19
	25	2	1.8	45-47		55	1	0.1	28
	26	7	6.8	41-48		57	1	0.2	34
	27	4	3.2	40-49		17	1	0.1	21
	32	9	7.3	41-49		37	2	1.1	43-45
	33	5	5.9	45-49		38	1	0.2	32
	34	3	2.0	42-45		45	2	0.6	25-26
	35	4	4.5	42-46		46	2	0.2	24-25
	40	7	8.2	40-53		16	1	0.2	31
	46	2	2.3	45-46		17	2	0.5	27-32
	49	6	8.2	46-54		24	2	0.2	21-25
	52	4	5.0	47-50		40	1	0.5	36
	53	3	3.9	46-50					
	54	2	2.0	46-52					
	60	1	1.1	45					
	61	1	0.9	46					
62	2	1.7	44-46						
63	1	0.8	45						
67	3	2.0	42-44						
69	1	0.9	42						
<u>Aluterus scriptus</u> , scrawled filefish									
D-69-23	27	1	*	28		10	1	*	*
D-71-11	36	1	0.1	21		22	1	*	10
Del-71-3	18	3	0.1	19-25		26	1	0.2	27
	28	2	0.1	16-26		8	1	0.1	11
30	2	0.1	17-20		10	3	0.2	15-16	
37	2	0.2	26-27		26	8	0.6	11-14	
<u>Balistes capricus</u> , gray triggerfish									
D-69-23						10	1	*	*
D-69-29						22	1	*	10
D-71-11						26	1	0.2	27
Del-71-3						28	1	0.1	11
						30	7	0.5	13-16
						31	1	+	15
						37	17	1.5	12
						38	1	+	13-19
						41	1	0.1	14
						43	4	0.2	19
						44	2	0.1	11-13

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Balistes caprisiscus--Cont.</u>										
Del-72-8	45	1	0.1	12	Balistes vetula, queen triggerfish	Del-72-8	68	1	3.6	60
	49	6	0.5	12-13		Del-72-15	71	1	3.5	61
	55	3	0.4	14-24						
	56	1	+	13						
	57	2	2.0	27-45						
	8	*	*	*						
	17	3	0.2	12-14						*
	26	1	0.1	13						*
	29	5	1.9	13-45						32
	43	1	0.1	15						
Del-72-15	44	3	0.1	16-17						
	46	2	0.1	14						
	53	1	0.1	18						
	7	1	0.1	14						
	8	1	0.1	20						
	9	1	0.1	17						
	11	1	0.9	40						
	15	5	0.3	13-16						
	17	3	0.6	18-22						
	34	1	0.1	19						
Del-68-13	40	2	0.2	15-25						
	41	1	0.1	18						
	43	1	0.1	20						
	46	2	0.2	18-20						
	48	1	0.1	18						
	55	6	0.5	14-19						
	63	1	0.2	23						
	70	1	0.1	15						
	<u>Monocanthus hispidus, planehead filefish</u>									
	Del-68-13	11	45	11.3						
12		*	*							
24		1	*							
25		12	*							
32		1	*							
34		1	*							
36		1	*							
40		1	*							
59		1	*							
Del-69-23		1	35	*						
	2	16	*							
	3	21	*							

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
	4	14	*	*		13	8	*	6-24
	5	3	*	*		14	2	*	5-23
	6	5	*	*		16	21	*	8-23
	7	3	*	*		17	3	*	19-24
	8	18	*	*		18	86	13.8	15-24
	9	3	*	*		19	*	16.3	18-21
	10	6	*	*		20	13	*	16-22
	11	32	*	*		21	2	*	11-18
	13	2	*	*		22	1	*	19
	14	15	*	10-20		23	1	*	17
	15	7	*	*	D-71-3	21	5	0.9	21-23
	16	1	*	*		22	1	0.2	23
	30	1	*	*	D-71-11	21	3	+	5-11
	36	1	*	16		22	1	0.1	11
	38	1	*	*		35	1	0.1	23
	45	1	*	12		38	12	2.0	18-24
D-69-25	5	1	*	12		39	2	0.2	21-23
	6	3	*	10-13		40	8	1.6	14-25
	7	1	*	13		45	1	+	11
	8	3	*	10-11	Del-71-3	5	5	0.2	5-14
	10	1	*	11		6	9	0.5	7-14
	12	1	*	*		7	2	0.1	11-24
	13	2	*	10		10	1	0.1	11
D-69-29	1	14	*	22-27		13	6	1.1	18-25
	2	9	*	12-19		14	7	0.7	10-24
	3	1	*	7		15	3	0.2	13-23
	4	5	*	21-23		18	20	1.4	11-20
	6	1	*	27		20	5	0.2	6-22
	7	2	*	10-12		21	1	+	9
	9	5	*	21-25		22	2	0.1	9-12
	10	33	*	9-25		26	8	0.3	7-11
	11	10	*	18-24		27	66	10.9	6-25

Monocanthus hispidus--Cont.Monocanthus hispidus--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)	
		No.	Wt. (kg)				No.	Wt. (kg)		
<u>Monocanthus hispidus</u> --Cont.	27	27	2.7	10-25	Del-72-15	26	5	0.6	13-15	
	29	8	0.5	10-24		30	1	0.2	22	
	31	3	0.1	8-9		43	4	0.8	20-23	
	37	8	0.2	5-11		44	1	0.1	12	
	38	5	0.1	7-11		45	4	1.4	12-29	
	39	1	+	4		46	181	8.6	10-26	
	43	2	0.1	9-12		47	14	1.4	12-23	
	44	12	0.8	6-21		52	2	0.5	24-26	
	45	2	0.1	10-11		54	4	0.2	10-15	
	48	2	0.1	11		59	2	0.2	23-24	
	49	13	0.7	7-16		60	14	3.2	22-25	
	50	10	0.5	9-24		67	9	1.8	21-25	
	51	10	0.7	11-22		68	24	4.5	19-26	
	52	1	+	12		70	21	3.2	19-24	
	55	124	9.5	10-24		7	1	0.1	23	
	56	32	5.0	9-29		8	2	0.5	22-25	
	57	246	31.3	9-25		9	1	0.2	23	
	58	4	0.6	2-24		12	2	0.2	16-19	
	59	13	2.0	16-24		15	25	3.4	12-25	
	61	1	+	12		16	11	2.3	21-27	
	63	3	0.1	9-12		17	77	13.2	12-24	
	64	4	0.2	12-16		18	7	1.7	20-25	
	Del-72-8	8	*	*		*	19	5	1.1	20-25
		9	4	0.7		19-24	20	1	0.1	21
		10	13	2.5		18-25	24	2	0.5	23-26
11		4	1.0	22-26	25	2	0.2	20-23		
12		1	+	16	26	4	0.8	21-24		
16		2	0.4	23-25	31	48	3.2	13-22		
17		20	2.9	11-24	32	6	0.5	13-16		
18		4	0.5	12-22	40	2	0.1	12-14		
24		2	0.6	23-24	47	1	0.1	17		
25		1	0.2	25	49	1	0.1	13		

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Monacanthus hispidus</u> --Cont.									
	52	4	0.5	14-26		44	3	0.8	21-25
	53	3	0.5	23-30		51	1	0.3	22
	54	2	0.6	23-25		60	1	0.2	22
	55	3	0.4	15-24	Del-72-15	17	4	1.7	22-32
	62	1	0.1	13		41	1	0.2	19
	63	35	6.8	12-26		45	1	0.9	37
	67	16	2.8	19-24		64	1	0.2	11
	68	12	2.3	14-25		<u>Lactophrys trigonus</u> , trunkfish			
	69	29	4.5	15-23					
	70	163	22.2	14-25	Del-71-3	46	1	+	6
	71	60	7.0	14-23		<u>Lactophrys triquetra</u> , smooth trunkfish			
	74	2	0.3	19-21					
<u>OSTRACIIDAE</u>									
<u>Lactophrys quadricornis</u> , scrawled cowfish									
D-69-23	8	1	*	28		26	1	+	3
D-69-29	11	2	*	*		TETRAODONTIDAE			
D-71-3	25	1	+	22		<u>Lagocephalus laevigatus</u> , smooth puffer			
	34	1	0.1	24	D-69-23	14	1	*	19
Del-71-3	27	4	1.1	25-30	Del-71-3	44	2	0.2	12-18
	32	1	0.1	17	Del-72-8	19	1	0.1	17
	43	1	+	4		<u>Sphoeroides dorsalis</u> , marbled puffer			
	44	2	0.5	22-25	Del-72-8	18	2	0.2	16
	45	1	0.4	22		25	1	+	12
	57	1	0.3	31		26	3	0.6	18-19
Del-72-8	16	2	0.4	24-25		43	1	0.1	15
	23	1	0.2	22		46	2	0.2	18
	29	1	1.9	45	Del-72-15	31	1	0.2	20
	32	1	0.1	24					
	37	1	0.3	23					
	43	1	0.1	19					

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
D-68-7	10	3	*	*	D-69-9	51	*	*	*
	14	1	*	21		54	*	*	*
	1	3	0.5	14-18		4	3	*	*
	2	4	*	16-22		6	1	*	*
	4	*	*	*		7	*	*	*
	5	*	*	*		8	700	*	*
	10	8	*	*		9	*	362.9	11-27
	11	11	1.4	*		10	800	45.4	13-22
	12	5	*	*		11	*	249.5	13-22
	15	1	*	*		12	25	*	14-25
	21	3	*	*		13	50	*	*
22	*	*	*	14	*	*	*		
23	*	*	*	15	200	*	*		
24	*	*	*	16	100	*	*		
25	*	*	*	17	30	*	*		
26	5	*	*	19	30	*	*		
27	*	1.4	*	20	30	*	*		
29	*	*	*	21	50	*	*		
30	*	*	*	22	15	*	*		
31	*	*	*	23	*	3.6	*		
32	7	*	*	24	200	*	*		
38	*	*	*	25	2	*	*		
39	*	*	*	26	14	*	*		
40	6	*	*	27	30	*	*		
41	3	*	*	29	25	*	*		
42	*	*	*	30	30	*	*		
43	6	*	*	31	45	*	*		
44	20	3.2	*	32	16	*	*		
45	15	2.3	16-22	33	20	*	*		
46	1	*	*	34	25	*	*		
49	*	*	*	35	40	*	*		
50	45	*	*	36	6	*	*		

Sphoeroides maculatus, northern pufferSphoeroides maculatus--Cont.

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Sphoeroides maculatus--Cont.</u>									
D-69-15	39	30	*	*	D-69-25	16	5	*	*
	40	70	*	*		17	1	*	*
	41	50	*	*		21	2	*	*
	42	20	*	*		22	17	*	*
	46	55	*	*		23	2	*	*
	47	30	*	*		25	*	*	*
	48	75	*	*		27	11	*	*
	50	200	*	*		29	3	*	*
	51	50	*	*		31	10	*	*
	52	50	*	*		32	114	*	*
	53	55	*	*		33	8	*	*
	54	80	*	*		34	2	*	*
	55	25	*	*		35	4	*	*
	56	40	*	*		44	3	*	*
	57	50	*	*		45	5	*	*
D-69-21	60	1	*	1	1	50	*	*	
	12	8	*	*	2	2	*	*	
	13	23	*	*	3	1	*	*	
	14	5	*	20	7	7	*	*	
	26	25	*	*	8	5	*	*	
	27	2	*	*	9	*	*	8-25	
	36	1	*	*	10	6	*	6-23	
	68	56	*	*	12	26	*	*	
	69	37	*	*	13	35	*	8-21	
	1	1	*	*	1	1	*	20	
D-69-23	3	3	*	18-23	2	1	*	10	
	4	2	*	*	9	3	*	6-23	
	4	4	*	*	12	1	*	20	
	7	1	*	*	13	1	*	20	
D-69-27	13	1	*	*	16	5	*	18-27	
	14	1	*	*	18	1	*	20	
	14	1	*	9	19	1	*	14	
	15	2	*	15-17					


Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Sphoeroides maculatus</u> --Cont.									
Del-72-15	1	1	0.2	21		32	*	*	*
	7	1	+	10		42	*	*	*
	8	3	0.1	9-16		46	1	*	*
	21	2	0.1	12		47	*	*	*
	62	1	0.2	20	D-69-9	16	1	*	*
	66	1	0.1	12		27	*	*	*
	67	1	+	10	D-69-23	1	1	*	*
	68	2	0.1	12-13		16	1	*	*
	76	3	0.1	9-10	D-69-29	10	1	*	*
						18	2	*	20
						20	1	*	17-28
						23	2	*	10
						27	1	*	12-16
Del-72-8	25	1	0.1	16		19	2	0.2	11
Del-71-3	27	2	0.1	10-14	D-71-3	25	1	+	12-15
	28	1	+	13		27	1	*	9
	29	1	0.1	18	D-71-11	9	1	0.2	18
	30	1	0.1	17		21	1	0.1	13
	36	2	0.1	13-15		26	1	0.3	22
	37	1	0.1	15		32	1	0.3	20
	43	2	0.1	13-19		38	3	0.7	19-23
Del-72-8	56	1	+	10	D-71-14	18	1	0.2	17
	7	1	+	14		19	4	2.2	18-20
	45	1	0.1	14	Del-71-3	24	1	0.1	13
Del-72-15	40	4	0.2	16-19		27	1	0.2	18
	64	3	0.2	14-16		29	2	0.1	8-9
						30	1	+	7
						37	1	0.1	9
						51	1	0.1	19
						55	3	0.2	9
						56	1	0.1	19
D-68-13	3	1	*	*		57	3	1.1	20-23
	11	1	*	*					
DIODONTIDAE									
<u>Chilomycterus schoepfi</u> , striped burrfish									
<u>Chilomycterus schoepfi</u> --Cont.									

Appendix Table 2.--Continued.

Cruise	Stn.	Catch		Range (cm)	Cruise	Stn.	Catch		Range (cm)
		No.	Wt. (kg)				No.	Wt. (kg)	
<u>Chilomycterus schoepfi</u> --Cont.									
Del-72-8	16	1	0.1	18					
	17	1	0.1	19					
Del-72-15	21	3	0.6	17					
	59	1	0.1	21					
	67	2	0.5	17-18					
	17	1	0.2	20					
	31	1	0.1	15					
Del-72-15	36	1	0.2	19					
	54	1	0.2	15					
	55	1	0.2	19					
	64	1	0.5	23					
	70	4	1.8	17-27					
<u>Diodon hystrix</u> , porcupinefish									
Del-72-15	64	1	0.9	34					

648. Weight loss of pond-raised channel catfish (*Ictalurus punctatus*) during holding in processing plant vats. By Donald C. Greenland and Robert L. Gill. December 1971, iii + 7 p., 3 figs., 2 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
649. Distribution of forage of skipjack tuna (*Euthynnus pelamis*) in the eastern tropical Pacific. By Maurice Blackburn and Michael Laurs. January 1972, iii + 16 p., 7 figs., 3 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
650. Effects of some antioxidants and EDTA on the development of rancidity in Spanish mackerel (*Scomberomorus maculatus*) during frozen storage. By Robert N. Farragut. February 1972, iv + 12 p., 6 figs., 12 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
651. The effect of pre-mortem stress, holding temperatures, and freezing on the biochemistry and quality of skipjack tuna. By Ladell Crawford. April 1972, iii + 23 p., 3 figs., 4 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
653. The use of electricity in conjunction with a 12.5-meter (Heardrope) Gulf of Mexico shrimp trawl in Lake Michigan. By James E. Ellis. March 1972, iv + 10 p., 11 figs., 4 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
654. An electric detector system for recovering internally tagged menhaden, genus *Brevoortia*. By B. O. Parker, Jr. February 1972, iii + 7 p., 3 figs., 1 appendix table. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
655. Immobilization of finerling salmon and trout by decompression. By Doyle F. Sutherland. March 1972, iii + 7 p., 3 figs., 2 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
656. The calico scallop, *Argopecten gibbus*. By Donald M. Allen and T. J. Costello. May 1972, iii + 19 p., 9 figs., 1 table. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
657. Making fish protein concentrates by enzymatic hydrolysis. A status report on research and some processes and products studied by NMFS. By Malcolm B. Hale. November 1972, v + 32 p., 15 figs., 17 tables, 1 appendix table. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
658. List of fishes of Alaska and adjacent waters with a guide to some of their literature. By Jay C. Quast and Elizabeth L. Hall. July 1972, iv + 47 p. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
659. The Southeast Fisheries Center bionumeric code. Part 1: Fishes. By Harvey R. Bullis, Jr., Richard B. Roe, and Judith C. Gatlin. July 1972, xl + 95 p., 2 figs. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
660. A freshwater fish electro-motivator (FFEM) its characteristics and operation. By James E. Ellis and Charles C. Hoopes. November 1972, iii + 11 p., 9 figs.
661. A review of the literature on the development of skipjack tuna fisheries in the central and western Pacific Ocean. By Frank J. Hester and Tamio Otsu. January 1973, iii + 13 p., 1 fig. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
662. Seasonal distribution of tunas and billfishes in the Atlantic. By John P. Wise and Charles W. Davis. January 1973, iv + 24 p., 13 figs., 4 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
663. Fish larvae collected from the northeastern Pacific Ocean and Puget Sound during April and May 1967. By Kenneth D. Waldron. December 1972, iii + 16 p., 2 figs., 1 table, 4 appendix tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington D.C. 20402.
664. Tagging and tag-recovery experiments with Atlantic menhaden, *Brevoortia tyrannus*. By Richard L. Kroger and Robert L. Dryloos. December 1972, iv + 11 p., 4 figs., 12 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
665. Larval fish survey of Humboldt Bay, California. By Maxwell B. Eldrige and Charles F. Bryan. December 1972, iii + 8 p., 8 figs., 1 table. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
666. Distribution and relative abundance of fishes in Newport River, North Carolina. By William R. Turner and George N. Johnson. September 1973, iv + 23 p., 1 fig., 13 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
667. An analysis of the commercial lobster (*Homarus americanus*) fishery along the coast of Maine, August 1966 through December 1970. By James C. Thomas. June 1973, v + 57 p., 18 figs., 11 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
668. An annotated bibliography of the cunner, *Tautoglabrus adspersus* (Walbaum). By Fredric M. Serchuk and David W. Frame. May 1973, ii + 43 p. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
669. Subpoint prediction for direct readout meteorological satellites. By L. E. Eber. August 1973, iii + 7 p., 2 figs., 1 table. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
670. Unharvested fishes in the U.S. commercial fishery of western Lake Erie in 1969. By Harry D. Van Meter. July 1973, iii + 11 p., 6 figs., 6 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
671. Coastal upwelling indices, west coast of North America, 1946-71. By Andrew Bakun. June 1973, iv + 103 p., 6 figs., 3 tables, 45 appendix figs. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
672. Seasonal occurrence of young Gulf menhaden and other fishes in a northwestern Florida estuary. By Marlin E. Tagatz and E. Peter H. Wilkins. August 1973, iii + 14 p., 1 fig., 4 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
673. Abundance and distribution of inshore benthic fauna off southwestern Long Island, N.Y. By Frank W. Steimle, Jr. and Richard B. Stone. December 1973, iii + 50 p., 2 figs., 5 appendix tables.
674. Lake Erie bottom trawl explorations, 1962-66. By Edgar W. Bowman. January 1974, iv + 21 p., 9 figs., 1 table, 7 appendix tables.
675. Proceedings of the International Billfish Symposium, Kailua-Kona, Hawaii, 9-12 August 1972. Part 2. Review and Contributed Papers. Richard S. Shomura and Francis Williams (editors). July 1974, iv + 335 p., 38 papers. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
676. Price spreads and cost analyses for finfish and shellfish products at different marketing levels. By Erwin S. Penn. March 1974, vi + 74 p., 15 figs., 12 tables, 12 appendix figures, 41 appendix tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
677. Abundance of benthic macroinvertebrates in natural and altered estuarine areas. By Gill Gilmore and Lee Trent. April 1974, ii + 13 p., 11 figs., 3 tables, 2 appendix tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
678. Distribution, abundance, and growth of juvenile sockeye salmon, *Oncorhynchus nerka*, and associated species in the Naknek River system, 1961-64. By Robert J. Ellis. September 1974, v + 53 p., 27 figs., 26 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
679. Kinds and abundance of zooplankton collected by the USCG icebreaker *Glacier* in the eastern Chukchi Sea, September-October 1970. By Bruce L. Wing. August 1974, iv + 18 p., 14 figs., 6 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
680. Pelagic amphipod crustaceans from the southeastern Bering Sea, June 1971. By Gerald A. Sanger. July 1974, iii + 8 p., 3 figs., 3 tables. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
681. Physiological response of the cunner, *Tautoglabrus adspersus*, to cadmium. October 1974, iv + 33 p., 6 papers, various authors. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
682. Heat exchange between ocean and atmosphere in the eastern North Pacific for 1961-71. By N. E. Clark, L. Eber, R. M. Laurs, J. A. Renner, and J. F. T. Saur. December 1974, iii + 108 p., 2 figs., 1 table, 5 plates.



UNITED STATES
DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL MARINE FISHERIES SERVICE
SCIENTIFIC PUBLICATIONS STAFF
ROOM 450
1107 N E 45TH ST
SEATTLE, WA 98105
OFFICIAL BUSINESS

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF COMMERCE
COM-210
THIRD CLASS



BULK RATE

Marine Biological Laboratory S
Library - Periodicals
Woods Hole, Ma 02543



RECEIVED
MAR 6 1976
MARI FOUM
MAR 6 1976

