

UNITED STATES DEPARTMENT OF THE INTERIOR, Stewart L. Udall, *Secretary*
FISH AND WILDLIFE SERVICE, Clarence F. Pautzke, *Commissioner*
BUREAU OF COMMERCIAL FISHERIES, Donald L. McKernan, *Director*

Fishery Leaflet 537

Washington 25, D. C.

April 1962

A LIST OF THE FISHERY BULLETINS OF THE UNITED STATES FISH AND WILDLIFE SERVICE

by L. T. Dees
Branch of Reports
Division of Resource Development

The Fishery Bulletins are technical reports of scientific investigations of fishery biology. The Bulletin of the United States Fish Commission was begun in 1881. It became the Bulletin of the Bureau of Fisheries in 1904 and the Fishery Bulletin of the Fish and Wildlife Service in 1941. Paging is serially by volumes. Through volume 46, separates were issued as Documents, each with a Document number. Beginning with volume 47, each separate was issued as a numbered Bulletin. Fishery Bulletins are distributed to depository libraries, and the Superintendent of Documents, United States Government Printing Office, Washington 25, D. C., has them for sale. (*Articles preceded by asterisks are out of print, but can be borrowed from some public and college libraries.*)

- | No. | Title |
|------|--|
| * 1. | Temperature and the shell movements of oysters. By A. E. Hopkins. 1931, vol. 47, i + p. 1-14, 10 figs., 2 tables. |
| * 2. | Fluctuations in the supply of herring (<i>Clupea pallasii</i>) in Southeastern Alaska. By George A. Rounsefell. 1931, vol. 47, ii + p. 15-56, 26 figs., 14 tables. |

- | No. | Title |
|-----|---|
| * | 3. Factors influencing the spawning and setting of oysters in Galveston Bay, Tex. By A. E. Hopkins. 1931, vol. 47, ii + p. 57-83, 18 figs., 3 tables. |
| * | 4. Studies on the oyster drill (<i>Urosalpinx cinerea</i> , Say). By Henry Federighi. 1931, vol. 47, i + p. 85-115, 7 figs., 8 tables. |
| * | 5. Juvenile and sex characters of <i>Evorthodus lyricus</i> (Fam. Gobiidae). By Isaac Ginsburg. 1931, vol. 47, i + p. 117-124, 2 figs., 1 table. |
| * | 6. Effects of pulp mill pollution on oysters. By A. E. Hopkins, Paul S. Galtsoff, and H. C. McMillin. 1931, vol. 47, i + p. 125-186, 50 figs., 16 tables. |
| * | 7. Statistical review of the Alaska salmon fisheries. Part III: Prince William Sound, Copper River, and Bering River. By Willis H. Rich and Edward M. Ball. 1932, vol. 47, i + p. 187-247, 10 figs., 13 tables. |
| * | 8. Sensory stimulation of the oyster, <i>Ostrea virginica</i> , by chemicals. By A. E. Hopkins. 1932, vol. 47, i + p. 249-261, 11 figs., 1 table. |
| * | 9. Fluctuations in the supply of herring, <i>Clupea pallasii</i> , in Prince William Sound, Alaska. By George A. Rounsefell and Edwin H. Dahlgren. 1932, vol. 47, i + p. 263-291, 15 figs., 15 tables. |
| * | 10. Contributions to the early life histories of sixty-two species of fishes from Lake Erie and its tributary waters. By Marie Poland Fish. 1932, vol. 47, i + p. 293-398, 144 figs., 4 tables. |
| * | 11. Salmon-tagging experiments in Alaska, 1930. By Willis H. Rich. 1932, vol. 47, i + p. 399-406, 1 fig., 3 tables. |
| * | 12. Limnological studies of Karluk Lake, Alaska, 1926-1930. By C. Juday, Willis H. Rich, G. I. Kemmerer, and Albert Mann. 1932, vol. 47, i + p. 407-436, 6 figs., 14 tables. |
| * | 13. Statistical review of the Alaska salmon fisheries. Part IV: Southeastern Alaska. By Willis H. Rich and Edward M. Ball. 1933, vol. 47, i + p. 437-673, 55 figs., 30 tables. |
| * | 14. Preliminary report on the life history of the common shrimp, <i>Penaeus setiferus</i> (Linn.). By F. W. Weymouth, Milton J. Lindner, and W. W. Anderson. 1933, vol. 48, i + p. 1-26, 11 figs., 4 tables. |
| * | 15. The homing instinct and age at maturity of pink salmon (<i>Oncorhynchus gorbuscha</i>). By Frederick A. Davidson. 1934, vol. 48, i + p. 27-39, 10 figs., 1 table. |

- | No. | Title |
|-------|---|
| * 16. | Reproduction and development of whittings or kingfishes, drums, spot, croaker, and weakfishes or sea trouts, family Sciaenidae, of the Atlantic coast of the United States. By Samuel F. Hildebrand and Louella E. Cable. 1934, vol. 48, i + p. 41-117, 44 figs., 5 tables. |
| * 17. | Races of herring, <i>Clupea pallasii</i> , in Southeastern Alaska. By George A. Rounsefell and Edwin H. Dahlgren. 1935, vol. 48, i + p. 119-141, 10 figs., 9 tables. |
| * 18. | Effects of crude oil pollution on oysters in Louisiana waters. By Paul S. Galtsoff, Herbert F. Prytherch, Robert O. Smith, and Vera Koehring. 1935, vol. 48, i + p. 143-210, 20 figs., 23 tables. |
| * 19. | Age and growth of the cisco, <i>Leucichthys artedi</i> (Le Sueur), in the lakes of the Northeastern Highlands, Wisconsin. By Ralph Hile. 1936, vol. 48, i + p. 211-317, 11 figs., 80 tables. |
| * 20. | Supplemental notes on fishes of the Gulf of Maine. By Henry B. Bigelow and William C. Schroeder. 1936, vol. 48, i + p. 319-343. |
| * 21. | Adaptation of the feeding mechanism of the oyster (<i>Ostrea gigas</i>) to changes in salinity. By A. E. Hopkins. 1936, vol. 48, i + p. 345-364, 11 figs., 1 table. |
| * 22. | Detection and measurement of stream pollution. By M. M. Ellis. 1937, vol. 48, i + p. 365-437, 22 figs., 14 tables. |
| * 23. | Experimental observations on spawning, larval development, and setting in the Olympia oyster, <i>Ostrea lurida</i> . By A. E. Hopkins. 1937, vol. 48, i + p. 439-503, 41 figs., 35 tables. |
| * 24. | Further notes on the development and life history of some teleosts at Beaufort, N. C. By Samuel F. Hildebrand and Louella E. Cable. 1938, vol. 48, i + p. 505-642, 159 figs., 4 tables. |
| * 25. | The migrations of pink salmon (<i>Oncorhynchus gorbuscha</i>) in the Clarence and Sumner Straits regions of Southeastern Alaska. By Frederick A. Davidson and Leroy S. Christey. 1938, vol. 48, i + p. 643-666, 5 figs., 8 tables. |
| * 26. | The geographic distribution and environmental limitations of the Pacific salmon (Genus <i>Oncorhynchus</i>). By Frederick A. Davidson and Samuel J. Hutchinson. 1938, vol. 48, i + p. 667-692, 9 figs., 2 tables. |
| * 27. | The salmon and salmon fisheries of Swiftsure Bank, Puget Sound, and the Fraser River. By George A. Rounsefell and George B. Kelez. 1938, vol. 49, i + p. 693-823, 29 figs., 58 tables. |

- | No. | Title |
|-------|---|
| * 28. | The life history of the striped bass, or rockfish, <i>Roccus saxatilis</i> (Walbaum). By John C. Pearson. 1938, vol. 49, i + p. 825-851, 26 figs. |
| * 29. | Effect of currents on distribution and survival of the eggs and larvae of the haddock (<i>Melanogrammus aeglefinus</i>) on Georges Bank. By Lionel A. Walford. 1938, vol. 49, i + p. 1-73, 50 figs., 5 tables. |
| * 30. | The early life histories of some American Penaeidae, chiefly the commercial shrimp, <i>Penaeus setiferus</i> (Linn.). By John C. Pearson. 1939, vol. 49, i + p. 1-73, 67 figs., 6 tables. |
| * 31. | Natural history and method of controlling the starfish (<i>Asterias forbesi</i> , Desor). By Paul S. Galtsoff and Victor L. Loosanoff. 1939, vol. 49, i + p. 75-132, 32 figs., 24 tables. |
| * 32. | The history and development of the fisheries of the Columbia River. By Joseph A. Craig and Robert L. Hacker. 1940, vol. 49, ii + p. 133-216, 16 figs., 27 tables. |
| * 33. | Spawning and setting of oysters in Long Island Sound in 1937, and discussion of the method for predicting the intensity and time of oyster setting. By Victor L. Loosanoff and James B. Engle. 1940, vol. 49, i + p. 217-255, 11 figs., 18 tables. |
| * 34. | Water conditions affecting aquatic life in Elephant Butte Reservoir. By M. M. Ellis. 1940, vol. 49, i + p. 257-304, 22 figs., 15 tables. |
| * 35. | Studies on the striped bass (<i>Roccus saxatilis</i>) of the Atlantic coast. By Daniel Merriman. 1941, vol. 50, ii + p. 1-77, 36 figs., 23 tables. |
| * 36. | The young of some marine fishes taken in lower Chesapeake Bay, Virginia, with special reference to the gray sea trout, <i>Cynoscion regalis</i> (Bloch). By John C. Pearson. 1941, vol. 50, ii + p. 79-102, 26 figs., 3 tables. |
| * 37. | The salmon runs of the Columbia River in 1938. By Willis H. Rich. 1942, vol. 50, ii + p. 103-147, 8 figs., 26 tables. |
| * 38. | Biology of the Atlantic mackerel (<i>Scomber scombrus</i>) of North America. Part I: Early life history, including the growth, drift, and mortality of the egg and larval populations. By Oscar Elton Sette. 1943, vol. 50, ii + p. 149-237, 18 figs., 21 tables. |
| * 39. | Fluctuations in abundance of red salmon, <i>Oncorhynchus nerka</i> (Walbaum), of the Karluk River, Alaska. By Joseph T. Barnaby. 1944, vol. 50, ii + p. 237-295, 9 figs., 43 tables. |

- | No. | Title |
|-------|--|
| * 40. | The whitefish fishery of Lakes Huron and Michigan with special reference to the deep-trap-net fishery. By John Van Oosten, Ralph Hile, and Frank W. Jobes. 1946, vol. 50, ii + p. 297-394, 23 figs., 63 tables. |
| * 41. | Studies of the protozoan parasites of fresh-water fishes. By H. S. Davis. 1947, vol. 51, ii + p. 1-29, 14 plates. |
| * 42. | Effect of different concentrations of micro-organisms on the feeding of oysters (<i>O. virginica</i>). By V. L. Loosanoff and James B. Engle. 1947, vol 51, ii + p. 31-57, 25 figs., 3 tables. |
| * 43. | Ecological and physiological studies of the effect of sulfate pulp mill wastes on oysters in the York River, Virginia. By Paul S. Galtsoff, Walter A. Chipman, Jr., James B. Engle, and Howard N. Calderwood. 1947, vol. 51, iii + p. 59-186, 71 figs., 20 tables. |
| * 44. | Contributions to the biology of the Pacific tunas. By Milner B. Schaefer and John C. Marr. 1948, vol. 51, iii + p. 187-206, 10 figs., 2 tables. |
| 45. | Age and growth of immature rosefish (<i>Sebastes marinus</i>) in the Gulf of Maine and off western Nova Scotia. By Alfred Perlmutter and George M. Clarke. 1949, vol. 51, iii + p. 207-228, 21 figs., 14 tables. 15¢. |
| * 46. | Notes on the Philippine frigate mackerels, family Thunnidae, genus <i>Auxis</i> . By Charles B. Wade. 1949, vol. 51, iii + p. 229-240, 10 figs., 7 tables. |
| 47. | Definitions of body dimensions used in describing tunas. By John C. Marr and Milner B. Schaefer. 1949, vol. 51, ii + p. 241-244, 1 fig. 5¢. |
| 48. | Observations on juvenile oceanic skipjack (<i>Katsuwonus pelamis</i>) from Hawaiian waters and sierra mackerel (<i>Scomberomorus sierra</i>) from the eastern Pacific. By Howard H. Eckles. 1949, vol. 51, ii + p. 245-250, 3 figs. 5¢. |
| * 49. | Biology of the Atlantic mackerel (<i>Scomber scombrus</i>) of North America. Part II--Migrations and habits. By Oscar Elton Sette. 1950, vol. 51, iii + p. 251-358, 21 figs., 31 tables. |
| 50. | On the effectiveness of spermatozoa of the pink salmon (<i>Oncorhynchus gorbuscha</i>) at varying distances from point of dispersal. By Richard F. Shuman. 1950, vol. 51, i + p. 359-363, 1 fig., 1 table. 10¢. |
| 51. | Fluctuations in abundance of Columbia River chinook salmon (<i>Oncorhynchus tshawytscha</i>), 1935-1945. By Ralph P. Silliman. 1950, vol. 51, iii + p. 365-383, 11 figs., 16 tables. 15¢. |
| 52. | Apparent abundance of the pilchard (<i>Sardinops caerulea</i>) off Oregon and Washington, 1935-43, as measured by the catch per boat. By John C. Marr. 1950, vol. 51, ii + p. 385-394, 7 figs., 2 tables. 15¢. |

- | No. | Title |
|-----|---|
| 53. | Juvenile forms of <i>Neothunnus macropterus</i> , <i>Katsuwonus pelamis</i> and <i>Euthynnus yaito</i> from Philippine seas. By Charles B. Wade. 1950, vol. 51, iii + p. 395-404, 13 figs. 15¢. |
| * | 54. Description of a projection device for use in age determination from fish scales. By Kenneth H. Mosher. 1950, vol. 51, i + p. 405-407, 4 figs. |
| 55. | Observations on the spawning of Philippine tuna. By Charles B. Wade. 1950, vol. 51, iii + p. 409-423, 3 figs., 9 tables. 15¢. |
| * | 56. Biometric comparison between yellowfin tunas (<i>Neothunnus</i>) of Angola and of the Pacific coast of Central America. By Milner B. Schaefer and Lionel A. Walford. 1950, vol. 51, iii + p. 425-443, 15 figs., 3 tables. |
| * | 57. Larvae of tuna and tuna-like fishes from Philippine waters. By Charles B. Wade. 1951, vol. 51, iii + p. 445-485, 28 figs., 20 tables. |
| 58. | An annotated bibliography on the biology of Pacific tunas. By Bell M. Shimada. 1951, vol. 52, iii + p. 1-58. 30¢. |
| 59. | Breeding habits of lake trout in New York. By William F. Royce. 1951, vol. 52, iii + p. 59-76, 6 figs., 7 tables. 20¢. |
| 60. | Decline of the lake trout fishery in Lake Michigan. By Ralph Hile, Paul H. Eschmeyer, and George F. Lunger. 1951, vol. 52, iii + p. 77-95, 6 figs., 16 tables. 20¢. |
| 61. | Characteristics of spawning nests of Columbia River salmon. By Clifford J. Burner. 1951, vol. 52, iii + p. 97-100, 7 figs., 1 table. 20¢. |
| 62. | Contributions to the biology of tunas from the western equatorial Pacific. By Bell M. Shimada. 1951, vol. 52, iii + p. 111-119, 2 figs., 4 tables. 15¢. |
| 63. | Postlarval <i>Neothunnus macropterus</i> , <i>Auzis thazard</i> , and <i>Euthynnus lineatus</i> from the Pacific coast of Central America. By Giles W. Mead. 1951, vol. 52, iii + p. 121-127, 5 figs., 2 tables. 15¢. |
| 64. | Juvenile oceanic skipjack from the Phoenix Islands. By Bell M. Shimada. 1951, vol. 52, ii + p. 129-131, 1 table. 10¢. |
| 65. | Estimation of age and growth of yellowfin tuna (<i>Neothunnus macropterus</i>) in Hawaiian waters by size frequencies. By Harvey L. Moore. 1951, vol. 52, iii + p. 133-149, 14 figs., 11 tables. 15¢. |
| 66. | Studies of Georges Bank haddock. Part I: Landings by pounds, numbers, and sizes of fish. By Howard A. Schuck. 1951, vol. 52, iii + p. 151-176, 16 figs., 37 tables. 20¢. |

- | No. | Title |
|-----|---|
| 67. | Comparison of haddock from Georges and Browns Banks. By Howard A. Schuck and Edgar L. Arnold, Jr. 1951, vol. 52, iii + p. 177-185, 4 figs., 6 tables. 15¢. |
| * | 68. A unique bacterium pathogenic for warm-blooded and cold-blooded animals. By Philip J. Griffin and Stanislas F. Snieszko. 1951, vol. 52, iii + p. 187-190. |
| * | 69. Estimation of size of animal populations by marking experiments. By Milner B. Schaefer. 1951, vol. 52, iii + p. 191-203, 1 fig., 4 tables. |
| 70. | Age, growth, and production of yellow perch in Lake Erie. By Frank W. Jobes. 1952, vol. 52, iii + p. 205-266, 10 figs., 38 tables. 20¢. |
| * | 71. Flounders of the genus <i>Paralichthys</i> and related genera in American waters. By Isaac Ginsburg. 1952, vol. 52, iii + p. 267-351, 4 figs., 9 tables, 15 plates. |
| * | 72. Comparison of yellowfin tuna of Hawaiian waters and of the American West Coast. By Milner B. Schaefer. 1952, vol. 52, iii + p. 353-373, 11 figs., 7 tables. |
| * | 73. Factors influencing the orientation of migrating anadromous fishes. By Gerald B. Collins. 1952, vol. 52, iii + p. 375-396, 9 figs., 18 tables. |
| * | 74. Fishes of the Gulf of Maine. By Henry B. Bigelow and William C. Schroeder. 1953, vol. 53, vii + p. 1-577, 288 figs. |
| 75. | Fluctuations in the fisheries of State of Michigan waters of Green Bay. By Ralph Hile, George F. Lunger, and Howard J. Buettner. 1953, vol. 54, iii+ p. 1-34, 15 figs., 25 tables. 25¢. |
| 76. | A contagious disease of salmon possibly of virus origin. By R. R. Rucker, W. J. Whipple, J. R. Parvin, and C. A. Evans. 1953, vol. 54, iii + p. 35-46, 5 figs., 4 tables. 15¢. |
| * | 77. Spawning of yellowfin tuna in Hawaiian waters. By Fred C. June. 1953, vol. 54, iii+ p. 47-64, 11 figs., 6 tables. |
| * | 78. Estimation of growth rate in animals by marking experiments. By Milton J. Lindner. 1953, vol. 54, ii+ p. 65-69, 3 figs. |
| 79. | Stabilization of the phosphate ratio of sea water by freezing. By Albert W. Collier and Kenneth T. Marvin. 1953, vol. 54, iii + p. 71-76, 7 tables. 10¢. |
| * | 80. Phosphorus exchange in marine phytoplankton. By Theodore R. Rice. 1953, vol. 54, iii+ p. 77-89, 3 figs., 7 tables. |
| 81. | Food of yellowfin tuna in the central Pacific. By John W. Reintjes and Joseph E. King. 1953, vol. 54, iii + p. 91-110, 10 figs., 7 tables. 20¢. |

- | No. | Title |
|-------|---|
| 82. | Zooplankton abundance in the central Pacific. By Joseph E. King and Joan Demond. 1953, vol. 54, iii + p. 111-144, 11 figs., 18 tables. 25¢. |
| 83. | Nature of variability in trawl catches. By Clyde C. Taylor. 1953, vol. 54, iii + p. 145-166, 7 figs., 18 tables. 20¢. |
| 84. | Effect of dissolved organic substances on oysters. By Albert Collier, S. M. Ray, A. W. Magnitzky, and Joe O. Bell. 1953, vol. 54, iii + p. 167-185, 14 figs., 3 tables. 20¢. |
| * 85. | Determining age of Atlantic shad from their scales. By James P. Cating. 1953, vol. 54, iii + p. 187-199, 12 figs., 1 table. 30¢. |
| 86. | Population heterogeneity in the Pacific pilchard. By Frances E. Felin. 1954, vol. 54, iii + p. 201-225, 9 figs., 4 tables. |
| * 87. | Biotic influences affecting population growth of planktonic algae. By Theodore R. Rice. 1954, vol. 54, iii + p. 227-245, 15 figs., 3 tables. |
| 88. | Causes of fluctuations in abundance of Connecticut River shad. By Reynold A. Fredin. 1954, vol. 54, iii + p. 247-259, 1 fig., 7 tables. 15¢. |
| 89. | Gulf of Mexico - its origin, waters, and marine life. Prepared by American scientists under the sponsorship of the Fish and Wildlife Service, United States Department of the Interior. Coordinated by Paul S. Galtsoff. 1954, vol. 55, xiii + 604 p., 74 figs., 34 tables. \$3.25. |
| 90. | Studies of Georges Bank haddock. Part II: Prediction of the catch. By William F. Royce and Howard A. Schuck. 1954, vol. 56, iii + p. 1-6, 1 fig., 4 tables. 10¢. |
| 91. | Fluctuations in growth and year-class strength of the walleye in Saginaw Bay. By Ralph Hile. 1954, vol. 56, iii + p. 7-59, 8 figs., 48 tables. 35¢. |
| 92. | Mortality of salmon fingerlings exposed to pulsating direct current. By Gerald B. Collins, Charles D. Volz, and Parker S. Trefethen. 1954, vol. 56, iii + p. 61-81, 14 figs., 10 tables. 30¢. |
| 93. | Distribution and abundance of egg and larval populations of the Pacific sardine. By Elbert H. Ahlstrom. 1954, vol. 56, iii + p. 83-140, 32 figs., 13 tables. 40¢. |
| 94. | Method of estimating fish populations, with application to Pacific sardine. By T. M. Widrig. 1954, vol. 56, iii + p. 141-166, 6 figs., 15 tables. 30¢. |

- | No. | Title |
|--------|---|
| 95. | Intertidal spawning of pink salmon. By Mitchell G. Hanavan and Bernard Einar Skud. 1954, vol. 56, iii + p. 167-185, 3 figs., 4 tables. 15¢. |
| 96. | Whittings on the coasts of the American continents. By Isaac Ginsburg. 1954, vol. 56, iii + p. 187-208, 2 figs., 15 tables. 20¢. |
| 97. | Description of eggs and larvae of jack mackerel (<i>Trachurus symmetricus</i>) and distribution and abundance of larvae in 1950 and 1951. By Elbert H. Ahlstrom and Orville P. Ball. 1954, vol. 56, iii + p. 209-245, 28 figs., 10 tables. 30¢. |
| 98. | Feeding mechanism of the sea lamprey and its effect on host fishes. By Robert E. Lennon. 1954, vol. 56, iii + p. 247-293, 19 figs., 23 tables. 40¢. |
| 99. | Eggs and larvae of the Pacific hake, <i>Merluccius productus</i> . By Elbert H. Ahlstrom and Robert C. Counts. 1955, vol. 56, iii + p. 295-329, 25 figs., 9 tables. 30¢. |
| 100. | Pink salmon tagging experiments in Icy Strait and Upper Chatham Strait, 1950. By Carl H. Elling and Paul T. Macy. 1955, vol. 56, iii + p. 331-371, 11 figs., 12 tables. 40¢. |
| 101. | Factors associated with fluctuations in abundance of Hudson River shad. By Gerald B. Talbot. 1954, vol. 56, iii + p. 373-413, 15 figs., 20 tables. 35¢. |
| * 102. | Limnological effects of fertilizing Bare Lake, Alaska. By Philip R. Nelson and W. T. Edmondson. 1955, vol. 56, iii + p. 415-436, 6 figs., 5 tables. |
| 103. | Limnological study of the lakes in Convict Creek Basin, Mono County, California. By Norman Reimers, John A. Maciolek, and Edwin P. Pister. 1955, vol. 56, iii + p. 437-503, 25 figs., 37 tables, 10 maps. 50¢. |
| 104. | The gas bladder and its relation to the inner ear in <i>Sardinops caerulea</i> and <i>Engraulis mordax</i> . By Charles R. O'Connell. 1955, vol. 56, iii + p. 505-533, 15 figs. 25¢. |
| 105. | Method of evaluating temperature in lakes with description of thermal characteristics of Convict Lake, California. By Norman Reimers and Bobby D. Combs. 1956, vol. 56, iii + p. 535-553, 8 figs., 8 tables. 20¢. |
| * 106. | Growth, migrations, spawning and size distribution of shrimp <i>Penaeus setiferus</i> . By Milton J. Lindner and William W. Anderson. 1956, vol. 56, iii + p. 555-645, 46 figs., 54 tables. |
| 107. | Validity of age determination from scales, and growth of marked Lake Michigan lake trout. By Louella E. Cable. 1956, vol. 57, iii + p. 1-59, 28 figs., 29 tables. 45¢. |

- | No. | Title |
|------|---|
| 160. | Changes in tuna landings of the Hawaiian longline fishery, 1948-1956. By Richard S. Shomura. 1959, vol. 60, iv + p. 87-106, 17 figs., 11 tables. 20¢. |
| 161. | Vertical distribution of pelagic fish eggs and larvae off California and Baja California. By Elbert H. Ahlstrom. 1959, vol. 60, iv + p. 107-146, 13 figs., 32 tables. 35¢. |
| 162. | Variability of skipjack response to live bait. By Heeny S. H. Yuen. 1959, vol. 60, iv + p. 147-160, 13 figs., 5 tables. 20¢. |
| 163. | Contributions of Hudson and Connecticut Rivers to New York-New Jersey shad catch of 1956. By Kenneth J. Fischler. 1959, vol. 60, iv + p. 161-174, 2 figs., 13 tables. 20¢. |
| 164. | Food of the Pacific sardine (<i>Sardinops caerulea</i>). By Cadet H. Hand and Leo Berner, Jr. 1959, vol. 60, iv + p. 175-184, 3 figs., 7 tables. 15¢. |
| 165. | Distribution and abundance of eggs of the Pacific sardine, 1952-1956. By Elbert H. Ahlstrom. 1959, vol. 60, iv + p. 185-213, 10 figs., 15 tables. 30¢. |
| 166. | Relation between fish condition and population size in the sardine (<i>Sardinops caerulea</i>). By John S. MacGregor. 1959, vol. 60, iv + p. 215-230, 9 figs., 6 tables. 20¢. |
| 167. | Estimates of larval tuna abundance in the central Pacific. By Donald W. Strasburg. 1960, vol. 60, iv + p. 231-255, 13 figs., 11 tables. 25¢. |
| 168. | Oceanography of the east central equatorial Pacific as observed during expedition EASTROPIC. By Thomas S. Austin. 1960, vol. 60, iv + p. 257-282, 25 figs., 35¢. |
| 169. | Definition of haddock stocks of the northwestern Atlantic. By John R. Clark and Vadim D. Vladydov. 1960, vol. 60, iv + p. 283-296, 7 figs., 6 tables. 20¢. |
| 170. | Annotated bibliography on biology of American menhaden. By John W. Reintjes, James Y. Christmas, Jr., and Richard A. Collins. 1960, vol. 60, iv + p. 297-322. 25¢. |
| 171. | Determining age of Atlantic menhaden from their scales. By Fred C. June and Charles M. Roithmayr. 1960, vol. 60, iv + p. 323-342, 23 figs., 3 tables. 20¢. |
| 172. | Seasonal abundance and vertical movements of planktonic crustacea in Lake Michigan. By LaRue Wells. 1960, vol. 60, iv + p. 343-369, 3 figs., 20 tables. 25¢. |

- | No. | Title |
|------|---|
| 173. | Systematics and biology of the gizzard shad(<i>Dorosoma cepedianum</i>) and related fishes. By Robert Rush Miller. 1960, vol. 60, iv + p. 371-392, 4 figs., 4 tables. 25¢. |
| 174. | Development of eggs and larvae of Pacific mackerel and distribution and abundance of larvae, 1952-56. By David Kramer. 1960, vol. 60, iv + p. 393-438, 22 figs., 12 tables. 35¢. |
| 175. | Synopsis of Strigeoidea (trematoda) of fishes and their life cycles. By Glenn L. Hoffman. 1960, vol. 60, iv + p. 439-469, 37 figs. 30¢. |
| 176. | Sonic tracking of adult salmon at Bonneville Dam, 1957. By James H. Johnson. 1960, vol. 60, iv + p. 471-485, 14 figs., 2 tables. 20¢. |
| 177. | Abundance and life history of shad, St. Johns River, Florida. By Charles H. Walburg. 1960, vol. 60, iv + p. 487-501, 4 figs., 16 tables. 20¢. |
| 178. | Natural history of the sandbar shark, <i>Eulamia milberti</i> . By Stewart Springer. 1960, vol. 61, iv + p. 1-38, 5 figs., 6 tables. 35¢. |
| 179. | Growth of bluefin tuna of the western North Atlantic. By Frank J. Mather III and Howard A. Schuck. 1960, vol. 61, iv + p. 39-52, 17 figs., 7 tables. 20¢. |
| 180. | Fecundity of red salmon at Brooks and Karluk Lakes, Alaska. By Wilbur L. Hartman and Charles Y. Conkle. 1960, vol. 61, iv + p. 53-60, 5 figs., 2 tables. 15¢. |
| 181. | Filefishes (Monacanthidae) of the western North Atlantic. By Frederick H. Berry and Louis E. Vogele. 1961, vol. 61, iv + p. 61-109, 42 figs., 16 tables. 40¢. |
| 182. | Embryological stages in the sea lamprey and effects of temperature on development. By George W. Piavis. 1961, vol. 61, iv + p. 111-143, 29 figs., 24 tables. 30¢. |
| 183. | Blood properties of prespawning and postspawning anadromous alewives (<i>Alosa pseudoharengus</i>). By Carl J. Sindermann and Donald F. Mairs. 1961, vol. 61, iv + p. 145-151, 4 figs., 1 table. 15¢. |
| 184. | Effects of copper ore on the ecology of a lagoon. By Kenneth T. Marvin, Larence M. Lansford, and Ray S. Wheeler. 1961, vol. 61, iv + p. 153-160, 9 figs. 15¢. |
| 185. | Validity of age determination from scales of marked American shad. By Mayo H. Judy. 1961, vol. 61, iv + p. 161-170, 8 figs. 15¢. |
| 186. | Calanoid copepods from equatorial waters of the Pacific Ocean. By George D. Grice. 1961, vol. 61, iv + p. 171-246, 1 fig., 2 tables, 34 plates. 45¢. |

- | No. | Title |
|------|---|
| 187. | Abundance and distribution of eggs and larvae and survival of larvae of jack mackerel (<i>Trachurus symmetricus</i>). By David A. Farris. 1961, vol. 61, iv + p. 247-279, 15 figs., 33 tables. 30¢. |
| 188. | Distribution and abundance of skipjack in the Hawaii fishery, 1952-53. By Herbert H. Shippen. 1961, vol. 61, iv + p. 281-300, 16 figs., 7 tables. 20¢. |
| 189. | Abundance and age of Kvichak River red salmon smolts. By Orra E. Kerns, Jr. 1961, vol. 61, iv + p. 301-320, 15 figs., 28 tables. 20¢. |
| 190. | Early developmental stages of pink shrimp, <i>Penaeus duorarum</i> , from Florida waters. By Sheldon Dobkin. 1961, vol. 61, iv + p. 321-349, 20 figs., 3 tables. 30¢. |
| 191. | Serological studies of Atlantic redfish. By Carl J. Sindermann. 1961, vol. 61, iv + p. 351-354, 4 tables. 15¢. |
| 192. | Estimating red salmon escapements by sample counts from observation towers. By Clarence Dale Becker. 1962, vol. 61, iv + p. 355-369, 11 figs., 8 tables. 20¢. |



MS #1197

Addenda to Fishery Leaflet 537

- | No. | Title |
|------|---|
| 193. | Atlas of the oceanographic climate of the Hawaiian Islands region. By Gunter R. Seckel. 1962, vol. 61, iv + p. 371-427, 28 figs., 6 charts. |
| 194. | Influence of early maturing females on reproductive potential of Columbia River blueback salmon (<u>Oncorhynchus nerka</u>). By Richard L. Major and Donovan R. Craddock. 1962, vol. 61, iv + p. 429-437, 2 figs., 6 tables. |
| 195. | Determining age of young haddock from their scales. By Albert C. Jensen and John P. Wise. 1962, vol. 61, iv + p. 439-450, 5 figs., 5 tables. |
| 196. | Development, distribution, and comparison of rudder fishes <u>Kyphosus sectatrix</u> (Linnaeus) and <u>K. incisor</u> (Cuvier) in the western North Atlantic. By Donald Moore. 1962, vol. 61, iv + p. 451-480, 22 figs., 13 tables. |
| 197. | Raft culture of oysters in Massachusetts. By William N. Shaw. 1962, vol. 61, iv + p. 481-495, 12 figs., 4 tables. |
| 198. | Rearing <u>Tilapia</u> for tuna bait. By Thomas S. Hida, Joseph R. Harada, and Joseph E. King. 1962, vol. 62, iv + p. 1-20, 9 figs., 18 tables. |
| 199. | Tank culture of <u>Tilapia</u> . By Richard N. Uchida and Joseph E. King. 1962, vol. 62, iv + p. 21-52, 17 figs., 29 tables. |
| 200. | Growth of the adult male king crab <u>Paralithodes camtschatica</u> (Tilesius). By Douglas D. Weber and Takashi Miyahara. 1962, vol. 62, iv + p. 53-75, 10 figs., 7 tables. |
| 201. | Studies on <u>Parorchis acanthus</u> (Trematoda: Digenea) as a biological control for the southern oyster drill, <u>Thais haemastoma</u> . By Nelson R. Cooley. 1962, vol. 62, iv + p. 77-91, 10 figs., 9 tables. |
| 202. | Development of eggs and yolk-sac larvae of yellowfin menhaden. By John W. Reintjes. 1962, vol. 62, iv + p. 93-102, 20 figs., 2 tables. |
| 203. | Development and distribution of the short bigeye <u>Pseudopriacanthus altus</u> (Gill) in the western North Atlantic. By David K. Caldwell. 1962, vol. 62, iv + p. 103-150, 32 figs., 7 tables. |
| 204. | Sexual maturity and spawning of the albacore in the central south Pacific Ocean. By Tamio Otsu and Richard J. Hansen. 1962, vol. 62, iv + p. 151-161, 11 figs., 4 tables. |

- | No. | Title |
|------|--|
| 205. | Hydrological characteristics of Tampa Bay tributaries. By Alexander Dragovich and Billie Z. May. 1962, vol. 62, iv + p. 163-176, 8 figs., 2 tables. |
| 206. | Accumulation and retention of cesium ¹³⁷ by marine fishes. By John P. Baptist and Thomas J. Price. 1962, iv + p. 177-187, 6 figs., 4 tables. |
| 207. | Pompanos (<u>Trachinotus</u> spp.) of south Atlantic coast of the United States. By Hugh M. Fields. 1962, vol. 62, iv + p. 189-222, 23 figs., 9 tables. |
| 208. | Effect of certain electrical parameters and water resistivities on mortality of fingerling silver salmon. By John R. Pugh. 1962, vol. 62, iv + p. 223-234, 13 figs., 12 tables. |
| 209. | Relationships among North American salmonidae. By George A. Rounsefell. 1962, vol. 62, iv + p. 235-270, 19 figs., 33 tables. |
| 210. | Midwater trawling for forage organisms in the central Pacific, 1951-1956. By Joseph E. King and Robert T. B. Iversen. 1962, vol. 62, iv + p. 271-321, 22 figs., 29 tables. |
| 211. | Distribution of tunas in oceanic waters of the northwestern Atlantic. By James L. Squire, Jr. 1962, vol. 62, iv + p. 323-341, 10 figs., 2 tables. |
| 212. | Gulf of Mexico commercial shrimp populations--trends and characteristics, 1956-59. By Joseph H. Kutkuhn. 1962, vol. 62, iv + p. 343-402, 30 figs., 7 tables. |
| 213. | Development and distribution of larval and juvenile fishes of the family Mullidae of the western North Atlantic. By Melba C. Caldwell. 1962, vol. 62, v + p. 403-457, 43 figs., 19 tables. |
| 214. | Food of albacore tuna, <u>Thunnus</u> <u>germo</u> (Lacepede), in the central and northeastern Pacific. By Robert T. B. Iversen. 1962, vol. 62, iv + p. 459-481, 16 figs., 10 tables. |
| 215. | Bibliography on the biology of the cod, <u>Gadus</u> <u>morhua</u> , and related species. By John P. Wise. 1963, iv + p. 483-538. |

Vol. 63, no. 1, issued 1963.

Identification of New England yellowtail flounder groups. By Fred E. Lux, P. 1-10, 5 figs., 2 tables.

Comparison of growth of four strains of oysters raised in Taylors Pond, Catham, Mass. By William N. Shaw and James A. McCann. P. 11-17, 5 figs., 3 tables.

Addenda to Fishery Leaflet 537

- | No. | Title |
|------|---|
| 193. | Atlas of the oceanographic climate of the Hawaiian Islands region. By Gunter R. Seckel. 1962, vol. 61, iv + p. 371-427, 28 figs., 6 charts. |
| 194. | Influence of early maturing females on reproductive potential of Columbia River blueback salmon (<u>Oncorhynchus nerka</u>). By Richard L. Major and Donovan R. Craddock. 1962, vol. 61, iv + p. 429-437, 2 figs., 6 tables. |
| 195. | Determining age of young haddock from their scales. By Albert C. Jensen and John P. Wise. 1962, vol. 61, iv + p. 439-450, 5 figs., 5 tables. |
| 196. | Development, distribution, and comparison of rudder fishes <u>Kyphosus sectatrix</u> (Linnaeus) and <u>K. incisor</u> (Cuvier) in the western North Atlantic. By Donald Moore. 1962, vol. 61, iv + p. 451-480, 22 figs., 13 tables. |
| 197. | Raft culture of oysters in Massachusetts. By William N. Shaw. 1962, vol. 61, iv + p. 481-495, 12 figs., 4 tables. |
| 198. | Rearing <u>Tilapia</u> for tuna bait. By Thomas S. Hida, Joseph R. Harada, and Joseph E. King. 1962, vol. 62, iv + p. 1-20, 9 figs., 18 tables. |
| 199. | Tank culture of <u>Tilapia</u> . By Richard N. Uchida and Joseph E. King. 1962, vol. 62, iv + p. 21-52, 17 figs., 29 tables. |
| 200. | Growth of the adult male king crab <u>Paralithodes camtschatica</u> (Tilesius). By Douglas D. Weber and Takashi Miyahara. 1962, vol. 62, iv + p. 53-75, 10 figs., 7 tables. |
| 201. | Studies on <u>Parorchis acanthus</u> (Trematoda: Digenea) as a biological control for the southern oyster drill, <u>Thais haemastoma</u> . By Nelson R. Cooley. 1962, vol. 62, iv + p. 77-91, 10 figs., 9 tables. |
| 202. | Development of eggs and yolk-sac larvae of yellowfin menhaden. By John W. Reintjes. 1962, vol. 62, iv + p. 93-102, 20 figs., 2 tables. |
| 203. | Development and distribution of the short bigeye <u>Pseudopriacanthus altus</u> (Gill) in the western North Atlantic. By David K. Caldwell. 1962, vol. 62, iv + p. 103-150, 32 figs., 7 tables. |
| 204. | Sexual maturity and spawning of the albacore in the central south Pacific Ocean. By Tamio Otsu and Richard J. Hansen. 1962, vol. 62, iv + p. 151-161, 11 figs., 4 tables. |

- | No. | Title |
|------|--|
| 205. | Hydrological characteristics of Tampa Bay tributaries. By Alexander Dragovich and Billie Z. May. 1962, vol. 62, iv + p. 163-176, 8 figs., 2 tables. |
| 206. | Accumulation and retention of cesium ¹³⁷ by marine fishes. By John P. Baptist and Thomas J. Price. 1962, iv + p. 177-187, 6 figs., 4 tables. |
| 207. | Pompanos (<u>Trachinotus spp.</u>) of south Atlantic coast of the United States. By Hugh M. Fields. 1962, vol. 62, iv + p. 189-222, 23 figs., 9 tables. |
| 208. | Effect of certain electrical parameters and water resistivities on mortality of fingerling silver salmon. By John R. Pugh. 1962, vol. 62, iv + p. 223-234, 13 figs., 12 tables. |
| 209. | Relationships among North American salmonidae. By George A. Rounsefell. 1962, vol. 62, iv + p. 235-270, 19 figs., 33 tables. |
| 210. | Midwater trawling for forage organisms in the central Pacific, 1951-1956. By Joseph E. King and Robert T. B. Iversen. 1962, vol. 62, iv + p. 271-321, 22 figs., 29 tables. |
| 211. | Distribution of tunas in oceanic waters of the northwestern Atlantic. By James L. Squire, Jr. 1962, vol. 62, iv + p. 323-341, 10 figs., 2 tables. |
| 212. | Gulf of Mexico commercial shrimp populations--trends and characteristics, 1956-59. By Joseph H. Kutkuhn. 1962, vol. 62, iv + p. 343-402, 30 figs., 7 tables. |
| 213. | Development and distribution of larval and juvenile fishes of the family Mullidae of the western North Atlantic. By Melba C. Caldwell. 1962, vol. 62, v + p. 403-457, 43 figs., 19 tables. |
| 214. | Food of albacore tuna, <u>Thunnus germon</u> (Lacepede), in the central and northeastern Pacific. By Robert T. B. Iversen. 1962, vol. 62, iv + p. 459-481, 16 figs., 10 tables. |
| 215. | Bibliography on the biology of the cod, <u>Gadus morhua</u> , and related species. By John P. Wise. 1963, iv + p. 483-538. |

Vol. 63, no. 1, issued 1963.

Identification of New England yellowtail flounder groups. By Fred E. Lutz, P. 1-10, 5 figs., 2 tables.

Comparison of growth of four strains of oysters raised in Taylors Pond, Catham, Mass. By William N. Shaw and James A. McCann. P. 11-17, 5 figs., 3 tables.

Herring tagging experiments in southeastern Alaska. By Bernard Einar Skud. P. 19-32, 12 figs., 7 tables.

Model of the migration of albacore in the North Pacific Ocean. By Tamio Otsu and Richard N. Uchida. P. 33-44, 10 figs., 4 tables.

Further studies on fishway slope and its effect on rate of passage of salmonids. By Joseph R. Gauley and Clark S. Thompson. P. 45-62, 15 figs., 18 tables.

Age, growth, and maturity of round whitefish of the Apostle Islands and Isle Royale regions, Lake Superior. By Merxyl M. Bailey. P. 63-75, 6 figs., 14 tables.

Influence of water velocity upon orientation and performance of adult migrating salmonids. By Charles R. Weaver. P. 97-121, 14 figs., 23 tables.

Development of a mathematical relationship between electric field parameters and the electrical characteristics of fish. By Gerald E. Monan. P. 123-136, 7 figs., 4 tables.

Use of plant hemagglutinins in serological studies of clupeoid fishes. By Carl Sindermann. P. 137-141, 1 fig., 4 tables.

Some aspects of the oceanography of Little Port Walter estuary, Baranof Island, Alaska. By Charles F. Powers. P. 143-164, 27 figs., 3 tables.

Early larval stages of the seabob, Xiphopenaus krøyeri (Heller). By William C. Renfro and Harry L. Cook. P. 165-177, 20 figs., 3 tables.

Abundance, age, and fecundity of shad, York River, Va., 1953-59. By Paul R. Nichols and William H. Masserman. P. 179-187, 3 figs., 8 tables.

Cod groups in the New England area. By John P. Wise. P. 189-203, 8 figs., 2 tables.

Distinguishing tuna species by immunochemical methods. By George J. Ridgway. P. 205-211, 2 figs., 3 tables.

Theory on development of mounds near Red Bluff, Calif. By Harold A. Gangmark and F. Bruce Sanford. P. 213-220, 25 figs.

Effect of fishway slope on performance and biochemistry of salmonids. By Gerald B. Collins, Carl H. Eling, Joseph R. Gauley, and Clark S. Thompson. P. 221-253, 32 figs., 14 tables.

Vol. 63, no. 2, issued 1964.

Sexual maturation and spawning of Atlantic menhaden. By Joseph R. Higham and William R. Nicholson. P. 255-271, 8 figs., 8 tables.

An Experimental evaluation of the C^{14} method for measuring phytoplankton production, using cultures of Dunaliella primolecta Butcher. By William H. Thomas. P. 273-292, 5 figs., 14 tables.

Dentition of the northern fur seal. By Victor B. Scheffer and Bertram S. Kraus. P. 293-342, 5 figs., 18 tables, 26 pls.

A benthic community in the Sheepscot River estuary, Maine. By Robert W. Hanks. P. 343-353, 5 figs., 5 tables.

Upwelling in the Costa Rica Dome. By Klaus Wyrtki. P. 355-372, 11 figs., 1 table.

Preconstruction study of the fisheries of the estuarine areas traversed by the Mississippi River-Gulf Outlet Project. By George A. Rounsefell, P. 373-393, 13 figs., 13 tables.

A morphometric study of yellowfin tuna Thunnus albacares (Bonmarterre). By William S. Royce. P. 395-443, 22 figs., 17 tables.

Origins of high seas sockeye salmon. By Fred C. Cleaver. P. 445-476, 18 figs., 5 tables.

Relation between spawning-stock size and year-class size for the Pacific sardine Sardinops caerulea (Girard). By John S. MacGregor. P. 477-491, 25 figs., 8 tables.

Vol. 63, no. 3, issued 1964, ii + p. 493-669

Life history of lake herring in Lake Superior. By William R. Dryer and Joseph Beil. P. 493-530, 12 figs., 43 tables.

Annotated bibliography on biology of menhaden and menhaden-like fishes of the world. By John W. Reintjes. P. 531-549, 1 table.

Ocean mortality and maturity schedules of Karluk River sockeye salmon and some comparisons of marine growth and mortality rates. By R. A. Fredin. P. 551-574, 5 figs., 21 tables.

A method of measuring mortality of pink salmon eggs and larvae. By William McNeil. P. 575-588, 7 figs., 8 tables.

Meristic variation in the hexagrammid fishes. By Jay C. Quast. P. 589-609, 13 figs., 5 tables.

Movements, growth, and rate of recapture of whitefish tagged in the Apostle Islands area of Lake Superior. By William R. Dryer. P. 611-634, 5 figs., 23 tables.

Age, growth, sex ratio, and maturity of the whitefish in central Green Bay and adjacent waters of Lake Michigan. By Donald Mraz. P. 619-634, 5 figs., 24 tables.

Feeding and growth of juvenile soft-shell clams, Mya arenaria. By Alden P. Stickney. P. 635-642, 4 figs., 4 tables.

Combined effects of temperature and salinity on development of eggs and growth of larvae of M. mercenaria and C. virginica. By Harry C. Davis and Anthony Calabrese. P. 643-655, 3 figs., 12 tables.

A critical study of Pribilof fur seal population estimates. By D. G. Chapman. P. 657-669, 12 tables.

Vol. 64, issued 1964.

The American oyster Crassostrea virginica Gmelin. By Paul S. Galtsoff. December 1964, iii + 480 p., 400 figs., 46 tables.