

## GENERAL INDEX.

NOTE.—This index contains general references to the entire volume; more detailed indexes to two papers will be found at the pages indicated.

	Page.		Page.
Dragonflies and damselflies in relation to pondfish culture, with a list of those found near Fairport, Iowa (facing p. 264) . . . . .	I		
Marine algae of Beaufort, N. C., and adjacent regions (facing Pl. CXIX) . . . . .	I		
	Page.		Page.
algæ, marine, Beaufort, N. C., and adjacent regions . . . 367-556, i-v		crab, blue:	
account, general . . . . .	379	abdomen . . . . .	103
systematic . . . . .	406	autotomy . . . . .	106
Beaufort Harbor ( <i>see</i> Beaufort, N. C.) . . . . .	382	Callinectes sapidus . . . . .	95
bibliography . . . . .	539	Chesapeake Bay, migration in . . . . .	108
Bogue Beach, Beaufort, N. C. . . . .	384	copulation . . . . .	115, 118
classification of species . . . . .	407	development of young . . . . .	96
collecting, methods . . . . .	403	distribution . . . . .	95
coral reefs offshore, Beaufort, N. C. . . . .	383	eggs, batches laid . . . . .	120
description of species . . . . .	373, 407	description . . . . .	96
distribution, horizontal . . . . .	399	extrusion . . . . .	96
regional . . . . .	391	fertilization . . . . .	117
seasonal . . . . .	391	experiments, spawning, with crabs taken during winter . . . . .	119
vertical . . . . .	396	first crab stage . . . . .	98
economic uses . . . . .	368, 405	habitat . . . . .	95
foreword . . . . .	368	habits, general . . . . .	113
genera, artificial key . . . . .	373, 533	winter . . . . .	123
glossary . . . . .	548	length of life . . . . .	124
identification . . . . .	406	life history . . . . .	91, 125
index (facing Pl. CXIX) . . . . .	i	mating . . . . .	115
key to genera, artificial . . . . .	373, 533	megalops stage . . . . .	98
localities adjacent to Beaufort, N. C. . . . .	371, 402	migration in Chesapeake Bay . . . . .	108
plates, explanation . . . . .	554	molting . . . . .	101, 104
preserving, methods . . . . .	403	name . . . . .	95
species and varieties, classification . . . . .	407	ovaries, development of . . . . .	117
description . . . . .	373, 407	plates, explanation of . . . . .	126
number observed . . . . .	371	reproduction . . . . .	115
systematic account . . . . .	406	reproductive organs . . . . .	116
tables . . . . .	529	spawning . . . . .	118
		experiments with crabs taken in winter . . . . .	119
Bear Lake, Idaho and Utah, three new whitefishes . . . . .	1-9	winter, habits . . . . .	123
Beaufort, N. C.:		spawning experiments with crabs taken during . . . . .	119
adjacent localities . . . . .	371, 402	young, development of . . . . .	96
and adjacent regions, general account . . . . .	375	zœa stage . . . . .	98
algæ, marine ( <i>see</i> algæ, marine, Beaufort, N. C. and adjacent regions . . . . .	367		
conditions . . . . .	384	damselflies, and dragonflies in relation to pondfish culture, with a list of those found near Fairport, Iowa . . . . .	181-264, 1-ii
coral reef, conditions . . . . .	390	bibliography . . . . .	260
harbor—		conclusions . . . . .	246
and vicinity, sponges . . . . .	129-179	foreword . . . . .	182
algæ, habitats of . . . . .	390	index (facing p. 264) . . . . .	i
description . . . . .	375	Dragonflies and damselflies in relation to pondfish culture, with a list of those found near Fairport, Iowa . . . . .	181-264, 1-ii
flora . . . . .	382	bibliography . . . . .	260
light . . . . .	385	conclusions . . . . .	246
location . . . . .	375	foreword . . . . .	182
map . . . . .	376	index (facing p. 264) . . . . .	i
movements of water . . . . .	389		
salt content of water . . . . .	388	Fairport, Iowa, dragonflies and damselflies found near, annotated list of . . . . .	248
temperature . . . . .	384	mayfly collections . . . . .	271, 274, 279, 280
tides . . . . .	389	ponds, Fisheries biological station . . . . .	186
turbidity . . . . .	389	map . . . . .	(facing) 186
localities adjacent . . . . .	371, 402		
map . . . . .	372		
blue crab, life history of . . . . .	91-128		
Burrowing mayflies of our larger lakes and streams . . . . .	265-292		

fishes:	Page.	mayflies, burrowing, and allies—Continued.	Page.
crappie, food of, Lake Wingra.....	320	plates, explanation of.....	290
food, mayflies.....	270, 276, 280	Polymitarcys.....	275, 277, 278, 285
hosts of mussels.....	20, 22, 23, 26, 28, 30, 32, 35	albus.....	274, 285
mayflies as food for.....	270, 276, 280	Potamanthus.....	277, 278, 287
river herring, host of mussel.....	22	diaphanus.....	287, 288
insect food of nine species.....	276	flaveola.....	274, 287, 288
mayflies as food for.....	276	luteus.....	287
shovelfish, mayflies as food for.....	280	quadrupunctata, Pentagenia.....	273, 274, 282
whitefishes, Bear Lake, Idaho and Utah ( <i>see</i> whitefishes).....	1-9	siccus, Chirotenetes.....	274, 275
yellow perch, habits in Wisconsin lakes ( <i>see</i> yellow perch).....	293-366	simulans, Ephemera.....	283, 284, 285
fishpond, stocking with dragonflies and damselflies.....	232	spinners.....	287
Fresh-water mussels and mussel industries of the United States.....	11-89	systematic account.....	276
<i>3lds</i> Habits of yellow perch in Wisconsin lakes.....	293-366	trailers.....	285
Idaho, Bear Lake, three new whitefishes.....	1-9	<i>varia</i> , Ephemera.....	283, 284, 285
Iowa, dragonflies and damselflies found near Fairport, annotated list of.....	248	<i>variabilis</i> , Hexagenia.....	278, 279
mayfly collections.....	271, 274, 279, 280	<i>vittigera</i> , Pentagenia.....	274, 282
lakes, burrowing mayflies.....	265	yellow drakes.....	282
Wisconsin, habits of yellow perch.....	293-366	Mississippi River, mayfly collections.....	271, 279
Life history of the blue crab.....	91-128	mussel fishery, fresh-water, United States:	
Marine algae of Beaufort, N. C., and adjacent regions. 367-556, i-v		apparatus.....	46
mayflies, burrowing, and allies:		aspects, local and temporary.....	41
abundance.....	269	bar and crowfoot hooks.....	46
account, systematic.....	276	boats.....	50
albus, Polymitarcys.....	274, 285	crowfoot apparatus.....	46
Andalusia Chute (Iowa) collections.....	271, 274, 280	culls.....	61
bibliography.....	288	depletion of resources.....	38
bilineata, Hexagenia.....	271, 274, 278	dip-net drag.....	53, 55, 59
brown drakes.....	278	distribution, map (facing).....	40
Campsurus.....	277, 278	dredge.....	57, 59
Chirotenetes.....	275	extent.....	38
siccus.....	274, 275	map (facing).....	40
collections, Iowa.....	271, 274, 279, 280	fork.....	57, 59
miscellaneous.....	280	john boat.....	50, 52
Mississippi River.....	271, 279	local and temporary aspects.....	41
diaphanus, Potamanthus.....	287, 288	meats.....	61
Ephemera.....	276, 277, 278, 283	methods.....	46, 59
guttulata.....	283, 284	mule.....	49, 51
simulans.....	283, 284, 285	resources, depletion of.....	44
<i>varia</i> .....	283, 284, 285	shell tongs.....	56, 59
Ephemerida.....	276	shore equipment and processes.....	60
Ephemerinae.....	276, 277	shoulder rake.....	56, 59
Euthyplocia.....	277, 278, 287	States in which pursued.....	40
hecuba.....	287	undersized shells.....	63
Fairport (Iowa) collections.....	271, 274, 279	value.....	38
flaveola, Potamanthus.....	274, 287, 288	waste.....	61
flounders.....	287	mussels, fresh-water, United States:	
food for fishes.....	270, 276, 280	and mussel industries.....	11-89
for river herring.....	276	Anodonta corpulenta.....	35
for shovelfish.....	280	grandis.....	35
guttulata, Ephemera.....	283, 284	imbecillis.....	35
hecuba, Euthyplocia.....	287	suborbiculata.....	35
Heptageninae.....	276	Arcidens confragosus.....	34
herbivores.....	275	bank-climber.....	27
Hexagenia.....	275, 276, 277, 278	bastard shell.....	34
bilineata.....	271, 274, 278	black sand-shell.....	32
<i>variabilis</i> .....	278, 279	blue-point.....	25, 26
Iowa collections.....	271, 274, 279, 280	buckhorn.....	27
Keokuk (Iowa) collections.....	271, 279	bullhead.....	33
luteus, Potamanthus.....	287	butterfly.....	30
mackerels.....	283	commercial.....	15, 36
miscellaneous collections.....	280	Cyprogenia irrorata.....	33
Mississippi River collections.....	271, 279	deer-toe.....	30
nymphs.....	276, 277, 278	dromedary mussel.....	33
of our larger lakes and streams.....	265-292	dromas dromas.....	33
Pentagenia.....	275, 276, 277, 278, 282	elephant's ear.....	33, 34
quadrupunctata.....	273, 274, 282	fan-shell.....	33
<i>vittigera</i> .....	274, 282	fat mucket.....	29
		fishery ( <i>see</i> mussel fishery).....	38
		flat niggerhead.....	25
		floater.....	35

mussels, fresh-water, United States—Continued.	Page.
fluted shell.....	33
golf-stick.....	22
grandma.....	31
heel-splitter group.....	33
hickory-nut.....	22
Higgin's eye.....	29
kidney-shell.....	33
lady-finger.....	34
Lake Pepin mucket.....	29
Lampsilis.....	17, 27
alata.....	34
anodontoides.....	31
capax.....	31
fallaciosa.....	32
gracilis.....	35
higginsii.....	29
hudsoniana.....	30
iris.....	28
laevissima.....	35
ligamentina.....	28
ligamentina gibba.....	28
luteola.....	29
multiradiata.....	31
orbiculata.....	29
ovata.....	31
parva.....	35
purpurata.....	31
recta.....	32
subrostrata.....	32
ventricosa.....	30
list of species considered.....	18
long solid.....	22
map showing resources..... (facing)	40
maple-leaf.....	23, 24
Margaritana margaritifera.....	35
monodonta.....	35
miscellaneous groups.....	17, 33
monkey-face.....	24
mucket.....	28
niggerhead.....	20
noncommercial species.....	35
Obliquaria reflexa.....	22
Obovaria circulus.....	24
ellipsis.....	22
retusa.....	22
Ohio River pig-toe.....	25
pancake.....	33
paper-shell.....	35
pig-toe.....	24, 25
pimple-back.....	23
pink heel-splitter.....	34
pistol-grip.....	27
Plagiola elegans.....	30
securis.....	30
Pleurobema.....	25
resopus.....	33
pocketbook.....	30, 31
propagation, places conducted by Bureau of Fisheries, map..... (facing)	40
Ptychobranchus phaseolus.....	33
publications treating resources of various streams.....	37
purple pimple-back.....	24
purply.....	31
Quadrula.....	17, 19
boykiniana.....	27
coccinea.....	25
cooperiana.....	23
cylindrica.....	24
ebenus.....	20

mussels, fresh-water, United States—Continued.	Page.
Quadrula—Continued.	
elliottii.....	26
fragosa.....	24
granifera.....	24
heros.....	26
lachrymosa.....	23
metanevra.....	24
neislerii.....	26
obliqua.....	25
perplicata.....	26
plena.....	25
plicata.....	26
pustulata.....	23
pustulosa.....	23
pyramidata.....	25
rubiginosa.....	25
solida.....	22
subrotunda.....	22
trapezoides.....	27
trigona.....	25
tuberculata.....	24
undata.....	24
undulata.....	26
rabbit's foot.....	24
rainbow-shell.....	(facing) 28
resources, investigations of, map..... (facing)	40
map..... (facing)	40
minor streams.....	40
principal streams.....	40
various streams, publications treating.....	37
ringed warty-back.....	33
river pearl mussel.....	35
rock pocketbook.....	34
round-lake shell.....	26
sand-shell.....	31
sheepshead.....	33
shells, buttons manufactured from (see pearl button manufacture).....	64
commercial, varieties.....	17
novelties made from.....	80
qualities.....	15
slop-bucket.....	35
slough sand-shell.....	32
southern fat mucket.....	30
southern mucket.....	28
southern pocketbook.....	31
species, list of those considered.....	18
spectacle-case.....	35
Sphaeriidae.....	36
spike.....	34
squaw-foot.....	35
streams, minor.....	40
principal.....	40
publications treating resources of.....	37
Strophitus edentulus.....	35
Symphynota costata.....	33
complanata.....	33
three-horned warty-back.....	24
three-ridge.....	26
Tritogonia nobilis.....	24
tuberculata.....	27
Unio crassidens.....	34
gibbosus.....	34
Wabash pig-toe.....	25
washboard.....	26, 27
white heel-splitter.....	33
yellow sand-shell.....	31
yellow-back mucket.....	28
North Carolina:	
Beaufort and adjacent regions, marine algæ.....	367-556, i-v
Beaufort Harbor and vicinity, sponges.....	129-179

	Page.		Page.
pearl-button manufacture from fresh-water mussel shells,		Sponges of Beaufort (N. C.) Harbor and vicinity—Con.	
United States.....	16, 64-89	Keratosa.....	163
blank sawing or cutting.....	71, 82, 86	Lissodendoryx carolinensis.....	150
blanks, defective.....	83	Microciona prolifera.....	157
preparing for finishing.....	74	Mycalinae.....	147
production.....	73	Phloeodictyon nodosum.....	152
buttons, bleaching.....	78	Phoriospongia osburnensis.....	154
carding.....	78	Phoriospongiae.....	153
cost of manufacture.....	79	plates, explanation of.....	177
dyeing.....	78	Pleraplysilla latens.....	165
exports.....	68	Poterion atlantica.....	139
grades.....	77	Reniera tubifera.....	145
imports.....	68	Renierinae.....	145
making.....	75	Sigmatomonaxonellida.....	145
packing.....	78	Sigmatophora.....	142
polishing.....	77	Spirastrella andrewsii.....	135
sale.....	78	Spirastrellidae.....	135
sorting.....	77	Spongelidae.....	164
wholesale.....	79	Spongidae.....	166
cost.....	79	Stelospongiae.....	166
cutter, work and wage.....	72	Stylorella heliophila.....	147
cutting plants, detached.....	72	Suberites undulatus.....	140
cutting machine.....	71	Suberitidae.....	140
economy.....	82	Tetilla laminaris.....	142
finishing processes.....	74	Tetillidae.....	142
industry, development.....	66, 67	stocking the fishpond with dragonflies and damselflies..	232
economic effects.....	66, 69	streams, burrowing mayflies.....	265
establishment.....	64	publications treating mussel resources.....	37
methods, modern, development.....	69	Three new whitefishes from Bear Lake, Idaho and Utah.....	1-9
processes.....	70	United States, fresh-water mussels and mussel indus-	
product and waste, proportions.....	86	tries of.....	11-89
résumé.....	88	Utah, Bear Lake, three new whitefishes.....	1-9
sawing or blank cutting.....	71, 82, 86	whitefishes:	
shells, choice for particular lines.....	84	abyssicola, Coregonus.....	8
classifying.....	70	Bear Lake whitefish.....	8
discarded.....	88	Bonneville cisco.....	4
polishing.....	81	whitefish.....	6
preparation.....	70	cisco, Bonneville.....	4
soaking.....	71	Coregonus abyssicola.....	8
storage.....	70	silonotus.....	6
shop management.....	84	gemmafer, Leucichthys.....	4
wage of cutter.....	72	Leucichthys gemmafer.....	4
waste.....	82	silonotus, Coregonus.....	6
cutting shells.....	86	three new, from Bear Lake, Idaho and Utah.....	1-9
discarded shells.....	88	Wisconsin lakes, habits of yellow perch.....	293-366
excessive thickness of shells.....	87	yellow perch, Wisconsin lakes:	
proportion to product.....	86	bibliography.....	363
work of cutter.....	72	digestion, rate.....	313
pondfish culture, dragonflies and damselflies in relation		enemies, predatory.....	332
to.....	181	feeding, adaptability in.....	315
ponds, Fairport Fisheries biological station.....	186	food.....	300
map..... (facing) 186		adaptability to various types of.....	315
Sponges of Beaufort (N. C.) Harbor and vicinity.....	129-179	compared with that of crappie, Lake Wingra.....	319
Acanthella corrugata.....	161	digestion of.....	313
Aplysilla longispina.....	163	growth on various kinds.....	318
Astromonaxonellida.....	135	Lake Mendota and Lake Wingra.....	319
Axinella acanthifera.....	159	qualitative determinations.....	304
Axinellidae.....	158	quantitative determinations.....	304
bibliography.....	173	quantity consumed.....	313
classification, scheme.....	134	seasonal variation.....	304
Cliona celata.....	138	variation at different ages.....	318
Clionidae.....	138	variety.....	315
Darwinellidae.....	163	growth on different foods, rate.....	318
Desmacidomidae.....	147	habits.....	293, 335, 338, 339
Ectyoninae.....	157	migrations.....	328
Esperiopsis obliqua.....	148	parasites.....	333
foreword.....	130	predatory enemies.....	332
Haploscleridae.....	145	reproduction.....	326
Hircinia ectofibrosa.....	166	respiration.....	320
introduction.....	133		

*In this index to follow plate C. 11*

# INDEX.

[The number of the page on which a group is described is printed in heavy type. Names used as synonyms are printed in italics.]

	Page.
<b>Acrochaetium</b> .....	399, 469, 474, 535
<i>affine</i> .....	469, 470, 471, 473, 474, 530, 531, 532
<i>corymbiferum</i> .....	393, 400, 469, 471, 473, 474, 529, 532
<i>dufourii</i> .....	395, 400, 469, 470, 471, 472, 474, 529, 531, 532
<i>hoytii</i> .....	392, 400, 469, 470, 471, 472, 473, 474, 529, 531, 532
<i>infestans</i> .....	411, 469, 473, 474, 530, 531, 532, 535
<i>parvulum</i> .....	400, 469, 470, 472, 474, 529, 531, 532
<i>virgatulum</i> .....	392, 393, 400, 401, 469, 472, 473, 474, 529, 532
<i>virgatulum f. luxurians</i> .....	474
<i>virgatulum f. tenuissima</i> .....	474
<b>Acrodiscus</b> .....	522
<i>crenulatus</i> .....	522
<b>Actinococcus</b> .....	397, 398, 477, 535
<i>aggregatus</i> .....	392, 478, 529, 532
<b>Aejira zosterae</b> .....	446
<b>Agardhiella</b> .....	392, 393, 405, 478, 536
<i>coultteri</i> .....	479
<i>tenera</i> 392, 393, 396, 398, 400, 401, 403, 474, 479, 481, 529, 530, 532	487, 488, 537
<b>Agardhinula</b> .....	488, 489, 530, 531, 532
<i>browniae</i> .....	523, 526, 537
<b>Amphiroa</b> .....	526, 527, 530, 531, 532
<i>brasiliانا</i> .....	400, 526, 529, 530, 532
<i>fragilissima</i> .....	443
<b>Asperococcus orientalis</b> .....	393, 464, 536
<i>alsidii</i> .....	465
<i>atro-purpurea</i> var. <i>fusco-purpurea</i> .....	464
<i>fusco-purpurea</i> .....	393, 398, 464, 529, 532
<b>Bangiaceae</b> .....	463, 465
<b>Bangiales</b> .....	462, 463
<b>Bangioidae</b> .....	463
<b>Bostrychia</b> .....	497, 506, 536
<i>rivularis</i> .....	403, 507, 530, 532
<b>Botryoglossopsis</b> .....	495
<b>Brongnartella</b> .....	397, 497, 505, 536
<i>mucronata</i> .....	506, 510, 530, 532
<b>Bryopsidaceae</b> .....	430, 431
<b>Bryopsis</b> .....	431, 534
<i>plumosa</i> .....	393, 398, 399, 400, 431, 529, 532
<b>Callithamnion</b> .....	509, 511, 530, 535
<i>affine</i> .....	512
<i>investiens</i> .....	510
<i>lenormandi</i> .....	470
<i>polyspernum</i> .....	400, 511, 512, 529, 532
<i>tetragonum</i> .....	512
<i>virgatulum</i> .....	473
<b>Callophyllis browniae</b> .....	488
<b>Callymenia reniformis</b> .....	520
<b>Calothrix semiplena</b> .....	412
<b>Castagnea</b> .....	445, 446, 535
<i>mediterranea</i> .....	446
<i>zosterae</i> .....	446, 447, 530, 531, 532
<b>Caulerpa</b> .....	434, 534
<i>prolifera</i> .....	434, 530, 531, 532
<b>Caulerpacae</b> .....	430, 434
<b>Ceramiaceae</b> .....	482, 509
<b>Ceramium</b> .....	393, 510, 513, 535
<i>confervoides</i> .....	439

	Page.
<b>Ceramium—Continued.</b>	
<i>diaphanum</i> var. <i>tenuissimum</i> .....	514
<i>fastigiatum</i> .....	514
<i>rubrum</i> .....	396, 513, 514, 530, 532
<i>strictum</i> .....	393, 398, 400, 514, 515, 529, 530, 531, 532
<i>tenuissimum</i> .....	392, 400, 514, 515, 529, 532
<b>Chaetomorpha</b> .....	397, 398, 412, 424, 427, 534
<i>aerea</i> .....	425, 426
<i>aerea f. linum</i> .....	425
<i>brachygonia</i> .....	399, 424, 426, 529, 530, 532
<i>linum</i> .....	396, 399, 400, 403, 424, 425, 426, 529, 532
<i>linum f. aerea</i> .....	425, 426, 529, 532
<i>longiarticulata</i> .....	425
<i>melagonium</i> .....	424, 425, 426
<i>melagonium f. rupincola</i> 393, 398, 400, 424, 425, 426, 529, 531, 532	424
<i>melagonium f. typica</i> .....	424
<i>olneyi</i> .....	425
<i>sutoria</i> .....	425
<b>Chaetophoraceae</b> .....	418, 422
<b>Champia</b> .....	392, 393, 396, 487, 492, 536
<i>parvula</i> .....	392, 393, 396, 398, 400, 403, 492, 493, 529, 530, 532
<b>Chantransia</b> .....	469
<i>corymbifera</i> .....	473
<i>dufourii</i> .....	470
<i>hallandica</i> var. <i>parvula</i> .....	47
<i>hoytii</i> .....	470
<i>parvula</i> .....	470
<i>virgatula</i> .....	473
<i>virgatula f. luxurians</i> .....	473
<i>virgatula f. tenuissima</i> .....	473
<b>Chlorophyceae</b> .....	373, 374, 379, 382, 384, 400, 407, 417, 528, 529, 530, 532, 534
<b>Chlorospermeae</b> .....	407, 417
<b>Chondria</b> .....	374, 397, 405, 497, 498, 530, 536
<i>atropurpurea</i> .....	499, 500, 529, 530, 532
<i>baileyana</i> .....	500
<i>dasyphylla</i> .....	392, 393, 394, 396, 398, 399, 400, 401, 499, 500, 502, 504, 529, 530, 532
<i>littoralis</i> .....	416, 499, 500, 504, 530, 531, 532
<i>parvula</i> .....	493
<i>sedifolia</i> .....	392, 394, 399, 401, 499, 501, 529, 530, 532
<i>tenuissima</i> .....	396, 398, 400, 499, 500, 513
<i>tenuissima</i> var. <i>baileyana</i> .....	393, 500, 529, 531, 532
<b>Chondriopsis</b> .....	498
<i>dasyphylla</i> .....	500
<i>dasyphylla</i> var. <i>sedifolia</i> .....	501
<i>littoralis</i> .....	500
<i>tenuissima</i> .....	500
<i>tenuissima</i> var. <i>baileyana</i> .....	500
<b>Chondrus crispus</b> .....	405, 484
<b>Chordariaceae</b> .....	436, 445
<b>Chroococcaceae</b> .....	408
<b>Chroococcus</b> .....	408, 416, 533
<i>turgidus</i> .....	399, 400, 409, 414, 416, 529, 532
<b>Chrysymenia</b> .....	395, 487, 489
<i>agardhii</i> .....	489, 490, 519, 520, 530, 532, 537
<i>enteromorpha</i> .....	490, 530, 532, 536
<i>halymenioides</i> .....	518
<i>ramosissima</i> .....	480
<i>uvaria</i> .....	490, 491, 530, 532, 536

	Page.		Page.
<i>Chylocladia</i> .....	491	<i>Dermatolithon</i> .....	522, 524, 538
<i>baileyana</i> .....	492	<i>pustulatum</i> .....	392, 396, 399, 400, 401, 524, 529, 532
<i>rosea</i> .....	492	<i>Dichothrix</i> .....	416, 533
<i>uncinata</i> .....	492	<i>penicillata</i> .....	416, 530, 531, 532
<i>Cladophora</i> .....	397, 398, 412, 424, 427, 429, 431, 529, 534	<i>Dictyopteris</i> .....	454, 459, 535
<i>catenata</i> .....	423, 429	<i>polydiodioides</i> .....	378, 400, 459, 529, 531, 532
<i>crystallina</i> .....	400, 428, 529, 532	<i>serrata</i> .....	459, 460, 530, 531, 532
<i>fascicularis</i> .....	403, 428, 530, 531, 532	<i>Dictyota</i> .....	389, 392, 394, 395, 397, 399, 402, 405, 454, 458, 460, 535
<i>flexuosa</i> .....	393, 398, 428, 529, 532	<i>bartayresiana</i> .....	461
<i>prolifera</i> .....	429, 530, 532	<i>dichotoma</i> .....	391, 392, 400, 401, 403, 411, 415, 441, 442, 444, 459, 461, 466, 467, 470, 471, 473, 474, 508, 517, 529, 530, 532
<i>Cladophoraceæ</i> .....	423, 424	<i>dichotoma f. attenuata</i> .....	461
<i>Coccolongaceæ</i> .....	408	<i>dichotoma f. implexa</i> .....	461
<i>Codiaceæ</i> .....	430, 431	<i>dichotoma f. latifolia</i> .....	461
<i>Codiolum polyrhizum</i> .....	430	<i>divaricata</i> .....	461
<i>Codium</i> .....	393, 394, 399, 405, 431, 432, 534	<i>variegata</i> .....	454
<i>decorticatatum</i> .....	392, 393, 400, 403, 432, 433, 529, 530, 532	<i>Dictyotaceæ</i> .....	435, 454
<i>elongatum</i> .....	433	<i>Dictyotales</i> .....	435, 453
<i>tomentosum</i> .....	391, 392, 393, 395, 400, 403, 432, 433, 529, 530, 532	<i>Diplocystis brownea</i> .....	488
<i>Conferva aerea</i> .....	425	<i>Dumontia filiformis</i> .....	374, 381
<i>carnea</i> .....	466		
<i>ceramicola</i> .....	466	<i>Ectocarpaceæ</i> .....	436, 442, 446
<i>chitonoplastes</i> .....	414	<i>Ectocarpus</i> .....	402, 403, 437, 438, 439, 529, 534
<i>crystallina</i> .....	428	<i>confervoides</i> .....	392, 393, 398, 400, 437, 438, 439, 529, 532
<i>denudata</i> .....	503	<i>confervoides var. siliculosus</i> .....	438
<i>fascicularis</i> .....	428	<i>duchassaingianus</i> .....	399, 401, 437, 438, 439, 529, 530, 532
<i>flexuosa</i> Mueller.....	428	<i>mitchellæ</i> .....	392, 400, 401, 437, 438, 439, 529, 532
<i>flexuosa</i> Wulfen.....	419	<i>siliculosus</i> .....	393, 398, 400, 437, 438, 439, 529, 532
<i>fusco-purpurea</i> .....	464	<i>solitarius</i> .....	441
<i>linum</i> .....	425	<i>viridis</i> .....	438
<i>melagonium</i> .....	424	<i>Elachista</i> .....	444
<i>nigrescens</i> .....	504, 505	<i>stellulata</i> .....	444
<i>prolifera</i> .....	429	<i>Elachistaceæ</i> .....	444
<i>rhizodes</i> .....	448	<i>Elachistea</i> .....	444, 534
<i>riparia</i> .....	427	<i>stellulata</i> .....	444, 456, 529, 531, 532
<i>rubra</i> .....	514	<i>Elachistaceæ</i> .....	436, 444
<i>siliculosa</i> .....	438	<i>Enceliaceæ</i> .....	436, 442
<i>stellulata</i> .....	444	<i>Endoderma</i> .....	422, 423, 534
<i>Confervoides</i> .....	418	<i>viride</i> .....	423, 530, 532
<i>Conjugatæ</i> .....	417	<i>Enteromorpha</i> .....	397, 398, 402, 405, 412, 418, 534
<i>Corallina</i> .....	523, 527, 537	<i>flexuosa</i> .....	393, 398, 400, 419, 421, 529, 532
<i>capillacea</i> .....	527, 530, 531, 532	<i>intestinalis</i> .....	393, 400, 419, 420, 529, 532
<i>cubensis</i> .....	527, 528, 530, 531, 532	<i>linza</i> .....	393, 398, 400, 403, 418, 419, 420, 422, 424, 529, 532, 534
<i>fragilissima</i> .....	526	<i>prolifera</i> .....	392, 393, 398, 400, 401, 403, 419, 424, 529, 532
<i>Corallinaceæ</i> .....	516, 522	<i>Entodadia viridis</i> .....	423
<i>Cryptonemia</i> .....	516, 521, 537	<i>Entoderma</i> .....	423
<i>crenulata</i> .....	522, 530, 531, 532	<i>Erythrocladia</i> .....	464, 466, 535
<i>lomation</i> .....	522	<i>recondita</i> .....	392, 466, 467, 529, 530, 531, 532
<i>Cryptonemiales</i> .....	468, 515	<i>vagabunda</i> .....	466, 467, 530, 531, 532
<i>Cryptoneminae</i> .....	515	<i>Erythrotrichia</i> .....	392, 464, 466, 535
<i>Cryptoneura</i> .....	495	<i>carnea</i> .....	392, 400, 401, 456, 466, 470, 529, 532
<i>Cryptophyceæ</i> .....	407	<i>ceramicola</i> .....	466
<i>Cyanophyceæ</i> .....	407	<i>Eucheuma</i> .....	478, 481, 536
<i>Cyclosporeæ</i> .....	435, 449	<i>gelidium</i> .....	329, 400, 401, 479, 481, 529, 531, 532
<i>Cyclosporinae</i> .....	449	<i>Eudesme virescens</i> .....	446
		<i>Eu-Floridæ</i> .....	467
<i>Dasya</i> .....	392, 393, 394, 395, 397, 496, 506, 507, 508, 536	<i>Floridæ</i> .....	462, 463, 467
<i>elegans</i> .....	508	<i>Fucaceæ</i> .....	449
<i>mucronata</i> .....	506	<i>Fucoideæ</i> .....	435
<i>pedicellata</i> .....	393, 396, 398, 400, 403, 473, 474, 508, 529, 530, 532	<i>Fucus</i> .....	393, 395, 397, 398, 399, 404, 405, 450, 535
<i>Dasyceæ</i> .....	496	<i>bacciferus</i> .....	452
<i>Dawsoniæ</i> .....	495	<i>confervoides</i> .....	483
<i>Delesseria</i> .....	495	<i>crimalis</i> .....	475
<i>americana</i> .....	495	<i>dasyphyllus</i> .....	500
<i>sanguinea</i> .....	374	<i>fascia</i> .....	443
<i>Delesseriaceæ</i> .....	482, 493	<i>filamentosus</i> .....	512
<i>Derbesia</i> .....	430, 534	<i>silicinus</i> .....	521
<i>turbinata</i> .....	430, 529, 531, 532		
<i>Derbesiaceæ</i> .....	430		

Fucus—Continued.	Page.	Page.	Page.
<i>flavus</i> .....	455	<b>Helminthocladaceæ</b> .....	468
<i>floresius</i> .....	518	<i>Herposiphonia</i> .....	394, 397, 399, 496, 507, 536
<i>griffithsiae</i> .....	477	<i>tenella</i> .....	392, 400, 403, 507, 529, 530, 532
<i>multipartitus</i> .....	484	<b>Heterokontæ</b> .....	417
<i>musciiformis</i> .....	483	<b>Hormogonææ</b> .....	408, 409
<i>natans</i> .....	452	<i>Hutchinsia tenella</i> .....	507
<i>ovarius</i> .....	491	<i>variegata</i> .....	503
<i>palmetta</i> .....	487	<b>Hydrocoleum</b> .....	397, 398, 410, 413, 534
<i>pedunculatus</i> .....	449	<i>lyngbyaceum</i> .....	399, 400, 413, 529, 532
<i>polypodoides</i> .....	459	<b>Hydrocoleus</b> .....	413
<i>prolifer</i> .....	434	<i>lyngbyaceus</i> .....	413
<i>rhizodes</i> .....	448	<b>Hypnea</b> .....	374, 392, 393, 394, 395, 397, 399, 402, 405, 483, 485, 536
<i>tenuissimus</i> .....	500	<i>armata</i> .....	486
<i>tomentosus</i> .....	432	<i>divaricata</i> .....	486
<i>vesiculosus</i> .....	391, 392, 393, 398, 400, 450, 529, 531, 532	<i>musciiformis</i> .....	392, 393, 398, 400, 401, 403, 485, 486, 529, 530, 532
<b>Gelidiaceæ</b> .....	468, 474	<i>Isoyenia flabellata</i> .....	517
<b>Gelidium</b> .....	397, 398, 402, 405, 475, 476, 536	<i>Iania capillacea</i> .....	527
<i>coerulescens</i> .....	392, 393, 398, 399, 400, 403, 409, 413, 475, 476, 529, 530, 532	<i>cubensis</i> .....	528
<i>corneum</i> .....	476	<b>Laminaria fascia</b> .....	443
<i>crinale</i> .....	392, 393, 398, 401, 403, 475, 476, 529, 532	<b>Laurencia</b> .....	496, 497, 530, 537
<i>Gigartina tenera</i> .....	479	<i>baileyana</i> .....	500
<b>Gigartinaceæ</b> .....	476	<i>gemmifera</i> .....	497, 498
<b>Gigartinales</b> .....	468, 476	<i>pinnatifida</i> .....	498
<i>Gigartinina</i> .....	476	<i>tuberculosa</i> .....	497, 498
<b>Gloeocapsa</b> .....	408	<i>tuberculosa</i> var. <i>gemmifera</i> .....	399, 401, 498, 529, 530, 532
<b>Gomontia</b> .....	429, 534	<b>Laurencia</b> .....	496
<i>polyrhiza</i> .....	401, 426, 430, 510, 532	<b>Leathesia</b> .....	393, 445, 447, 534
<b>Gomontiaceæ</b> .....	413, 429	<i>difformis</i> .....	393, 398, 400, 447, 529, 531, 532
<i>Gonogoceras strictum</i> .....	515	<i>tubersiformis</i> .....	447
<b>Goniotrichum</b> .....	392, 464, 465, 535	<b>Linckia zostera</b> .....	446
<i>alsidii</i> .....	392, 456, 465, 470, 529, 530, 532	<b>Lithophyllum</b> .....	523, 525, 538
<i>elegans</i> .....	465	<i>intermedium</i> .....	525, 526, 530, 531, 532
<b>Gracilaria</b> .....	397, 405, 483	<b>Lithothamnion sejunctum</b> .....	525
<i>compressa</i> .....	484	<b>Lithothamnium</b> .....	523, 524, 525, 538
<i>confervoides</i> .....	374, 392, 399, 400, 401, 403, 405, 474, 483, 484, 485, 499, 515, 529, 530, 532, 536	<i>sejunctum</i> .....	525, 526, 530, 531, 532
<i>dum</i> .....	483	<b>Lomentaria</b> .....	393, 487, 491, 536
<i>multipartita</i> .....	374, 392, 393, 398, 399, 400, 401, 403, 405, 474, 483, 484, 485, 529, 532, 536, 537	<i>baileyana</i> .....	492
<i>multipartita</i> var. <i>angustissima</i> .....	403, 484, 504, 530, 532	<i>rosea</i> .....	491, 492, 530, 531, 532
<b>Grateloupia</b> .....	516, 520	<i>uncinata</i> .....	392, 393, 398, 400, 403, 491, 492, 529, 532
<i>filicina</i> .....	400, 520, 521, 529, 530, 532, 537	<b>Lyngbya</b> .....	398, 402, 403, 410, 411, 533
<i>gibbesii</i> .....	403, 520, 521, 530, 531, 532, 537	<i>arenarium</i> .....	413
<b>Grateloupiaceæ</b> .....	515, 516	<i>confervoides</i> .....	380, 392, 393, 397, 398, 399, 400, 412, 529, 532
<b>Griffithsia</b> .....	504, 509, 511, 530, 535	<i>juliana</i> .....	413
<i>Griffithsia</i> .....	511	<i>lutea</i> .....	399, 400, 412, 413, 529, 532
<b>Grinnellia</b> .....	392, 393, 394, 395, 397, 494, 495, 537	<i>luteo-fusca</i> .....	412
<i>americana</i> .....	393, 398, 400, 403, 495, 529, 530, 532	<i>nigrescens</i> .....	412
<b>Gymnogongrus</b> .....	397, 398, 399, 477, 536	<i>semiplena</i> .....	401, 412, 530, 532
<i>griffithsiae</i> .....	392, 393, 398, 400, 477, 478, 529, 532	<i>tenerima</i> .....	413
<b>Gymnosorus variegatus</b> .....	454	<b>Martensia</b> .....	374
<b>Halarachnion</b> .....	517	<b>Melobesia</b> .....	403, 522, 523, 538
<i>floridanum</i> .....	519	<i>callithamnioides</i> .....	523
<i>ligulatum</i> .....	517	<i>farinosa</i> .....	523, 524, 530, 532
<b>Halimeda</b> .....	381	<i>farinosa</i> forma <i>callithamnioides</i> .....	519, 523, 530, 531, 532
<b>Haliseri</b> .....	459	<i>lejosilii</i> .....	524
<i>polypodoides</i> .....	459	<i>pustulata</i> .....	524
<i>serrata</i> .....	460	<b>Meristotheca</b> .....	478, 479, 537
<b>Halymenia</b> .....	489, 490, 516, 517	<i>duchassaingii</i> .....	440, 441, 480, 489, 530, 532
<i>agardhii</i> .....	517, 518, 530, 531, 532, 536	<b>Mesoploia zostera</b> .....	446
<i>decipiens</i> .....	517	<b>Microchaete</b> .....	414, 533
<i>floresia</i> .....	517, 518, 530, 531, 532, 537	<i>nana</i> .....	414, 529, 531, 532
<i>floridana</i> .....	490, 517, 518, 519, 520, 528, 530, 531, 532, 537	<b>Microcoleus</b> .....	410, 413, 533
<i>floridana</i> forma <i>dentata</i> .....	518	<i>anguiformis</i> .....	414
<i>gelinaria</i> .....	490, 517, 518, 519, 520, 530, 531, 532, 537	<i>chthonoplastes</i> .....	409, 414, 416, 530, 532
<i>latifolia</i> .....	519	<i>gracilis</i> .....	414
<i>ligulata</i> .....	519	<b>Myriocladia zostera</b> .....	446

	Page.		Page.
Myrionema	445, 534	Rhizoclonium	424, 427, 534
<i>leclancherii</i>	445	<i>riparium</i>	393, 400, 426, 427, 529, 534
<i>strangulans</i>	393, 400, 445, 529, 532	<i>riparium</i> var. <i>implexum</i>	427
<i>vulgare</i>	445	<i>riparium</i> var. <i>validum</i>	427
Myxophyceæ	373, 374, 379, 380, 382, 384, 397, 403, 406, 407, 412, 417, 465, 528, 529, 530, 532, 533	Rhodomelaceæ	482, 496
<i>Myxophykea</i>	407	Rhodophyceæ	374, 379, 382, 384, 406, 407, 462, 465, 496, 528, 529, 530, 532, 535
<i>Nemalionaceæ</i>	468	<i>Rhodophyllidaceæ</i>	476, 478
<i>Nemalionales</i>	468	<i>Rhodospermeæ</i>	462
<i>Nemalioninæ</i>	468	<i>Rhodymenia</i>	394, 487, 537
<i>Nitophyllum</i>	395, 397, 494, 537	<i>palmetta</i>	394, 400, 487, 529, 530, 532
<i>laceratum</i>	495	<i>Rhodymeniaceæ</i>	482, 487
<i>medium</i>	395, 400, 441, 446, 489, 494, 495, 529, 530, 531, 532	<i>Rhodymeniales</i>	468, 482
<i>Nostocaceæ</i>	414	<i>Rhodymeninæ</i>	482
<i>Nostochaceæ</i>	414	<i>Rivularia zostera</i>	446, 447
<i>Nostochinææ</i>	409	<i>Rivulariaceæ</i>	409, 416
<i>Oosporeæ</i>	417, 435	<i>Rosenvingea</i>	397, 399, 442, 443, 535
<i>Oscillaria</i>	410	<i>orientalis</i>	381, 392, 400, 403, 443, 529, 530, 532
<i>limosa</i> var. <i>chalybea</i>	410	Sargassum	389, 397, 399, 405, 450, 451, 527, 530, 534
<i>Oscillatoria</i>	410, 533	<i>bacciferum</i>	452
<i>lutea</i>	413	<i>bacciferum</i> f. <i>angustum</i>	452
<i>nigro-viridis</i>	399, 410, 529, 532	<i>filipendula</i>	392, 393, 396, 398, 400, 451, 452, 467, 470, 473, 474, 523, 526, 529, 532
<i>Oscillatoriaceæ</i>	409, 410	<i>filipendula</i> f. <i>contractum</i>	453
<i>Padina</i>	389, 392, 394, 395, 397, 399, 454, 455, 535	<i>filipendula</i> var. <i>montagnei</i>	451, 453, 530, 532
<i>dubia</i>	457, 458	<i>filipendula</i> f. <i>subdentatum</i>	453
<i>durvillæi</i>	457	<i>ilicifolium</i>	453
<i>gymnospora</i>	458	<i>marginatum</i>	453
<i>pavonia</i>	457	<i>montagnei</i>	453
<i>sanctæ crucis</i>	458	<i>natans</i>	416, 451, 452, 530, 532
<i>variegata</i>	456, 457, 458	<i>natans</i> f. <i>angustum</i>	452, 530, 532
<i>vickersiæ</i>	391, 392, 400, 456, 457, 458, 465, 466, 474, 501, 508, 529, 530, 532	<i>vulgare</i>	452
<i>Petalonia</i>	392, 393, 399, 442, 443, 535	<i>vulgare</i> var. <i>montagnei</i>	453
<i>fascia</i>	392, 393, 398, 400, 443, 446, 474, 529, 532	Schizomycetes	407
<i>zosterifolia</i>	443	<i>Schizophyceæ</i>	407
<i>Phæophyceæ</i>	374, 379, 382, 384, 406, 407, 435, 528, 529, 530, 532, 534	Schizophyta	407
<i>Phæosporeæ</i>	435, 436	Scinaia	468
<i>Phæostroma</i>	437, 442, 534	<i>Scytonemaceæ</i>	409, 410, 415
<i>pusillum</i>	442, 529, 531, 532	<i>Scytonemataceæ</i>	415
<i>Phæozosporinæ</i>	416	Siphonales	418, 430
<i>Phormidium</i>	410, 411, 529, 533	Siphonocladiales	418, 423
<i>Phyllitis</i>	443	<i>Solieria chordalis</i>	479
<i>fascia</i>	443	<i>Spathoglossum</i>	458
<i>Plectonema</i>	415, 534	<i>schræderi</i>	459
<i>battersii</i>	409, 410, 414, 415, 530, 531, 532	<i>Spatoglossum</i>	454, 458, 535
<i>Polyopes</i>	522	<i>areschougii</i>	459
<i>Polysiphonia</i>	394, 396, 401, 497, 502, 506, 507, 508, 530, 536	<i>schræderi</i>	400, 459, 529, 530, 532
<i>denudata</i>	392, 396, 400, 403, 502, 503, 504, 505, 529, 532	<i>Spermothamnion</i>	509, 510, 535
<i>fucoides</i>	505	<i>investiens</i>	395, 504, 510, 530, 531, 532
<i>harveyi</i>	391, 392, 400, 403, 470, 474, 502, 503, 504, 505, 529, 531, 532	<i>turneri</i>	510
<i>havanensis</i>	395, 502, 503, 530, 531, 532	<i>Sphaerococcaceæ</i>	482
<i>nigrescens</i>	393, 396, 398, 400, 502, 504, 505, 529, 532	<i>Spirulina</i>	408, 409, 410, 411, 530, 533
<i>pecten-veneris</i>	507	<i>Sponodiaceæ</i>	431
<i>tenella</i>	507	<i>Sporochneæ</i>	436, 448
<i>variegata</i>	503	<i>Sporochnus</i>	448, 535
<i>Porphyra</i>	392, 393, 402, 405, 464, 537	<i>bolleanus</i>	449
<i>atropurpurea</i>	465	<i>pedunculatus</i>	449, 529, 531, 532
<i>laciniata</i>	465	<i>Spyridia</i>	442, 510, 512, 536
<i>leucosticta</i>	393, 398, 400, 465, 529, 532	<i>clavata</i>	512, 513, 530, 531, 532
<i>Protococcus turgidus</i>	409	<i>filamentosa</i>	401, 471, 512, 530, 532
<i>Rhabdonia</i>	478, 480, 536	<i>Stephanokontæ</i>	417
<i>ramosissima</i>	480, 530, 531, 532	<i>Stilophora</i>	393, 448, 535
<i>robusta</i>	479	<i>rhizodes</i>	393, 396, 399, 400, 448, 529, 531, 532
<i>tenera</i>	479	<i>Stilophoraceæ</i>	436, 447
		<i>Streblonema</i>	437, 440, 441, 534
		<i>investiens</i>	441
		<i>invisible</i>	440, 441, 530, 531, 532
		<i>solitarium</i>	440, 441, 529, 531, 532



INDEX.

V

Styopodium lobatum.....	Page.	455	Ulva—Continued.	Page.
Supradecompositæ.....		495	lactuca forma <i>genauin</i> .....	421
<i>Taonia schræderi</i> .....		459	lactuca var. <i>lactuca</i> .....	421
<i>Tetrasporinæ</i> .....		453	lactuca var. <i>latissima</i> .....	399, 400, 401, 421, 532
<i>Tremella difformis</i> .....		447	lactuca var. <i>rigida</i> .....	400, 421, 532
<i>Trentepohlia</i> .....		469	<i>latissima</i> .....	421
<i>virgatula</i> .....		473	<i>linza</i> .....	420
Udotea.....	395, 431, 433, 534		<i>plumosa</i> .....	431
<i>conglutinata</i> .....	426, 434		<i>prolifera</i> .....	419
<i>cyathiformis</i> .....	426, 434, 529, 530, 532		<i>rigida</i> .....	421
Udoteaceæ.....	431		<i>schræderi</i> .....	459
Ulotrichales.....	418		Ulvaceæ.....	418
Ulotrichiaceæ.....	422		Ulvella.....	422, 423, 534
Ulva.....	393, 397, 398, 405, 418, 420, 534		<i>lens</i> .....	401, 423, 426, 530, 531, 532
<i>decorticata</i> .....	433		<i>Wildemania</i> .....	464
<i>dichotoma</i> .....	461		Zonaria.....	395, 405, 454, 535
<i>enteromorpha</i> .....	418		<i>flava</i> .....	377, 395, 454, 455, 510, 530, 532
<i>enteromorpha</i> var. <i>intestinalis</i> .....	420		<i>lobata</i> .....	455
<i>enteromorpha</i> var. <i>lanceolata</i> .....	420		<i>tournefortii</i> .....	455
<i>fasciata</i> .....	392, 399, 400, 421, 422, 529, 530, 532		<i>variegata</i> .....	395, 454, 530, 531, 532
<i>intestinalis</i> .....	420		<i>variegata</i> Kuetzing.....	456, 457, 458
<i>lactuca</i> .....	392, 393, 396, 398, 401, 403, 419, 421, 422, 424, 529		Zoosporeæ.....	417, 435