

GENERAL INDEX.

	Page.		Page.
abalone.....	130	Balanoglossus.....	214
Acanthopteri.....	122, 126	barnacles.....	220
advena, Nuphar.....	23	Barney, R. L.: Further notes on the natural history and artificial propagation of the diamond-back terrapin..	91-112
air bladder of fishes, <i>see</i> deductions concerning, etc.		bass.....	72
albistria, Chironomus.....	16	black.....	67, 77, 263, 268, 269, 270, 271, 272, 277, 280
Alepocephalidæ.....	125	calico.....	72
Alisma plantago.....	16	warmouth.....	263, 269
aloides, Stratiotes.....	16	white.....	263, 269, 280
Ameiurus melas.....	262, 263, 268, 269, 280	beryllina, Menidia, <i>see</i> silversides, etc.	
nebulosus.....	262, 263, 269	Biology and economic value of the sea mussel <i>Mytilus</i>	
americana, Orphnephila.....	52	edulis.....	127-260
americanus, Homarus.....	291	brds, enemies of mussels.....	218
Pseudopleuronectes, <i>see</i> winter flounder, etc.		black bass.....	67, 77, 263, 268, 269, 270, 271, 272, 277, 280
Amorceium.....	220	black grouper.....	297
Amphineura.....	129	bluefish.....	125
Amphioxus.....	214	bluegill.....	268, 274, 275, 278, 280
amphipods.....	311	boat shells.....	220
Annelida.....	129	Brasenia.....	24, 25, 27, 51
annularis, Chironomus.....	21	schreberi.....	23, 27, 29
Pomoxis.....	77, 263, 269	braseniæ, Chironomus.....	6, 7, 9, 23, 24, 26, 29, 32, 34, 37, 51
Anodonta.....	78, 129	Breder, C. M., jr.: Some embryonic and larval stages of the winter flounder.....	311-316
celensis.....	79	brook trout.....	263, 268
Anodontidæ.....	130	brumalis, Ceratopogon.....	43
anodontoides, Lampsilis.....	65, 72, 73, 76	brunnipes, Ceratopogon.....	42, 44
Aplodinotus grunniens.....	77	Bryozoa.....	214, 220
argus, Panulirus, <i>see</i> spiny lobster, etc.		bubalis, Ictiobus.....	263, 269, 280
Arthropoda.....	50	buffalo fish.....	261,
Ascididæ.....	214	263, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 278, 279, 280	
ascidians.....	220	bullheads.....	262, 263, 266, 268, 269, 271, 272, 276, 280
Asterias forbesii.....	215	Butonius umbellatus.....	16
vulgaris.....	215		
Atherinidæ.....	113	calico bass.....	72
Atlantic salmon.....	124	californianus, <i>Mytilus</i>	129
Azotobacter.....	212	Cancer.....	220
		Carcinus.....	220
Bacillus columnaris.....	263, 265, 267, 268, 271, 277, 280	carneus, Tanytus.....	38, 40, 41
bacteria.....	266, 211, 212, 263	carp.....	263, 269
bacterial disease, new, of fresh-water fishes.....	261-280	carpio, Cyprinus.....	263, 269
Bacillus columnaris.....	263	Castalia.....	24, 25
bacteria causing it.....	263	odorata.....	23, 27, 28, 29, 51
cause.....	263	catfish, channel.....	74, 263, 269
chemicals, treatment with.....	270	cayugæ, Chironomus.....	6, 18, 20, 21, 22, 32
control.....	270	celensis, Anodonta.....	79
copper sulphate, treatment with.....	271	centrata, Malaclemmys, <i>see</i> diamond-back terrapin, etc.	
creolin, treatment with.....	276	Cephalopoda.....	129, 130
description.....	262	Cerarium.....	209
economic importance.....	276	Ceratopogon brumalis.....	43
fishes affected.....	263, 269	brunnipes.....	42, 44
formalin, treatment with.....	276	dufourii.....	43
infection, methods of.....	266	flavifrons.....	42
lysol, treatment with.....	276	geniculatus.....	42, 42
occurrence of.....	263	lucorum.....	43, 44
pathogenesis.....	265	specularis.....	43
potassium permanganate, treatment with.....	270	stenomatis.....	43
sodium chloride, treatment with.....	276		
treatment.....	270		

	Page.		Page.
Ceratopogon, taxanus.....	43	conchs, food of spiny lobsters.....	297
Ceratopogoninae.....	3, 42, 47	value in 1908.....	131
body structures.....	43	copepods.....	205, 206
feeding habits.....	45	Costia.....	276
head structures.....	44	crabs.....	220
Chaenobryttus gulosus.....	263, 269	crappies.....	77, 263, 269, 273, 274, 275, 278, 279, 280
Chaetogaster.....	81	crawfish.....	282
chaetopod.....	81	Crawford, D. R., and W. J. J. De Smidt: The spiny lobster, Panulirus argus, of southern Florida: Its natural history and utilization.....	281-310
Champia parvula.....	219	Cricatopus.....	23
channel catfish.....	74, 263, 269	sylvestris.....	24
Chilodon.....	276	crispus, Potamogeton.....	23
Chironomida.....	2, 3, 8, 26, 46, 47, 48	Crustacea.....	46, 47, 205, 214
chironomids.....	3, 4, 5, 18, 27, 49, 50	crustaceans.....	114, 118, 130, 291, 297
Chironominae.....	3, 9, 33, 38, 39, 40, 42, 43, 47	Culex.....	42
Chironomus.....	23, 24, 39, 41, 42, 45, 46, 47	Culicoides.....	43, 44, 45, 52
albistria.....	16	guttipennis.....	44, 45
annularis.....	21	Culture of fresh-water mussels, experiments in.....	63-90
braseniæ, n. sp.....	6, 7, 9, 23, 32, 34, 35, 51	Cumacea.....	214
burrow.....	27	cunners.....	218
control.....	29	cuttlefish.....	130
description.....	30	Cyclochaeta.....	276
digestion.....	32	Cynthia.....	220
economic importance.....	29	Cyprididae.....	40
feeding habits.....	28	cyprinella, Ictiobus.....	263, 269, 280
female, description of.....	31	Cyprinus carpio.....	263, 269
figures, explanation of.....	51	Davis, H. S.: A new bacterial disease of fresh-water fishes.....	261-280
habits, general.....	24	decorus, Chironomus.....	20
head, structure and function of.....	6, 9, 34, 37	Deductions concerning the air bladder and the specific gravity of fishes.....	121-126
life history.....	24	air bladder, fishes possessing.....	125
male, description of.....	30	functions.....	121, 125
penetrating epidermis of leaves.....	26	gas content, variation in composition of.....	125
pupæ, description of.....	30	reduction, with increase of fat.....	123
respiration.....	28	size, effects of fresh and salt water on.....	122
cayuga.....	6, 20	volume, means of reducing.....	124, 125, 126
burrow.....	21	fat, effects on, air bladder of fishes.....	123
feeding habits.....	22	navigation of fishes.....	124, 126
habitat.....	20	specific gravity of fishes.....	122, 123, 126
tubes.....	18, 32	literature cited.....	126
decorus.....	20	specific gravity, adjustment by reducing air bladder. effect on movements of fishes.....	125, 126
digitatus.....	39	of fat-free substance.....	121
dispar.....	16	of whole fish, formula.....	122
hyperboreus.....	21	reduction, with increase of fat.....	123, 126
lobiferus.....	4, 7, 9, 16, 18, 22	variation, with amount of fat.....	122
feeding habits.....	41	summary.....	125
figures, explanation of.....	52	demissus, Modiolus.....	128, 220
habitat.....	9	De Smidt, W. J. J., and D. R. Crawford: The spiny lob- ster, Panulirus argus, of southern Florida: Its natural history and utilization.....	281-310
net, conical.....	15	devilfishes.....	129
silk, spinning.....	13, 22	diamond-back terrapin, natural history and artificial propagation, further notes on.....	91-112
silk structures.....	15	brood stocks of experimental farm.....	92
silk, uses.....	11	Carolina, original.....	93
niverpennis.....	16	Carolina, second.....	94
pedellus.....	16	Texas.....	95
sparganii.....	9, 16	1909.....	103
tendens.....	16	1910.....	104
viridis.....	16	1911.....	105
chitons.....	129	1912.....	106
Chorda filum.....	219	1913.....	107
chrysops, Roccus.....	263, 269, 280	1914.....	108
ciliata, Polydora.....	220	culling.....	100
cinerea, Urosalpinx.....	216	fertility and sexes, ratio of.....	96
Cladophora.....	35, 82		
clams.....	83, 129, 130, 131, 203, 214, 220, 297		
Clostridium.....	212		
cockles.....	131		
codfish.....	205, 218		
cœlenterates.....	214		
columnaris, Bacillus.....	263, 265, 267, 268, 269, 271, 277, 280		
conchs, enemies of mussels, oysters, clams.....	217		

	Page.		Page.
diamond-back terrapin, growth	99	fishes, codfish	205, 218
investigators	92	crappies	77, 263, 269, 273, 274, 275, 278, 279, 280
mortality	108	cunners	218
salable size, attainment of	100	Cyprinus carpio	263, 269
sexes and fertility, ratio of	96	Disease, new bacterial, of fresh-water fishes	261-280
space requirement	102	enemies	130
winter feeding	101	enemies of spiny lobsters	297
diatoms	46, 47, 51, 81, 114, 118, 145, 203, 206, 207, 208, 209, 210	fish mold	85
digitatus, Chironomus	39	flatfishes	125
Diptera	2, 48, 214	flounder	218
Disease, bacterial, new, of fresh-water fishes	261-280	winter, some embryonic and larval stages of	311-316
dispar, Chironomus	16	food	204, 218
dog-whelk	216	food of spiny lobsters	297
dolomieu, Micropterus	263	fresh-water, new bacterial disease of	261-280
donaciformis, Plagiola	80	haddock	205
dragonflies	3	herring	122, 125, 205
drills	216	Heterosomata	125
dufourii, Ceratopogon	43	Ictalurus punctatus	74, 263, 269
duplicata, Neverita	217	Ictiobus hubalus	263, 280
dyari, Tanypus	38, 39, 52	cyprinella	263, 280
echinoderms	214	infected from mussel glochidia	85
Ecological study of aquatic midges and some related insects with special reference to feeding habits	1-62	jelly fishes	205
bibliography	60	jew fish	297
Economic value, and biology, of the sea mussel Mytilus edulis	127-260	killifish	218
edulis, Mytilus, <i>see</i> Mytilus edulis		Leopomis humilis	263, 269
eelgrass	210, 211, 212, 213, 219	incisor	263, 269, 280
Eggs and larvæ of the silversides Menidia menidia and Menidia beryllina, notes on development of	113-120	pallidus	77
Embryonic and larval stages of the winter flounder, some	311-316	Linerges mercutia	205
Enteromorpha erecta	219	mackerel	125, 205
erecta, Enteromorpha	219	marine	126
Eudendrium	220	Menidia beryllina and M. menidia, habits and development of eggs and larvæ, notes on	113-120
exiguis, Tanytarsus	17, 18, 19	Menticirrhus	125
Experiments in the culture of fresh-water mussels	63-90	Micropterus dolomieu	263
literature cited	87	salmoides	72, 263, 269, 280
Field, Irving A.: Biology and economic value of the sea mussel Mytilus edulis	127-260	sparoides	72
filum, Chorda	219	minnow	263
fishes, abundance on Danish coast	210	mutton fish	297
Acanthopteri	122, 126	Oncorhynchus gorbuscha, O. keta, O. kisutch, O. nerka, and O. tshawytscha, <i>see</i> salmon of the Yukon River.	
air bladder, <i>see</i> deductions concerning, etc.		parasites	276
Alepocephalidæ	125	Perca flavescens	263
Ameiurus melas	262, 263, 268, 269, 280	perch, yellow	263, 268
nebulosus	262, 263, 269	Pimephales notatus	263
anadromous	126	Pomoxis annularis	77, 263, 269
Aplodinotus grunniens	77	sparoides	77, 263, 269, 280
Atherinidæ	113	Pseudopleuronectes americanus, <i>see</i> winter flounder, etc.	
bass	72	Roccus chrysops	263, 269, 280
black	67, 77, 263, 268, 269, 270, 271, 272, 273, 274, 275, 276, 278, 279, 280	salmon	122, 124
calico	72	Atlantic	124
warmouth	263, 269	chinook, chum, coho, dog, humpback, king, red, silver, sockeye, <i>see</i> salmon of the Yukon River.	
white	263, 269, 280	Salvelinus fontinalis	263
black grouper	297	scup	205, 218
bluefish	125	Selachii	125
bluegill	268, 274, 275, 278, 280	shad	122, 124
brook trout	263, 268	sharks	125
buffalo fish	261,	sheepshead	77
263, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 278, 279, 280		shrimp	145, 205
bullheads	262, 263, 266, 268, 269, 271, 272, 276, 280	silversides, Menidia menidia and M. beryllina, habits and development of eggs of, notes on	113-120
calico bass	72	specific gravity, <i>see</i> deductions concerning, etc.	
carp	263, 269	spiny-rayed species	122, 125
catfish, channel	74, 263, 269	squeteague	205, 218
Chænobryttus gulosus	263, 269	squid	206, 218
channel catfish	74, 263, 296	suckers	3
		sunfish	77, 263, 268, 269, 270, 272, 274, 275, 278, 280

	Page.		Page.
fishes, swordfish.....	125	killifish.....	218
tautog.....	218	kisutch, <i>Oncorhynchus</i> , <i>see</i> salmon of the Yukon River.	
teleosts.....	122, 125	knabi, <i>Metricnemus</i>	4, 33, 34, 37
trout.....	3	<i>lactuca</i> , <i>Ulva</i>	214, 219
brook.....	263, 268	<i>Lamellibranchia</i>	129, 131, 139, 214
tuna.....	125	<i>Laminaria saccharina</i>	219
warmouth bass.....	263, 269	lamp shells.....	220
white bass.....	263, 269, 280	<i>Lampsilinae</i>	78
whiting.....	205	<i>Lampsilis anodontoides</i>	65, 72, 73, 76
winter flounder, some embryonic and larval stages		<i>ligamentina</i>	65, 73, 74, 76, 78
of.....	311-316	<i>luteola</i>	65, 67, 73, 74, 76, 77, 79, 80, 82
<i>Xiphias</i>	125	<i>ventricosa</i>	64
yellow perch.....	263, 268	langouste.....	282
flatfishes.....	125	lapillus, <i>Purpurea</i>	216
<i>flavescens</i> , <i>Perca</i>	263	Larvæ and eggs of silversides <i>Menidia menidia</i> and	
<i>flavifrons</i> , <i>Ceratopogon</i>	42	<i>Menidia beryllina</i> , notes on development of.....	113-120
Florida, southern, the spiny lobster of: Its natural his-		Larval and embryonic stages, some, of the winter floun-	
tory and utilization.....	281-310	der.....	311-316
flounders.....	218	latus, <i>Mytilus</i>	140
winter, some embryonic and larval stages of.....	311-316	Leathers, Adelbert L.: Ecological study of aquatic	
fontinalis, <i>Salvelinus</i>	263	midges and some related insects with special reference	
Foraminifera.....	214	to feeding habits.....	1-62
forbesii, <i>Asterias</i>	215	<i>Lepidonotus</i>	220
frogs.....	263	<i>Lepomis humilis</i>	263, 269
<i>Fucus vesiculosus</i>	219	<i>incisor</i>	263, 269, 280
		<i>pallidus</i>	77
galloprovincialis, <i>Mytilus</i>	140, 141	leucops, <i>Stenostomum</i>	81
Gastropoda.....	129, 130	Iibinia.....	220
gastropods.....	214, 217, 311	ligamentina, <i>Lampsilis</i>	65, 73, 74, 76, 78
<i>geniculatus</i> , <i>Ceratopogon</i>	42	<i>Linerges mercutia</i>	205
Gilbert, Charles H.: The salmon of the Yukon River. 317-332		<i>Littorina</i>	130
gorbuscha, <i>Oncorhynchus</i> , <i>see</i> salmon of the Yukon		<i>littorea</i>	130, 220
River.		lobiferus, <i>Chironomus</i>	4, 7, 9, 11, 12, 13, 16, 18, 22, 41, 52
grunniens, <i>Aplodinotus</i>	77	lobster, spiny, <i>see</i> spiny lobster, etc.	
gulosus, <i>Chaenobryttus</i>	263, 269	lobsters.....	130
guttipennis, <i>Culicoides</i>	44, 45	lucorum, <i>Ceratopogon</i>	43, 44
		<i>Lunatia heros</i>	217
haddock.....	205	<i>luteola</i> , <i>Lampsilis</i>	65, 67, 73, 74, 76, 77, 79, 80, 82
hamatus, <i>Mytilus</i>	128	mackerel.....	125, 205
<i>Haplosporidium mytilovum</i> , n. sp.....	220	<i>maculatus</i> , <i>Tanytus</i>	42
heros, <i>Lunatia</i>	217	<i>Malaclemmys centrata</i> , <i>see</i> diamond-back terrapin, etc.	
<i>Quadrula</i>	65, 79	mammals.....	219
herring.....	122, 125, 205	<i>Margaritanas</i>	78
Heterosomata.....	125	<i>Margaritifera var. maxatlantica</i>	86
Hildebrand, Samuel F.: Notes on habits and develop-		<i>marina</i> , <i>Zostera</i>	219
ment of eggs and larvæ of the silversides <i>Menidia men-</i>		<i>mayflies</i>	3, 82
idia and <i>Menidia beryllina</i>	113-120	<i>melas</i> , <i>Ameiurus</i>	262, 263, 268, 269, 280
<i>hirtipennis</i> , <i>Tanytus</i>	38	<i>Menidia beryllina</i> and <i>M. menidia</i> , notes on habits and	
Holothurians.....	214	development of eggs and larvæ of.....	113-120
<i>Homarus americanus</i>	291	<i>Menticirrhus</i>	125
Howard, Arthur Day: Experiments in the culture of		<i>mercutia</i> , <i>Linerges</i>	205
fresh-water mussels.....	63-90	<i>Metazoa</i>	206
<i>humilis</i> , <i>Lepomis</i>	263, 269	<i>Metricnemus knabi</i>	4, 33
Hydra.....	82	feeding habits.....	34
hydroids.....	220	head structures.....	33
hyperboreus, <i>Chironomus</i>	21	mouth parts.....	37
		<i>Micropterus dolomieu</i>	263
Ichthyophthirius.....	276	<i>salmoides</i>	72, 263, 269, 280
<i>Ictalurus punctatus</i>	74, 263, 269	<i>Microstomum</i>	81
<i>Ictiobus bubalus</i>	263, 269, 280	Midges, aquatic, and some related insects, ecological	
<i>cyprinella</i>	263, 269, 280	study of, with special reference to feeding habits... 1-62	
<i>Ilyanassa obsoleta</i>	218	<i>Ceratopogon brumalis</i>	43
incisor, <i>Lepomis</i>	263, 269, 280	<i>brunnipes</i>	42, 44
Insects and aquatic midges, ecological study of, with		<i>dufourii</i>	43
special reference to feeding habits.....	1-62	<i>flavifrons</i>	42
invertebrates.....	220	<i>geniculatus</i>	42
		<i>lucorum</i>	43, 44
jelly fishes.....	205	<i>specularis</i>	43
jewfish.....	297	<i>stenomatis</i>	43
		<i>taxanus</i>	43
keta, <i>Oncorhynchus</i> , <i>see</i> salmon of the Yukon River.			

	Page.
Midges, Ceratopogoninae.....	3, 42, 43, 44, 45, 47
Chironomidae.....	2, 3, 8, 26, 46, 47, 48
chironomids.....	3, 4, 5, 18, 27, 49, 50
Chironominae.....	3, 9, 33, 38, 39, 40, 42, 43, 47
Chironomus.....	23, 24, 39, 41, 42, 45, 46, 47
albistria.....	16
annularis.....	21
brasetia.....	6, 7, 9, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 37, 51
cayuga.....	6, 18, 20, 21, 22, 32
decorus.....	20
digitatus.....	39
dispar.....	16
hyperboreus.....	21
lobiferus.....	4, 7, 9, 11, 12, 13, 15, 16, 18, 22, 41, 52
niverpennis.....	16
pedellus.....	16
sparganii.....	9, 16
tendens.....	16
viridis.....	16
Cricatopus.....	23
sylvestris.....	24
Culex.....	42
Culicoides.....	43, 44, 45, 52
guttipennis.....	44, 45
Diptera.....	2, 48
food of fishes.....	3
Metriocnemus knabi.....	4, 33, 34, 37
Nematocerca.....	48
Orphnephila.....	48, 49, 50, 52
americana.....	52
testacea.....	48, 52
Orphnephilidae.....	2, 48, 50
Orthocladus.....	33, 35, 52
Prodiamesa.....	36, 37, 52
praecox.....	36
Tanytipinae.....	3, 37, 38, 39, 40, 42, 47
Tanypus.....	37, 38, 40, 41
carneus.....	38, 40, 41
dyari.....	38, 39, 52
hirtipennis.....	38
maculatus.....	42
monilis.....	38
Tanytarsus exiguus.....	17, 18, 19
obediens.....	16, 47
pusio.....	17, 18, 19, 21
Trichocladus.....	33
nitidellus.....	31, 32, 33, 47
minnow.....	263
Modiola plicatula.....	128, 220
Modiolaria nigra.....	128, 129
Modiolus demissus.....	128, 220
modiolus.....	128, 129
rectus.....	129
Molgula.....	220
Mollusca, description and distribution.....	129
economic importance.....	130
mollusks.....	128, 131, 297
monilis, Tanypus.....	38
mother-of-pearl shell, successful culture.....	86
mussels, fresh-water:	
Anodonta.....	78, 129
celensis.....	79
Anodontidae.....	130
aquaria, growth in.....	66, 68, 72, 85
artificial propagation.....	84, 85, 131
byssus.....	79, 80, 82, 83
cement-lined ponds, growth in.....	66, 68, 74, 85
commercial possibilities.....	86
conservation.....	83

	Page.
mussels, cultural method.....	84
culture of, experiments in.....	63-90
depletion of resources.....	131
development of juveniles.....	78
earth ponds, growth in.....	66, 68, 77
enemies of juveniles.....	81
excurrent siphonal opening.....	81
experiments in culture of.....	63-90
extermination, possibility of.....	86
floating crates.....	64, 65, 68, 72, 82, 85
food of juveniles.....	81
foot.....	79, 80, 81
gills.....	79, 80
glochidia.....	67, 68, 78, 79, 80
growth in aquaria.....	66, 68, 72, 85
cement-lined ponds.....	66, 68, 74
earth ponds.....	66, 68, 77
floating crates.....	68, 72
pens.....	77, 85
tanks and troughs.....	66, 68, 72, 85
growth of juveniles, observations on.....	66
habitat, juveniles.....	80
habits, juveniles.....	80
heart.....	79
hyaline thread.....	79
intestines.....	79
investigations necessary.....	87
juveniles, development.....	78
enemies.....	75, 81
food.....	81
growth, observations on.....	66
mortality.....	81
structure.....	78
kidney.....	79
Lampsilinae.....	78
Lampsilis anodontoides.....	65, 72, 73, 76
ligamentina.....	65, 73, 74, 76, 78
luteola.....	65, 67, 73, 74, 76, 77, 79, 80, 82
ventricosa.....	64
liver.....	79
mantle.....	79
Margaritanas.....	78
marsupia.....	80
methods and plan of artificial culture.....	64
mortality of juveniles.....	81
muscles, adductor.....	79
ovulation.....	80
palatability.....	86
parasitism.....	63, 83
pearls from.....	131
pens, growth in.....	77
Plagiola donaciformis.....	80
planting.....	86
ponds, growth in.....	66, 68, 74, 77, 85
problems concerning, unsolved.....	87
propagation, artificial, advantages.....	84, 85, 131
protection.....	84
Quadrula.....	129
heros.....	65, 79
plicata.....	74
pustulosa.....	65, 72, 74, 75, 76
reproductive glands.....	80
shell.....	79, 80, 81, 85, 131
stomach.....	79
structure of juveniles.....	78
tanks and trough, growth in.....	66, 68, 72, 85
umbonal sculptures.....	79
Unio.....	78, 129
Unionidae.....	129

	Page.		Page.
mussels, sea:		<i>Mytilus edulis</i> , kidney.....	196
<i>Modiola plicatula</i>	128, 220	larva, trocophore, development of.....	192
<i>Modiolaria nigra</i>	128, 129	mammals as enemies of.....	219
<i>Modiolus demissus</i>	128, 220	mantle.....	138, 194
<i>modiolus</i>	128, 129	maturation and fertilization.....	189
<i>rectus</i>	129	muscular system.....	157, 195
Mytilidæ.....	128	nervous system.....	170, 196
<i>Mytilus californianus</i>	129	oyster cultch, used as.....	223
<i>edulis</i> , see <i>Mytilus edulis</i> , etc.		oyster drill as enemy of.....	216
<i>galloprovincialis</i>	140, 141	parasites.....	215
<i>hamatus</i>	128	pearls from.....	223
<i>latus</i>	140	pericardium.....	199
mutton fish.....	297	physiology.....	131
<i>Mya</i>	131	poisons from, chemistry of.....	232
Mytilidæ.....	128	peculiar.....	229
<i>mytilovum</i> , <i>Haplosporidium</i> , n. sp.....	220	sources of.....	230
<i>Mytilus californianus</i>	129	<i>Polydora ciliata</i> , parasite.....	220
<i>Mytilus edulis</i> , sea mussel, biology and economic value		ptomaines from.....	228
of.....	127-260	recommendations.....	245
adult, transition to.....	194	reproductive system, anatomy.....	182
algæ as enemies of.....	219	histology.....	182
alimentary organs.....	195	physiology.....	185
anatomy.....	131	respiratory system, anatomy.....	163
arterial system.....	148	histology.....	164
bait.....	228	physiology.....	166
beds, duration of.....	240	sense organs.....	199
bibliography.....	247	anatomy.....	174
birds as enemies of.....	218	histology.....	177
blood.....	154	physiology.....	181
byssus.....	129	shell.....	194
anatomy.....	159	attachment to body.....	137
chemistry of.....	163	chemical composition.....	138
histology.....	159	description.....	131
physiology.....	160	formation.....	137
chemical composition.....	224	histology.....	134
circulatory system.....	147	uses for ornamental purposes.....	223
physiology.....	155	snails as enemies of.....	217
cleavage and formation of germ layers.....	190	starfish as enemies of.....	215
composition of, chemical.....	224	structure, seasonal changes in.....	225
conchs as enemies of.....	217	summary.....	245
conclusions.....	245	transition to adult.....	194
cultivation of.....	234	trocophore larva, development of.....	192
digestive system, anatomy.....	139	typhoid fever from.....	227
histology.....	142	unfit for food, when.....	227
physiology.....	145	U. S. fishery in 1908, value of.....	223
dog-whelk as enemy of.....	216	uses and commercial value.....	222
drills as enemies of.....	216	value of fisheries.....	223
eelgrass as enemy of.....	219	venous system.....	151
enemies.....	215	winkles as enemies of.....	217
European fishery, value of.....	223	<i>Mytilus galloprovincialis</i>	140, 141
excretory system, anatomy.....	168	<i>hamatus</i>	128
histology.....	169	<i>latus</i>	140
physiology.....	169	Natural history and artificial propagation of the diamond-	
fertilization, and maturation.....	189	back terrapin, further notes on.....	91-112
fertilizer.....	222	Natural history and utilization of the spiny lobster, <i>Panulirus argus</i> , of southern Florida.....	281-310
fishery, value in 1908.....	131	<i>nautilus</i>	129
food and its significance.....	203	<i>navalis</i> , <i>Teredo</i>	130
food or nutritive value.....	128, 222, 224, 225	<i>nebulosus</i> , <i>Ameiurus</i>	262, 263, 269
foot, anatomy.....	159	<i>Nematocerca</i>	48
histology.....	159	<i>nemerteans</i>	214
physiology.....	160	<i>Nereis</i>	220
genital organs.....	199	<i>nerka</i> , <i>Oncorhynchus</i> , see salmon of the Yukon River.	
germ layers, cleavage and formation of.....	190	<i>Neverita duplicata</i>	217
gills.....	196	<i>nigra</i> , <i>Modiolaria</i>	128, 129
growth.....	200	<i>nitidellus</i> , <i>Trichocladius</i>	31, 32, 33, 47
<i>Haplosporidium mytilovum</i> , n. sp., parasite.....	220	<i>niverpennis</i> , <i>Chironomus</i>	16
heart.....	147	<i>notatus</i> , <i>Pimephales</i>	263
industry in United States, efforts to develop.....	241		
invertebrates as enemies of.....	220		

Page.	Page.
Notes on habits and development of eggs and larvæ of the silversides <i>Menidia menidia</i> and <i>Menidia beryllina</i>	113-120
mudibranchs	130
Nuphar advena	23, 29
Nymphaea odorata	23, 29
obediens, Tanytarsus	16, 47
obsoleta, Ilyanassa	218
odorata, Castalia	23, 27, 28, 29, 51
Nymphaea	23, 29
Oncorhynchus gorbuscha, O. keta, O. kisutch, O. nerka, O. tshawytscha, see salmon of the Yukon River.	
Orphnephila	48, 49, 50, 52
americana	52
testacea	48, 52
Orphnephiliidæ	2, 48, 50
Orthocladius	33, 35
feeding habits	35
figures, explanation of	52
larval characters	35
ostracods	214
oyster drill	216
oysters, association with sea mussel	220
conchs as enemies of	217
cultch	223
cultivation, available fields	214
drills as enemies of	216
enemies	130, 216, 217
fishery	83, 131
food	203
determination of quantity, method	209
discrimination	145
gastropods as enemies of	130
length of life	130
shells, value in 1908	131
spat	223
starfish as enemy of	216
systematic position	129
winkles as enemies of	217
young	85, 86
Palinuridæ	282
pallidus, Lepomis	77
Panopeus	220
pantopods	214
Panulirus argus, see spiny lobster, etc.	
parvula, Champia	219
pearls, fresh-water mussel, value in 1908	131
pedellus, Chironomus	16
Perca flavescens	263
perch, yellow	263, 268
peridinians	206, 209
periwinkle	130, 220
phytoplankton	204, 211, 214
Pimephales notatus	263
Plagiola donaciformis	80
planarians	214
plankton	73, 82, 125, 203, 205, 206, 207, 208, 210, 211, 212, 213, 214
plantago, Alisma	16
plicata, Quadrula	74
plicatula, Modiola	128, 220
Polychæta	214
Polydora ciliata	220
Polyzoa	82, 129
Pomoxis annularis	77, 263, 269
sparoides	72, 77, 263, 269, 280
Porifera	214
Potamogeton crispus	23
præcox, Prodiamesa	36
prawns	311
Prodiamesa	36
body structures	36
feeding habits	37
figures, explanation of	52
mouth parts	36
præcox	36
Propagation, artificial, and natural history of the diamond-back terrapin, further notes on	91-112
Protophyta	205, 206
Protozoa	15, 46, 203, 205, 206, 209, 276
Pseudopleuronectes americanus, see winter flounder, etc.	
punctatus, Ictalurus	74, 263, 269
Purpurea lapillus	216
purpurea, Sarracenia	33
pusio, Tanytarsus	17, 18, 19, 21
pustulosa, Quadrula	65, 74, 75, 76
Quadrula	129
heros	65, 79
plicata	74
pustulosa	65, 74, 75, 76
quahogs	203
radiolarians	206
ramosum, Sparganium	16
rectus, Modiolus	129
regia, Victoria	24
rhabdocæls	75, 81
Rhabdomia tenera	219
Roccus chrysops	263, 269, 280
rock lobster	282
Rossia	130
rough lobster	282
saccharina, Laminaria	219
salamanders	3
salmoides, Micropterus	72, 263, 269, 280
salmon	122, 124
Atlantic	124
Salmon of the Yukon River	317-332
chinook, see king below.	
chum or dog (Oncorhynchus keta)	318, 325
growth	329
maturity, size at	329
scale readings	329
sexes, proportions of	327
travel, rate of	326
year classes	326
coho or silver (Oncorhynchus kisutch)	318, 331
dog, see chum above.	
humpback (Oncorhynchus gorbuscha)	318, 332
king or chinook (Oncorhynchus tshawytscha)	318
growth	320
maturity, age at	320
travel, rate of	318
material obtained	318
object of investigation	317
Oncorhynchus gorbuscha, see humpback above.	
keta, see chum above.	
kisutch, see coho above.	
nerka, see sockeye below.	
tshawytscha, see king above.	
red, see sockeye below.	
silver, see coho above.	
sockeye or red (Oncorhynchus nerka)	318, 330
species studied	318

	Page.		Page.
Salvelinus fontinalis.....	263	Spiny lobster, eggs, number.....	307
Saprolegnia.....	262	ovarian character.....	308
Sarracenia purpurea.....	33	eggs, size.....	307
scallops.....	129, 130, 131, 218, 220	enemies.....	297
schreberi, Brasenia.....	23, 27, 29	experiments in hatching.....	309
scup.....	205, 218	external characteristics.....	291
sea anemones.....	220	females, age at sexual maturity.....	306
sea crawfish.....	282	fifth claw.....	293
seaweed.....	214, 297	genital openings.....	305
Selachii.....	125	habits during spawn bearing.....	308
shad.....	122, 124	fish-bait.....	283
sharks.....	125	fishery, abuses in.....	289
sheepshead.....	77	Key West, Fla.....	283
shipworm.....	130	methods of fishing.....	288
shrimps.....	77, 145, 205	fishing grounds in Florida.....	283
Silversides, Menidia menidia, and Menidia beryllina,		fishing, methods of.....	288
notes on habits and development of eggs and larvæ of.....	113-120	fish traps.....	285, 288
Menidia beryllina, adults.....	118	Florida fishery, season of.....	284
eggs.....	119, 120	food.....	297
embryology.....	120	food for human consumption.....	283
females, length and ratio to males.....	118	genital openings.....	305
food.....	118	grains.....	285, 286, 288
larva, newly hatched, figure of.....	119	growth, rate of.....	304
larvæ.....	120	habitat.....	298
males, length and ratio to females.....	118	habits.....	296
spawning.....	118	of female during spawn bearing.....	308
Menidia menidia, adults.....	113	hatching, experiments.....	309
eggs.....	114, 116, 117	hooks.....	285, 287
embryology.....	115	hoop nets.....	285, 286, 288
females, length and ratio to males.....	114	importance.....	283
food.....	114	life history.....	291
larvæ.....	118	male, genital openings.....	305
males, length and ratio to females.....	114	second pair of legs.....	293
spawning.....	114	marketing catch.....	289
young fish, figure of.....	117	methods of capture.....	284
Simocephalus.....	40	methods of fishing.....	288
Sipunculidæ.....	214	migrations.....	298
slugs, value in 1908.....	131	molting.....	301
snails.....	129, 130, 217	movements.....	296
sparganii, Chironomus.....	9, 16	names, common.....	283
Sparganium.....	45	nets.....	284, 285, 286
ramosum.....	16	newly molted.....	303
sparoides, Pomoxis.....	72, 77, 263, 269, 280	pleopods.....	294
specific gravity of fishes, see deductions concerning, etc.		pots.....	285
specularis, Ceratopogon.....	43	protection, modes of.....	297
Spiny lobster, Panulirus argus, of southern Florida: Its		regeneration.....	301, 303
natural history and utilization.....	281-310	season of Florida fishery.....	284
abuses in fishery.....	289	seines.....	284, 285, 286
adults, differences from young.....	292	seminal vesicle.....	306
apparatus of capture.....	284, 288	sense organs.....	298
autotomy.....	293	sexes, morphological differences.....	293
boats and equipment.....	287	sexual maturity of female, age.....	306
bully.....	285, 288	shell, casting.....	302
capture, apparatus.....	284, 288	hardening.....	303
methods.....	284	size.....	304
carapace.....	295	spawning.....	306, 308
casting of shell.....	302	sternum, thoracic.....	295
catch, for Florida.....	283	temperature, influence of changes.....	300
in three traps.....	300	thoracic sternum.....	295
marketing.....	289	tides, influence of.....	301
classification.....	282	value.....	283
coloration.....	291	young, differences from adults.....	292
common names.....	282	spiny-rayed fishes, marine.....	122, 125
copulation.....	305	Spirogyra.....	31, 32, 33, 47
description.....	291	sponges.....	220
distribution.....	282	squeteague.....	205, 218
in Florida.....	283	squids.....	129, 130, 131, 206, 218
eggs, deposition.....	306	starfish.....	215, 216
development.....	307	stenomatis, Ceratopogon.....	43

	Page.		Page
Stenostomum leucops.....	81	tschawwyttscha, Oncorhynchus, <i>see</i> Salmon of the Yukon	
Stenostomum leucops, tenuicauda.....	81	River.....	
Stratiotes aloides.....	16	tuna.....	125
Stylommatophora.....	129	Typha.....	45
suckers.....	3	Ulva lactuca.....	214, 219
sunfishes.....	77, 263, 268, 269, 270, 272, 274, 275, 278, 280	umbellatus, Butomus.....	16
swordfish.....	125	Unionidae.....	129
sylvestris, Cricatopus.....	24	Unios.....	78, 129
tadpoles.....	263	Urosalpinx cinerea.....	216
Tanypinæ.....	3, 37, 38, 39, 42, 47	Utilization and natural history of the spiny lobster,	
feeding habits.....	40	Panulirus argus, of southern Florida.....	281-310
mouth parts.....	39	Value, economic, and biology of the sea mussel Mytilus	
Tanypus.....	37, 38, 41	edulis.....	127-260
carneus.....	38, 40, 41	ventricosa, Lampsilis.....	64
dyari.....	38, 39, 52	Venus.....	131
head structure.....	40	vesiculosus, Fucus.....	219
hirtipennis.....	38	Victoria regia.....	24
maculatus.....	42	viridis, Chironomus.....	16
monilis.....	38	vulgaris, Asterias.....	215
Tanytarsus exiguus.....	17, 18, 19	warmouth bass.....	263, 269
obediens.....	16, 47	white bass.....	263, 269, 280
pusio.....	17	whiting.....	205
adaptability.....	19	winkles.....	131, 217
eggs, place of attachment.....	21	Winter flounder, some embryonic and larval stages of.....	311-316
net.....	18	angling season.....	313
tube, construction.....	17	eggs.....	312, 313
tautog.....	218	food.....	311
taxanus, Ceratopogon.....	43	fyke nets.....	311
Taylor, Harden F.: Deductions concerning the air bladder		hatching.....	314
and the specific gravity of fishes.....	121-126	larva.....	314, 315
teleosts.....	122, 125	spawn, where gathered.....	311
tendens, Chironomus.....	16	spawning grounds, salinities and temperatures.....	311
tenera, Rhabdomia.....	219	spawning season, Woods Hole, Mass.....	311
tenuicauda, Stenostomum.....	81	spawning, time of day.....	313
Teredo navalis.....	130	spermatozoons.....	313
Terrapin, diamond-back, further notes on the natural his-		stomach contents of sample.....	311
tory and artificial propagation of.....	91-112	Xiphias.....	125
testacea, Orphnephila.....	48, 52	yellow perch.....	263, 268
thorny lobster.....	282	Yukon River, salmon of.....	317-332
Trichocladius.....	33	Zostera.....	210, 211
nitidellus.....	33, 47	marina.....	219
burrow.....	32		
feeding habits.....	31		
trout.....	3		
brook.....	263, 268		

