

GENERAL INDEX

	Page		Page
Abramis brama.....	417	Anabena.....	464
chrysoleucas.....	253, 254	circinalis.....	390, 401, 406
abundans, Scenedesmus.....	461	flos-aquæ.....	390, 401, 402, 405, 406
acaroides, Cœlambus.....	263	planktonica.....	390, 405
Acilius.....	251, 269	spiroides.....	390, 402, 404, 405, 406
basilaris.....	291	analis, Gyrimus.....	263
semisulcates.....	237, 263, 299, 300, 301, 302	Anax.....	32, 243, 244
adult, habits and description of.....	301, 302	Anguilla rostrata.....	4
distribution in Fairport fishponds.....	263	angularis, Brachionus.....	400, 403, 404, 405, 406, 409, 410
eggs.....	299	angularis caudatus, Brachionus.....	400, 403, 405, 409, 410
larva, habits and description of.....	299	Annotated list of fishes collected in the vicinity of Augusta, Ga., with description of a new darter.....	1-8
migration.....	237	annularis, Pomoxis.....	5, 253
Acris grillis.....	244, 248	Anodonta:	
Actinastrum hantzschii.....	390, 401, 402, 404, 405	cataracta.....	444
aculeata, Centropyxis.....	390	cellensis.....	208
acuminata, Metopidia.....	409	cellensis Shröt.....	441
acuminatus, Eques.....	145, 197	corpulenta.....	206, 207, 211, 214, 215, 446, 462
Scenedesmus.....	390, 402, 461	definitive mantle, completion of.....	210
acuminatus umbrosus, Eques.....	197	first encystment stage.....	208
acus, Euglena.....	399, 402, 461	food, ingestion of.....	206
æqualis, Donacia.....	263, 267, 332	formation of "mushroom body".....	208
æruginea, Clathrocystis.....	399, 401, 402, 404, 405, 406, 410	grandis.....	446, 464, 466
Æschna.....	32, 243	grandis footiana.....	444
affine, Gomphonema.....	408	imbecillis.....	218, 446, 455, 457
affinis, Gambusia.....	4, 257	implicata.....	444
Agabus gagates.....	263	marginata.....	444
agilis, Laccobius.....	238, 263, 315, 316, 330	parasitism of.....	205, 206, 208, 210
Alaska Peninsula Fisheries Reservation experiments in tagging adult red salmon.....	39-50	sp.....	443
alba, Sarcina.....	411	anodontoides, Lampsilis.....	446, 447, 463
Alburnus lucidus.....	417	ants as enemies of beetles.....	33, 244, 247
algæ.....	31, 35, 244, 265, 412, 413, 442, 444, 456, 461, 465	Anuræa.....	409, 411, 461
blue-green.....	266, 401, 402, 406, 409, 410, 411	cochlearis.....	400, 401, 403, 404, 405, 406
green.....	444, 460, 461	cochlearis v. hispida.....	401
Alona sp.....	400	cochlearis v. tecta.....	400, 401, 404, 405
Ambloplites rupestris.....	253, 254	Anuraeopsis hypelasma.....	400
Ambrosia artemisifolia.....	460	Aphanizomenon.....	369
Ameiurus melas.....	254	flos-aquæ.....	265, 266, 390, 401, 402, 406
natalis.....	2	occurrence in ponds at Fairport, Iowa.....	265
nebulosus.....	2, 253, 254	Aphanocapsa pulchra.....	461
nebulosus marmoratus.....	253	Aphredoderus sayanus.....	5, 253
platycephalus.....	2	Apodinosotus grunniens.....	253
American Lake, Wash.		Arcella sp.....	390, 401, 404, 405
description.....	97	vulgaris.....	390, 403
plankton.....	97, 122	arcuata, Daphnia.....	400, 406
thermal changes and gas conditions.....	70, 114	arcuatus platydisca, Scenedesmus.....	461
americanus, Dineutes.....	235, 237,	arcuatus, Scenedesmus.....	461
246, 250, 259, 263, 266, 271, 302-307, 329	4	arcula, Lecane.....	409
Esox.....	180, 190, 195, 199	Argyrosomus grunniens.....	253
Menticirrhus.....	360, 384, 408	arrowhead.....	267
Potomogon.....	1	artemisifolia, Ambrosia.....	460
Amiatus calva.....	400, 401, 403, 404, 405, 400	artificial propagation of fresh-water mussels.....	203
amphiceros, Brachionus pala f.....	408	Ascaris.....	441
amphigomphus, Navicula.....	400, 405, 410	Ascosporeidium aspersporum.....	409
amphora, Asplanchna.....		aspersporum, Ascosporeidium.....	409

	Page		Page
Asplanchna.....	409, 411	beetles, description of	
amphora.....	400, 405, 410	Berosus pantherinus.....	311
brightwelli.....	406	perigrinus.....	312
priodonta.....	400	striatus.....	309
assimilis, Cyclinus.....	302	cap attachment on egg case.....	332
Dineutes.....	33, 302	Coptotomus interrogatus.....	275
Asterionella.....	411	Cybister fimbriolatus.....	277
gracillima.....	399, 406	Dineutes americanus.....	302
atherinoides, Notropis.....	253	Donacia aequalis.....	332
Atlantic coast Sciaenidae, general remarks on food of.....	199	Dytiscus verticalis.....	282
atromaculatus, Sematillus.....	3, 253	Enochrus diffusus.....	320
Augusta, Ga., Annotated list of fishes collected in vicinity		nebulosus.....	318
of, with description of a new darter.....	1-8	perplexus.....	321
aureolum, Moxostoma.....	253	Gyrinus limbatus.....	308
aureus, Volvox.....	401	ventralis.....	308
auritus, Colymbus.....	34, 247	Haliphus ruficollis.....	274
Lepomis.....	6	Hydrophilus obtusatus.....	314
Bacillariaceae.....	399, 401	Hydroporus niger.....	285
Bairdiella chrysuræ.....	171-175, 199	Hydrous triangularis.....	332
eggs.....	171	keys for identification of larvæ and pupæ.....	268, 269
embryology.....	171, 172, 173, 174	Laccobius agilis.....	316
feeding habits.....	199	Laccophilus maculosus.....	286
larval development.....	171, 172, 173, 174	proximus.....	290
range.....	171	Pelydytes edentulus.....	271
spawning season.....	171	Thermonectes basilaris.....	291
bakeri v. brevispinus, Brachionus.....	400	ornaticollis.....	296
v. cluniorbicularis, Brachionus.....	400, 404, 405	Tropisternus glaber.....	326
v. entzii, Brachionus.....	400	lateralis.....	321
baldpate.....	247	mixtus.....	329
banded croaker.....	170, 171	distribution in Fairport (Iowa) ponds.....	263
drum.....	170, 171, 184, 196	influence of environment.....	264
Larimus.....	170, 171	species, relative importance of.....	267
barb.....	190	restriction of.....	266
basilaris, Acllius.....	291	source of material.....	264
Thermonectes.....	263, 266, 291-297	diving.....	232
bass.....	1, 7, 32	ecology.....	235
black—		distribution.....	238
largemouth.....	1, 7, 32, 254, 255, 258	locomotion.....	235
smallmouth.....	253	migration.....	236
calico.....	257	structure and vestiture, modifications of.....	235
channel.....	184, 197	egg cases.....	231-334
spotted.....	184	eggs.....	231-334
warmouth.....	253, 257	extermination of.....	260, 261, 262
white.....	253	ground.....	248
bastard trout.....	169, 170	herbivorous.....	232
Bear Lake, Idaho:		importance.....	232
carbon dioxide content.....	71	in lakes and fishponds.....	233
description.....	77, 78	in relation to pondfish culture.....	231-345
fish.....	78	killing fish fry.....	260
fish food.....	74	lamellicorn.....	248
gas conditions.....	68, 69, 70, 114	larvæ.....	231-334
plankton.....	78, 123	enemies of.....	242
thermal changes.....	68, 69, 70, 114	ants.....	244
beetles (water).....	9-38, 231-345	dragonfly nymphs.....	243
abundance in small ponds.....	233	frogs.....	244
adults, enemies of.....	247	Hydra.....	244
birds.....	247	larva.....	242
electric lights.....	248	mites.....	244
frogs.....	248	parasites.....	245
toads.....	248	snails.....	245
turtles.....	247	turtles.....	244
American species, ignorance of.....	232	time of pupation.....	243
as fish eaters.....	249	pupæ.....	231-334
as food for fish.....	260	enemies of.....	245
bombardier.....	246	ants.....	247
carnivorous.....	232	black horsefly.....	246
click.....	248	imperfect pupation.....	246
description of Fairport (Iowa) species.....	267	parasites.....	246
Acllius, semisulcatus.....	299	water.....	245

	Page		Page
beetles, pupal chambers, construction of.....	234, 235	blue-spotted sunfish.....	6
pupation, method of.....	233, 234	blue-winged teal.....	248
rearing specimens, method of.....	234	Blystad, Chester N.: Significance of larval mantle of a fresh-water mussels during parasitism, with notes on a new mantle condition exhibited by <i>Lampsilis luteola</i> . 203-219	
removal from fishponds.....	261, 262	<i>Boleithys fusiformis</i>	8
scarcity in large bodies of water.....	233	<i>bollmani</i> , <i>Opsopædus</i>	3
scavenger.....	9-38, 232	bombardier beetle.....	246
snout.....	248	Boorman, W. R., George Kemmerer, and J. F. Bovard: Northwestern lakes of the United States: Biological and chemical studies with reference to possibilities in production of fish.....	51-140
structural adaptations of.....	238	borax carmine.....	402
for flotation.....	241	<i>borealis</i> , <i>Halipilus</i>	263, 264
for locomotion.....	238	<i>Lampsilis</i>	444
for respiration.....	239	borer, wood.....	221-230
for sex functions.....	242	<i>Bosmina</i>	417, 418
for sight.....	242	<i>lingirostris</i>	400, 405, 410
study, methods of.....	233, 234	<i>Bouin's fixative</i>	457
tiger.....	248	Bovard, J. F., George Kemmerer, and W. R. Boorman: Northwestern lakes of the United States: Biological and chemical studies with reference to possibilities in production of fish.....	51-140
whirligig.....	232	bowfin.....	1, 4
Belostomidae.....	252	<i>brachiata</i> , <i>Molina</i>	400, 403, 409, 410
<i>Berosus</i>	233, 236, 243, 249, 265, 309, 332	<i>Brachinus janthinipennis</i>	246
<i>pantherinus</i>	263, 307, 311, 312, 313	<i>Brachionus</i>	409, 411
adult, description of.....	312	<i>angularis</i>	400, 403-406, 409, 410
distribution in Fairport (Iowa) fishponds.....	263	<i>angularis caudatus</i>	400, 403, 405, 409, 410
egg cases.....	311	<i>bakeri v. brevispinus</i>	400
larva, description and habits of.....	311	<i>v. cluniorbicularis</i>	400, 404, 405
pupa, description of.....	312	<i>v. entzil</i>	400
<i>perigrinus</i>	238, 263, 312	<i>budapestinensis</i>	400
adult, description of.....	312	<i>pala</i>	400, 403, 409, 410
distribution in Fairport (Iowa) fishponds.....	263	<i>pala f. amphiceros</i>	400, 401, 403, 404, 405, 409
egg case.....	312	<i>pala v. dorcas</i>	400, 409, 410
larva, description of.....	312	<i>v. dorcas f. spinosus</i>	400, 405, 409, 410
migration.....	238	<i>urceolaris</i>	400
pupa, description of.....	312	<i>brachionus</i> , <i>Notops</i>	410
<i>striatus</i>	237, 238, 263, 307, 309-313	<i>brachionus spinosus</i> , <i>Notops</i>	400
adult, description and habits of.....	311	<i>brama</i> , <i>Abramis</i>	417
distribution in Fairport (Iowa) fishponds.....	263	<i>brasiliensis</i> , <i>Pinæus</i>	163
egg cases.....	309	<i>Scenedesmus</i>	461
larva, description and habits of.....	310	<i>bream</i>	2, 6, 253
newly hatched.....	310	Breder, C. M., jr., and William W. Welsh: Contribu- tions to life histories of <i>Sciænidæ</i> of the eastern United States coast.....	141-201
migration.....	237	<i>brevispinum</i> , <i>Staurastrum</i>	461
pupa, description and pupation of.....	310	<i>Brevoortia tyrannus</i>	162, 163
<i>Bidessus</i>	265	<i>brightwelli</i> , <i>Asplanchnia</i>	406
<i>flavicollis</i>	263	<i>brilla</i> , <i>Monostyla</i>	400
<i>fuscatus</i>	263	<i>brook silverside</i>	5
<i>lacustris</i>	238, 263	<i>brook trout</i>	254, 256
distribution, according to size.....	238	<i>broussonnetii</i> , <i>Umbrina</i>	198
in Fairport fishponds.....	263	<i>brown cat</i>	2
<i>big drum</i>	196	<i>brownii</i> , <i>Stolephorus</i>	163
<i>biguttulus</i> , <i>Ilybius</i>	263	<i>buballs</i> , <i>Ictiobus</i>	253, 258
<i>bijuga</i> , <i>Scenedesmus</i>	461	<i>budapestinensis</i> , <i>Brachionus</i>	400
<i>Biocoenose</i>	411	<i>buffalofish</i>	21, 29, 250, 252, 419
Biological and chemical studies, Northwestern lakes of the United States, with reference to possibilities in production of fish.....	51-140	eaten by beetles.....	250, 252
birds, as beetle eaters.....	247	mongrel.....	253
<i>biseriata</i> , <i>Surirella</i>	402	redmouth.....	253
black bass: largemouth.....	1, 7, 32, 254, 255, 258	smallmouth.....	253, 258, 259
smallmouth.....	249, 250, 253	<i>bullfrogs</i>	32, 248
black bullhead.....	254	<i>bullhead</i>	2, 170, 171, 175
black crappie.....	254, 255	black.....	254
black drum.....	196, 197	common.....	253, 254
black horsefly.....	246	marbled.....	253
black sucker.....	2		
black-tail.....	150, 164		
black tern.....	34		
black trout.....	104-169		
bluegill.....	6, 32, 253, 254, 255, 256, 259		
blue-green algæ.....	402, 406, 409, 410, 411		
blue perch.....	6		

	Page		Page
<i>Butorides virescens virescens</i> Linn.....	247	<i>Chroococcus minutus</i>	461
<i>Bytotrephes</i>	375	<i>Chrysemis picta</i>	244
<i>longimanus</i>	417	<i>Chrysouleucas, Abramis</i>	253, 254
<i>cæspitosa, Cymbella</i>	408	<i>Chrysomelidæ</i>	247, 248, 253, 267
calico bass.....	257	<i>chrysops, Roccus</i>	253
californica, <i>Pleodorina</i>	461	<i>chrysura, Bairdiella</i>	171-175, 199
calva, <i>Amiatus</i>	1	chub.....	170, 171, 177
Calvert Lake, Wash.:.....		river.....	253
algæ.....	78, 123	chub sucker.....	2
depth, temperature, and dissolved gases.....	114	Churchill, E. P., Jr., and Sara I. Lewis: Food and feeding in fresh-water mussels.....	439-471
description.....	78	<i>Ciliata</i>	403
carnel-back.....	2	cinnamon teal.....	248
<i>canadensis, Elodea</i>	31, 35	<i>circinalis, Anabæna</i>	399, 401, 406
<i>canis, Mustelus</i>	162	cisco.....	253
Cape May goody.....	177	<i>cistula, Cymbella</i>	408
<i>Carabidæ</i>	243, 247, 248	<i>Cladocera</i>	355,
<i>cardinalis, Surirella</i>	402	387-392, 395, 396, 400, 401, 403, 406, 409, 410, 414,	
<i>carmine</i>	442, 448, 451-455, 458, 459, 460, 462, 467, 468	416, 420, 422-438, 465.	
carnivorous diving beetles.....	232	distribution.....	387
<i>Carolina whiting</i>	186	in Lake Keokuk.....	389
carp.....	1, 3, 251	in Lake Pepin.....	394
German.....	254, 255, 419	in Mississippi River.....	387
killed by beetles.....	251	<i>Clathrocystis æruginosa</i>	399, 401, 402, 404, 405, 406, 410
scale.....	3	<i>clavulatus, Notops</i>	405
<i>carpio, Cyprinus</i>	3, 254	Clear Lake, Wash.:.....	
<i>cataracta, Anodonta</i>	444	carbon dioxide content.....	71
catfish.....	1, 2, 419	depth, temperature, and dissolved gases.....	115
brown.....	2	description.....	80
channel.....	2, 250, 251, 253, 258	fish.....	72, 73
mud.....	2	plankton.....	80, 81
speckled.....	2	click beetles.....	248
spoonbill.....	253	<i>Closterium moniliferum</i>	399
spotted.....	2	sp.....	399
tadpole.....	253, 254	<i>Cnemidotus edentulus</i>	271
willow.....	2	coal tar creosote, creosote distillates, and individual constituents, Toxicities of for the marine wood borer	
yellow.....	2	<i>Limnoria lignorum</i>	221-230
<i>Cathypna luna</i>	40	cob.....	3
<i>Catostomus commersonii</i>	254	<i>Cocconels</i>	460
<i>nigricans</i>	253	<i>distans</i>	408
<i>caudata, Platydorina</i>	399, 401, 402, 404, 405, 461	<i>placentula</i>	408
<i>caudatum, Tetrædron</i>	461	<i>cochlearis, Anuræa</i>	400, 401, 403, 404, 405, 406
<i>cellensis Shröt, Anodonta</i>	441	<i>Keratella</i>	461
<i>centrarchus, Macropterus</i>	5	<i>cochlearis v. hispida, Anuræa</i>	401
<i>Centropxyxis aculeata</i>	399	<i>cochlearis v. tecta, Anuræa</i>	400, 401, 404, 405
<i>cepedianum, Dorosoma</i>	4, 253	<i>Codonella</i>	411
<i>Ceratium hirundinella</i>	399, 401, 404	<i>lacustris</i>	399, 401, 403, 410
<i>Ceratophyllum</i>	265	<i>Cœlambus acaroides</i>	263
<i>demersum</i>	361	<i>Cœlastrum microporum</i>	461
<i>Chænobryttus gulosus</i>	6, 253, 257	<i>sphaericum</i>	461
channel bass.....	184, 197	Coeur de'Alene, Lake, Idaho: Crustacea of.....	83, 124
channel catfish.....	2, 250, 251, 253, 258	description.....	80
Chaplain, Lake, Wash.:.....		phytoplankton.....	83
depth, temperature, and dissolved gases.....	114	temperature.....	81, 83, 115
description.....	97	<i>coeruleus, Stentor</i>	399
fish.....	72	<i>Coleoptera</i>	233, 235, 247, 248, 255
plankton.....	97, 98, 123	<i>Colurus deflexus</i>	409
Chatcolet, Lake, Idaho: description.....	78	<i>uncinatus</i>	409
fish.....	72	<i>Colymbus auritus</i>	34, 247
plant life.....	78, 79, 123	commercial fisheries, jurisdiction over.....	141
thermal changes and gas conditions of.....	70, 114	<i>commersonii, Catostomus</i>	254
Chelan, Lake, Wash.:.....		common bullhead.....	253, 254
description.....	79	eel.....	4
plant life.....	80, 123, 124	pumpkin seed.....	253
thermal changes and gas conditions of.....	68, 69, 79, 80, 114	red horse.....	253
<i>Chironomus</i>	400	shiner.....	253
<i>Chlamydomonas</i>	461	sucker.....	254
<i>Chlorophycæ</i>	399, 400, 401		

	Page
common sunfish.....	258
top minnow.....	253
complanata, Unio (Symphynota).....	443
conferveae, Navicula.....	399
Conochilus unicornis.....	404
consimilis, Hydroporus.....	237, 263
consobrinus, Gyrrinus.....	236
Contributions to life histories of Sciænidæ of the eastern United States coast.....	141-201
Copepoda.....	355, 387-396,
400, 401, 403, 409, 410, 411, 414, 416, 418, 420, 422-438	
distribution of.....	387
in Lake Keokuk.....	389
in Lake Pepin.....	394
in Mississippi River.....	387
Coptotomus.....	243, 275
interrogatus.....	237, 238, 263, 272, 275, 276, 277, 279
adult, description and habits of.....	277
distribution in Fairport (Iowa) fishponds.....	263
eggs.....	275
larva, description and habits of.....	275
migration.....	237
pupa, description of.....	276
pupation.....	276
Coregonus shinnii.....	417
Corethra sp.....	400
cornuta, Corydalis.....	252
Monostyla.....	400, 409
cornutus, Notropis.....	253
coroides, Umbrina.....	145, 198
corona, Difflugia.....	399, 401, 404
corpulenta, Anodonta.....	446, 462
Corvula sialis.....	145, 198
Corydalis.....	252
cornuta.....	252
Coscinodiscus.....	400
Cosmarium sp.....	399, 460
Cottage Lake, Wash.:	
description.....	98
fish.....	72, 73
plankton.....	40, 98, 125
thermal changes and gas conditions of.....	70, 115
Cow Lake, Wash.:	
fish.....	72
plankton.....	98, 125
thermal changes and gas conditions of.....	70, 115
crappie.....	5, 253
black.....	254, 255
white.....	5
Crater Lake, Oreg.:	
description.....	105, 106
fish.....	106
fish food.....	75
plankton, net.....	108, 125
temperature.....	106-108
thermal changes and gas conditions of.....	68, 69, 106-108, 115
crawfish.....	34
Creniphilus despectus.....	263
digestus.....	263
subcupreus.....	263
crenulata, Melosira.....	399, 401, 402, 404-406, 408-410
creosote.....	221-230
distillates, toxicities of, for Limnoria lignorum.....	221-230
fractionates.....	223
emulsions.....	224
sea-water extracts.....	223
materials tested.....	222

	Page
creosote, properties of.....	222
solid hydrocarbons of.....	226
toxicity, experimental method and criteria of.....	222
Crescent Lake, Wash.:	
description.....	99
fish.....	99
plankton.....	90, 126
thermal changes and gas conditions of.....	68, 99, 116
crispus, Potamogeton.....	360, 384, 408
croaker.....	143, 180, 253
banded.....	170, 171
crocus.....	180
cromis, Pogonias.....	145, 196, 197
crottenensis, Fragillaria.....	399, 401, 404-406, 410
Crucigenia Irregularis.....	461
quadrata.....	461
Crustacea.....	31, 256, 259, 355, 387, 389-392, 394-396, 418
erysoleucas, Notemigonus.....	3
cubbyu.....	197
Cureullionidæ.....	248
cyanellus, Lepomis.....	32, 253, 257
Cyanophycæ.....	399, 401, 402
Cybister.....	235, 236, 239, 249, 251, 260, 262, 267
as fish eaters.....	251
fimbriolatus.....	244, 247, 263, 266, 277-281, 283
adult, description and habits of.....	281
turtles as enemies of.....	247
distribution in Fairport (Iowa) fishponds.....	263
eggs.....	277
larva, description and habits of.....	278
mites as enemies of.....	244
pupa, description of.....	280
pupation.....	280
locomotion of.....	235
Cyclinus assimilis.....	302
Cyclocephala.....	246
Cyclops sp.....	387, 405, 410, 417
Cyclotella.....	461
meneghiniana.....	399, 402, 404, 405, 408, 409
Cymatopleura elliptica.....	408
Cymbella caespitosa.....	408
cistula.....	408
Cymbiodyta.....	333
Cynoscion nebulosus.....	164-166, 169
description.....	165, 166, 169
food.....	169
habits.....	164, 165
migration.....	165
range.....	164, 165
spawning.....	165
Cynoscion nothus.....	169, 170
description.....	169, 170
food.....	170
habits.....	170
range.....	169
spawning season.....	170
Cynoscion regalis.....	142, 150, 151, 157-159, 199
age at maturity.....	158
eggs and development of.....	150
embryology.....	151
food.....	159, 199
growth.....	167
movements and seasonal distribution.....	158
size and weight attained.....	158
cyprinella, Ictiobus.....	21, 250, 253
Cyprinus carpio.....	3, 254
Cyrtogaster dineutes Ashmead.....	246

	Page		Page
dace.....	3	distans, Coccoeneis.....	408
horned.....	253	Diurella stylata.....	400, 409
Daphnia.....	29, 417	diversicornis, Schizocerca.....	400
arcuata.....	400, 406	dobsonfly, as bait for bass.....	252
longispina.....	400, 405	dolomieu, Micropterus.....	253
pulex.....	406	Donacia.....	247, 332
pulex v. pulicaria.....	400, 406	æqualis.....	263, 267, 332
retrocurva.....	400, 401, 403, 406, 410, 411, 414	description.....	332
darter, new, description of.....	1-8	distribution in Fairport (Iowa) fishponds.....	263
Frick's.....	7	relative importance of species.....	267
fusiform.....	8	donaciformis, Plagiola.....	446, 463
Iowa.....	254, 255	Donaciinæ.....	233
Deer Lake, Wash.:		Dorosoma cepedianum.....	4, 253
depth, temperature, and dissolved gases.....	116	dragonflies.....	243, 247
description.....	84	as food for mallards.....	247
fish.....	72	nymphs.....	21, 32, 34, 243
mackinaw trout in.....	73, 74	Draparnaldia sp.....	401
plant life.....	84, 126	drum, banded.....	170, 171, 184, 196
deflexus, Colurus.....	400	big.....	196
delicatissima, Synedra.....	399, 401, 402, 404, 408, 410	black.....	196, 197
demersum, Ceratophyllum.....	361	fresh-water.....	419
denticulatus, Scenedesmus.....	461	gray.....	196
deses, Euglena.....	461	puppy.....	184, 196
Desmidiium sp.....	399	red.....	184, 197
desmids.....	442, 464	sea.....	196
despectus, Creniphilus.....	263	star.....	175
detritus.....	375, 376, 400-405, 410, 412, 444	Dryopidæ.....	233
definition of.....	376	ducks.....	247
Mississippi River, volume in.....	375, 376	mallard.....	247
Diaphanosoma leuchtenbergianum.....	400, 405, 406, 410	shoal-water, as beetle eaters.....	247
diaphantus, Fundulus.....	253	wood.....	248
dfaphantus menona, Fundulus.....	254	duckweed.....	35, 265, 361
Diaptomus.....	387	Dunhevidia setigera.....	400, 406
Diaschiza gibba.....	409	duplex, Pediastrum.....	399, 401, 402, 404, 405, 410, 461
diatoms.....	401, 411, 417, 441, 442, 444, 460, 461, 464, 468	duquesnei, Placopharynx.....	253
Diffugia.....	461, 465	Dytiscidæ.....	232,
corona.....	399, 401, 404	233, 236, 238, 239, 241, 242, 247-249, 251, 253, 254, 257, 258,	
lebes.....	399	263, 264, 266-268, 270, 275-284.	
pyriformis.....	399, 403-405	Dytiscus.....	249, 251, 252, 260, 262, 267, 282
diffusus, Enochrus.....	263, 313, 317, 320, 321	as fish eaters.....	251
Philydrus.....	320	as food for dragonfly nymphs.....	243
digestus, Creniphilus.....	263	hybridus.....	237, 258, 247, 263
Diglena forcipata.....	409	distribution, according to size.....	238
dilata, Euchlanis.....	400, 409	in Fairport (Iowa) fishponds.....	263
dimorphus, Scenedesmus.....	461	migration.....	237
Dineutes.....	235, 240, 250, 260, 302	turtles as enemies of adults.....	247
americanus.....	235, 237, 246, 250, 259, 263, 266, 271, 302-307, 329	interrogatus.....	275
adult, description and habits of.....	306	ornaticollis.....	296
as food for fish.....	259	ruficollis.....	274
distribution in Fairport (Iowa) fishponds.....	263	verticalis.....	263, 282-284
eggs.....	302	adult, description and habits of.....	284
fish as food of.....	250	distribution in Fairport (Iowa) fishponds.....	263
imperfect pupation.....	246	eggs.....	282
larva, description and habits of.....	304	larva, description and habits of.....	282, 284
migration.....	237	pupa, description of.....	284
occurrence in ponds.....	266	pupation.....	284
pupa, description of.....	305	earthworms, as bait for catfish.....	2
pupal chambers of.....	235	East Anchor Cove, salmon-tagging experiments at.....	43-45
pupation.....	305	edentulus, Cnemidotus.....	271
assimilis.....	33, 302	Strophitus.....	218
locomotion of.....	235	eels.....	4, 419
dineutis Ashmead, Cyrtogaster.....	240	common.....	4
Dinobryon.....	465	Elassoma evergladel.....	5
setularia.....	461	zonatum.....	5
Dinocharis paupera.....	400	electric lights as enemies of beetles.....	248
Dinoflagellata.....	375	elegans, Eudorina.....	399, 401, 402, 404, 405
Diptera.....	243, 254, 255	ellipsis, Obovaria.....	446, 462, 463
dipterous parasites.....	245		

	Page
Elodea.....	11
canadensis.....	31, 35
Enneacanthus gloriosus.....	6
Enochrus.....	242, 243, 316, 332
diffusus.....	263, 313, 317, 320, 321
distribution in Fairport (Iowa) fishponds.....	263
egg case.....	320
larva, description and habits of.....	321
hamiltoni.....	263, 321
nebulosus.....	263, 313, 317-320
adult, description and habits of.....	320
distribution in Fairport (Iowa) fishponds.....	263
egg case.....	318
larva, habits of.....	318
mature.....	319
newly hatched, description of.....	318
pupa, description of.....	319
ochraceous.....	263, 321
perplexus.....	263, 321
description.....	321
distribution in Fairport (Iowa) fishponds.....	263
Entomostraca.....	254, 255
eperlanus, Osmerus.....	417
Ephemera.....	255
Epithemia gibba.....	408
sorex.....	408
Eques acuminatus.....	145, 197
acuminatus umbrosus.....	197
lanceolatus.....	145, 197, 198
pulcher.....	145, 198
Erimyzon sucetta.....	2
Esox americanus.....	4
reticulatus.....	4
Etheostoma fricksia.....	7
inscriptum.....	7
lowae.....	254
thalassinum.....	7
Euchlanis dilatata.....	400, 409
Eudorina elegans.....	399, 401, 402, 404, 405
Euglena acus.....	399, 402, 461
deses.....	461
spirogyra.....	399, 401, 402, 405, 461
viridis.....	461
Euglenas.....	449, 450, 451, 461, 464, 405, 408
euplankton.....	376
Eupomotis gibbosus.....	253, 258
heros.....	253
everglades, Elasmoma.....	5
experimental method and criteria of toxicity of creosote.....	222
Experiment in tagging adult red salmon, Alaska Peninsula Fisheries Reservation, summer of 1922.....	39-50
fag.....	334
fallaciosa, Lampstilis.....	446, 462, 465
Fallen Leaf Lake, Calif.:	
carbon dioxide content of.....	71
description.....	108
fish.....	109
mackinaw trout in.....	73
plankton.....	109, 110, 126
thermal changes and gas conditions.....	68, 110, 116
fasciatus, Larimus.....	145, 170, 171
fascicollis, Graphoderes.....	263
fertilizers.....	31
fimbriolatus, Cybister.....	244, 247, 263, 266, 277-281, 283
fish, as beetle eaters.....	252
as food for beetles.....	21, 29, 32, 33

	Page
fish breeding, economic relation of Hydrous to.....	9-38
fisheries, jurisdiction over.....	141
legislation.....	141
fishes:	
annotated list of those found in the vicinity of Augusta, Ga.....	1-8
as beetle eaters.....	252
as fish food.....	255
as food for beetles.....	21, 29, 32, 33
bass.....	1, 7, 32, 184, 197, 249, 250, 253, 254, 255, 257, 258
attacked by beetles.....	250
calico.....	257
channel.....	184, 197
largemouth black.....	1, 7, 32, 254, 255, 258
smallmouth black.....	249, 250, 253
spotted.....	184
warmouth.....	253, 257
white.....	253
bastard trout.....	169, 170
black bass.....	1, 7, 32, 249, 250, 253, 254, 255, 258
attacked by beetles.....	250
largemouth.....	1, 7, 32, 254, 255, 258
smallmouth.....	249, 250, 253
black sucker.....	2
black trout.....	184-189
bluegill.....	6, 32, 253, 254, 255, 258, 259
blue perch.....	6
blue-spotted sunfish.....	6
bowfin.....	1, 4
bream.....	2, 6, 253
brook silverside.....	5
brook trout.....	254
buffalofish.....	21, 29, 250, 252, 253, 258, 259, 419
eaten by beetles.....	250, 252
mongrel.....	253
redmouth.....	253
smallmouth.....	253, 258, 259
bullhead.....	2, 170, 171, 175, 253, 254
black.....	254
common.....	253, 254
marbled.....	263
camel-back.....	2
Cape May goody.....	177
Carolina whiting.....	186
carp.....	1, 3, 251, 254, 255, 419
German.....	254, 255, 419
killed by beetles.....	251
scale.....	3
catfish.....	1, 2, 250, 251, 253, 254, 258, 419
as fish eater.....	250
as food for beetles.....	251
brown.....	2
channel.....	2, 250, 251, 253, 258
mud.....	2
speckled.....	2
spoonbill.....	253
spotted.....	2
tadpole.....	253, 254
willow.....	2
yellow.....	2
chub, river.....	253
chub sucker.....	2, 170, 171, 177, 253
cob.....	3
collected in the vicinity of Augusta, Georgia, Annotated list of.....	1-8
common pumpkin seed.....	253
common red horse.....	253

	Page		Page
fishes, common sucker	254	fishes, mud cat	2
common sunfish	258	mudfish	1
common top minnow	253	mud minnow	4, 254, 255
crappie	5, 253, 254, 255	mud shad	4
black	254, 255	mullet, sea	186, 190, 195
white	5	Virginia	186
dace, horned	3, 253	Norfolk spot	177
darter	7	of Illinois, food of	253
Frick's	7	of Louisiana, food of	257
fusiform	8	pavement-toothed red horse	253
new, description of	7	perch	5
drum	175, 184, 196, 197, 419	blue	6
fresh-water	419	pirate	5, 253
gray	196	red-bellied	5, 6
puppy	184, 196	sand	5, 171
red	184, 197	silver	171
sea	196	speckled	5
star	175	sun	5
eel, common	4	white	171
food of	199	yellow	254, 255
fresh-water drum	419	yellow-finned	171
fresh-water trout	7	pickerel	4
Frick's darter	7	pigmy sunfish	5
fusiform darter	8	pike, red-finned	4
game	3	pirate perch	5, 253
garfish	1	pond sucker	2
gar, speckled	2	pumpkin seed, common	253
German carp	254, 255, 419	southern	253
gizzard shad	4, 253	puppy drum	184, 196
goggle-eye	6	rainbow trout	254, 256
golden shiner	3, 254, 255	red-bellied perch	6
goldfish	251, 252	redbelly	6
goody, Cape May	177	red drum	184, 197
gray drum	196	redeye	6, 253, 254
gray trout	150-164, 169, 170	red-finned pike	4
greenback trout	256	redfish	184
green sunfish	32, 253, 257	red horse, common	253
hake	180, 190	large-scaled	253
hardhead	180	pavement-toothed	253
herring, toothed	253, 254	redmouth buffalo fish	325
hog molly	253	red salmon	39-50
horned dace	253	experiments in tagging	39-50
hornyhead	3	fisheries	39
jack	4	run of	39-50
jackfish	1	ribbonfish	197, 198
jack grindle	1, 4	river chub	253
jimmy	177	roach	3, 253
kingfish	186, 190	roundhead	2, 186
king whiting	186, 190	saffron-colored minnow	3
landlocked salmon, as beetle eaters	256	salmon	164-169
large-eared sunfish	6	fisheries	39
largemouth black bass	1, 7, 32, 254, 255, 258	landlocked	256
large-scaled red horse	253	red	39-50
long-eared sunfish	253, 257	runs of	39-46
marbled bullhead	253	sockeye	39-50
Menona top minnow	253, 254	tagging of	39-50
minner	3, 5	trout	169-170
minnow	4	sand perch	5, 171
common top	253	sand trout	169, 170
Menona top	253, 254	scale carp	3
mud	4, 254, 255	scarlet sunfish	257
saffron-colored	3	sea drum	196
spot-tailed	253	sea mullet	186, 190, 195
star-headed	4	sea trout	150-169
top	4, 253	shad, gizzard	4, 253
top-water	4	mud	4
viviparous top	257	shad trout	150-164
mongrel buffalo fish	253	sheepshead	253

	Page
fishes, shine-eye	2
shiner	3, 253
common	253
golden	3, 254, 255
silver-fin	253
silverside	253
silver-fin shiner	253
silverfish	251
silver perch	171
silverside, brook	5
silverside shiner	253
silver squeteague	169, 170
silver whiting	195
smallmouth black bass	253
smallmouth buffalofish	253, 258, 259
sockeye salmon	39-50
southern pumpkin seed	253
southern squeteague	164-169
spawner	3
speckled gar	2
speckled perch	5
speckled trout	164-169
speckles	5
spoonbill cat	253
spot, Norfolk	177
spot-tailed minnow	253
spotted bass	184
spotted catfish	2
spotted squeteague	164-169
spotted sucker	2
spotted trout	164-169
spotted weakfish	164-169
squeteague	145
silver	169, 170
southern	164-169
spotted	164-169
star drum	175
star-headed minnow	4
stone-roller	2, 253
striped sucker	2, 3
sturgeon	419
sucker	419
as beetle eater	255
black	2
chub	2, 170, 171, 177, 253
common	254
pond	2
spotted	2
striped	2, 3
summer trout	150-164
sunfish	5, 254
blue-spotted	6
common	258
green	32, 253, 257
large-eared	6
long-eared	253, 257
pigmy	5
scarlet	257
symmetrical	257
sun perch	5
sun trout	150-164
surf whiting	195
symmetrical sunfish	257
tadpole cat	253, 254
toothed herring	253, 254
top minnow	4, 253
common	253
Menona	253, 254
viviparous	257

	Page
fishes, top-water minnow	4
trout	7, 150-164, 169
as beetle eaters	256
bastard	169, 170
black	164-169
brook	254, 256
food of	255, 256
fresh-water	7
gray	150-164, 169, 170
greenback	256
rainbow	254, 256
salmon	164-169
sand	169, 170
sea	150-169
shad	150-164
speckled	164-169
spotted	164-169
summer	150-164
sun	150-164
yellow-finned	150-164
use for mosquito control	1, 4, 5, 6, 8
Virginia mullet	186
viviparous top minnow	257
warmouth	6
warmouth bass	253, 267
weakfish	150-164
spotted	164-169
white bass	253
white crappie	5
whitefish	417
white perch	171
whiting	186, 190, 195
Carolina	186
king	186, 190
silver	195
surf	195
willow cat	2
yellow cat	2
yellow-finned perch	171
yellow-finned trout	150-164
yellow perch	254, 255
yellow-tail	171
fishing (sport) in Georgia	1
fish-tagging experiments	40
Fish Trap Lake, thermal changes and gas conditions of	67, 116
Flagellata	402-404, 464
flavescens, Perca	254
flavicollis, Bidessus	263
fleas, water	375, 388, 417, 418
flies, Ichneumon	32
flos-aquæ, Anabæna	399, 401, 402, 405, 406
Aphanizomenon	265, 266, 399, 401, 402, 406
Microcystis	399, 402
fontinalis, Salvelinus	254, 255
Food and feeding in fresh-water mussels	439-471
food of Atlantic coast Sclænidae, general remarks on	199
forcipata, Diglena	409
fragalis, Spongilla	360
Fragilaria	402, 411, 414
crotonensis	399, 401, 404, 405, 406, 410
fresh-water drum	419
fresh-water mussels	203-219, 439-471
feeding experiments	462
broken filamentous material	465
inorganic material	462
organic material	464
time required for passage of food through alimentary canal	466

	Page		Page
fresh-water mussels, food.....	460	Graphoderes fasciollis.....	263
adults.....	461	liberus.....	263
juveniles.....	460	gray drum.....	196
Food and feeding in.....	439-471	gray trout.....	150, 164, 169, 170
ingestion.....	446	grebe, horned.....	34, 247
adults.....	457	greenback trout, as beetle eaters.....	256
observations and experiments.....	447	green frog.....	248
study of sections of the palps.....	457	green heron.....	34, 247
theory of the function of grooves on ridges of palps.....	458	Green Lake, Wash.:	
Significance of larval mantle of during parasitism.....	203-219	description.....	100
Frick's darter.....	7	fish food.....	75, 100
fricksia, Etheostoma.....	7	plankton.....	100, 127
frogs.....	34, 248, 255	thermal changes and gas conditions of.....	67, 116
as beetle eaters.....	34, 248	green sunfish.....	32, 253, 257
as fish food.....	255	green-winged teal.....	248
bull.....	248	grillis, Acris.....	244, 248
green.....	248	ground beetles.....	248
leopard.....	248	grunnlens, Aplodinotus.....	253
pickerel.....	248	Argyrosomus.....	253
wood.....	248	gulosus, Chenobryttus.....	6, 253, 257
Fundulus diaphanus.....	253	gyrini Ashmead, Gausocentrus.....	246
diaphanus menona.....	254	Gyrinidae.....	232, 233, 236, 238-242, 247-255, 263, 264, 266-269
notatus.....	253	Gyrinus.....	33, 240, 243, 308
nottii.....	4	analis.....	263
fungus spores.....	441, 442	consobrinus.....	236
fuscatus, Bidessus.....	263	limbatus.....	237, 263, 308, 309
fusiform darter.....	8	adult, habits of.....	309
fusiformis, Boleichthys.....	8	distribution in Fairport (Iowa) fishponds.....	263
		eggs of.....	308
gadwall.....	247	larva, description and habits of.....	308
gagates, Agabus.....	263	migration.....	237
Galtsoff, P. S.: Limnological observations in the upper Mississippi, 1921.....	347-438	pupa, description of.....	309
Gambusia affinis.....	4, 257	pupation.....	309
garfish.....	1	minutus.....	263
Gastropus.....	411	ventralis.....	237, 263, 308, 309
Gausocentrus gyrini Ashmead.....	246	adult, habits of.....	309
German carp.....	254, 255, 419	distribution in Fairport (Iowa) fishponds.....	263
gibba, Diaschiza.....	409	eggs of.....	308
Epthemia.....	408	larva, description and habits of.....	308
gibbosus, Eupomotis.....	253, 258	migration.....	237
Gilbert, Charles H.: Experiment in tagging adult red salmon, Alaska Peninsula Fisheries Reservation, summer of 1922.....	39-50	pupa, description of.....	309
gizzard shad.....	4, 253	pupation.....	309
glaber, Hydrophilus.....	326	gyrinus, Schilbeodes.....	253, 254
Tropisternus.....	238, 240, 263, 266, 326-333	hake.....	186, 190
glabra, Spartina.....	446	Haliplidae.....	231-233, 235-238, 240-244, 247-249, 251, 253-258, 263, 264, 267-275
glochidium.....	400, 404	Halipilus.....	273
description of.....	204, 205	borealis.....	263, 264
food, ingestion of.....	206	distribution in Fairport fishponds.....	263
granulation.....	205	immaculatus.....	274
mantle cells of.....	204	punctatus.....	263
gloriosus, Enneacanthus.....	6	ruficollis.....	263, 274, 275
goggle-eye.....	6	adult.....	275
golden shiner.....	3, 254, 255	distribution in Fairport fishponds.....	263
goldfish, killed by beetles.....	251, 252	eggs.....	274
Gomphonema affine.....	408	larva, description and habits of.....	274
lanceolatum.....	408	pupa, description of.....	274
Goodwin, Lake, Wash.:		pupation.....	274
plankton.....	99, 100, 126	triopsis.....	237, 263
thermal changes and gas conditions of.....	70, 116	distribution in Fairport fishponds.....	263
goody, Cape May.....	177	migration.....	237
gracilis, Lampsilis.....	446, 456, 462, 463	variegatus.....	274
gracillima, Asterionella.....	399, 406	hamiltoni, Enochrus.....	263
grandis, Anodonta.....	446, 464, 466	Philydrus.....	321
grandis footiana, Anodonta.....	444	hantzchii, Actinastrum.....	399, 401, 402, 404, 405
granulata, Melosira.....	302, 399, 401, 409	hardhead.....	180
		Hayden Lake, Idaho:	
		Crustacea, plankton, diurnal movement of.....	86, 87

	Page		Page
Hayden Lake, Idaho—Continued.		Hydrophilus triangularis, as menace to fish-culture.	35
description	84, 85	destruction of	35
fish	85	Hydroporus	242, 243, 265, 285
plankton	85, 86, 127	consimilis	237, 263
temperature	85, 116, 117	distribution in Fairport fishponds	263
Helophorus	332	migration	237
lacustris	263	Hydroscapha	333
lineatus	263	Hydrous	9, 18, 19, 21, 29, 30
Henry Lake, Idaho:		31, 32, 34, 236, 243, 250-252, 260, 262, 267, 332-334	
description	88	as fish eaters	251
fish food in	74, 88	as food for dragonfly nymphs	243
mackinaw trout in	88	locomotion of	236
plankton	88, 128	(Hydrophalus) triangularis, Life history of	9-38
thermal changes and gas conditions of	67, 117	picus	9, 22, 24, 25, 333
heron, green	34, 247	cap attachment on egg case	333
heros, Eupomotis	253	triangularis	10, 11,
herring, toothed	253, 264	12, 237, 238, 242, 245, 247, 249, 252, 263, 266, 332	
Hildebrand, Samuel F.: Annotated list of fishes collected in vicinity of Augusta, Ga., with description of a new darter	1-8	adult	26
hirundinella, Ceratium	399, 401, 406	antennæ	27
hog molly	253	birds as enemies of	247
horned grebe	34, 247	description	26
hornwort	265	external characters	27
hornyhead	3	food	29
horsefly, black, as enemy of beetle pupæ	246	front tarsus of male	29
hudsonius, Notropis	3, 253	mouth parts	28
humilis, Lepomis	211	respiration	29
Hyalodaphnia	417	turtles as enemies of	247
Hybognathus nuchalis	3	as fish eater	249, 252
Hybopsis kontuckiensis	3, 253	as food for bass	252
hybridus, Dytiscus	237, 238, 247, 263	distribution	238, 263, 266
hydra, as beetle eaters	244	economic relations	30
Hydra, sp.	400, 409	egg cases	10-21, 29
Hydrobiidæ	233	mast of	12
Hydrobius	332	enemies of adults, eggs, larvæ, and pupæ	32-34
nebulosus	318	larva	13
striatus	309	abdomen	17
Hydrocanthus iricolor	263, 285, 286	breathing	18
niger	263, 285, 286, 300	description	13
adult, description and habits of	286	enemies of	32-34, 242
distribution in Fairport fishponds	263	food and feeding	19
eggs	285	head	15
larva, description and habits of	285	locomotion	18
pupa, description of	286	menace to fish	21
pupation	286	mouth parts	16
Hydrocharis obtusatus	314	thorax	17
Hydrochelidon nigra surinamensis	34	mating and egg laying	10
Hydrochus squamifer	263	migration	237
Hydrodictyon	31, 266	pupa	10, 21
reticulatum	401	description	22
Hydrophilidæ	10, 11, 31,	enemies of	32-34, 245
232, 233, 235-239, 241-243, 247-250, 253-255, 257, 258, 263-269		pupation	21, 22
eggs, formation of	10, 11	Hydrovatus pustulatus	238, 244, 263
egg case, spinning of	11, 29	distribution	238, 263
in aquaria	10	larvæ, turtles as enemies of	244
Hydrophilus	9, 31, 250, 251, 260, 314, 333, 334	Hymenoptera	243, 256
as a fish eater	250	hymenopterous parasite	245
glaber	326	Hyodon tergisus	253
lateralis	321	hypelasma, Anuraepsis	400
mixtus	329	Hypentelium nigricans	2
obtusatus	238, 263, 314, 315	Ichneumon flies	32
adult, description of	315	ichneumonid parasite	245
distribution	238, 263	Ictalurus punctatus	2, 250, 253, 258
egg case	314	Ictiobus bubalis	253, 258
larva, description and habits of	314	cyprinella	21, 250, 253
pupa, description of	315	urus	253
ovatus	27	Ikatan Bay, salmon-tagging experiments at	43-45
triangularis	34, 35	Illinoensis, Pleodorina	399, 402, 404
adults, mating of	35	Potamogeton, occurrence in ponds at Fairport, Iowa	265

	Page		Page
<i>Ilybius biguttulus</i>	263	<i>Laccobius agilis</i> , egg case.....	315
<i>imbecillis</i> , <i>Anodonta</i>	446, 455, 457	larva, description and habits.....	315
<i>immaculatus</i> , <i>Haliplus</i>	274	pupa, description of.....	316
<i>implicata</i> , <i>Anodonta</i>	444	pupation.....	316
<i>incerta</i> , <i>Microcystis</i>	461	<i>Laccophilus</i>	235, 236, 243, 286
<i>incertus</i> Cresson, <i>Spilocryptus</i>	246	<i>maculosus</i>	236-238, 247, 263, 265, 266, 276, 287-291
<i>incisor</i> , <i>Lepomis</i>	2, 6, 254	adult, description and habits of.....	290
<i>Infusoria</i>	399, 401	birds as enemies of adults.....	247
<i>inscriptum</i> , <i>Etheostoma</i>	7	distribution.....	263
<i>interrogatus</i> , <i>Coptotomus</i>	237, 238, 263, 272, 275-279	eggs.....	287
<i>Dytiscus</i>	275	influence of environment on.....	265
<i>Iowa darter</i>	254, 255	larva, description and habits of.....	287
<i>Iowæ</i> , <i>Etheostoma</i>	254	migration.....	237, 238
<i>iricolor</i> , <i>Hydrocanthus</i>	263, 285, 286	pupa, description of.....	289
<i>irideus</i> , <i>Salmo</i>	254	pupation.....	289
<i>iridius shasta</i> , <i>Salmo</i>	255	restriction of species.....	266
<i>iris</i> , <i>Lampsilis</i>	444	<i>proximus</i>	237, 244, 263, 288, 290, 291
<i>irregularis</i> , <i>Crucigenia</i>	461	adult, description of.....	291
jack.....	4	distribution.....	263
jackfish.....	1	eggs.....	290
jack grindle.....	1, 4	larva, description and habits of.....	290
<i>janthinipennis</i> , <i>Brachinus</i>	246	migration.....	237
<i>Jimmy</i>	177	mites as enemies of larvae.....	244
Kemmerer, George, J. F. Bovard, and W. R. Boorman: Northwestern Lakes of the United States: Biological and chemical studies with reference to possibilities in production of fish.....	51-140	pupa, description of.....	291
<i>kentuckiensis</i> , <i>Hybopsis</i>	5, 253	distribution.....	263
Keokuk, Lake.....	347-438	eggs.....	290
Copepoda and Cladocera, distribution of.....	389	larva, description and habits of.....	290
crustaceans, distribution of.....	389	migration.....	237
physiography of.....	360	mites as enemies of larvae.....	244
plankton.....	380	pupa, description of.....	291
affect of hydrographic conditions on.....	382	<i>undatus</i>	263
composition of.....	398, 399, 409	<i>lacustris</i> , <i>Bidessus</i>	238, 263
richness.....	380	<i>Codonella</i>	30, 401, 403, 410
stratification.....	381	<i>Helaphorus</i>	263
vertical distribution.....	380	<i>lævissima</i> , <i>Lampsilis</i>	446, 462, 463
volume.....	380	<i>Lafayette</i>	177
stages.....	362	<i>Lagerheimia</i>	461
temperature of water.....	373	<i>lamellibranchs</i>	443-445, 468
transparency of water.....	373	<i>lamellicorn beetles</i>	248
velocity of current.....	366	<i>Lampsilis anodontoides</i>	446, 447, 463
<i>Keratella</i> sp.....	441	<i>borealis</i>	444
<i>cochlearis</i>	461	<i>fallaciosa</i>	462, 465
Ki, Lake, Wash.: carbon dioxide content.....	71	<i>gracilis</i>	440, 456, 462, 463
depth, temperature, and dissolved gases.....	117	<i>iris</i>	444
description.....	100	<i>lævissima</i>	446, 462, 463
plankton.....	100, 128	<i>ligamentina</i>	440
<i>kindtii</i> , <i>Leptodora</i>	414	<i>luteola</i>	203-219, 440, 444, 446, 448-457, 463, 465
<i>kingfish</i>	186, 190	Notes on a new mantle condition of.....	203-219
<i>king whiting</i>	186, 190	<i>radiata</i>	444
<i>Kirchneriella</i> sp.....	461	<i>ventricosa</i>	446, 463
Klamath Lake (Upper), Oreg.: carbon dioxide content.....	71	<i>lanceolatus</i> , <i>Eques</i>	145, 197, 198
description.....	112	<i>Gomphonema</i>	408
fish.....	112	<i>Stellifer</i>	145, 170, 175-177, 199
fish food.....	75	landlocked salmon, as beetle eaters.....	256
plankton.....	113, 134	large-eared sunfish.....	6
thermal changes and gas conditions.....	67, 120	largemouth black bass.....	1, 7, 32, 254, 255, 258
<i>Labidesthes sicculus</i>	5	large-scaled red horse.....	253
<i>Laccobius</i>	315, 332	<i>Larimus</i> , banded.....	170, 171
<i>agilis</i>	238, 263, 315, 316, 330	<i>fasciatus</i>	145, 170, 171
adult, description of.....	316	larval mantle of fresh-water mussels during parasitism, Significance of.....	203-219
distribution.....	238, 263	<i>lateralis</i> , <i>Hydrophilus</i>	321
<i>Laccophilus</i>		<i>Tropisternus</i>	237, 245-247, 259, 265, 321-333
<i>maculosus</i>		<i>lebes</i> , <i>Diffugia</i>	39
adult, description and habits of.....		<i>Lecane arcuata</i>	409
birds as enemies of adults.....		leeches, as fish food.....	255
distribution.....		<i>Leiostomus xanthurus</i>	177-180, 184, 187, 199
eggs.....		<i>Lemna</i>	361, 409, 410
influence of environment on.....		<i>leopard frog</i>	244, 248
larva, description and habits of.....		<i>Lepisosteus osseus</i>	1
migration.....		<i>Lepomis auritus</i>	6
pupa, description of.....		<i>cyanelus</i>	32, 253, 257
restriction of species.....		<i>humilis</i>	211
<i>proximus</i>		<i>incisor</i>	2, 6, 254
adult, description of.....			
distribution.....			
eggs.....			
larva, description and habits of.....			
migration.....			
mites as enemies of larvae.....			
pupa, description of.....			
<i>undatus</i>			

	Page		Page
<i>Lepomis megalotis</i>	6, 253, 257	Limnoria, description of.....	222
<i>miniatus</i>	257	<i>lignorum</i>	221-230
<i>pallidus</i>	32, 253, 258	toxicities of coal tar creosote, creosote distillates, and individual constituents for.....	221-230
<i>symmetricus</i>	257	<i>lineatus</i> , <i>Helophorus</i>	263
<i>Leptodora</i>	375, 408, 417	<i>littoralis</i> , <i>Menticirrhus</i>	195, 196
<i>kindtii</i>	400, 401, 406, 408, 410, 411, 414	description and occurrence.....	195, 196
leuchtenbergianum, <i>Diaphanosoma</i>	387, 400, 405, 406, 410	long-eared sunfish.....	253, 257
<i>Leuciscus rutilus</i>	417	<i>longicaudus</i> , <i>Phacus</i>	399, 404, 461
<i>Leucorhinia intacta</i>	306	<i>longifolia</i> , <i>Sagittaria</i>	361
Lewis, Sara I., and E. P. Churchill, jr.: Food and feed- ing in freshwater mussels.....	439, 471	<i>longimanus</i> , <i>Bytotrepes</i>	417
<i>Leydigia quadrangularis</i>	400	<i>longirostris</i> , <i>Bosmina</i>	400, 405, 410
<i>Libellula</i>	32, 243	<i>longiseta</i> , <i>Triarthra</i>	400, 405, 410
Liberty Lake, Wash.: description.....	88	<i>longispina</i> , <i>Daphnia</i>	400, 405
fish.....	72	Loon Lake, Wash.: depth, temperature, and dissolved gases.....	117
plankton.....	88, 128	description.....	88
thermal changes and gas conditions of.....	67, 117	fish.....	72
<i>liberus</i> , <i>Graphoderes</i>	263	mackinaw trout.....	74
life histories of water beetles in fishponds at Fairport, Iowa.....	231-345	plankton.....	88, 128
life history of the scavenger water beetle, <i>Hydrous</i> (<i>Hy-</i> <i>drophilus</i>) <i>triangularis</i> , and its economic relation to fish breeding.....	9-38	Louisiana Cove, salmon-tagging experiment at.....	43-45
<i>ligamentina</i> , <i>Lampsilis</i>	440	Louisiana fishes, food of.....	257
light oils, toxicity of for <i>Limnoria</i>	224	Lower Twin Lake, Idaho: depth, temperature, and dissolved gases.....	117
<i>lignorum</i> , <i>Limnoria</i>	221-230	description.....	89
lilies, pond.....	267	plankton.....	89, 128
<i>limbatus</i> , <i>Gyrinus</i>	237, 263, 308, 309	<i>lucidus</i> , <i>Alburnus</i>	417
<i>limi</i> , <i>Umbra</i>	4	<i>luna</i> , <i>Cathypna</i>	400
Limnological observations in the upper Mississippi, 1921.....	247-438	Luna Lake, Wash.: plankton.....	100, 128
composition of plankton.....	396	thermal changes and gas conditions of.....	70, 117
lakes.....	406	<i>lunaris</i> , <i>Monostyla</i>	400, 409
river.....	403	<i>luteola</i> , <i>Lampsilis</i>	203-219, 440, 444, 446, 448-457, 463, 465
tributaries.....	410	<i>Lymnaea peregra</i>	284
Copepoda and Cladocera, distribution of.....	387	<i>stagnalis</i>	284
Lake Keokuk.....	389	<i>stagnalis lillianae</i>	245
Lake Pepin.....	394	Lyngbya.....	402, 409, 456, 464
river.....	387	sp.....	361, 369
discussion and conclusions.....	411	<i>macrolepidotum</i> , <i>Moxostoma</i>	253
plankton and the fisheries.....	415	<i>macropterus</i> , <i>Centrarchus</i>	5
potamoplankton.....	411	<i>maculosus</i> , <i>Laecephilus</i>	236-238, 247, 263, 265, 266, 276, 287-291
investigation, method of.....	347	major, <i>Navicula</i>	402
boat and equipment.....	353	mantle cells of glochidium.....	204
plankton, determination of.....	354	mantle condition (new) exhibited by <i>Lampsilis luteola</i>	203-219
schedule of localities.....	351	mantle (larval) of fresh-water mussels during parasitism, Significance of.....	203-219
stations.....	355	marbled bullhead.....	253
physiography.....	357	<i>Margaritana margaritifera</i>	444
chemical constituents of water.....	371	<i>margaritifera</i> , <i>Margaritana</i>	444
discharge.....	369	<i>marginata</i> , <i>Anodonta</i>	444
flow of sediment.....	370	marine wood borer, <i>Limnoria lignorum</i> , Toxicities of coal-tar creosote, creosote distillates, and individual con- stituents for.....	221-230
Lake Keokuk.....	360	Martha, Lake, Wash.: carbon dioxide content.....	71
Lake Pepin.....	359	fish.....	72
Lake St. Croix.....	360	plankton.....	70, 100, 129
stages.....	362	thermal changes and gas conditions of.....	70, 117
temperature of water.....	373	<i>Mastigophora</i>	399, 401
the river.....	357	mayfly larvæ.....	400, 404
transparency of water.....	371	Medical Lake, Wash.: carbon dioxide content of.....	71
velocity of current.....	366	depth, temperature, and dissolved gases.....	118
plankton and detritus.....	375	description.....	89
horizontal distribution in river.....	379	plankton.....	89, 129
Lake Keokuk.....	380	<i>megalotis</i> , <i>Lepomis</i>	6, 253, 257
Lake Pepin.....	382		
Lake St. Croix.....	384		
pump and net collections.....	385		
vertical distribution in river.....	379		
volume.....	375		

	Page		Page
melanops, <i>Minytrema</i>	3	Mississippi River—Continued.	
melas, <i>Ameiurus</i>	264	plankton—	
Melosira.....	402, 411, 414, 460	composition of.....	396, 403, 404
<i>crenulata</i>	399, 401, 402, 404-406, 408-410	distribution.....	349
<i>granulata</i>	399, 401, 402, 409	horizontal distribution.....	379
<i>spiralis</i>	399	vertical distribution.....	379
<i>subflexilis</i>	402	volumetric determination of.....	377
<i>varians</i>	402	sediment, flow of.....	370
Mendota, Lake, Wis.:		stages.....	362-365
fauna of.....	233	temperature.....	373
fish food in.....	76	transparency.....	371
thermal changes and gas conditions of.....	66	mites as beetle eaters.....	244
menepghiniana, <i>Cyclotella</i>	399, 402, 404, 405, 408, 409	<i>mixtus</i> , <i>Hydrophilus</i>	329
Menona top minnow.....	253, 254	<i>Tropisternus</i>	243, 263, 324, 327, 329-333
<i>Menticleirhus americanus</i>	186-190, 195, 199	<i>Moina brachlata</i>	400, 403, 409, 410
<i>littoralis</i>	195, 196	<i>macrocopa</i>	400, 410
<i>saxatilis</i>	186, 188, 190-195, 199	<i>rectirostris</i>	387, 400, 401, 403, 404, 406, 409, 410
<i>Merismopedia punctata</i>	461	mold.....	442
sp.....	399	mollusks.....	259
<i>tenuissima</i>	461	<i>Monas</i> sp.....	461
metamorphosis of <i>Lampsilis luteola</i>	211	mongrel buffalofish.....	253
final period of parasitism.....	214	<i>moniliferum</i> , <i>Closterium</i>	399
first encystment stage.....	212, 213	<i>Monostyla brillia</i>	400
middle parasitic stage.....	214	<i>cornuta</i>	400, 409
occurrence of a placental-like relationship between it and host.....	217	<i>lunaris</i>	400, 409
<i>Metopidia acuminata</i>	409	<i>pyriformis</i>	409
<i>Micrococcus rhenanus</i>	411	<i>quadridentata</i>	409
<i>Microcystis</i>	406, 464, 465	<i>morum</i> , <i>Pandorina</i>	461
<i>flos aquæ</i>	399, 402	Morzhoi Bay, salmon-tagging experiments at.....	42, 43
<i>incerta</i>	461	mosquito control.....	1
sp.....	399, 401, 404	use of fishes for.....	1
<i>Micropogon undulatus</i>	143, 161, 179, 180, 184, 199	mosquitoes.....	400, 404
<i>microporum</i> , <i>Cœlastrum</i>	461	<i>Moxostoma aureolum</i>	253
<i>Micropterus dolomieu</i>	253	<i>macrolepidotum</i>	253
<i>salmoides</i>	7, 254, 258	<i>mucronata</i> , <i>Scapholeberis</i>	400
<i>militaris</i> , <i>Noteus</i>	400, 401	<i>mud cat</i>	2
<i>miniatus</i> , <i>Lepomis</i>	257	<i>mudfish</i>	1
mink, sea.....	186, 190	<i>mud minnow</i>	4, 254, 255
minner.....	3, 5	<i>mud shad</i>	4
minnow.....	245	mullet, sea.....	186, 190, 195
as food for snails.....	245	Virginia.....	186
common top.....	253	mussels, fresh-water.....	203-219
Menona top.....	253, 254	artificial propagation.....	203
<i>mud</i>	4, 254, 255	commercial value.....	203
saffron-colored.....	3	definitive mantle, completion of.....	210
spot-tailed.....	253	feeding experiments.....	462
star-headed.....	4	broken filamentous material.....	465
top.....	4	inorganic material.....	462
top-water.....	4	organic material.....	404
viviparous top.....	257	time required for passage of food through alimentary canal.....	466
<i>minutus</i> , <i>Chroococcus</i>	461	feeding processes.....	441-443
<i>Gyrinus</i>	263	first encystment stage of.....	208
<i>Scenedesmus</i>	399	food.....	441, 444, 460
<i>Minytrema melanops</i>	3	adults.....	461
<i>mirum</i> , <i>Pedalion</i>	400, 409, 410	ingestion of.....	206
Mississippi River:		juvenile mussels.....	460
character.....	347, 348	ingestion.....	446
chemical constituents of water.....	371	observations and experiments.....	447
Copepoda and Cladocera, distribution of.....	387	selection of material.....	442, 443
crustaceans, distribution of.....	389	study of sections of palps.....	457
current, velocity of.....	366	mantle cells during parasitism.....	204
detritus in.....	376	mantle cells of glochidium.....	204
discharge.....	369	description.....	204, 205
hydrobiological conditions.....	348, 349	granulation.....	205
lakes in.....	349	mushroom body, formation of.....	208, 209
limnological observations in.....	347-438	Significance of larval mantle during parasitism.....	203-219
physiography.....	357	<i>Mustelus canis</i>	162

	Page		Page
Naias.....	31, 35	nottii, Fundulus.....	4
natalis, Ameiurus.....	2	nuchalis, Hybognathus.....	3
Nauplii.....	400, 401, 404, 405, 456	nymphs, dragonfly.....	21, 32, 34
Navicula.....	460	Obliquaria reflexa.....	446
amphigomphus.....	408	Obovaria ellipsis.....	446, 462, 463
confervacea.....	399	obtusus, Hydrocharis.....	314
major.....	402	Hydrophilus.....	238, 263, 314, 315
radiosa.....	408	occidentalis, Ruppia.....	360, 384
reinhardtii.....	408	ocellatus, Sciænops.....	145, 184-186
scutelloides.....	408	ochraceus, Enochrus.....	263, 321
(Stauroneis) phoenicenteron.....	402	Philydrus.....	238, 321
nebulosus, Ameiurus.....	2, 253, 254	Ochthebius.....	333
Cynoscion.....	164-169	Odonata, as food for fish.....	255
Enochrus.....	263, 313, 317, 318, 319, 320	Odontidium.....	461
Hydrobius.....	318	sp.....	460
Philydrus.....	318	Œdognomium.....	409, 465
nebulosus marmoratus, Ameiurus.....	253	oglinum, Opisthonema.....	162
Newman, Lake, Wash.:		oligochaetes, as food for fish.....	255
description.....	89	Oocystis.....	461
fish.....	72	Opisthonema oglinum.....	162
plankton.....	89, 129	Opsopoeodus bolmani.....	3
thermal changes and gas conditions of.....	70, 118	ornaticollis, Dytiscus.....	296
niagarae, Stephanodiscus.....	399, 401, 402, 404, 405, 408, 410	Thermonectes.....	236, 245, 262-264, 266, 290, 292, 296-298, 330
niger, Hydroporus.....	263, 285, 286, 300	Oscillatoria princeps.....	399
nigra surinamensis, Hydrochellidqn.....	34	sp.....	399, 404
nigricans, Catostomus.....	253	Osmerus eperlanus.....	417
Hypentelium.....	2	osseus, Lepisosteus.....	1
nimbatus, Tropisternus.....	238, 321	ova.....	442
Nitzschia palia.....	408	ovatus, Hydrophilus.....	27
Norfolk spot.....	177		
Northwestern lakes of the United States: Biological and chemical studies with reference to possibilities in production of fish.....	51-140	Padden, Lake, Wash.:	
anchor release.....	54	depth, temperature, and dissolved gases.....	118
fish food of.....	74	description.....	101
Bear Lake, Idaho.....	74	fish.....	72
Crater Lake, Oreg.....	75	plankton.....	101, 129
Green Lake, Wash.....	67, 75, 100	pala, Brachionus.....	400, 403, 409, 410
Henry Lake, Idaho.....	67, 74, 88	f. ampiceros, Brachionus.....	401, 403-405, 409
Lake Mendota, Wis.....	66, 76	v. dorcas, Brachionus.....	400, 409, 410
Upper Klamath Lake, Oreg.....	67, 75, 112	v. dorcas f. spinosus, Brachionus.....	400, 405, 409, 410
fish in small lakes in Washington and Idaho.....	72	palla, Nitzschia.....	408
mackinaw trout.....	73	pallidus, Lepomis.....	32, 253, 258
lakes in California and Oregon.....	105	Pandorina.....	460
in eastern Washington and Idaho.....	77	morum.....	461
in western Washington.....	96	sp.....	461
maps of.....	53	pantherinus, Berosus.....	263, 307, 311-313
net plankton.....	65	Paradise Lake, Wash.:	
method of obtaining and enumerating.....	65	fish.....	72
physical conditions in lakes.....	65	plankton.....	101, 129
samples of water.....	56, 59	thermal changes and gas conditions.....	70, 118
soundings.....	53, 54	parasites.....	245
temperature observations.....	54-56	as enemies of beetle larvae.....	245
notatus, Fundulus.....	253	as enemies of beetle pupae.....	246
Notemigonus crysoleucas.....	3	dipterous.....	245
notes on a new mantle condition exhibited by Lampsilis luteola.....	203-219	hymenopterous.....	245
Noteus.....	409	ichneumonid.....	245
militaris.....	400, 401	parasitism of species of Anodonta.....	205
nothus, Cynoscion.....	169, 170	Parnidæ.....	236
Notops.....	409	paupera, Donocharis.....	400
brachionus.....	410	pavement-toothed red horse.....	253
brachionus spinosus.....	400	Payette Lake, Idaho:	
clavulatus.....	405	depth, temperature, and dissolved gases.....	118
Notropis atherinoides.....	253	description.....	89, 90
cornutus.....	253	fish.....	90
hudsonius.....	3, 263	plankton.....	90, 129, 130
rubricroceus.....	3	Pedalion.....	409
whippilii.....	253	mirum.....	400, 409, 410
		Pediastrum.....	461
		duplex.....	399, 401, 402, 404, 405, 410, 461

	Page		Page
Pediastrum, simplex	388, 401, 402, 404	pieta, Chrysemis	244
simplex duodenarium	461	pigmæ, Umbra	4
tetras	461	pigmy sunfish	5
Pelocaris femorata	324	pike, red-finned	4
Peltodytes	236, 244, 271	Pinæus brasiliensis	163
edentulus	237, 238, 263, 266, 271-273	setiferus	163
adult, description and habits of	273	pintail	248
distribution in Fairport fishponds	263	pipiens, Rana	248
eggs	271	pirate perch	5, 253
larva, description and habits of	271	placentula, Cocconeis	408
migration	237	Placopharynx duquesnei	253
pupa, description of	273	Plæodorina illinoisensis	399, 402, 404
pupation	273	Plagiola donaciformis	446, 463
locomotion of	236	plankton	349-355, 375-377, 379, 385, 411, 412, 414, 418, 444
Pend Oreille, Lake, Idaho:		as fish food	416-419
description	91, 92	composition of	396, 411
fish	92	definition of	378
plankton	92, 93, 120	determination of, in Mississippi River	354
thermal changes and gas conditions of	68, 69, 93, 118	distribution	350
pentaëdricum, Tetrædron	461	effect in increasing fish production	418
Pepin, Lake	347-438	effect of water level on	412
Copepoda and Cladocera	394	favorable and unfavorable conditions for	414
distribution	394, 395, 408	fluctuation in quantity and constitution	412
fluctuation in abundance	394	horizontal distribution of, in Mississippi River	379
physiography	359	increase and decrease	414
plankton	377, 382, 383, 399	net and pump collections of	385
composition of	399	occurrence in Mississippi River	349
distribution	382, 383	origin of	412
mean volume	382	pump and net collections of	385
volume	377, 382	quantitative study of	355
temperature of water	373	vertical distribution of in Mississippi River	379
transparency of water	371, 373	volume of in Mississippi River	375
velocity of current	369	volumetric determinations of	377
Perca flavescens	254	plankton and the fisheries	415
perch, blue	6	planktonica, Anabæna	399, 405
pirate	5, 253	platycephalus, Amelurus	2
red-bellied	6	Platydorina caudata	399, 401, 402, 404, 405, 461
sand	5, 171	sp	461
silver	171	platyptera v. euryptera, Polyarthra	400, 401, 403, 404, 406, 410
speckled	5	Pteodorina	456, 460
sun	5	californica	461
white	171	pleuronectes, Phæcus	461
yellow	254, 255	Pleurosigma spenceri	405, 408
yellow-finned	171	plicata, Quadrula	440, 463
Peridinium sp	399, 404	Pogonias cromis	145, 196, 197
tabulatum	461	description	197
perigrinus, Berosus	238, 263, 312	food	197
perplexus, Enochrus	219, 263	migration	197
Philydrus	321	occurrence	196
Phæcus longicaudus	399, 404, 461	size	197
pleuronectes	461	Polyarthra	411
Philydrus	265	platyptera v. euryptera	400, 401, 403, 404, 406, 410
diffusus	320	Polyodon spathula	253
hamiltoni	321	Pomoxis annularis	5, 253
nebulosus	318	sparoides	5, 254, 257
ochraceus	238, 321	pondfish culture, Water beetles in relation to	231-345
migration of	238	pond lilies	267
perplexus	321	pond snail	245
phœnicentron, Navicula (Stauroneis)	402	pond sucker	2
Phora sp	245	Poronotus triacanthus	162
Phyciodes tharos	306	Port Moller, salmon-tagging experiments at	45, 46
Phyllophaga	246	Potamogeton	11, 31, 35, 265, 409
phytoplankton	411, 418	americanus	360, 384, 408
piceus, Hydrous	9, 22, 23, 25, 333	crispus	360, 384, 408
cap attachment on egg case	333	illinoisensis, occurrence on ponds at Fairport, Iowa	265
pickereel	4	potamoplankton, composition of	411
pickereel frog	248	Priest Lake, Idaho:	
pickereel weed	267	description	92, 94, 95

	Page		Page
Priest Lake, Idaho—Continued.		Rhynchophora.....	247, 248
fish.....	92	ribbon-fish.....	197, 198
plankton.....	95, 130	river chub.....	253
thermal changes and gas conditions of.....	68, 119	roach.....	3, 253
princeps, Oscillatoria.....	399	Roccus chrysope.....	253
prodonta, Asplanchna.....	409	roosevelti, Salmo.....	255
Protozoa.....	403, 444, 468	rostrata, Anguilla.....	4
proximus, Laecophilus.....	237, 244, 263, 288, 290, 291	Rotatoria.....	400, 401
pseudoplankton, definition of.....	376	Rotifera.....	255, 401, 403, 404, 406, 409, 410, 412, 416, 418, 441, 461, 465
Public Health Service.....	1	roundhead.....	2, 186
pulcher, Eques.....	145, 198	rubricroceus, Notropis.....	3
pulchra, Aphanocapsa.....	461	ruficollis, Dytiscus.....	274
pulex, Daphnia.....	406	Halipilus.....	263, 274, 275
pulex v. pulicaria, Daphnia.....	400, 406	run of salmon.....	39-50
pumpkin seed, common.....	253	rupestris, Ambloplites.....	253, 254
southern.....	253	Ruppia occidentalis.....	360, 384, 408
punctata, Merismopedla.....	461	rutilus, Leuciscus.....	417
punctatus, Halipilus.....	263		
Ictalurus.....	2, 250, 253, 258	saffron-colored minnow.....	3
puppy drum.....	184, 196	Sagittaria longifolia.....	361
pusillus, Rattulus.....	400	salmoides, Micropterus.....	7, 254, 258
pustulata, Quadrula.....	446	Salmo irideus.....	254
pustulatus, Hydrovatus.....	238, 244, 263	iridius shasta.....	255
pustulosa, Quadrula.....	440	salmon.....	164-169
pyriformis, Diffugia.....	399, 403-405	adult red, Experiments in tagging.....	39-50
Monostyla.....	409	Alaska Peninsula Fisheries Reservation.....	39-50
quadangularis, Leydigia.....	400	fisheries.....	39
quadrata, Crucigenia.....	461	landlocked, as beetle eaters.....	256
quadricauda, Scenedesmus.....	399, 401, 402, 404, 405, 461	red, fisheries of.....	39-50
quadridentata, Monostyla.....	409	runs of.....	39-46
Quadrula plicata.....	446, 463	sockeye.....	39-50
Quadrula pustulata.....	446	tagging of.....	39-50
pustulosa.....	446	East Anchor Cove, Alaska.....	43-45
undata.....	446, 463	Ikatan Bay, Alaska.....	43-45
radiata, Lampsills.....	444	Louisiana Cove, Alaska.....	43-45
radiosa, Navicula.....	408	Morzhovoi Bay, Alaska.....	42, 43
ragweed.....	460	Port Moller, Alaska.....	45, 46
rainbow trout.....	254, 256	Shumagin Islands, Alaska.....	40-42
as beetle eaters.....	256	salmon trout.....	164-169
Rana pipiens.....	248	Salmo roosevelti.....	255
rats, as food for beetles.....	251	sebago.....	255
Rattulus pusillus.....	400	stomias.....	255, 256
rattus.....	400	whitel.....	255
sp.....	400, 404	saludanus.....	3
stylatus.....	400	Salvelinus fontinalis.....	254, 255
rattus, Rattulus.....	400	Samish, Lake, Wash.:.....	
rectirostris, Moina.....	387, 400, 401, 403, 404, 406, 409, 410	depth, temperature, and dissolved gases.....	119
red-bellied perch.....	6	description.....	101
redbelly.....	6	plankton.....	101, 102, 130
red drum.....	184, 197	Sammamish, Lake, Wash.:.....	
redeye.....	6, 253, 254	plankton.....	70, 102, 131
red-finned pike.....	4	thermal changes and gas conditions.....	70, 119
redfish.....	184	sand perch.....	5, 171
red horse, common.....	253	sand trout.....	169, 170
large-scaled.....	253	Sarcina alba.....	411
pavement-toothed.....	253	Sarcodina.....	399, 401
redmouth buffalo fish.....	253	Savannah River, fish of.....	1, 2
red salmon.....	39-50	saxatilis, Mentleirrusus.....	186, 188, 190-195, 199
fisheries.....	39	sayanus, Aphredoderus.....	5, 253
reeds.....	267	scale carp.....	3
reflexa, Obliquaria.....	446, 463	Scapholeberis mucronata.....	400
regalis, Cynoscion.....	142, 145, 150-164, 199	scarlet sunfish.....	257
reinhardtii, Navicula.....	408	scavenger water beetle, Hydrous.....	9-38
reticulatum, Hydrodictyon.....	401	economic relation to fish breeding.....	9-38
reticulatus, Esox.....	4	life history of.....	9-38
retrocurva, Daphnia.....	400, 401, 403, 406, 410, 411, 414	Scenedesmus.....	461, 464
rhenanus, Microcoecus.....	411	abundans.....	461
		acuminatus.....	399, 401, 461

	Page		Page
<i>Scenedesmus arcuatus</i>	461	<i>Sida</i>	418
<i>arcuatus platydisca</i>	461	<i>crystallina</i>	400, 405, 406, 410
<i>bijuga</i>	461	Significance of larval mantle of fresh-water mussels during	
<i>brasiliensis</i>	461	parasitism, with notes on a new mantle condition ex-	
<i>denticulatus</i>	461	hibited by <i>Lampsilis luteola</i>	203-219
<i>dimorphus</i>	461	silver-fin shiner.....	253
<i>minutus</i>	399	silverfish, killed by beetles.....	251
<i>quadricauda</i>	399, 401, 402, 404, 405, 461	Silver Lake, Wash.:	
sp.....	399	carbon dioxide content.....	71
<i>schaumlandii</i> , <i>Trachelmonas</i>	399, 402, 405	description.....	95
<i>Schilbeodes gyrinus</i>	253, 254	fish.....	72, 73
<i>Schizocerca diversicornis</i>	400	plankton.....	70, 95, 102, 131
<i>Schizomycetes</i>	411	thermal changes and gas conditions of.....	70, 119
<i>Sciænidæ</i> of the eastern United States coast, Contribu-		silver perch.....	171
tions to life history of.....	141-201	silverside, brook.....	5
description.....	145	silverside shiner.....	253
diagnosis of family.....	148	silver squeteague.....	169, 170
eggs.....	146	silver whiting.....	195
family, diagnosis of.....	148	<i>Simocephalus vetulus</i>	406
food of.....	145, 199	simplex duodenarium, <i>Pediastrum</i>	461
genera, key to.....	148	simplex, <i>Pediastrum</i>	388, 401, 402, 404
growth.....	146	smallmouth black bass.....	253
habits.....	145, 146	smallmouth buffalofish.....	253, 258, 259
key to.....	146-149	snails.....	20, 245
methods used in study of growth.....	142	as beetle eaters.....	245
range.....	145	pond.....	245
scale examinations.....	142	snapping turtles.....	247
species, key to.....	148	snout beetles.....	248
study of growth, methods used in.....	142	sockeye salmon.....	39-50
<i>Sciænops ocellatus</i>	145, 184-186	sorex, <i>Epithemia</i>	408
description.....	184, 185	southern pumpkin seed.....	253
growth.....	185	southern squeteague.....	164-169
migration.....	184	<i>sphaerium</i> , <i>Cœlastrum</i>	461
range.....	184	Spanaway, Lake, Wash.:	
size.....	184	plankton.....	70, 103, 131
spawning season.....	184	thermal changes and gas conditions of.....	70, 119
<i>scutelloides</i> , <i>Navicula</i>	408	<i>sparoides</i> , <i>Pomoxis</i>	5, 254, 257
sea drum.....	196	<i>Spartina glabra</i>	446
sea mink.....	186, 190	<i>spathula</i> , <i>Polyodon</i>	253
sea mullet.....	186, 190, 195	spawneater.....	3
sea trout.....	150-169	speckled cat.....	2
sebago, <i>Salmo</i>	255	speckled trout.....	164-169
sedges.....	267	speckles.....	5
<i>Selenastrum westii</i>	461	<i>spenceri</i> , <i>Pleurosigma</i>	405, 408
semisulcates, <i>Acellus</i>	237, 263, 290-302	<i>spermatosphera</i> , <i>Volvox</i>	300, 402
<i>Semotilus atromaculatus</i>	3, 253	Spermatozoa.....	442
<i>setiferus</i> , <i>Pinæus</i>	163	<i>sphaerium</i> , <i>Cœlastrum</i>	401
<i>setigera</i> , <i>Dunhevidia</i>	400, 406	<i>Sphaerium</i> sp.....	446, 463, 464
<i>setularia</i> , <i>Dinobryon</i>	461	<i>Spirocyptus incertus</i> Cresson.....	246
Shackell, L. F.: Toxicities of coal-tar creosote, creosote		<i>spralls</i> , <i>Melosira</i>	399
distillates, and individual constituents for the marine		<i>Vallisneria</i>	360, 384, 408
wood borer <i>Limnoria lignorum</i>	221-230	Spirit Lake, Idaho:	
shad, gizzard.....	4, 253	depth, temperature, and dissolved gases.....	119
mud.....	4	description.....	95
shad trout.....	150-164	plankton.....	95, 131
sheepshead.....	253	<i>Spirogyra</i>	244, 408, 456, 461
shine-eye.....	2	sp.....	399
shiner.....	3	<i>spirogyra</i> , <i>Euglena</i>	399, 401, 402, 405
common.....	253	<i>spiroides</i> , <i>Anabaena</i>	399, 402, 404-406
golden.....	3, 254, 255	<i>splendida</i> , <i>Surirella</i>	402
silver-fin.....	253	sponges.....	360
silverside.....	253	<i>spongilla fragalis</i>	360
shinsii, <i>Coregonus</i>	417	spoonbill cat.....	253
shipworm.....	221, 222	Sporozoa.....	409
shoal-water ducks.....	247	spot, Norfolk.....	177
Shumagin Islands, salmon-tagging experiments at.....	40-42	spot-tailed minnow.....	253
shalls, <i>Corvula</i>	145, 198	spotted bass.....	184
<i>sicculus</i> , <i>Labidesthes</i>	5	catfish.....	2

	Page		Page
spotted squetaegue	164-169	subflexilis, Melosira	402
sucker	2	sucetta, Erimyon	2
trout	164-169	sucker	419
weakfish	164-169	as beetle eaters	255
squamifer, Hydrochus	263	black	2
squeteague	145	chub	2
age at maturity	158	common	254
description	145, 150	pond	2
development	150, 151	spotted	2
distribution, seasonal	158	striped	3
eggs and development	150, 151	Sullivan Lake, Wash.:	
embryology	151	description	95
fishery for	150	plankton	95, 132
food	159	thermal changes and gas conditions	68, 120
growth	157	summer trout	150-164
habits	145	sunfish	254
maturity, age at	158	blue-spotted	6
movements and seasonal distribution	158	common	258
silver	169, 170	green	32, 253, 257
size and weight attained	158	large-eared	6
southern	164-169	long-eared	257
spawning grounds and season	150	pigmy	5
spotted	164-169	scarlet	257
stagnalis lilliana, Lymnaea	245	symmetrical	257
star drum	175	sun perch	5
star-headed minnow	4	sun trout	150-164
Staurostrum	461	surf whiting	195
brevispinum	461	Surirolla biseriata	402
gradle	399, 404	cardinals	402
sp	399, 401, 405, 461	minuta	408
staurogeniaforme, Tetrastrum	461	splendida	402
St. Croix, Lake	350-438	Surirella	402
Copepoda, volume of	389	Sutherland Lake, Wash.:	
physiography	360	depth, temperature, and dissolved gases	120
plankton, composition of	399, 409	description	99
vertical distribution of	384	plankton	99, 132
volume of	384	Swan Lake, Wash.:	
water, temperature and transparency of	373	depth, temperature, and dissolved gases	120
Stellacoom Lake, Wash.:		plankton	104, 132, 133
plankton	103, 121	symmetrical sunfish	257
thermal changes and gas conditions of	67, 119	symmetricus, Lepomis	257
Stellifer lanceolatus	145, 170, 175-177, 199	Synecheta	411
description	175	stylata	400, 408
food	176, 177, 199	Synedra	411
growth	175, 176	delicatissima	399, 401, 402, 404, 408, 410
habitat	199	splendens	408
spawning	175	ulna v. capitata	408
Stentor oerulesus	399	Tabanus striatus	246
Stephanodiscus	411, 451, 460	tabulatum, Peridinium	461
niagara	399, 401, 402, 404, 405, 408, 410	tadpole cat	253, 254
Stevens, Lake, Wash.:		tadpoles	21
depth, temperature, and dissolved gases	120	tagging adult red salmon, Alaska Peninsula Fisheries Reservation, summer of 1922	39-50
plankton	103, 132	Tahoe, Lake, Calif.:	
Stigeoclonium	409	carbon dioxide content	71
Stolephorus brownii	163	description	109
stomias, Salmo	255, 256	diurnal migration of plankton	112
stone-roller	2, 253	mackinaw trout in	73
striatus, Berosus	237, 238, 263, 307-313	plankton	111, 112, 133
Hydrobius	309	diurnal migration of	112
Tabanus	246	temperatures	111
striped sucker	3	thermal changes and gas conditions	68, 111, 120
Strophitus edentulus	218	Tapps, Lake, Wash.:	
undulatus	444	depth, temperature, and dissolved gases	120
sturgeon	419	plankton	104, 134
stylata, Diurella	400, 403	tar acids and bases, toxicity of for Limnoria lignorum	225, 226
Synecheta	400, 408	teal, blue-winged	248
stylatus, Rattulus	400		
subcupreus, Crenophilus	263		

	Page		Page
teal, cinnamon.....	248	Tropisternus, lateralis, influence of environment on.....	265
green-winged.....	248	larva, habits of.....	322
terglsus, Hydon.....	253	mature.....	324
tern, black.....	34	newly hatched, description of.....	324
terrarium, construction of.....	234	migration.....	237
Tetradron caudatum.....	461	pupa, description of.....	325
pentadricum.....	461	enemies of.....	245, 246
sp.....	461	pupation.....	325
tetras, Pediastrum.....	461	mixtus.....	243, 263, 324, 327-333
Tetrastrum staurogeniæforme.....	461	adult, description and habits of.....	332
thalassinum, Etheostoma.....	7	cap attachment on egg case.....	333
Thermonectes.....	235, 236, 243, 291	distribution in Fairport (Iowa) fishponds.....	263
basilaris.....	263, 266, 291-298	egg case and eggs.....	329
adult, description and habits of.....	295	larva, enemies of.....	243
distribution in Fairport (Iowa) fishponds.....	263, 266	habits of.....	329
eggs.....	291	mature.....	331
larva, description and habits of.....	291, 293, 294	newly hatched, description of.....	331
pupa, description of.....	295	nimbatus.....	238, 321
pupation.....	294	distribution according to size.....	238
locomotion of.....	235	trout.....	7, 150-169
ornaticollis.....	236, 245, 262-264, 266, 290, 292, 296-298, 330	bastard.....	169, 170
adult, description of.....	298	black.....	164-169
distribution in Fairport (Iowa) fishponds.....	263, 266	brook.....	254
eggs.....	296	food of.....	255, 256
larva, description and habits of.....	296	fresh-water.....	7
pupa, description of.....	298	gray.....	150-164, 169, 170
water as enemy of.....	245	greenback.....	256
pupation.....	298	rainbow.....	254, 256
tiger beetles, as food for frogs.....	248	salmon.....	164-169
toads, as beetle eaters.....	248	sand.....	169, 170
toothed herring.....	253, 254	sea.....	150-169
top minnow.....	4	shad.....	150-164
common.....	253	speckled.....	164-169
Menona.....	253, 254	spotted.....	164-169
viviparous.....	257	summer.....	150-164
top-water minnow.....	4	sun.....	150-164
Toxicities of coal-tar creosote, creosote distillates, and individual constituents for the marine wood borer, Limnoria lignorum.....	221-230	yellow-finned.....	150-164
Trachelmonas.....	441, 461	turtles.....	244, 247
schauinslandii.....	399, 402, 405	as beetle eaters.....	244, 247
triacanthus, Poronotus.....	162	painted.....	244
triangularis, Hydrous.....	10-12,	snapping.....	247
34, 35, 237, 238, 242, 245, 247, 249, 252, 263, 266, 332		Twin Lake, Lower, Idaho.....	89, 117, 128
Triarthra longiseta.....	400, 405, 410	Upper.....	67, 72, 96, 121, 134
Tribonema sp.....	461	tyrannus, Brevoortia.....	162, 163
tripsis, Halplus.....	237, 263	uina v. capitata, Synedra.....	408
Tropisternus.....	243, 244, 249, 321, 332, 334	Umbra limi.....	4, 254
fish as food of.....	249	pigmæ.....	4
glaber.....	238, 246, 263, 266, 326-333	Umbrina broussonnetii.....	198
adult.....	329	coroides.....	145, 198
cap attachment on egg case.....	333	uncinatus, Colurus.....	409
distribution in Fairport (Iowa) fishponds.....	263, 266	undata, Quadrula.....	446, 463
egg case, cap attachment on.....	333	undulatus, Micropogon.....	143, 161, 179, 180, 199
eggs and egg case.....	326	Strophitus.....	144
larva, mature.....	328	Unio (Symphynota) complanata.....	443
larva, newly hatched, description of.....	328	Upper Priest Lake, Idaho:	
migration.....	238	depth, temperature, and dissolved gases.....	121
pupa, description of.....	328	description.....	96
pupa, parasites as enemies of.....	246	plankton.....	96, 134
lateralis.....	237, 245-247, 259, 265, 321-333	Upper Twin Lake, Idaho:	
adult, description and habits of.....	326	description.....	96
turtles as enemies of.....	247	fish.....	72
as food for bass.....	259	plankton.....	96, 134
cap attachment on egg case.....	333	thermal changes and gas conditions.....	67, 121
egg case and eggs.....	321	urceolaris, Brachionus.....	400
		urus, Ictiobus.....	253

	Page		Page
<i>Vallisneria spiralis</i>	380, 384, 408	whiting, king.....	188, 190
<i>varians</i> , <i>Melostira</i>	402	silver.....	195
<i>variegatus</i> , <i>Haliphus</i>	274	surf.....	195
<i>ventralis</i> , <i>Gyrinus</i>	237, 263, 308, 309	Wildwood, Lake, Wash.:	
<i>ventricalis</i> , <i>Dytiscus</i>	263, 282-284	plankton.....	105, 135
<i>ventricosa</i> , <i>Lampsilis</i>	446, 463	thermal changes and gas conditions of.....	70, 121
<i>vetulus</i> , <i>Simocephalus</i>	406	Williams Lake, Wash.:	
<i>virescens virescens</i> , <i>Butorides</i>	247	description.....	96
Virginia mullet.....	186	fish.....	96
<i>viridis</i> , <i>Euglena</i>	461	plankton.....	70, 96, 135
viviparous top minnow.....	257	thermal changes and gas conditions of.....	70, 121
<i>Volvox</i>	456, 460, 461	willow cat.....	2
<i>aureus</i>	401	Wilson, Charles Branch: Life history of the scavenger	
<i>spermatosphara</i>	399, 402	water beetle, <i>Hydrous (Hydrophilus) triangularis</i> ,	
Vorticella.....	464	and its economic relation to fish breeding.....	9-38
<i>vulgaris</i> , <i>Arcella</i>	399, 403	Wilson, Charles Branch: Water beetles in relation to	
warmouth.....	6	pondfish culture, with life histories of those found in	
bass.....	253, 257	fishponds at Fairport, Iowa.....	231-345
Washington, Lake, Wash.:		wood borer (marine), <i>Limnoria lignorum</i> , Toxicities of	
depth, temperature, and dissolved gases.....	121	coal tar creosote, creosote distillates, and individual	
description.....	104	constituents for.....	221-230
plankton.....	104, 134, 135	wood duck.....	248
water beetles, <i>see</i> beetles, water.		wood frog.....	248
water fleas.....	375, 414, 417, 418	Wright Lake, Idaho:	
weakfish.....	150-164	depth, temperature, and dissolved gases.....	121
spotted.....	164-169	description.....	96
weevils.....	248	fish.....	96
Welsh, William W., and C. M. Breder, jr.: Contributions to life histories of Sciencidæ of the eastern United States coast.....	141-201	plankton.....	96, 135
westii, <i>Selenastrum</i>	461	<i>xanthurus</i> , <i>Leistomus</i>	177-180, 184, 187, 199
Whatcom, Lake, Wash.:		<i>Xylotrya</i> (Bankia).....	221
plankton.....	105, 135	yellow cat.....	2
thermal changes and gas conditions of.....	68, 69, 121	yellow-finned perch.....	171
whippelli, <i>Notropis</i>	253	yellow-finned trout.....	150-164
white bass.....	253	yellow perch.....	254, 255
white crappie.....	5	yellow-tail.....	171
whitefish.....	417	<i>Zoethamnium</i>	399
white perch.....	171	<i>zonatum</i> , <i>Elassoma</i>	5
whiting.....	186, 190, 195	zooplankton.....	350, 411-414, 416, 418
Carolina.....	186		