

## GENERAL INDEX



	Page		Page
abdita, Amphipolus.....	365, 366	anodontoides, Lampsilis.....	535, 716-729, 735, 737
acadianus, Pagurus.....	356	Anomalocera patersoni.....	347
Acartia clausii.....	337, 340, 348, 349	Anoploactylus lentus.....	365
longiremis.....	346, 348	antennena, Antennularia.....	330
Actinoptychus splendens.....	312, 323	Antennularia americana.....	330
undulatus.....	312, 313, 323	antennena.....	330
aculeata, Harmothoe.....	340, 341	simplex.....	330
acuminata, Hippolyte.....	356	Anthostoma fragile.....	341
acuta, Edotea.....	352	Anthozoa.....	332
acutifrons, Caprella.....	350, 551	Arabacia punctulata.....	365, 366
Aegathoa oculata.....	352	Arabella opalina.....	341, 342
aestiva, Labidocera.....	346	Arachnoidea.....	364
affine, Pleurosigma.....	312	arenaria, Mya.....	518, 520
affinis, Upogebia.....	355, 359	Arenaeus cribrarius.....	355
Aglantha digitale.....	331	Arenicola marina.....	345
Aglaophenia rigida.....	330	arge, Stylactis.....	330
alata f. genuina, Rhizosolenia.....	313	argentea, Thularia.....	330
alata, Proptera.....	514, 736	armata, Candacia.....	347
Rhizosolenia.....	312, 325	Artemia salina.....	364
albicans, Ocyroda.....	355, 356, 362	Arthropoda.....	340-346
albiguttus, Paralichthys.....	464-476	Asterias forbesi.....	365
Aleyonidium parasiticum.....	339	Asterionella formosa.....	312, 320
verrilli.....	339	Astrangia danae.....	333
alta, Siliqua.....	544, 548	atlantica, Pontella.....	347
alternata, Amathia.....	339	attenuata, Erichsonella.....	352
Altentha depressa.....	347	aurita, Biddulphia.....	311, 312, 323
Amalophora brevicornis.....	347	Autolytus hesperidium.....	341, 342
Amathia alternata.....	339	solitarius.....	341, 342
amberfish.....	458-464		
descriptions of young.....	459	bachel, Nemopsis.....	330, 331
distribution of young.....	463	Bacillaria paradoxa.....	312, 320
growth and food.....	464	Bacillariophyta.....	311-326
spawning.....	459	Bacteriastrium varians.....	313, 324
americana, Antennularia.....	330	Bairdiella chrysuria.....	411-416
Eurytemora.....	347	Balanus eburneus.....	349
Glycera.....	341, 344	improvisus.....	349, 350
Mysis.....	352		
Neomysis.....	352, 353, 354	Ball, Edward M., and Willis H. Rich: Statistical re- view of the Alaska salmon fisheries.	
americanus, Hemicyclops.....	347	Part II: Chignik to Resurrection Bay.....	643-712
Ammotrypane maculata.....	341	baltica, Idothea.....	352
amphiceros, Raphoncis.....	312	balticum, Pleurosigma.....	312
Amphioda sp.....	365, 366	barbata, Homolo.....	356
Amphipolus abdita.....	365, 366	Batea catharinensis.....	350, 351
Amphipoda.....	350	Barentsis discreta.....	339
Amphipholis squamata.....	365, 366	Bathynectes superba.....	356
Anchoviella opsetus.....	388-395	bay scallop (see scallop).....	669-632
mitohilli.....	388-395	Bellerophon malleus.....	313, 324
anchovies.....	388-395	benedicti, Streblospio.....	341, 343
development of eggs and young.....	389	bergonii, Cerataulina.....	311, 313, 323
distinguishing characters.....	393	Berö forskalli.....	333
distribution of young.....	394	ovata.....	333
economic importance.....	388	Biddulphia aurita.....	311, 312, 323
food.....	395	mobiliensis.....	311, 324
growth.....	394	bigelowi, Mysidopsis.....	352
spawning.....	388	blackfin snapper.....	274-276
Anguinella palmata.....	339, 340	Blackfordia virginiana.....	331
angustifrons, Hexapanopus.....	335, 356, 361	blackfordii, Lutjanus.....	270-274
Annelida.....	340	bombus, Navicula.....	312, 323
Apodonta.....	543	Bomolochus eminens.....	347
Anodonta corpulenta.....	514	borealis, Cancer.....	356
cygnea.....	510, 515, 517, 518, 529, 737	Navicula.....	312, 320
limneana.....	538		

	Page		Page
Bougainvillea carolinensis.....	331	chelifer, Harpacticus.....	347
ramosa.....	331	Chesapeake Bay.....	277-381
rugosa.....	330	Annelida.....	340
Bowerbankia gracilis.....	330, 340	Arthropoda.....	340-346
bradyi, Centropages.....	347	Arachnoidea.....	304
Branchiostoma virginiae.....	367	Crustacea.....	346
lanceolatus.....	367	Amphipoda.....	350
brasiliensis, Ericthonius.....	350, 351	Cirripedia.....	349
Penaeus.....	355, 356	Copepoda.....	346
brevicornis, Amallaphora.....	347	Cumacea.....	354
Dactylopusia.....	347	Decapoda.....	355
Oithona.....	346	Isopoda.....	352
brevirostris, Pontophilus.....	356	Schizopoda.....	352
Brevoortia tyrannus.....	347	Stomatopoda.....	354
briareus, Thyone.....	305, 306	Bacillariophyta.....	311-320
brightwellii, Ditylium.....	311, 312, 313, 324	diatoms.....	311-326
brunnea, Pleurobrachia.....	333	Celenterata.....	329-334
Bryozoa.....	339	Cnidaria.....	330
buccanella, Lutianus.....	274-276	Anthozoa.....	332
Bucephalus haimeanus.....	623, 626	Hydromedusæ.....	330
buckhorn.....	716, 734-736	Hydrozoa.....	330
Bugula gracilis.....	339	Scyphomedusæ.....	331
turrita.....	339	Ctenophora.....	333
		Porifera.....	329
		Chordata.....	366-367
Cable, Louella E., and Samuel F. Hildebrand: Develop- ment and life history of fourteen teleostean fishes at Beaufort, N. C.....	383-488	Cephalochordata.....	367
Calanus finmarchicus.....	347	Hemichordata.....	366
helgolandicus.....	347	Urochordata.....	367
calcar avis, Rhizosolenia.....	311, 313, 323, 324	Vertebrata.....	367
Caligus schistonyx.....	347	Echinodermata.....	365
callarias, Gadus.....	6	Mollusca.....	365
Callinassa stimpsoni.....	355, 359	physical features.....	278-281
Callinectes ornatus.....	356	Protozoa.....	326-329
sapidus.....	355, 356, 359	temperature of water.....	298-311
Calyptospadix cerulea.....	330	Vermes.....	334-340
campechanus, Lutianus.....	273-274	Bryozoa.....	339
Campylodiscus echenis.....	312, 320	Nemathelminthes.....	334-339
cancellata, Navicula.....	312, 323	Chaetognatha.....	334
Cancer borealis.....	356	Nematoda.....	334
irroratus.....	355, 356	chesapeakeensis, Robertsonia.....	347
Candacia armata.....	347	Chloridiella empusa.....	354
Canuella elongata.....	347	Chordata.....	366-367
Caprella acutifrons.....	350, 351	chrysopterus, Orthopristis.....	395-411
Carcinus maenas.....	364	chrysuræ, Bairdiella.....	411-416
Cardium corbis.....	561, 633-641	cigarfish (See scad).....	453-458
Cardion gordonii.....	356	ciliata, Microporella.....	339
carinatus, Corycaeus.....	347	cinereum, Sesarma.....	355, 356, 361
carneum, Eudendrium.....	330	circumpleta, Ostrea.....	489, 497
carolinensis, Bougainvillea.....	331	cirrata, Myriana.....	341, 342
carolinus, Palaemonetes.....	355, 356, 357, 358	Cirratulus tentaculatus.....	345
Catapagurus gracilis.....	356	Cirripedia.....	349
sharreri.....	356	Cladocarpus flexilis.....	330
catharinensis, Batea.....	350, 351	clam, Pacific razor.....	543-565
Centropages bradyi.....	347	biological findings.....	561-563
hamatus.....	346	regulation of fishery.....	563
typicus.....	346	Siliqua.....	544-548
Cephalochordata.....	367	growth ratios.....	544
Cerapus tubularis.....	350, 351	rib, direction of.....	548
Cerataulina bergonii.....	311, 313, 323	umbo, position of.....	547
Ceratium furca.....	327	width.....	545
fusus.....	327	Sillqua patula.....	548-561
tripos.....	327	growth.....	561-568
cerulea, Calyptospadix.....	330	in different localities.....	559
Chaetoceras decipiens.....	312, 313, 325	mortality.....	550
teres.....	311, 313, 323	sexual differences.....	549
Chaetognatha.....	334	variability.....	548
chaetopterana, Pinnixia.....	355, 361	clathrata, Luidia.....	365
Chaetopterus variopedatus.....	341	clausii, Acartia.....	337, 346
Chamberlain, Thomas K.: Annual growth of fresh-water mussels.....	713-739	Mecynocera.....	347
		Cletodes longicaudatus.....	347
		Clibanarius vittatus.....	355
		Clupanodon pseudohispanicus.....	347

	Page		Page
<i>Clytemnestra rostrata</i> .....	347	<i>cylindrica</i> , <i>Pinnixia</i> .....	355, 361
Cnidaria.....	330	<i>cylindricum</i> , <i>Corophium</i> .....	350, 351
<i>coarctatus</i> , <i>Hyas</i> .....	356, 362	<i>Cypselurus furcatus</i> .....	449-452
cockle, Pacific.....	633-641	<i>cypris</i> , <i>Stenothoe</i> .....	350, 351
age and growth of.....	633-641	<i>Dactylometra quinquecirrha</i> .....	331
age determination.....	633	<i>Dactylopusia brevicornis</i> .....	347
growth.....	634	<i>dansæ</i> , <i>Astrangia</i> .....	333
in different localities.....	637	<i>danicus</i> , <i>Leptocylindrus</i> .....	311, 313, 323
cod, migrations, off New England.....	1-136	Decapoda.....	355
age and rate of growth.....	96-118	<i>Decapterus punctatus</i> .....	453-458
summer.....	77	<i>decipiens</i> , <i>Chaetoceras</i> .....	312, 313, 325
winter.....	69	<i>dentatus</i> , <i>Paralichthys</i> .....	464-476
cod not migrating.....	41-65	<i>denticulata</i> , <i>Hemiseptella</i> .....	339, 340
shown by length frequencies.....	47-65	<i>depressa</i> , <i>Alteutha</i> .....	347
shown by tagging.....	42-47	<i>depressus</i> , <i>Eurypanopeus</i> .....	355, 356, 360
fish tagged.....	10	<i>dianthus</i> , <i>Eupomatus</i> .....	341, 344
historical.....	3-8	<i>diatoms</i> .....	311-326
in Europe.....	3	<i>dibranchiata</i> , <i>Glycera</i> .....	341, 344
tagging, New England.....	6	<i>Dictyocha fibula</i> .....	327
Nantucket to North Carolina.....	15-27	<i>digitale</i> , <i>Aganthea</i> .....	331
evidence, commercial fishery.....	15	<i>Diopatra cuprea</i> .....	341, 343
tagging.....	15-27	<i>Diosaccus tenuicornis</i> .....	347
return migration.....	32	<i>discaudata</i> , <i>Temora</i> .....	347
southern limit.....	31	<i>discreta</i> , <i>Barentsis</i> .....	339
north and east from Nantucket.....	35-41	<i>Distephanus speculum</i> .....	327
Chatham-South Channel.....	35	<i>Ditylimum brightwellii</i> .....	311, 312, 313, 324
origin of Nantucket population.....	83	<i>Dolichoglossus kowalevski</i> .....	366
drift of fry to.....	84	<i>Donkinia recta</i> .....	312
immigrations.....	93	<i>dubia</i> , <i>Libinia</i> .....	355, 363, 364
juvenile cod on.....	91	<i>dumerilii</i> , <i>Nereis</i> .....	341, 342
local production.....	84	<i>dumerilii</i> , <i>Serlola</i> .....	458-464
recapture record, significance.....	11	<i>eburnea</i> , <i>Crisia</i> .....	339
size of Nantucket population.....	80	<i>eburneus</i> , <i>Balanus</i> .....	349, 350
Coelenterata.....	329-334	<i>echeuis</i> , <i>Campylodiscus</i> .....	312, 320
<i>Collodes robustus</i> .....	356, 362, 363	<i>Echinarachnius parma</i> .....	365, 366
<i>commensalis</i> , <i>Polydora</i> .....	341, 344	<i>echinata</i> , <i>Hydractinia</i> .....	330
<i>constrictus</i> , <i>Parapenaeus</i> .....	355, 356	<i>Echinodermata</i> .....	365
<i>Trachypenaeus</i> .....	355, 356	<i>Ectinosoma curticorne</i> .....	346
Copepoda.....	346	<i>normani</i> .....	347
<i>corbis</i> , <i>Cardium</i> .....	561, 633-641	<i>Edotea acuta</i> .....	352
<i>coronatus</i> , <i>Pseudodiaptomus</i> .....	346	<i>montosa</i> .....	352
<i>Corophium cylindricum</i> .....	350, 351	<i>triloba</i> .....	352
<i>corpulenta</i> , <i>Anodonta</i> .....	514	<i>edulis</i> , <i>Mytilus</i> .....	361, 495, 620
<i>Corycaeus carinatus</i> .....	347	<i>Ostrea</i> .....	589
<i>elongatus</i> .....	347	<i>edwardsi</i> , <i>Monoculodes</i> .....	350, 351
<i>lubbockii</i> .....	347	<i>Electra pilosa</i> .....	339
<i>robustus</i> .....	347	<i>elegans</i> , <i>Sagitta</i> .....	334, 335, 336, 337, 339
<i>rostratus</i> .....	347	Ellis, M. M., Amanda D Merrick, and Marion D. Ellis: The blood of North American fresh-water mussels under normal and adverse conditions.....	509-542
<i>speciosus</i> .....	347	<i>elongata</i> , <i>Canuella</i> .....	347
<i>costatum</i> , <i>Skeletonema</i> .....	311, 313, 320, 321, 322, 323	<i>Maldane</i> .....	341, 344
Cowles, R. P.: A biological study of the offshore waters of Chesapeake Bay.....	277-381	<i>Triticella</i> .....	339
<i>Crago packardii</i> .....	355, 356	<i>elongatus</i> , <i>Corycaeus</i> .....	347
<i>septemspinosus</i> .....	355, 356, 357, 358	<i>Pseudocalanus</i> .....	346
<i>cribrarius</i> , <i>Arenaeus</i> .....	355	<i>emarginata</i> , <i>Libinia</i> .....	355, 356, 363, 364
<i>Crisia eburnea</i> .....	339	<i>Emerita talpoidia</i> .....	356
croaker.....	430-445	<i>eminens</i> , <i>Bomolochus</i> .....	347
age at sexual maturity.....	444	<i>empusa</i> , <i>Chloridella</i> .....	354
descriptions of young.....	435	<i>Squilla</i> .....	354
distinguishing characters.....	439	<i>enflata</i> , <i>Sagitta</i> .....	334, 337, 338
distribution of young.....	441	<i>ephelliticus</i> , <i>Hepatus</i> .....	356
food and feeding habits.....	445	<i>epsetus</i> , <i>Anchoviella</i> .....	388-395
growth.....	441	<i>equestris</i> , <i>Ostrea</i> .....	604
spawning.....	433	<i>Erichsonella attenuata</i> .....	352
Crustacea.....	346	<i>Eriethonius brasiliensis</i> .....	350, 351
<i>Cryptopontius gracilis</i> .....	347	<i>Euampila zodiacus</i> .....	311, 324
Ctenophora.....	333	<i>Euceramus praelongus</i> .....	355, 356
Cumacea.....	354	<i>Euchaeta norvegica</i> .....	347
<i>cuprea</i> , <i>Diopatra</i> .....	341, 343	<i>Eudendrium carneum</i> .....	330
<i>cupressina</i> , <i>Thularia</i> .....	330		
<i>curticorne</i> , <i>Ectinosoma</i> .....	346		
<i>eygnea</i> , <i>Anodonta</i> .....	510, 515, 517, 518, 529, 737		

	Page		Page
<i>Eupomatus dianthus</i> .....	341, 344	forbesi, <i>Asterias</i> .....	365
<i>Euprognatha rastellifera acilita</i> .....	356, 362, 363	formosa, <i>Asterionella</i> .....	312, 320
<i>rastellifera marthae</i> .....	356, 362, 363	forskalle, <i>Beroë</i> .....	333
<i>Eurypanopeus depressus</i> .....	355, 356, 360	fortuita, <i>Sphaerosyllis</i> .....	340, 342
<i>Eurytemora americana</i> .....	347	four-winged flyingfish.....	449-452
<i>hirundooides</i> .....	347	fragile, <i>Anthostoma</i> .....	341
<i>fallaciosa</i> , <i>Lampsilis</i> .....	535	frauenfeldii, <i>Thalassiothrix</i> .....	312, 313
<i>fario</i> , <i>Salmo</i> .....	561	furca, <i>Ceratium</i> .....	327
<i>fasciola</i> , <i>Pleurosigma</i> .....	312	furcata, <i>Tisbe</i> .....	347
<i>fibula</i> , <i>Dictyochoa</i> .....	327	furcatus, <i>Cypselurus</i> .....	449-452
<i>finmarchicus</i> , <i>Calanus</i> .....	347	fuorum, <i>Latreutes</i> .....	356
fish:		fuscus, <i>Ceratium</i> .....	327
amberfish.....	458-464	<i>Gadus callarias</i> .....	6
anchovies.....	388-395	Galtsoff, Paul S., H. F. Prytherch, and H. C. McMillin: An experimental study in production and collection of seed oysters.....	197-263
blackfin snapper.....	274-276	Galtsoff, Paul S., and Dorothy V. Whipple: Oxygen con- sumption of normal and green oysters.....	489-507
cigarfish.....	453-458	gardeni, <i>Mnemopsis</i> .....	333
cod.....	1-136	gemma, <i>Sapphirina</i> .....	346, 347
croaker.....	430-445	gibba, <i>Ostrea</i> .....	572
flounder, southern.....	464-476	gibbesii, <i>Portunus</i> .....	355, 356
summer.....	464-476	gibbus, <i>Pecten</i> .....	572, 575
flyingfish, four-winged.....	445-449	Ginsberg, Issac: Commercial snappers ( <i>Lutjanidae</i> ) of the Gulf of Mexico.....	265-276
short-winged.....	445-449	<i>Glycera americana</i> .....	341, 344
foolfish.....	482-487	<i>dibranchiata</i> .....	341, 344
four-winged flyingfish.....	445-449	<i>Goniada oculata</i> .....	341, 344, 346
hardhead.....	430-445	<i>solitaria</i> .....	341
hogfish.....	395-411	gordoni, <i>Caridion</i> .....	356
perch, sand.....	411-416	gouldii, <i>Pectinaria</i> .....	341, 344, 346
white.....	411-416	<i>gracilis</i> , <i>Bowerbankia</i> .....	339, 340
pigfish.....	395-411	<i>Bugula</i> .....	339
red snapper.....	265, 270-274	<i>Catapagurus</i> .....	356
robin, round.....	453-458	<i>Cryptopontius</i> .....	347
round robin.....	453-458	<i>Harpacticus</i> .....	346
rudderfish.....	458-464	<i>Lovenella</i> .....	330
salmon.....	177-195, 643-712	<i>Macrosetella</i> .....	347
sand perch.....	411-416	<i>Mesocyclops</i> .....	347
sead.....	453-458	<i>Stephanaster</i> .....	365, 366
sesi.....	274	<i>grandis</i> , <i>Pecten</i> .....	571, 575, 591, 595
short-winged flyingfish.....	445-449	<i>Guinardia flaccida</i> .....	311, 313, 324
silk snapper.....	265-270	Gutsell, James S.: Natural history of the bay scallop....	569-632
snapper, blackfin.....	274-276	<i>haimeanus</i> , <i>Bucephalus</i> .....	623, 626
red.....	265, 270-274	<i>Halichondria panicea</i> .....	329
silk.....	265-270	<i>hamatus</i> , <i>Centropages</i> .....	346
sole.....	476-482	hardhead ( <i>see</i> croaker).....	430-445
southern flounder.....	464-476	<i>Harmothoe aculeata</i> .....	340, 341
spot.....	410-430	<i>Harpacticus chelifer</i> .....	347
summer flounder.....	464-476	<i>gracilis</i> .....	346
tonguefish.....	476-482	<i>littoralis</i> .....	347
vivanet.....	265	<i>harrisii</i> , <i>Rithropanopeus</i> .....	355, 356, 360
white perch.....	411-416	<i>hobetata</i> , <i>Rhizosolenia</i> .....	313
yellowtail.....	265	heelsplitter.....	514
<i>flaccida</i> , <i>Guinardia</i> .....	311, 313, 324	pink.....	514, 736
<i>flexilis</i> , <i>Cladocarpus</i> .....	330	helgolandicus, <i>Calanus</i> .....	347
<i>floridana</i> , <i>Plumularia</i> .....	330	<i>Hemichordata</i> .....	366
flounder, southern.....	464-476	<i>Hemicyclops americanus</i> .....	347
summer.....	464-476	<i>Hemiseptella denticulata</i> .....	339, 340
descriptions of young.....	470	<i>Hepatus opheliticus</i> .....	356
distribution of young.....	474	<i>herbstii</i> , <i>Panopeus</i> .....	355, 356
food and feeding habits.....	476	<i>hesperidium</i> , <i>Autolytus</i> .....	341, 342
growth.....	475	<i>Hexapanopeus angustifrons</i> .....	355, 356, 361
spawning.....	469	Hildebrand, Samuel F., and Louella E. Cable: Develop- ment and life history of fourteen teleostean fishes at Beaufort, N. C.....	383-488
flyingfish, four-winged.....	449-452	<i>Hippolyte acuminata</i> .....	356
descriptions of young.....	449	<i>pleuracantha</i> .....	355
distribution of young.....	452	<i>Hippolysmata wurdemanni</i> .....	355
spawning.....	449	<i>Hippothoa hyalina</i> .....	339
short-winged.....	445-449		
distribution of young.....	448		
spawning and development.....	446		
foolfish.....	482-487		
development of young.....	483		
distribution of young.....	486		
growth.....	486		
spawning.....	483		

	Page		Page
hirundoides, Eurytemora	347	Macrosetella gracilis	347
hispidus, Monocanthus	482-487	maculata, Ammotrypane	341
hogfish (see pigfish)	395-411	maculatus, Pinnotheres	355, 361, 623
Homolo barbata	356	maenas, Carcinus	364
humerosa, Navicula	312	Maldane elongata	341, 344
hyalina, Hippothoa	339	malleus, Bellerochea	313, 324
Hyalodiscus stelliger	312, 313	manca, Pionosyllis	341
Hyas coarctatus	356, 362	manhattensis, Molgula	367
Hydractinia echinata	330	Margaritana margaritifera	714
Hydromedusæ	330	margaritifera, Margaritana	714
Hydrozoa	330	marina, Arenicola	345
		maximus, Pecten	591
Idothea baltica	352	McMillin, H. C., Paul S. Galtsoff, and H. F. Prytherch: An experimental study in production and collection of seed oysters	197-263
improvisus, Balanus	349	McMillin, H. C., and F. W. Weymouth: The relative growth and mortality of the Pacific razor clam ( <i>Siliqua</i> <i>patula</i> , Dixon) and their bearing on the commercial fishery	543-565
ingens, Nephthys	340	meadii, Pontella	347
iris, Munida	356	Mecynocera clausii	347
irradians, Pecten	569-632	media, Siliqua	544, 548
irroratus, Cancer	355, 356	Melosira sulcata	312, 322
Isopoda	352	Membranipora membranacea	339
		membranacea, Membranipora	339
kowalevski, Dolichoglossus	366	Merrick, Amanda D., M. M. Ellis, and Marion D. Ellis: The blood of North American fresh-water mussels under normal and adverse conditions	509-542
kroyeri, Pagurus	356	Mesocyclops gracilis	347
		mesogaster, Parexocoetus	445-449
Labidocera aestiva	346	metanevra, Quadrula	538
wollastoni	347	Metridia lucens	347
Lake Pepin mucket	514, 715, 716, 730-734	Microciona prolifera	329
laminaris, Tetilla	329	Micropogon undulatus	430-445
Lampsilinæ	514, 715	Microporella ciliata	339
Lampsilis anodontoides	535, 716-729, 735, 737	Microsetella norvegica	347
fallaciosa	535	Microthalestris littoralis	346
luteola	716	migrations of cod (see cod)	1-136
siliquidea pepinensis	514, 716, 730-733, 735, 737	miliaris, Noctiluca	328
ventricosa	714	minax, Uca	355, 362
lanceolatus, Branchiostoma	367	minuta, Oncaea	347
Latreutes fucorum	356	mitchilli, Anchoviella	388-395
leidyi, Mnemiopsis	201	Mnemiopsis gardenii	333
Lelostomus xanthurus	416-430	leidyi	201
lentus, Anoplodactylus	305	mobiliensis, Biddulphia	311, 324
lepidonotus squamatus	340, 341	Molgula manhattensis	367
variabilis	340, 341	Mollusca	365
leptocerus, Pandalus	356	monkey face	538
Leptocheirus	350	Monocanthus hispidus	482-487
Leptocylindrus danicus	311, 313, 323	Monoculodes edwardsi	350, 351
Leptogorgia virgulata	332	montosa, Edotea	352
Libinia dubia	355, 363, 364	Munida iris	356
emarginata	355, 356, 363, 364	mussels, fresh-water	509-542, 713-739
ligni, Polydora	341, 343, 345	annual growth of	713-739
limbata, Neris	341, 342, 345, 346	buckhorn	734
limnea, Anodonta	538	Lake Pepin mucket	730
Limulus polyphemus	364	Pope's purple	736
Liriope scutigera	331	shell, area of	736
Lithodesmium undulatum	311, 324	yellow sand shell	716-730
littoralis, Harpaeticus	347	length	717
Microthalestris	346	thickness	728
Tachidius	347	weight	725
Loima turgida	341, 344	blood of	509-542
longicarpus, Pagurus	355, 356	normal	510-521
longicaudatus, Cletodes	347	ash	514
longicornis, Temora	347	gases	520
longiremis, Acartia	346	gravity, specific	511
longissima, Nitzschia	311, 313, 323	hydrogen-ion	518
Lovenella gracilis	330	physical properties	511
lucida, Siliqua	544, 548	salts, inorganic	516
Luidia clathrata	365	solids	514
Lumbrineris tenuis	341, 342	sugar	516
lucens, Metridia	347		
lubbockii, Corycaeus	347		
luteola, Lampsilis	716		
Lutianus blackfordii	270-274		
buccanella	274-276		
campechanus	273-274		
vivanus	265-270		

	Page		Page
mussels, blood of, environmental factors, changes induced by	533	oysters, oxygen consumption of, normal oysters	493-496
calcium salts	533	seed, production and collection	197-263
distilled water	525	Milford Harbor, Conn.	238-260
magnesium salts	532	biological observations	246-250
potassium salts	530	gonads	246
sodium salts	528	larval period	247
exposure to air	535-539	spawning	246
near freezing	538	physical conditions	230-246
ordinary temperature	535	currents	244
mutica, Pella	355, 364	hydrogen-ion	244
Mya arenaria	518, 520	salinity	242
Myriana cirrata	341, 342	temperature	241
Mysidopsis bigelowi	352	tides	244
Mysis americana	352	seed collection	250-260
Mytilus edulis	361, 495, 620	North Atlantic waters	197-207
nasutus, Rhinocalanus	347	propagation, artificial	199
Navicula bombus	312, 323	spat collection	202-207
borealis	312, 320	spawning and setting	201
cancellata	312, 323	Onset Bay, Mass.	223-238
humerosa	312	description of	223
ostearia	502, 503, 586	larvæ	231
smithii	312	spat collectors	234
Nemathelminthes	334-339	spawning	231
Nematoda	334	water, temperature of	224
Nemopsis bachei	330, 331	salinity of	226
Neomysis americana	352, 353, 354	Wareham River, Mass.	207-223
Neopanope texana sayi	355, 356, 360	description of	207
Nephtys ingens	340, 341	spat collectors	217-223
phyllocirra	340, 341	spawning and setting	216
verrilli	340, 341	water, temperature of	209
Nereis dumerilii	341, 342	salinity of	211
limbata	341, 342, 345, 346	Oxyurostylis smithi	354
Nitzschia longissima	311, 313, 323	Pacific razor clam ( <i>see</i> clam)	543-565
paradoxa	320	packardii, Crago	355, 356
plana	312	Pagurus acadianus	356
sigma	312	kroyeri	356
nitzschioides, Thalassiothrix	311, 313, 323	longicarpus	355, 356, 359
Noctiluca millaris	328	politus	356
normani, Ectinosoma	347	polliearis	355, 356, 359
norvegica, Euchaeta	347	Palaemon tenuicornis	356
Microsetella	347	Palaemonetes carolinus	355, 356, 357, 358
ocellatus, Ovilipes	355, 356	vulgaris	355, 356, 357, 358
oculata, Aegathoa	352	palmata, Anguinella	339, 340
Gonida	341, 344, 346	Pandalus leptocercus	356
Ocyropsa albicans	355, 356, 362	panicea, Halichondria	329
Oithona brevicornis	346	Panopeus herbstii	355, 356
plumifera	347	Paracalanus parvus	346
similis	346	Paracaprella simplex	350, 351
spirostris	347	paradoxa, Bacillaria	312, 320
Oncaea minuta	347	Nitzschia	320
venusta	347	paradoxus, Suberites	329
opalina, Arabella	341, 342	Paralia sulcata	322
opercularis, Pecten	505, 604, 622	Paralichthys albiguttus	464-476
ornata, Terebella	341, 344	dentatus	464-476
ornatus, Callinectes	356	Paranaitis speciosa	340, 341
Orthopristis chrysopterus	395-411	Paranisakis pectinis	622
osteraria, Navicula	586	Parapennaeus constrictus	355, 356
osteria, Navicula	502, 503	parasiticum, Alcyonidium	339
Ostrea circumpecta	489, 497	Paraxocetus mesogaster	445-449
edulis	589	parma, Echinarachnius	365, 366
equestris	604	parvus, Paracalanus	346
gibba	572	patersoni, Anomalocera	347
virginica	604	patula, Siliqua	544-548, 563
ostreum, Pinnotheres	355, 361	pavida, Victorella	339, 340
ovata, Beroë	333	Pecten gibbus	572, 575
Ovilipes ocellatus	355, 356	grandis	571, 575, 591, 595
oysters	197-263, 489-507	irradians	569-632
oxygen consumption of	489-507	maximus	591
effect of oxygen tension on	490-501	opercularis	595, 604, 622
green oysters	502-506	tenuicostatus	571, 591, 595
metabolism	510-502	varius	580

	Page		Page
<i>Pectinaria gouldii</i> .....	341, 344, 346	Protozoa.....	326-329
<i>pectinis</i> , <i>Paranisakis</i> .....	622	Prytherch, H. F., Paul S. Galtsoff, and H. C. McMillin: An experimental study in production and collection of seed oysters.....	197-263
<i>Pella mutica</i> .....	355, 364	<i>Pseudocalanus elongatus</i> .....	346
<i>Peneaus brasiliensis</i> .....	355, 356	<i>Pseudodiplaptomus coronatus</i> .....	346
<i>setifera</i> .....	355, 356	<i>pseudohispanicus</i> , <i>Cupanodon</i> .....	347
<i>pennata</i> , <i>Pontella</i> .....	347	<i>pugilator</i> , <i>Uca</i> .....	355, 356, 362
<i>pepinensis</i> , <i>Lampsilis siliquoidea</i> .....	514	<i>pugnax</i> , <i>Uca</i> .....	355, 356, 362
<i>perch</i> , sand.....	411-416	<i>punctata</i> , <i>Piscicola</i> .....	346
white.....	411-416	<i>punctatus</i> , <i>Decapterus</i> .....	453-458
development of eggs and larvæ.....	412	<i>punctulata</i> , <i>Arbacia</i> .....	365, 366
distribution of young.....	412	<i>pusiola</i> , <i>Spirontocaris</i> .....	356
food and feeding habits.....	415	<i>Quadrula metanevra</i> .....	538
growth.....	413	<i>quinquecirra</i> , <i>Dactylometra</i> .....	331
spawning.....	411	<i>ramosa</i> , <i>Bougainvillia</i> .....	331
<i>phyllocirra</i> , <i>Nephtys</i> .....	340	<i>Raphoneis amphicerus</i> .....	312
<i>pigfish</i> .....	395-411	<i>rastellifera acilata</i> , <i>Euprognatha</i> .....	356, 362, 363
age at sexual maturity.....	410	<i>rastellifera marthae</i> , <i>Euprognatha</i> .....	356, 362, 363
development of eggs and young.....	399	<i>recta</i> , <i>Donkinia</i> .....	312
food.....	411	<i>red snapper</i> .....	265, 270-274
growing young in captivity.....	407	<i>reticulatum</i> , <i>Sesarma</i> .....	356, 361, 362
spawning.....	398	<i>Rhizosolenia alata</i> .....	312, 325
<i>pileus</i> , <i>Pleurobrachia</i> .....	333	<i>alata f. genuina</i> .....	313
<i>pilosa</i> , <i>Electra</i> .....	339	<i>calcar avis</i> .....	311, 313, 323, 324
<i>pink heelsplitter</i> .....	514, 736	<i>hebetata</i> .....	313
<i>Pinnixia chaetoptera</i> .....	355, 361	<i>semispina</i> .....	312, 313, 326
<i>cylindrica</i> .....	355, 361	<i>setigera</i> .....	311, 313, 323
<i>sayana</i> .....	361	<i>stolterfothii</i> .....	311, 324
<i>Pinnotheres maculatus</i> .....	355, 361, 623	<i>styliformis</i> .....	312, 313
<i>ostreum</i> .....	355, 361	<i>Rhincalanus nasutus</i> .....	347
<i>Pionosyllis manca</i> .....	341	<i>Rich</i> , Willis H., and Edward M. Ball: Statistical review of the Alaska salmon fisheries. Part II: Chignik to Resurrection Bay.....	643-712
<i>Piscicola punctata</i> .....	346	<i>rigida</i> , <i>Aglaophenia</i> .....	330
<i>plagiusa</i> , <i>Symphurus</i> .....	476, 482	<i>Rithropanopeus harrisi</i> .....	355, 356, 360
<i>plana</i> , <i>Nitzschia</i> .....	312	<i>Robertsonia chesapeakeensis</i> .....	347
<i>plankton</i> .....	137-176	<i>robin</i> , round ( <i>see</i> scad).....	453-458
<i>centrifuge</i> .....	156, 161, 163, 167	<i>robustus</i> , <i>Collodes</i> .....	356, 362, 363
<i>net</i> .....	153, 160, 163, 166	<i>Corycaeus</i> .....	347
production, pond experiments.....	137-176	<i>rostrata</i> , <i>Clytemnestra</i> .....	347
limnological data.....	144, 150, 161, 164	<i>rostratus</i> , <i>Corycaeus</i> .....	347
organic matter.....	151	round robin ( <i>see</i> scad).....	453-458
vegetation.....	158, 161, 164	<i>rudderfish (see amberfish)</i> .....	458-464
<i>Planktoniella sol</i> .....	312, 325	<i>rugosa</i> , <i>Bougainvillia</i> .....	330
<i>pleuracantha</i> , <i>Hippolyte</i> .....	355	<i>Sagitta elegans</i> .....	334, 335, 336, 337, 339
<i>Pleurobrachia brunnea</i> .....	333	<i>enflata</i> .....	334, 337, 338
<i>pileus</i> .....	333	<i>serratodentata</i> .....	334, 337, 338, 339
<i>Pleurosigma affine</i> .....	312	<i>salina</i> , <i>Artemia</i> .....	364
<i>balticum</i> .....	312	<i>Salmo fario</i> .....	561
<i>fasciola</i> .....	312	<i>salmon</i> , Alaska.....	177-195, 643-712
<i>plumifera</i> , <i>Oithona</i> .....	347	Chignik.....	645
<i>plumosa</i> , <i>Prinospio</i> .....	341, 344	Cook Inlet.....	692
<i>Plumularia floridana</i> .....	330	Kodiak and Afognak Islands.....	654
<i>plumulifera</i> , <i>Thalassia</i> .....	330	Afognak Island.....	677
<i>pocketbook</i> .....	714	Alitak Bay.....	654
<i>polaris</i> , <i>Spirontocaris</i> .....	356	Karluk River.....	664
<i>politus</i> , <i>Pagurus</i> .....	356	Kodiak Island, east coast.....	684
<i>pollicaris</i> , <i>Pagurus</i> .....	355, 356	northwest coast.....	671
<i>Polydora commensalis</i> .....	341, 344	Marmot Bay.....	681
<i>ligni</i> .....	341, 343, 345	Red River.....	660
<i>polyphemus</i> , <i>Limulus</i> .....	364	Resurrection Bay.....	711
<i>Pontella atlantica</i> .....	347	Shelikof Strait.....	652
<i>meadii</i> .....	347	statistical review.....	643-712
<i>pennata</i> .....	347	tagging.....	177-195
<i>Pontophilis brevirostris</i> .....	358	Cook Inlet.....	188-193
<i>popel</i> , <i>Unio</i> .....	716, 734-736, 737	Cape Starichof.....	191
<i>Pope's purple</i> .....	716, 734-736	Flat Island.....	188
<i>Porifera</i> .....	329	Nikishka Bay.....	192
<i>Portunus gibbesii</i> .....	355, 356	Nubble Point.....	190
<i>sayi</i> .....	356	minor localities.....	178
<i>spinimanus</i> .....	356		
<i>praelongus</i> , <i>Euceramus</i> .....	355, 356		
<i>Praxiothea torquata</i> .....	341, 344		
<i>Prinospio plumosa</i> .....	341, 344		
<i>prolifera</i> , <i>Merocliona</i> .....	329		
<i>Proptera alata</i> .....	514, 736		

	Page		Page
salmon, tagging, Prince William Sound.....	180-188	Seriola dumerili.....	458-464
Hinchinbrook Entrance.....	184	serratodentata, Sagitta.....	334, 337, 338, 339
Johnstone Point.....	187	Sesarma cinereum.....	355, 356, 361
Knight Island.....	185	reticulatum.....	356, 361, 362
Montague Point.....	182	Sesi.....	274-276
Strait.....	180	setifera, Penaeus.....	355, 356
sand perch ( <i>see</i> perch).....	411-416	Rhizosolenia.....	311, 313, 323
sand shell, slough.....	535	sharreri, Catapagurus.....	356
yellow.....	535, 715-730, 732, 736	short-winged flyingfish.....	445-449
sapidus, Callinectes.....	355, 356, 359	sigma, Nitzschia.....	312
Sapphirina gemma.....	346, 347	Siliqua alta.....	544-548
sinuicauda.....	347	lucida.....	544, 548
sayana, Pinnixia.....	361	media.....	544, 548
sayi, Portunus.....	356	patula.....	544-548, 563
scad.....	453-458	siliquoidea pepinensis, Lampsilis.....	514, 730-733, 735, 737
descriptions of young.....	454	silk snapper.....	265-270
distribution of young.....	457	similis, Oithona.....	346
spawning.....	453	simplex, Antennularia.....	330
scallop, bay, natural history of.....	560-632	Paracaprella.....	350, 351
age at maturity.....	606	sinuicauda, Sapphirina.....	347
classification.....	570	Skeletonema costatum.....	311, 313, 320, 321, 322, 323
conservation.....	623	slop bucket.....	514
distribution.....	570	slough sand shell.....	635
enemies.....	621	smithii, Navicula.....	312
environmental factors.....	614-621	smithi, Oxyurostylis.....	354
bottom.....	614	snapper, blackfin.....	274-276
current.....	615	distribution.....	275
depth of water.....	614	importance.....	275
salinity.....	616	nomenclature and synonymy.....	276
temperature.....	620	relationship.....	276
growth.....	606	red.....	265, 270-274
habitat.....	570	biology.....	271
importance, economic.....	570	importance.....	270
length of life.....	606	nomenclature and synonymy.....	271
organization and life.....	573-599	silk.....	265-270
adductor muscle.....	590	distribution.....	270
alimentary tract.....	586	importance.....	267
ciliary currents.....	595	nomenclature and synonymy.....	269
circulatory system.....	591	relationship.....	268
feeding.....	595	sol, Planktoniella.....	312, 325
foot.....	589	sole ( <i>see</i> tonguefish).....	476-482
gills.....	580	Sollmidæ.....	544
lips.....	586	solitaria, Goniada.....	341
mantle.....	574	solitarius, Autolytus.....	341, 342
nervous system.....	592	southern flounder ( <i>see</i> flounder).....	464-476
pigmentation.....	595	speciosa, Paranaitis.....	340, 341
sense organs.....	592	speciosus, Corycaeus.....	347
shell.....	573	speculum, Distephanus.....	327
swimming.....	597	Sphaerosyllis fortuita.....	340, 342
urinogenital system.....	594	spinimanus, Portunus.....	356
parasites.....	621	spirostris, Oithona.....	347
relationship.....	570	Spirontocaris polaris.....	356
reproduction and development.....	599-605	pusiola.....	356
development.....	602-605	splendens, Actinoptychus.....	312, 323
embryonic.....	602	spot.....	410-430
larval.....	602	age at sexual maturity.....	429
postlarval.....	602	comparison, young spot and croakers.....	424
fertilization.....	602	descriptions of young.....	419
spawning.....	601	distribution of young.....	424
spawning period.....	599	food and feeding habits.....	430
schistonyx, Caligus.....	347	growth.....	424
Schizopoda.....	352	spawning.....	417
Schizopodrella unicoloris.....	330	squamata, Amphipholls.....	365, 366
Schroeder, William C.: Migrations and other phases in the life history of the cod off southern New England.....	1-136	Lepidonotus.....	340, 341
Scolecoplepis tenuis.....	341, 343	Squilla ampusa.....	354
viridis.....	341, 343	stelliger, Hyalodiscus.....	312, 313
scutigera, Liriope.....	331	Stenothoe cypris.....	350, 351
Scyphomedusæ.....	331	Stephanaster gracilis.....	365, 366
semispina, Rhizosolenia.....	312, 313, 326	stimpsoni, Callianassa.....	355, 359
septemspinus, Crago.....	355, 356, 357, 358	stolterfothii, Rhizosolenia.....	311, 324
		Stomatopoda.....	354



	Page		Page
<i>Streblospio benedicti</i> .....	341, 343	<i>Uca minax</i> .....	355, 362
<i>Stylactis arge</i> .....	330	<i>pugilator</i> .....	355, 356, 362
<i>styliformis</i> , <i>Rhizosolenia</i> .....	312, 313	<i>pugnax</i> .....	355, 356, 362
<i>Suberites paradoxus</i> .....	329	<i>undulatum</i> , <i>Lithodesmium</i> .....	311, 324
<i>sulcata</i> , <i>Melosira</i> .....	312, 322	<i>undulatus</i> , <i>Actinoptychus</i> .....	312, 313
<i>Paralia</i> .....	322	<i>Micropogon</i> .....	430-445
summer flounder ( <i>see</i> flounder).....	464-476	<i>unicornis</i> , <i>Schizopodrella</i> .....	339
<i>superba</i> , <i>Bathynectes</i> .....	356	<i>Unioninae</i> .....	514
<i>Symphurus plagiusa</i> .....	470-482	<i>Unio popei</i> .....	716, 734-736, 737
		<i>Upogebia affinis</i> .....	355, 359
<i>Tachidius littoralis</i> .....	347	<i>Urochordata</i> .....	367
<i>talpoidia</i> , <i>Emerita</i> .....	356		
<i>Temora discaudata</i> .....	347	<i>variabilis</i> , <i>Lepidonotus</i> .....	340
<i>longicornis</i> .....	347	<i>varians</i> , <i>Bacteriastrum</i> .....	313, 324
<i>turbinata</i> .....	347	<i>variopedatus</i> , <i>Chaetopterus</i> .....	341
<i>tentaculatus</i> , <i>Cirratulus</i> .....	345	<i>varius</i> , <i>Pecten</i> .....	589
<i>tenuicornis</i> , <i>Diosaccus</i> .....	347	<i>ventricosa</i> , <i>Lampsilis</i> .....	714
<i>Palaemon</i> .....	356	<i>venusta</i> , <i>Oncaea</i> .....	347
<i>tenuicostatus</i> , <i>Pecten</i> .....	571, 591, 595	<i>Vermes</i> .....	334-340
<i>tenuis</i> , <i>Lumbrineris</i> .....	341, 343	<i>verrilli</i> , <i>Alcyonidium</i> .....	339
<i>Scolecoplepis</i> .....	341, 343	<i>Nephtys</i> .....	346
<i>Terebella ornata</i> .....	341, 344	<i>verrucosa</i> , <i>Tritogonia</i> .....	716, 734-736, 737
<i>teres</i> , <i>Chaetoceras</i> .....	311, 313, 323	<i>Vertebrata</i> .....	367
<i>Tetilla laminaris</i> .....	329	<i>Victorella pavida</i> .....	339, 340
<i>texana sayi</i> , <i>Neopanope</i> .....	355, 356, 360	<i>virginiae</i> , <i>Branchiostoma</i> .....	367
<i>Thalassiothrix frauenfeldii</i> .....	312, 313	<i>virginiana</i> , <i>Blackfordia</i> .....	331
<i>nitzschioides</i> .....	311, 313, 323	<i>virginica</i> , <i>Ostrea</i> .....	604
Thompson, Seton H.: Salmon-tagging experiments in Alaska, 1927.....	177-195	<i>virgulata</i> , <i>Leptogorgia</i> .....	332
Thompson, Seton H., and Frank W. Weymouth: The age and growth of the Pacific cockle ( <i>Cardium corbis</i> , Mar- tyn).....	633-641	<i>viridis</i> , <i>Scolecoplepis</i> .....	341, 343
<i>Thuiaria argentea</i> .....	330	<i>vittatus</i> , <i>Clibanarius</i> .....	355
<i>cupressina</i> .....	330	<i>vivanet</i> .....	265-270
<i>plumulifera</i> .....	330	<i>vivanus</i> , <i>Lutianus</i> .....	265-270
<i>Thyone briareus</i> .....	365, 366	<i>vulgaris</i> , <i>Palaemonetes</i> .....	355, 356, 357, 358
<i>Tisbe furcata</i> .....	347		
<i>tonguefish</i> .....	476-482	Weymouth, F. W., and H. C. McMillin: The relative growth and mortality of the Pacific razor clam ( <i>Siliqua</i> <i>patula</i> , Dixon) and their bearing on the commercial fishery.....	543-565
development of young.....	477	Weymouth, Frank W., and Seton H. Thompson: The age and growth of the Pacific cockle ( <i>Cardium corbis</i> , Martyn).....	633-641
distribution of young.....	481	Whipple, Dorothy V., and Paul S. Galtsoff: Oxygen con- sumption of normal and green oysters.....	489-507
growth.....	482	white perch ( <i>see</i> perch).....	411-416
spawning.....	477	Wiebe, A. H.: Investigations on plankton production in fish ponds.....	137-176
<i>torquata</i> , <i>Praxillothea</i> .....	341, 344	<i>wollastoni</i> , <i>Labidocera</i> .....	347
<i>Trachypennaecus constrictus</i> .....	355, 356	<i>wurdemanni</i> , <i>Hippolysmata</i> .....	355
<i>triloba</i> , <i>Edotea</i> .....	352		
<i>tripes</i> , <i>Ceratium</i> .....	327	<i>xanthurus</i> , <i>Leleostomus</i> .....	410-430
<i>Triticella</i> , <i>elongata</i> .....	339		
<i>Tritogonia tuberculata</i> .....	716, 734-736	yellow sand shell.....	535, 715-730, 732, 736
<i>verrucosa</i> .....	716, 734-736, 737	yellowtail.....	265-270
<i>tryannus</i> , <i>Brevoortia</i> .....	347		
<i>tuberculata</i> , <i>Tritogonia</i> .....	716, 734-736	<i>zodiacus</i> , <i>Eucampia</i> .....	311, 324
<i>tubularis</i> , <i>Cerapus</i> .....	350, 351		
<i>turbinata</i> , <i>Temora</i> .....	347		
<i>turgida</i> , <i>Loima</i> .....	341, 344		
<i>turrita</i> , <i>Bugula</i> .....	339		
<i>typicus</i> , <i>Centropages</i> .....	346		

