

INDEX TO VOLUME 63



	Page		Page
Acorn worm (<i>Stereobalanus canadensis</i>)	348	Blueback herring (<i>Alosa aestivalis</i>)	99, 141
<i>Agrammus agrammus</i>	590	Blueback salmon (<i>Oncorhynchus nerka</i>)	221
Albacore (<i>Germo alalunga</i>)	396	<i>See also</i> Sockeye salmon	
Albacore (<i>Thunnus germo</i>)	33	<i>Brachyistius frenatus</i>	599
distribution	34-36	Brevoortia aurea	532
growth	35	Brevoortia gunteri	532
migration	37-42	Brevoortia pectinata	532
size	35	<i>Brevoortia patronus</i>	268, 532
spawning	40-41	<i>Brevoortia</i> sp. <i>See</i> Menhaden	
Alewife (<i>Alosa pseudoharengus</i>)	137-139, 141	<i>Brevoortia tyrannus</i>	137, 139 (table), 255-270, 532
<i>Allodesmus</i>	294	Brickellbush	219
<i>Alosa aestivalis</i>	137-139, 141	<i>Brickellia californica</i>	219
<i>Alosa pseudoharengus</i>	137-139, 141	Bureau of Commercial Fisheries, <i>See</i> Biological Laboratories	
<i>Alosa sapidissima</i>	137, 141, 179-186		
American oyster	643-655	Calabrese, Anthony	643-655
<i>Ampelisca spinipes</i>	350-351	California sea lion (<i>Zalophus</i>)	293-294
Amphipod, (<i>Phoxocephalus holbolli</i>)	348-352	<i>Callorhinus ursinus</i>	293-342
Anchoa Sp. <i>See</i> Anchovy		<i>See also</i> Fur seal	
Anchovy (<i>Anchoa</i> sp.)	387-388	<i>Carcinus maenas</i>	349
Annelida (<i>Nephtys caeca</i>)	349 (table)	Carp	53
Antigens, in yellowfin tuna	205	Cercariae	9
Antisera, production	206	Chapman, D. G.	657-669
<i>Arctocephalus</i>	293-294	Chinook (<i>Oncorhynchus tshawytscha</i>)	45, 52
Atlantic menhaden (<i>Brevoortia tyrannus</i>)	137, 139 (table), 255-270	53-61, 116-120, 213, 221, 232-248, 603	
distribution	137, 141, 256 (illus)	<i>Chlorella</i> sp.	640, 643, 645-646, 649
maturation, sexual	255-270	<i>Chlorella pyrenoidosa</i>	289
spawning	255, 262-269	Chlorophyte (<i>Chlorella</i> sp.)	645-646, 649
frequency	267	Chlorophyte (<i>Dunaliella euchlora</i>)	645
place	262-267	<i>Chondrococcus columnaris</i>	248-249
time	262-267, 270	<i>See also</i> columnaris disease	248-249
Atlantic herring (<i>Clupea harengus</i>), serological studies	137-138, 139 (table), 141	Chryomonads (<i>Isochrysis galbana</i>)	645, 649, 654
		Chrysophyte (<i>Monochrysis lutheri</i>)	643, 645
Bailey, Merryll M.	63-75	Chub (<i>Coregonus</i> spp.)	78, 494
Bears	312	<i>Cicer arietinum</i>	137
Beil, Joseph	493-530	Cisco	500
Benthos	343	<i>See also</i> Lake herring	494
Bigeye tuna (<i>Thunnus obesus</i>)	205	Cladocera (<i>Daphnia</i>)	524
Biological Laboratories:		Clams, Hard (<i>Mercenaria mercenaria</i>)	643-655
Beaufort, N.C.	179, 186	food	643-645
Boothbay Harbor, Maine	343	growth	645-646
Galveston, Tex.	165	salinity	646
Honolulu	35-36, 40, 205, 207	effect on eggs and larvae	646-647
Milford, Conn.	643	Clams, soft (<i>Mya arenaria</i>)	11, 635-642
Seattle, Wash.	123-124, 207	food	635, 637, 639-641
Woods Hole, Mass.	11, 194	growth	635-637, 638 (tables)
Bivalve (<i>Thyasira gouldii</i>)	348-349 (tables)	temperature, effect on growth	635-636, 641 (table)
Blue crab	388-391, 393	Cleaver, Fred C.	445-476
eggs	389	<i>Clupea harengus</i> , Pallas	19-26

	Page		Page
Cod (<i>Gadus morhua</i>)	189-202	<i>Ethcostoma exile</i>	599, 604, 606
distribution	189-200	<i>Ethmalosa fimbriata</i>	532
Collins, Gerald B.	221-253	<i>Ethmidium chilcae</i>	532
Columnaris disease	248-249	<i>Ethmidium maculatum</i>	532
Convictfish (<i>Oxylebius pictus</i>)	590-591, 595-596, 600-602, 607	<i>Euarctos</i>	312
Cook, Harry L.	165-177	<i>Eumetopias</i>	293
<i>Coregonus artedii</i>	493-528, 622	<i>See also</i> Sea lion	
<i>Coregonus artedii</i>	78, 80	<i>Euthynnus yaito</i>	205, 207
<i>Coregonus clupeiiformis</i>	68, 77-95	<i>Explorer</i>	356-357, 369
<i>Coregonus fera</i>	625	Fishway slope, effect on salmonids	45-61, 221-253
<i>Coregonus Kiyi</i>	625	disease	248-249
Costa Rica Dome	355-372	maturity, sexual	248
hydrographic structure	356	performance	232-241
salinity	360-361 (illus)	chinook	53, 56
topography	356	sockeye	55-57
upwelling	365-369	steelhead	55-57
Cottid (<i>Leptocottus armatus</i>)	605	Flounder, yellowtail (<i>Limanda ferruginea</i>)	1-10
Crab, blue	389-392	distribution	5-10
<i>Crassostrea virginica</i>	11, 643-655	finray counts	8-9
Croaker (<i>Micropogon undulatus</i>)	387-388	infestation	1, 9
Crustacean (<i>Panopeus herbstii</i>)	643	parasites	1, 9
<i>Cryptocotyle lingua</i>	9	tagging	1-10
cercariae	9	Fredin, R. A.	551-574
encystment	9	<i>Fucus</i> , food for clams	640
host	9	<i>Fundulus grandis</i>	387
life cycle	9	<i>See also</i> killifish	
penetration	9	<i>Fundulus heteroclitus</i>	603-604
<i>Cyclotella nana</i>	640	Fur seal (<i>Callorhinus ursinus</i>)	293-342, 657-660
<i>Cymoscion</i> sp.	387 (table)	<i>Gadus morhua</i>	189-202
<i>Dacnitis truttae</i>	468	Gangmark, Harold A.	213-220
<i>Daphnia</i>	524	Garbanzo bean (<i>Cicer arietinum</i>)	137
Davis, Harry C.	643-655	Gauley, Joseph R.	45-62, 221-253
Decapod (<i>Sesarma cinereum</i>)	643	<i>Germo alalunga</i> (Bonnaterre)	396
Decapod (<i>Panopeus herbstii</i>)	643	Glut herring (<i>Alosa aestivalis</i>)	99
<i>Diaptomus</i>	524	Green alga (<i>Chlorella pyrenoidosa</i>)	289
<i>Dicrateria</i> sp., food for clams	637, 639-640	Green crab (<i>Carcinus maenas</i>)	349
Disease (in Columbia River)	248-249	Gulf menhaden (<i>Brevoortia patronus</i>)	268
Dogtooth tuna (<i>Gymnosarda nuda</i>)	207 (tables)	Hanks, Robert W.	343-353
Dryer, William R.	77-95, 493-530, 611-618	Harbor seal (<i>Phoca</i>)	309
<i>Dunaliella euchlora</i>	645	Hard clam (<i>Merccuaria (=Venus) mercenaria</i>)	643-655
<i>See also</i> Chlorophyte		<i>Hartmania moorci</i>	348
<i>Dunaliella primolecta</i>	273-274, 279-290	Hemagglutinin, plant	137-141
Eastern oyster (<i>Crassostrea virginica</i>)	11	in serological studies of clupeoid fishes	137-141
Ecology, Sheepsfoot River estuary	343-353	Herring, <i>Clupea harengus pallasi</i>	19, 22-26
Electric field	123-127	migration	19, 22-26
as a guiding device	123-126	mortality	26-30
effect on fish	126-127	tagging	19-31
equipment	124-126	Hexagrammid fishes, variation	589-609
Electronic detector	20	<i>Hexagrammos agrammus</i>	590, 592, 605
for tag recoveries	20, 22 (tables)	<i>Hexagrammos decagrammus</i>	595, 600, 602, 607
Elling, Carl H.	221-253	<i>Hexagrammos lagocephalus</i>	595, 602
Engstrom, Derek E.	123-136	<i>Hexagrammos octogrammus</i>	595
<i>Enhydra lutris</i>	301	<i>Hexagrammos Otakii</i>	594
<i>See also</i> Sea otter		<i>Hexagrammos stelleri</i>	594, 597
<i>Epischura</i>	524	<i>Hexagrammos superciliosus</i>	590, 602
Equatorial countercurrents	355-359	Higham, Joseph R.	255-271
<i>Esox lucius</i>	616	Hydrography	374-375, 384
<i>See also</i> Northern pike			

	Page		Page
Immunogenetic study:		Monan, Gerald E.....	123-136
alewife	137-141	<i>Monochrysis lutheri</i>	637, 640-641, 643, 645, 654
herring, Atlantic.....	137-141	Mraz, Donald.....	619-634
herring, blueback.....	137-141	Mounds, Red Bluff, Calif.....	213-220
menhaden, Atlantic.....	137-141	<i>Mugil cephalus</i>	387
shad, American.....	137-141	Mullet, Striped (<i>Mugil cephalus</i>).....	387
<i>Isochrysis galbana</i>	643, 645, 649, 654	Mussel (<i>Mytilus</i>).....	345
<i>Katsuwonus pelamis</i>	205, 207 (table), 396	<i>Mya arcuaria</i>	11, 635-642
Kelp perch (<i>Brachyistius frenatus</i>).....	599	Mysidacea (<i>Mysis relicta</i>).....	524
Killifish, Gulf (<i>Fundulus grandis</i>).....	387	<i>Mysis relicta</i>	524
Kiyi (<i>Coregonus kiyi</i>).....	625	<i>Mytilus</i>	345
Kraus, Bertram S.....	293-342	<i>Ncothunnus albacares</i>	427-428
Lake herring (<i>Coregonus artedii</i>).....	493-529, 622	<i>Ncothunnus argentivittatus</i>	428
catch	493, 498-500 (tables), 505	<i>Ncothunnus macropterus</i>	428
distribution	524-526	<i>Nephtys incisa</i>	348, 352
fecundity	523-524	<i>Nephtys caeca</i>	349 (table)
food	524	Nichols, Paul R.....	179-187
production	493, 526	Nicholson, William R.....	255-271
spawning	522-524	Northern fur seal (<i>Callorhinus ursinus</i>).....	293-342
Lake herring (<i>Coregonus artedii</i>).....	78, 80	Northern pike (<i>Esox lucius</i>).....	616
Lake trout (<i>Salvelinus namaycush</i>).....	611	<i>Nucula delphinodonta</i>	349
<i>Leiostomus xanthurus</i> See also Spot.....	387-388	<i>Nucula proxima</i>	347, 349
<i>Lens culinaris</i>	137	<i>Nucula tenuis</i>	348
Lentil (<i>Lens culinaris</i>).....	137	Oceanography, little port walter.....	143-164
<i>Lepomis</i> sp.....	387	circulation	158-161
<i>Leptocottus armatus</i>	605	salinity	147-150
<i>Lernaeocera branchialis</i>	200	temperature	150-155
distribution	200	<i>Odobenus</i>	301
infestation	200	<i>Olithodiscus</i> sp.....	640
Lima bean (<i>Phaseolus limensis</i>).....	137-141	<i>Oncorhynchus gorbuscha</i>	575-588
<i>Limanda ferruginea</i>	1-10	<i>Oncorhynchus kisutch</i>	97-98, 237
<i>Limnocalanus</i>	524	<i>Oncorhynchus nerka</i> ... 124, 445-476, 551-557, 559-560, 562,	564-565
Little tuny (<i>Euthynnus yaito</i>).....	205-207	<i>Oncorhynchus tshawytscha</i>	45, 52 (table), 53-61, 116-120, 213, 221, 232-248, 603
<i>Littorina</i> spp.....	9	<i>Ophiodon elongatus</i>	590-592, 602, 605-606
Live-bait fisheries.....	33-34, 42-43	Otsu, Tamio.....	33-44
Lux, Fred E.....	1-10	Oxygen.....	155, 360, 375-376
Mackeral, Atka (<i>Pleurogrammus monoptyerygius</i>).....	589	<i>Oxyechius pictus</i>	590-598, 600-602, 607
Macrofauna.....	343	Oyster (<i>Crassostrea virginica</i>).....	11-17, 643-655
MacGregor, John S.....	477-491	Growth in:	
Massmann, William H.....	179-187	James River.....	14, 16
McCann, James A.....	11-17	Long Island Sound.....	14, 16
McNeil, William J.....	575-588	Mill Creek.....	14, 16
Medusae.....	158-160	Wareham River.....	14, 16
Menhaden (<i>Brevoortia</i> sp.).....	138, 139 (tables), 387	Oyster drill.....	392
Menhaden and menhadenlike fish, Bibliography.....	531-545	Pacific sardine (<i>Sardinops caerulea</i>).....	477-491
<i>Mercenaria mercenaria</i>	643-655	spawning-stock size.....	477-491
Microfauna.....	343	year-class size.....	477-491
<i>Micropogon undulatus</i>	387-388	Parasites.....	9, 200, 468-469
Mississippi River gulf outlet project.....	373-393	See also specific names	
effect on		<i>Parophrys vetulus</i>	600
biology	373-384	Pelecypod (<i>Thyasira gouldii</i>).....	348
distribution of fish.....	386	Periwinkles (<i>Littorina</i> spp.).....	9
hydrography	374	<i>Phaeodactylum tricornerutum</i>	640
oxygen	375	<i>Phaseolus limensis</i>	137-141
salinity	375	<i>Phoca</i>	309
temperature, water.....	375	Phosphate, inorganic.....	376
turbidity	376	<i>Phaeocephalus holbolli</i>	348, 352
Mollusca (<i>Nucula delphinodonta</i>).....	349		
Monardella.....	219		
<i>Monardella odoratissima</i>	219		

	Page		Page
Pink salmon (<i>Oncorhynchus gorbuscha</i>)	143, 575-588	Seal, fur (<i>Callorhinus ursinus</i>)	293-342
mortality	575-586	teeth, morphology	293-315
in spawning beds	575-576, 579	deciduous	298-300, 317-320 (Illus.)
eggs	575, 587	permanent	301-309, 322-330
larvae	575-587	skull	309-312
egg collection	576-579	jaw	309-312, 341-342
equipment	577-579	population:	
<i>Pitar morrhuana</i>	350	female	660-663, 665
<i>Pleurogrammus monopterygius</i>	589	male	658-660
Polychaete (<i>Hartmania moorei</i>)	348	Seed oysters (<i>Crassostrea virginica</i>)	11-12
Polychaete (<i>Nephtys incisa</i>)	352	in Taylors pond	11-12
Powers, Charles F.	143-164	<i>Sesarma cinereum</i>	643
Pribilof Islands	293, 295-296	Serological studies of:	
<i>Prosopium coulteri</i>	63	alewife	137-139
<i>Prosopium cylindraceum</i>	63-75, 498	blueback herring	137, 141
Pygmy whitefish (<i>Prosopium coulteri</i>)	63	American shad	137, 141
Quast, Jay C.	589-609	Atlantic herring	137-141
Radioactive carbon dioxide	273	Atlantic menhaden	137-141
Reintjes, John W.	531, 549	Shad (<i>Alosa sapidissima</i>)	137, 138 (table), 141, 179-186
Renfro, Williams C.	165-177	abundance in York River	179-186
Ridgway, George J.	205-211	catch	183 (table)
Round whitefish (<i>Prosopium cylindraceum</i>)	63-75, 498	fishery	180-181
fecundity	73-74	gear	183-184
growth	66-72	mortality	182-183
production	63	spawning	179
scales	68-69	Shaw, William N.	11-17
sex ratio	72-73	Sheepscot River estuary	343-353
weight/length relation	67-68	ecology	343
Rounsefell, George A.	373-393	Shrimp:	
Royce, William F.	395-443	brown	388-389, 392
Salinity	360-361, 375, 377-381 (tables), 383, 386, 392	pink	388
in Mississippi/Gulf Outlet	373-393	white	388-389, 391
effect on:		Silver salmon (<i>Oncorhynchus kisutch</i>)	97-98, 237
crabs	393	Sindermann, Carl	137-141
oysters	392	<i>Siscowet</i>	78, 88-89, 94, 495, 500, 512, 522, 524, 526, 613-614
oyster beds	392-393	Skipjack (<i>Katsuwonus pelamis</i>)	205, 207, 396
oyster drill	392	Skud, Bernard Einar	19-32
<i>Salmo</i> spp.	606	Sockeye salmon (<i>Oncorhynchus nerka</i>)	124, 445-476
<i>Salmo gairdneri</i>	45, 55, 59, 61, 97-98, 103-104, 221, 232, 237-238, 243, 248	catch	448-449 (tables)
<i>Salvelinus namaycush</i>	78, 611	distribution	447, 451
Sanford, F. Bruce	213-220	eggs	447
<i>Sardinops caerulea</i>	477-491	maturity	560, 562, 564
Sheffer, Victor B.	293-342	migration	447-454
Seabob (<i>Xiphopeneus krøyeri</i>)	165-177	mortality rate	555-556, 559-565
eggs	166-167	parasites	468-469
hatching	166-167	scales	463-468
larvae	165-177	Soft clams (<i>Mya arenaria</i>)	11
molt	165	Southern fur seal (<i>Arctocephalus</i>)	293-294
morphology	165, 174-175	Spot (<i>Leiostomus xanthurus</i>)	387-388
spawning	165, 176	Squawfish	58
Sea lion, Steller (<i>Eumetopias</i>)	293	Steelhead trout (<i>Salmo gairdneri</i>)	45, 55, 59, 61, 97-98, 103-104, 221, 232, 237-238, 243, 248
Sea otter (<i>Enhydra lutris</i>)	301	<i>Stereobalanus canadensis</i>	348
Sea trout (<i>Cynoscion</i> sp.)	387 (table)	Stickney, Alden P.	635-642
Seaweed (<i>Fucus</i>)	640	<i>Stizostedion vitreum</i>	622-623
Seaweed (<i>Ulva</i>)	640	Striped mullet (<i>Mugil cephalus</i>)	387
		Suckers	58
		Sunfish (<i>Lepomis</i> sp.)	387
		<i>Syndosmya-Alba</i>	351
		Tapeworm (<i>Triacnophorus crassus</i>)	468
		Temperature, water	150, 375, 526, 643, 646-647

	Page		Page
<i>Tetrascelmis</i> sp.-----	640	<i>Siscowet</i> ..	64, 78-79, 83, 88-90, 94, 500, 512, 522, 524, 613
Thomas, William H.-----	273-292	<i>Takuyo Maru</i> -----	451
Thompson, Clark S.-----	45-62, 221-253	<i>Folsella modiolus</i> , shells-----	346, 348
<i>Thunnus albacarcs</i> -----	205, 395, 428, 430-431	Walleye (<i>Stizostedion vitreum</i>)-----	622-623
<i>Thunnus alalunga</i> -----	205	Walrus (<i>Odobenus</i>)-----	301
<i>Thunnus gerono</i> -----	33	Water velocity:	
<i>Thunnus macropterus</i> -----	428	effect on migrating salmon-----	97-120
<i>Thunnus obscurus</i> -----	205	equipment-----	98-99, 102
<i>Thunnus subulatus</i> -----	428	Wavyback skipjack-----	205, 207 (table), 396
<i>Thyasira gouldii</i> -----	348	Weaver, Charles R.-----	97-121
Trawls-----	385-387, 388, 389-390	Whitefish (<i>Coregonus clupeaformis</i>)-----	77-94, 611-633
Trematode-----	1, 9	age-----	77-94
<i>Triacnophorus crassus</i> -----	468-469	body scale relation-----	86-87
Trout:		growth-----	86-93
lake-----	78	production-----	79-80
steelhead-----	97-98, 104-105 (tables)	sex ratio-----	93
Tuna spp.-----	33-44, 205-210, 396	Wise, John P.-----	189-203
distribution-----	427-431	Wyrteki, Klaus-----	355-372
Turbidity-----	376	<i>Xiphopneustes kroyeri</i> -----	165-177
Uchida, Richard N.-----	33-44	Yellowfin tuna (<i>Thunnus albacarcs</i>)-----	205, 395-443
<i>Uleu</i> , food for clams-----	640	Yellowtail flounder (<i>Limanda ferruginca</i>)-----	1-10
<i>Ursus</i> -----	312	distribution-----	5-10
Vessels:		fin ray counts-----	1, 8, 9 (tables)
<i>Albatross III</i> , T-79-----	202	paracites-----	1, 9-10, 468
<i>Alice and Nancy</i> -----	202	encystment-----	9
<i>Anna Grace</i> -----	10	tagging-----	1-10
<i>Bertha Ann</i> -----	451	Cape Cod grounds-----	7
<i>Capt. Bill II</i> -----	10	Georges Bank grounds-----	1, 7-10
<i>Cisco</i> -----	500	Southern New England grounds-----	5, 6, 10
<i>Comber</i> -----	10	Yellow perch, in Lake Erie-----	504
<i>Etiko Maru</i> -----	451	<i>Yoldia myalis</i> -----	348-349
<i>Etsuzan Maru</i> -----	451	<i>Zalophus</i> -----	293-294
<i>Explorer</i> -----	356-357, 369		
<i>Jacquelyn</i> -----	10		
<i>Portugal</i> -----	10		

○