

# Fishery Bulletin Index

## Volume 95 (1-4), 1997

### List of titles

#### 95(1)

- 1 Individual variation in growth and development during the early life stages of winter flounder, *Pleuronectes americanus*, by Douglas F. Bertram, Thomas J. Miller, and William C. Leggett
- 11 Archeological evidence of large northern bluefin tuna, *Thunnus thynnus*, in coastal waters of British Columbia and northern Washington, by Susan J. Crockford
- 25 Dietary overlap of juvenile fall- and spring-run chinook salmon, *Oncorhynchus tshawytscha*, in Coos Bay, Oregon, by Joseph P. Fisher and William G. Pearcy
- 39 Fish age determined from length: an evaluation of three methods using simulated red snapper data, by Phillip C. Goodyear
- 47 The life history and stock separation of silver kob, *Argyrosomus inodorus*, in South African waters, by Marc H. Griffiths
- 68 Estimates of tag-reporting and tag-shedding rates in a large-scale tuna tagging experiment in the western tropical Pacific Ocean, by John Hampton
- 80 Use of gonad indices to estimate the status of reproductive activity of female swordfish, *Xiphias gladius*: a validated classification method, by Michael G. Hinton, Ronald G. Taylor, and Michael D. Murphy
- 85 Persistent spatial and temporal abundance patterns for late-stage copepodites of *Centropages hamatus* (Copepoda: Calanoida) in the U.S. northeast continental shelf ecosystem, by Joseph Kane
- 99 Estimating the annual proportion of nonspawning adults in New Zealand hoki, *Macruronus novaezelandiae*, by Mary E. Livingston, Marianne Vignaux, and Kathy A. Schofield
- 114 Structure and dynamics of the fishery harvest in Broward County, Florida, during 1989, by James E. McKenna Jr.
- 126 Year-class twinning in sympatric seasonal spawning populations of Atlantic herring, *Clupea harengus*, by Ian H. McQuinn
- 137 Nursery habitat in relation to production of juvenile pink snapper, *Pristipomoides filamentosus*, in the Hawaiian Archipelago, by Frank A. Parrish, Edward E. DeMartini, and Denise M. Ellis
- 149 Application of high-breakdown robust regression to tuned stock assessment models, by Victor R. Restrepo and Joseph E. Powers

161 Growth and survival of O+ English sole, *Pleuronectes vetulus*, in estuaries and adjacent nearshore waters off Washington, by Yunbing Shi, Donald R. Gunderson, and Patrick J. Sullivan

174 Mitochondrial DNA diversity in and population structure of red grouper, *Epinephelus morio*, from the Gulf of Mexico, by Linda R. Richardson and John R. Gold

180 Entanglement of California sea lions, *Zalophus californianus californianus*, in fishing gear in the central-northern part of the Gulf of California, Mexico, by Alfredo Zavala-González and Eric Mellink

#### 95(2)

187 Birthdate analysis and its application to the study of recruitment of the Atlanto-Iberian sardine, *Sardina pilchardus*, by Federico Álvarez and Francisco Alemany

195 Demersal fish assemblages of the northeastern Chukchi Sea, Alaska, by Willard E. Barber, Ronald L. Smith, Mark Vallarino, and Robert M. Meyer

209 Evaluations of the Nordmøre grid and secondary bycatch-reducing devices (BRD's) in the Hunter River prawn-trawl fishery, Australia, by Matt K. Broadhurst, Steven J. Kennelly, John W. Watson, and Ian K. Workman

219 Spatial patterns in the dynamics of slope rockfish stocks and their implications for management, by Donald R. Gunderson

231 Fecundity and egg weight in English sole, *Pleuronectes vetulus*, from Puget Sound, Washington: influence of nutritional status and chemical contaminants, by Lyndal L. Johnson, Sean Y. Sol, Daniel P. Lomax, Gregory M. Nelson, Catherine A. Sloan, and Edmundo Casillas

250 The Loop Current and the abundance of larval *Cubiceps pauciradiatus* (Pisces: Nomeidae) in the Gulf of Mexico: evidence for physical and biological interaction, by John Lamkin

267 Influence of release season on size-dependent survival of cultured striped mullet, *Mugil cephalus*, in a Hawaiian estuary, by Kenneth M. Leber, H. Lee Blankenship, Steve M. Arce, and Nathan P. Brennan

280 Correcting annual catches from seasonal fisheries for use in virtual population analysis, by Christopher M. Legault, and Nelson M. Ehrhardt

293 Estimates of tag loss from double-tagged sablefish, *Anoplopoma fimbria*, by William H. Lenarz and Franklin R. Shaw

300 Aerial survey of giant bluefin tuna, *Thunnus thynnus*, in the Great Bahama Bank, Straits of Florida, 1995, by Molly Lutcavage, Scott Kraus, and Wayne Hoggard

311 A population profile for Atlantic hagfish, *Myxine glutinosa* (L.), in the Gulf of Maine. Part I: Morphometrics and reproductive state, by Frederic Martini, John B. Heiser, and Michael P. Lesser

- 321** The reproductive cycle and sexual maturity of Atka mackerel, *Pleurogrammus monopterygius*, in Alaska Waters, by Susanne F. McDermott, and Sandra A. Lowe
- 334** Prey occurrence in pantropical spotted dolphins, *Stenella attenuata*, from the eastern tropical Pacific, by Kelly M. Robertson and Susan J. Chivers
- 349** Age, growth, and sexual maturity of shovelnose guitarfish, *Rhinobatos productus* (Ayres), by Maryellen Timmons and Richard N. Bray
- 360** Food habits and energy values of prey of striped marlin, *Tetrapturus audax*, off the coast of Mexico, by Leonardo A. Abitia-Cardenas, Felipe Galvan-Magaña, and Jesus Rodriguez-Romero
- 369** Note on plankton and cold-core rings in the Gulf of Mexico, by Douglas C. Biggs, Robert A. Zimmerman, Rebeca Gasca, Eduardo Suárez-Morales, Ivan Castellanos, and Robert R. Leben
- 376** Physical environment and recruitment variability of Atlantic herring, *Clupea harengus*, in the Gulf of Maine, by Mark A. Lazzari, David K. Stevenson, and Stephen M. Ezzy
- 386** In vitro digestibility of some prey species of dolphins, by Keiko Sekiguchi and Peter B. Best
- 394** Development of laboratory-reared sheepshead, *Archosargus probatocephalus* (Pisces: Sparidae), by John W. Tucker Jr. and Sabine R. Alshuth
- 95(3)**
- 403** Optimal sampling for estimating the size structure and mean size of abalone caught in a New South Wales fishery, by Neil L. Andrew and Yong Chen
- 414** Seasonal and ontogenetic changes in distribution and abundance of smooth flounder, *Pleuronectes putnami*, and winter flounder, *Pleuronectes americanus*, along estuarine depth and salinity gradients, by Michael P. Armstrong
- 431** Energetics of larval red drum, *Sciaenops ocellatus*. Part II: Growth and biochemical indicators, by Ross I. Brightman, Joseph J. Torres, Joseph Donnelly, and M. Elizabeth Clarke
- 445** Retrospective analysis of virtual population estimates for Atlantic menhaden stock assessment, by Steven X. Cadrin and Douglas S. Vaughan
- 456** Maturation and reproductive seasonality in bonefish, *Albula vulpes*, from the waters of the Florida Keys, by Roy E. Crabtree, Derke Snodgrass, and Christopher W. Harnden
- 466** Seasonal movement of offshore American lobster, *Homarus americanus*, tagged along the eastern shore of Cape Cod, Massachusetts, by Bruce T. Estrella and Thomas D. Morrissey
- 477** Daily variability in abundance of larval fishes inside Beaufort Inlet, by William F. Hettler Jr., David S. Peters, David R. Colby, and Elisabeth H. Laban
- 494** Effects of geography and bathymetry on growth and maturity of yellowfin sole, *Pleuronectes asper*, in the eastern Bering Sea, by Daniel G. Nichol
- 504** Habitat models for juvenile pleuronectids around Kodiak Island, Alaska, by Brenda L. Norcross, Franz-Josef Mütter, and Brenda A. Holladay
- 521** Daily growth increments in otoliths of juvenile weakfish, *Cynoscion regalis*: experimental assessment of changes in increment width with changes in feeding rate, growth rate, and condition factor, by Richard Paperno, Timothy E. Targett, and Paul A. Greccay
- 530** Daily age and growth of larval and early juvenile Spanish mackerel, *Scomberomorus maculatus*, from the South Atlantic Bight, by John S. Peters and David J. Schmidt
- 540** Use of stable isotopes to assess groups of king mackerel, *Scomberomorus cavalla*, in the Gulf of Mexico and southeastern Florida, by Lynn A. Roelke and Luis A. Cifuentes
- 552** Effectiveness of four industry-developed bycatch reduction devices in Louisiana's inshore waters, by Donna R. Rogers, Barton D. Rogers, Janaka A. de Silva, and Vernon L. Wright
- 566** Global population structure of yellowfin tuna, *Thunnus albacares*, inferred from allozyme and mitochondrial DNA variation, by Robert D. Ward, Nicholas G. Elliott, Bronwyn H. Innes, Adam J. Smolenski, and Peter M. Grewe
- 576** An estimate of orange roughy, *Hoplostethus atlanticus*, biomass using the daily fecundity reduction method, by John R. Zeldis, R. I. Chris Francis, Malcolm R. Clark, Jonathan K. V. Ingerson, Paul J. Grimes, and Marianne Vignaux
- 598** Maturity and fecundity of arrowtooth flounder, *Atheresthes stomias*, from the Gulf of Alaska, by Mark Zimmermann
- 612** The reproductive biology and early life stages of *Podothecus sachi* (Pisces: Agonidae), by Hiroyuki Munehara
- 620** Age and growth of totoaba, *Totoaba macdonaldi* (Sciaenidae), in the upper Gulf of California, by Martha J. Román-Rodríguez, and M. Gregory Hammann
- 629** Mark retention and growth of jet-injected juvenile marine fish, by John F. Thedinga, Adam Moles, and Jeffrey T. Fujioka
- 95(4)**
- 637** Yield-per-recruit analysis and management strategies for Atlantic croaker, *Micropogonias undulatus*, in the Middle Atlantic Bight, by Luiz R. Barbieri, Mark E. Chittenden Jr., and Cynthia M. Jones
- 646** Daily and seasonal activity patterns of female cunner, *Tautoglabrus adspersus* (Labridae), in Newfoundland, by Carole Bradbury, John M. Green, and Michael Bruce-Lockhart
- 653** The composite square-mesh panel: a modification to codends for reducing unwanted bycatch and increasing

- catches of prawns throughout the New South Wales oceanic prawn-trawl fishery, by Matt K. Broadhurst and Steven J. Kennelly
- 665** Movements, feeding periods, and daily ration of piscivorous young-of-the-year bluefish, *Pomatomus saltatrix*, in the Hudson River estuary, by Jeffrey A. Buckel and David O. Conover
- 680** Population biology and harvest of the coral reef surgeonfish *Acanthurus lineatus* in American Samoa, by Peter C. Craig, J. Howard Choat, Lynda M. Axe, and Suesan Saucerman
- 694** Spatial and temporal variation in age and growth of king mackerel, *Scomberomorus cavalla*, 1977–1992, by Douglas A. DeVries and Churchill B. Grimes
- 709** Age, growth, distribution, and food habits of recently settled white seabass, *Atractoscion nobilis*, off San Diego County, California, by Christopher J. Donohoe
- 722** Analysis of diet and feeding strategies within an assemblage of estuarine larval fish and an objective assessment of dietary niche overlap, by Daniel J. Gaughan and Ian C. Potter
- 732** Changes in the life history of red porgy, *Pagrus pagrus*, from the southeastern United States, 1972–1994, by Patrick J. Harris and John C. McGovern
- 748** Reproductive success of Pacific herring, *Clupea pallasii*, in Prince William Sound, Alaska, six years after the *Exxon Valdez* oil spill, by Scott W. Johnson, Mark G. Carls, Robert P. Stone, Christine C. Brodersen, and Stanley D. Rice
- 762** Maximum population growth rates and recovery times for Atlantic cod, *Gadus Morhua*, by Ransom A. Myers, Gordon Mertz, and P. Stacey Fowlow
- 773** Age and growth of larval and juvenile Atlantic croaker, *Micropogonias undulatus*, from the Middle Atlantic Bight and estuarine waters of Virginia, by Stephen W. Nixon and Cynthia M. Jones
- 785** Temporal and spatial spawning patterns of the Atlantic butterflyfish, *Peprilus triacanthus*, in the South and Middle Atlantic Bights, by Teresa Rotunno and Robert K. Cowen
- 800** A comparison of three genetic methods used for stock discrimination of orange roughy, *Hoplostethus atlanticus*: allozymes, mitochondrial DNA, and random amplified polymorphic DNA, by Peter J. Smith, Peter G. Benson, and S. Margaret McVeagh
- 812** Survival of chinook salmon, *Oncorhynchus tshawytscha*, from a spawning tributary of the Rakaia River, New Zealand, in relation to spring and summer mainstem flows, by Martin J. Unwin
- 826** A shift in distribution of humpback whales, *Megaptera novaeangliae*, in response to prey in the southern Gulf of Maine, by Mason Weinrich, Malcolm Martin, Rachel Griffiths, Jennifer Bove, and Mark Schilling
- 837** Temporal variation in sexual maturity and gear-specific sex ratio of the vermilion snapper, *Rhomboplites aurorubens*, in the South Atlantic Bight, by Boxian Zhao and John C. McGovern
- 849** A polyphasic growth function for the endangered Kemp's ridley sea turtle, *Lepidochelys kempii*, by Milani Chaloupka and George R. Zug
- 857** Age determination of larval strombid gastropods by means of growth increment counts in statoliths, by Félix A. Grana-Raffucci and Richard S. Appeldoorn
- 863** Bias in Chapman-Robson and least-squares estimators of mortality rates for steady-state populations, by Michael D. Murphy
- 869** The effects of formalin and freezing on ovaries of albacore, *Thunnus alalunga*, by Darlene Ramon and Norm Bartoo
- 873** Short-term retention of coded wire and internal anchor tags in juvenile common snook, *Centropomus undecimalis*, by Julie E. Wallin, John M. Ransier, Sondra Fox, and Robert H. McMichael Jr.

# Fishery Bulletin Index

## Volume 95 (1-4), 1997

### List of authors

- Abitia-Cardenas, Leonardo A. 360  
 Alemany, Francisco 187  
 Alshuth, Sabine R. 394  
 Álvarez, Federico 187  
 Andrew, Neil L. 403  
 Appeldoorn, Richard S. 857  
 Arce, Steve M. 267  
 Armstrong, Michael P. 414  
 Axe, Lynda M. 680
- Barber, Willard E. 195  
 Barbieri, Luiz R. 637  
 Bartoo, Norm 869  
 Benson, Peter G. 800  
 Bertram, Douglas F. 1  
 Best, Peter B. 386  
 Biggs, Douglas C. 369  
 Blankenship, H. Lee 267  
 Bove, Jennifer 826  
 Bradbury, Carole 646  
 Bray, Richard N. 349  
 Brennan, Nathan P. 267  
 Brightman, Ross I. 431  
 Broadhurst, Matt K. 209, 653  
 Brodersen, Christine C. 748  
 Bruce-Lockhart, Michael 646  
 Buckel, Jeffrey A. 665
- Cadrin, Steven X. 445  
 Carls, Mark G. 748  
 Casillas, Edmundo 231  
 Castellanos, Ivan 369  
 Chaloupka, Milani 849  
 Chen, Yong 403  
 Chittenden, Mark E., Jr. 637  
 Chivers, Susan J. 334  
 Choat, Howard J. 680  
 Cifuentes, Luis A. 540  
 Clark, Malcolm R. 576  
 Clarke, M. Elizabeth 431  
 Colby, David R. 477  
 Conover, David O. 665  
 Cowen, Robert K. 785  
 Crabtree, Roy E. 456  
 Craig, Peter C. 680  
 Crockford, Susan J. 11
- de Silva, Janaka A. 552  
 DeMartini, Edward E. 137  
 DeVries, Douglas A. 694  
 Donnelly, Joseph 431  
 Donohoe, Christopher J. 709
- Ehrhardt, Nelson M. 280  
 Elliott, Nicholas G. 566  
 Ellis, Denise M. 137  
 Estrella, Bruce T. 466  
 Ezzy, Stephen M. 376
- Fisher, Joseph P. 25  
 Fowlow, P. Stacey 762  
 Fox, Sondra 873  
 Francis, R. I. Chris 576  
 Fujioka, Jeffrey T. 629
- Galvan-Magaña, Felipe 360  
 Gasca, Rebeca 369  
 Gaughan, Daniel J. 722  
 Gold, John R. 174  
 Goodyear, C. Phillip 39  
 Grana-Raffucci, Félix A. 857  
 Grecay, Paul A. 521  
 Green, John M. 646  
 Grewe, Peter M. 566  
 Griffiths, Marc H. 47  
 Griffiths, Rachel 826  
 Grimes, Churchill B. 694  
 Grimes, Paul J. 576  
 Gunderson, Donald R. 161, 219
- Hammann, M. Gregory 620  
 Hampton, John 68  
 Harnden, Christopher W. 456  
 Harris, Patrick J. 732  
 Heiser, John B. 311  
 Hettler, William F., Jr. 477  
 Hinton, Michael G. 80  
 Hoggard, Wayne 300  
 Holladay, Brenda A. 504
- Ingerson, Jonathan K. V. 576  
 Innes, Bronwyn H. 566
- Johnson, Lyndal L. 231  
 Johnson, Scott W. 748  
 Jones, Cynthia M. 637, 773
- Kane, Joseph 85  
 Kennelly, Steven J. 209, 653  
 Kraus, Scott 300
- Laban, Elisabeth H. 477  
 Lamkin, John 250  
 Lazzari, Mark A. 376  
 Leben, Robert R. 369
- Leber, Kenneth M. 267  
 Legault, Christopher M. 280  
 Leggett, William C. 1  
 Lenarz, William H. 293  
 Lesser, Michael P. 311  
 Livingston, Mary E. 99  
 Lomax, Daniel P. 231  
 Lowe, Sandra A. 321  
 Lutcavage, Molly 300
- Martin, Malcolm 826  
 Martini, Frederic 311  
 McDermott, Susanne F. 321  
 McGovern, John C. 732, 837  
 McKenna, James E., Jr. 114  
 McMichael, Robert H. 873  
 McQuinn, Ian H. 126  
 McVeagh, S. Margaret 800  
 Mellink, Eric 180  
 Mertz, Gordon 762  
 Meyer, Robert M. 195  
 Miller, Thomas J. 1  
 Moles, Adam 629  
 Morrissey, Thomas D. 466  
 Munehara, Hiroyuki 612  
 Murphy, Michael D. 80, 863  
 Müter, Franz-Josef 504  
 Myers, Ransom A. 762
- Nelson, Gregory M. 231  
 Nichol, Daniel G. 494  
 Nixon, Stephen W. 773  
 Norcross, Brenda L. 504
- Paperno, Richard 521  
 Parrish, Frank A. 137  
 Percy, William G. 25  
 Peters, David S. 477  
 Peters, John S. 530  
 Potter, Ian C. 722  
 Powers, Joseph E. 149
- Ramon, Darlene 869  
 Ransier, John M. 873  
 Restrepo, Victor R. 149  
 Rice, Stanley D. 748  
 Richardson, Linda R. 174  
 Robertson, Kelly M. 334  
 Rodriguez-Romero, Jesus 360  
 Roelke, Lynn A. 540  
 Rogers, Barton D. 552  
 Rogers, Donna R. 552  
 Román Rodríguez, Martha J. 620  
 Rotunno, Teresa 785
- Saucerman, Suesan 680  
 Schilling, Mark 826  
 Schmidt, David J. 530  
 Schofield, Kathy A. 99  
 Sekiguchi, Keiko 386  
 Shaw, Franklin R. 293  
 Shi, Yunbing 161  
 Sloan, Catherine A. 231

Smith, Ronald L. 195  
Smith, Peter J. 800  
Smolenski, Adam J. 566  
Snodgrass, Derke 456  
Sol, Sean Y. 231  
Stevenson, David K. 376  
Stone, Robert P. 748  
Suárez-Morales, Eduardo 369  
Sullivan, Patrick J. 161  
  
Targett, Timothy E. 521  
Taylor, Ronald G. 80

Thedinga, John F. 629  
Timmons, Maryellen 349  
Torres, Joseph J. 431  
Tucker, John W., Jr. 394  
  
Unwin, Martin J. 812  
  
Vallarino, Mark 195  
Vaughan, Douglas S. 445  
Vignaux, Marianne 99, 576  
  
Wallin, Julie E. 873

Ward, Robert D. 566  
Watson, John W. 209  
Weinrich, Mason 826  
Workman, Ian K. 209  
Wright, Vernon L. 552  
  
Zavala-González, Alfredo 180  
Zeldis, John R. 576  
Zhao, Boxian 837  
Zimmerman, Robert A. 369  
Zimmermann, Mark 598  
Zug, George R. 849

# Fishery Bulletin Index

## Volume 95 (1-4), 1997

### List of subjects

- Abalone, blacklip 403
- Abundance  
 cigarfish, bigeye 250  
 copepod 85  
 demersal fishes 195  
 flounder  
   smooth 414  
   winter 414  
 larval fishes 477  
 rockfish 219  
 seabass, white 709  
 snapper, pink 137  
 tuna, bluefin 300
- Acanthurus lineatus* - see Surgeonfish, bluebanded
- Activity 646
- Afurcagobius suppositus* 722
- Age at sexual maturity - see also Maturity  
 bonefish 456  
 cod 762  
 mackerel, Atka 321  
 rockfish 219  
 snapper, vermilion 837  
 sole, yellowfin 494
- Age determination 39  
 butterflyfish 785  
 conch 857  
 croaker, Atlantic 773  
 guitarfish, shovelnose 349  
 hoki, New Zealand 99  
 mackerel  
   king, 694  
   Spanish 530  
 sardine, Atlanto-Iberian 187  
 seabass, white 709  
 totoaba 620
- Age validation 530
- Alaska  
 Aleutian islands 321  
 Bering Sea 494  
 Chukchi Sea 195  
 Kodiak Island 504  
 Prince William Sound 748
- Albula vulpes* - see Bonefish
- Albulidae - see Bonefish
- Allozyme 566, 800
- Annual proportion spawning 99
- Anoplopoma fimbria* - see Sablefish
- Anoplopomatidae - see Sablefish
- Archeological evidence 11
- Archosargus probatocephalus* - see Sheepshead
- Argyrosomus inodorus* - see Kob, silver
- Artificial digestion 386
- Assessment 267
- Atheresthes stomias* - see Flounder, arrowtooth
- Atlantic Ocean 837, 566
- Atractoscion nobilis* - see Seabass, white
- Australia 209, 722  
 New South Wales 403, 653
- Bahama Bank 300
- Balaenopteridae - see Humpback whale
- Baleen, 826
- Bathymetry 494
- Biochemical indicators 432
- Biomass 576
- Birthdate analysis 187
- Blenniidae 722
- Bluefish 665
- Bonefish 456
- Bootstrapping 722
- Brevoortia tyrannus* - see Menhaden, Atlantic
- British Columbia 11
- Butterfish, Atlantic 785
- Bycatch  
 reducing devices, secondary 209  
 reduction 209, 552, 653
- California 293, 349, 709
- Catch-curve analysis "
- Centropages hamatus* 85
- Centropagidae - see Copepod
- Centropomus undecimalis* - see Snook, common
- Cheloniidae - see Turtles, sea
- Chesapeake Bay 653, 773
- Cigarfish, bigeye 250
- Clupea  
*harengus* - see Herring, Atlantic  
*pallasi* - see Herring, Pacific
- Clupeidae - see Herring, Menhaden, or Sardine
- Cod, Atlantic 762
- Cold-core rings 369
- Commercial fishery 114
- Competition 722  
 wild and hatchery-reared salmon 25  
 winter and smooth flounder 414
- Conch  
 milk 857  
 queen 857
- Condition factor 231, 521, 598, 680
- Contaminants, chemical 231
- Copepod 85
- Croaker, Atlantic 637, 773
- Cubiceps pauciradiatus* - see Cigarfish, bigeye
- Cunner 646
- Cynoscion regalis* - see Weakfish
- Daily  
 growth 187  
 ration 665
- Delphinidae - see Dolphin
- Demersal fish assemblages 195
- Density dependence 161
- Depth 504  
 gradient 414
- Development  
 flounder, winter 1  
 sheepshead, 394
- Diel 665
- Diet - see Food habits
- Diet analysis 386
- Dietary overlap  
 fall versus spring chinook salmon, juvenile 25
- Dietary niche overlap 722
- Direct assessment 300
- Distribution  
 cigarfish, bigeye 250  
 copepod, 85  
 demersal fishes, 195  
 flounder  
   smooth 414  
   winter 414  
 pleuronectids, juvenile 504  
 seabass, white 709  
 tuna, bluefin 11  
 whale, humpback 826
- DNA, mitochondrial  
 grouper, red 174  
 roughy, orange 800  
 tuna, yellowfin 566
- Dolphin, pantropical spotted 334
- Double tagging 68, 293
- Drift macrophytes 709
- Drum, red 431
- Eastern tropical Pacific 334
- Ecology 311
- Egg  
 development 394  
 production 231, 576  
 weight 231 "
- Elasmobranch 349
- Elopomorpha 456
- Energetics 431
- Enoplateuthidae 334
- Entanglement, incidence of 180
- Epinephelinae - see Grouper
- Epinephelus morio* - see Grouper, red
- Estradiol 17-B 231
- Estuarine 722  
 and Atlantic croaker 773  
 and juvenile chinook salmon 25  
 English sole and nursery habitat 161  
 flounder habitat 414
- Extralimital fish records 11
- Exxon Valdez* oil spill 748
- Favonigobius lateralis* 722
- Fecundity

- bonefish 456  
 flounder, arrowtooth 598  
 roughy, orange 576  
 sole, English 231
- Feeding - *see also* Food habits  
 ecology 722  
 chronology 665  
 rates 521  
 strategy 722
- Fish larvae 722
- Fish marking 629
- Fishermen 114
- Fishery  
 artisanal 680  
 harvest 114  
 Louisiana shrimp 532  
 management  
 abalone, blacklip 403  
 croaker, Atlantic 637  
 guitarfish, shovelnose 349  
 menhaden, Atlantic 445  
 rockfish stocks 219  
 prawn-trawl 653  
 production 137  
 subsistence 680
- Fishing gear 180
- Flatfish 231, 504
- Florida 456, 540, 873  
 Broward county 114
- Flounder  
 arrowtooth 598  
 smooth 414  
 winter 1, 414
- Flow variability 812
- Food habits  
 bluefish 665  
 dolphin 386  
 pantropical spotted 334  
 marlin, striped 360  
 salmon, chinook 25  
 seabass, white 709
- Food web 540
- Formalin 869
- Freezing 869
- Frontal areas, larval abundance in 250
- Gadidae - *see* Cod  
*Gadus morhua* - *see* Cod, Atlantic
- Genetic studies  
 grouper, red 174  
 polymorphism 566  
 tuna, yellowfin 566
- Geography 494
- Gobiidae 722
- Gonadal development 456
- Gonadosomatic index 80, 456, 598
- Grouper, red 174
- Growth  
 butterflyfish 785  
 conch 857  
 croaker, Atlantic 773  
 drum, red 431  
 flounder, winter 1  
 guitarfish, shovelnose 349  
 halibut, Pacific 629  
 herring, Atlantic 126
- juvenile fish 629
- mackerel  
 king 694  
 Spanish 530
- mullet, striped 267
- porgy, red 732
- rockfish 219
- sablefish 629
- sheepshead 394
- sole  
 English 161, 231  
 rock 629  
 yellowfin 494, 629
- totoaba 620
- turtle, Kemp's ridley sea 849  
 variation in 1
- Growth rates 521, 530, 709
- Growth overfishing 637
- Guitarfish, shovelnose 349
- Gulf  
 of Alaska 321, 598  
 of California 180, 360, 620  
 of Maine 311, 376, 826  
 of Mexico 174, 250, 369, 540  
 of St. Lawrence 126
- Habitat use 414
- Habitat 219  
 models 504  
 nursery 137, 709
- Hagfish 311
- Halibut, Pacific 504
- Haliotidae - *see* Abalone
- Haliotis rubra* - *see* Abalone, blacklip
- Harvest 114
- Hatchery release 267
- Hawaii 267
- Hawaiian Archipelago 137
- Hepatosomatic index 598
- Herring  
 Atlantic 126, 376, 826  
 Pacific 748
- Hexagrammidae - *see* Mackerel
- Hippoglossoides elassodon* - *see* Sole, flathead
- Hippoglossus stenolepis* - *see* Halibut, Pacific
- Histologic  
 bonefish 456  
 effects of marking on 629  
 flatfish 629  
 flounder, arrowtooth 598  
 hoki, New Zealand 99  
 mackerel, Atka 321  
 swordfish 80
- Hoki, New Zealand 99
- Homarus americanus* - *see* Lobster, American
- Homing 466
- Hoplostethus atlanticus* - *see* Roughy, orange
- Iberian peninsula 187
- Ichthyoplankton 722
- Indian Ocean 566
- Inshore waters 552
- Interannual variability 219
- Isotopes  
 stable carbon 540  
 stable nitrogen 540
- Istiophoridae - *see* Marlin
- Jeffreys Ledge 826
- Jet-injected marking 629
- Juvenile studies  
 and jet-injected marking 629  
 croaker, Atlantic 773  
 flounder, winter 1  
 mackerel, Spanish 530  
 pleuronectids 504  
 salmon, chinook 25  
 sardine, Atlanto-Iberian 187  
 seabass, white 709  
 sheepshead 394  
 snapper, pink 137  
 snook, common 873  
 sole, English 161  
 weakfish 521
- Kob, silver 47
- Labridae - *see* Cunner
- Lapillus 773
- Larval studies  
 cigarfish, bigeye 250  
 conch, 857  
 croaker, Atlantic 773  
 drum, red 431  
 mackerel, Spanish 530  
 flounder, winter 1  
 sheepshead 394
- Lactate dehydrogenase (LDH) activity 431
- Least-squares method 149
- Length at age 494
- Length at sexual maturity 321, 456, 494
- Lepidochelys kempii* - *see* Turtle, Kemp's ridley sea
- Life history 837  
 bonefish, 456  
 kob, silver 47  
 porgy, red 732  
 surgeonfish 680
- Lipid 431
- Lobster, American 466
- Loop Current 250, 369, 540
- Louisiana 552
- Low-frequency reproduction 99
- Lutjanidae - *see* Snapper
- Lutjanus campechanus* - *see* Snapper, red
- Mackerel  
 Atka 321  
 king 540, 694  
 Spanish 530
- Macruronus novaezelandiae* - *see* Hoki, New Zealand
- Marginal increment analysis 530
- Mark retention 629
- Marlin, striped 360
- Massachusetts, Cape Cod 466
- Maturity ogive 99
- Maturity - *see also* Age at sexual maturity  
 flounder, arrowtooth 598

- kob, silver 51  
 sole, yellowfin 494  
 surgeonfish 680  
 Mean size 403  
*Megaptera novaeangliae* - see Whale, humpback  
 Menhaden, Atlantic 445  
 Merisitics 785  
 Merlucciidae - see Hoki  
 Methods  
   age determination from length 39  
   assessing dietary niche overlap 722  
   classifying reproductive condition 80  
   daily fecundity reduction 576  
   determining sampling size 403  
   estimation of mortality rates  
     Chapman-Robson 863  
     least-squares 863  
   genetic 800  
   in virtual population analysis 280  
   skeletonochronological 849  
 Mexico 180, 360  
*Micropogonias undulatus* - see Croaker, Atlantic  
 Middle Atlantic Bight 637, 773, 785  
 Migration 47, 300  
 Mississippi River 540  
 Mitochondrial DNA 174, 566, 800  
 Model  
   age 39  
   habitat 504  
   growth 800  
   spawner-recruitment 762  
   stock assessment 149  
   yield-per-recruit 637  
 Modeling 637  
 Morphometrics 311, 394, 785  
 Mortality 161, 637, 863  
   rates in VPA's 280  
 Mouth size 722  
 Movements 466, 646, 665  
*Mugil cephalus* - see Mullet, striped  
 Mugilidae - see Mullet  
 Mullet, striped 267  
 Multispecies 114  
 Myctophidae 334  
*Myxine glutinosa* - see Hagfish  
 Myxinidae - see Hagfish  
  
 Nephrophidae - see Lobster  
 New Hampshire 414  
 New York, Hudson River 665  
 New Zealand 576, 99  
   Rakaia River 812  
 Newfoundland 646  
 Nomeidae 250  
 Nonlinear estimation 849  
 Nonparametric smoothing 849  
 Nordmøre-grid 209  
 North Carolina 637  
   Beaufort 477  
 Nursery areas  
   juvenile pleuronectids 504  
   kob, silver 47  
   snapper, pink 137  
   sole, English 161  
  
 Nutrition 231  
  
 Oceanic islands 137  
 Ommastrephidae 334  
*Oncorhynchus tshawytscha* - see Salmon, chinook  
 Oocyte stages 321, 456, 598  
 Oregon 293  
   Coos Bay 25  
 Otariidae - see Sea lion  
 Otolith  
   butterfish 785  
   croaker, Atlantic 773  
   mackerel, Spanish 530  
   seabass, white 709  
   totoaba 620  
   weakfish 521  
 Outliers, detection with robust regression 149  
 Ovary, effects of preservation 869  
 Overfishing 219, 732  
  
 Pacific Ocean  
   tuna 68, 566  
 Pacific tuna fisheries 11  
  
*Pagrus pagrus* - see Porgy, red  
*Parablennius tasmanianus* 722  
 Pelagic fishes 300  
*Penaeus plebejus* - see Prawn, eastern King  
*Peprilus triacanthus* - see Butterfish, Atlantic  
 Perch, Pacific ocean 219  
 Phenotypic variation 1  
 Physical  
   environment 376  
   oceanography 250  
 Pigmentation 394  
 Piscivore 665  
*Pleurogrammus monopterygius* - see Mackerel, Atka  
 Pleuronectes  
   *americanus* - see Founder, winter  
   *asper* - see Sole, yellowfin  
   *bilineatus* - see Sole, rock  
   *putnami* - see Flounder, smooth  
   *vetulus* - see Sole, English  
 Pleuronectidae - see Flounder and Sole  
 Poacher, sail-fin 612  
*Podothecus sachi* - see Poacher, sail-fin  
 Polychlorinated biphenyls (PCB's) 231  
 Polycyclic aromatic hydrocarbons (PAH's) 231  
 Polymerase chain reaction (PCR) 800  
 Polyphasic growth 849  
 Pomatomidae - see Bluefish  
*Pomatomus saltatrix* - see Bluefish  
 Population  
   biology of surgeonfish 680  
   dynamics  
     menhaden, Atlantic 445  
     rockfish 219  
   growth rate for cod 762  
   profile for hagfish 311  
   structure  
     grouper, red 174  
     herring, Atlantic 126  
     tuna, yellowfin 566  
 Porgy, red 732  
 Prawn, eastern King 653  
 Prawn-trawl 209, 653  
 Preservation 869  
 Prey  
   digestibility 386  
   energy values 360  
   mesopelagic 334  
   occurrence 334  
   size 722  
*Pristipomoides filamentosus* - see Snapper, pink  
 Production  
   snapper, juvenile pink 137  
 Protein 431  
 Proximate composition 431  
*Pseudogobius olorum* 722  
  
 Random amplified polymorphic DNA (RAPD) 800  
 Ration level 431  
 Ray 349  
 Recapture rate 267, 466  
 Recreational fishery 456  
 Recruitment 250, 773  
   herring, Atlantic 376  
   sardine, Atlanto-Iberian 187  
 Replenishment (marine fish populations) 267  
 Reproductive biology - see also Spawning  
   bonefish 456  
   guitarfish, shovelnose 349  
   hagfish 311  
   herring, Pacific 748  
   kob, silver 47  
   mackerel, Atka 321  
   porgy, red 732  
   sole, English 231  
   swordfish 80  
 Resource availability 722  
 Retrospective analysis 445  
 Rhinobatidae - see Guitarfish  
*Rhinobatos productus* - see Guitarfish, shovelnose  
*Rhomboplites aurorubens* - see Snapper, vermilion  
 RNA-DNA ratios 431  
 Robust regression 149  
 Rockfish  
   darkblotched 219  
   rougheye 219  
   splitnose 219  
 Roughy, orange 576, 800  
  
 Sablefish 293  
 Sagitta 773  
 Salinity gradient 414  
 Salmonidae - see Salmon  
 Salmon, chinook 25, 812  
 Samoa, American 680  
 Sampling 403, 477  
 Sanctuaries 219  
 Sand lance 826



- Sardina pilchardus* - see Sardine, Atlanto-Iberian  
 Sardine, Atlanto-Iberian 187  
 Schooling 300  
 Sciaenidae - see Drum, Croaker, Kob, Totoaba, Seabass, and Weakfish  
*Sciaenops ocellatus* - see Drum, red  
 Scomberomorus  
   *cavalla* - see Mackerel, king  
   *maculatus* - see Mackerel, Spanish  
 Scombridae - see Tuna and Mackerel  
 Scorpaenidae - see Rockfish  
 Sea lion, California 180  
 Sea ranching 267  
 Seasonal movements 414  
 Seasonal timing 267  
*Sebastes*  
   *alascanus* - see Thornyhead, shortspine  
   *aleutianus* - see Rockfish, roughey  
   *alutus* - see Perch, Pacific ocean  
   *crameri* - see Rockfish, darkblotched  
   *diploproa* - see Rockfish, splitnose  
 Sediment 504  
 Sex ratio 837, 47  
 Sheepshead 394  
 Shrimp trawls 552  
 Size-at-release 267  
 Size-structure 403  
 Snapper  
   red 39  
   pink 137  
   vermilion 837  
 Snook, common 873  
 Sole  
   English 161, 231  
   flathead 504  
   rock 504  
   yellowfin 494, 504  
 South Africa 47  
 South Atlantic Bight 530, 732, 785  
 Spain 187  
 Sparidae - see Porgy or Sheepshead  
 Spatial patterns 219  
 Spatial variations 694  
 Spawner-recruitment 762  
 Spawning - see also Reproductive biology  
   biomass and hoki 99  
   bonefish 456  
   butterfish 785  
   season and herring 126  
   stock structure and swordfish 80  
   surgeonfish 680  
 Species assemblage  
   Florida fishery harvest 114  
   rockfish 219  
 Square-mesh panels 653  
 Statolith 857  
 Stellwagen Bank 826  
*Stenella attenuata* - see Dolphin, pantropical spotted  
 Stock  
   assessment 149, 445  
   discrimination 800  
   enhancement 267  
   interchange 466  
   rebuilding 219  
   separation 47, 540  
   structure 566  
 Stock-recruitment 762  
 Stromateidae - see Butterfish  
 Stromateoid 250  
 Strombidae - see Conch  
*Strombus costatus* - see Conch, milk  
*Strombus gigas* - see Conch, queen  
 Subtropical 114  
 Surgeonfish, bluebanded 680  
 Survey, aerial 300  
 Survival 812  
   mullet, striped 267  
   sole, English 161  
 Swordfish 80, 149  
 Syngnathidae 722  
 Tag  
   coded wire 873  
   double 68, 293  
   internal anchor 873  
   loss 293  
   reporting 68  
   retention 293, 873  
   seeding 68  
   shedding 68  
 Tag-release-recapture 267, 466  
 Tagging 466, 646  
*Tautoglabrus adspersus* - see Cunner 646  
 Temperature 161, 762  
   effects on red drum growth 431  
   pleuronectids and habitat use 504  
 Temporal variation 694, 837  
*Tetrapturus audax* - see Marlin, striped  
 Thornyhead, shortspine 219  
*Thunnus albacares* - see Tuna, yellowfin  
*Thunnus thynnus* - see Tuna, bluefin  
 Torpor 646  
*Totoaba macdonaldi* - see Totoaba  
 Totoaba 620  
 Trachichthyidae - see Roughy  
 Tracking 646  
 Triglycerides 231  
 Tuna  
   albacore 869  
   bluefin 11, 149, 300  
   distributions 11  
   prehistoric 11  
   tagging 68  
   yellowfin 566  
 Turtle, Kemp's ridley sea 849  
 United States  
   northeast 85  
   southeast 732  
*Urocampus carinirostris* 722  
 Vancouver Island 11  
 Variability 477  
 Variation  
   allozyme and mitochondrial DNA 566  
   in individual flounder 1  
 Video camera, baited 137  
 Virginia 773  
 Virtual population analysis 280, 445  
 Washington 161, 293  
   northern 11, 219  
   Puget Sound 231  
 Weakfish 521  
 Whale, humpback 826  
*Xiphias gladius* - see Swordfish  
 Xiphiidae - see Swordfish  
 Year-class twinning 126  
 Yield-per-recruit 637  
*Zalophus californianus californianus* - see Sea lion, California  
 Zooplankton 369, 722